



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 26, 2014 – 07:52 PM GMT

PDB ID : 4L67
Title : Crystal Structure of Catalytic Domain of PAK4
Authors : Wang, W.; Song, J.
Deposited on : 2013-06-12
Resolution : 2.80 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	1799 (2.80-2.80)
Clashscore	79885	2295 (2.80-2.80)
Ramachandran outliers	78287	2252 (2.80-2.80)
Sidechain outliers	78261	2254 (2.80-2.80)
RSRZ outliers	66119	1802 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	292	
2	B	25	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 2493 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Serine/threonine-proteinkinase PAK 4.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	290	Total	C	N	O	P	S	0	0	0
			2295	1462	405	413	1	14			

- Molecule 2 is a protein called Serine/threonine-proteinkinase PAK 4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	20	Total	C	N	O	S	0	0	0
			160	101	29	29	1			

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	38	Total	O	0	0
			38	38		

4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	65.17Å 65.17Å 184.57Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	61.46 – 2.80 22.87 – 2.80	Depositor EDS
% Data completeness (in resolution range)	99.2 (61.46-2.80) 99.5 (22.87-2.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.36 (at 2.80Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.228 , 0.333 0.230 , 0.339	Depositor DCC
R_{free} test set	498 reflections (5.04%)	DCC
Wilson B-factor (Å ²)	71.8	Xtriage
Anisotropy	0.066	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 40.1	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	0 of 10375 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	2493	wwPDB-VP
Average B, all atoms (Å ²)	72.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.31% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SEP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.76	3/2332 (0.1%)	0.85	0/3157
2	B	0.74	0/164	0.97	0/223
All	All	0.76	3/2496 (0.1%)	0.86	0/3380

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	392	TRP	CD2-CE2	6.26	1.48	1.41
1	A	481	TRP	CD2-CE2	5.96	1.48	1.41
1	A	499	TRP	CD2-CE2	5.15	1.47	1.41

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	331	SER	Peptide

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2295	0	2351	155	0
2	B	160	0	160	7	0
3	A	38	0	0	4	0
All	All	2493	0	2511	157	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 32.

All (157) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:432:HIS:ND1	1:A:494:PRO:HB3	1.49	1.27
1:A:373:TYR:HB3	1:A:375:HIS:N	1.49	1.26
1:A:373:TYR:N	1:A:374:GLN:CA	2.05	1.16
1:A:373:TYR:N	1:A:374:GLN:HA	1.20	1.07
1:A:373:TYR:HB3	1:A:374:GLN:C	1.81	0.99
1:A:372:ASP:C	1:A:374:GLN:HA	1.84	0.98
1:A:373:TYR:CB	1:A:375:HIS:N	2.27	0.96
1:A:373:TYR:CD2	1:A:373:TYR:C	2.40	0.95
1:A:373:TYR:H	1:A:375:HIS:H	1.19	0.91
1:A:373:TYR:H	1:A:374:GLN:HA	1.16	0.91
1:A:373:TYR:HD2	1:A:373:TYR:C	1.74	0.90
1:A:485:GLU:C	1:A:488:SER:OG	2.10	0.90
1:A:453:ARG:HH11	1:A:453:ARG:HG3	1.37	0.89
1:A:437:ILE:HG22	1:A:439:ARG:HG3	1.53	0.88
1:A:432:HIS:ND1	1:A:494:PRO:CB	2.37	0.87
1:A:435:GLY:O	1:A:465:VAL:HG22	1.75	0.87
1:A:531:LEU:HD23	1:A:531:LEU:H	1.42	0.85
1:A:313:ASP:HB3	3:A:723:HOH:O	1.75	0.84
1:A:373:TYR:CD2	1:A:373:TYR:O	2.30	0.84
1:A:373:TYR:H	1:A:375:HIS:N	1.75	0.84
1:A:437:ILE:CG2	1:A:439:ARG:HG3	2.08	0.83
1:A:453:ARG:HH11	1:A:453:ARG:CG	1.94	0.80
1:A:373:TYR:HB2	1:A:375:HIS:HB2	1.64	0.80
1:A:372:ASP:OD1	1:A:373:TYR:HA	1.83	0.79

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:372:ASP:OD1	1:A:373:TYR:CA	2.30	0.79
1:A:368:VAL:HA	3:A:713:HOH:O	1.85	0.76
1:A:485:GLU:CA	1:A:488:SER:OG	2.33	0.76
1:A:485:GLU:O	1:A:488:SER:OG	2.02	0.75
1:A:484:PRO:O	1:A:488:SER:OG	2.03	0.73
1:A:471:ARG:HD2	1:A:491:PRO:O	1.89	0.73
1:A:485:GLU:HA	1:A:488:SER:OG	1.89	0.72
1:A:373:TYR:HB3	1:A:375:HIS:CA	2.19	0.72
1:A:361:GLU:H	1:A:361:GLU:CD	1.93	0.71
1:A:581:ILE:HG23	1:A:584:LEU:HD12	1.72	0.71
1:A:405:ASP:OD2	1:A:405:ASP:C	2.29	0.69
1:A:353:ASP:HB3	1:A:356:LYS:HG3	1.74	0.69
1:A:476:VAL:HA	2:B:54:VAL:HG22	1.76	0.68
1:A:530:ASN:O	1:A:555:ARG:HD2	1.93	0.67
1:A:428:LEU:O	1:A:432:HIS:CD2	2.48	0.67
1:A:439:ARG:NH2	1:A:463:ALA:HB2	2.09	0.67
1:A:526:MET:O	1:A:530:ASN:HB2	1.94	0.66
1:A:428:LEU:HB3	1:A:432:HIS:NE2	2.10	0.66
1:A:304:PHE:CE2	1:A:360:ARG:HG3	2.31	0.66
1:A:428:LEU:HB3	1:A:432:HIS:HE2	1.62	0.65
1:A:372:ASP:OD1	1:A:373:TYR:N	2.30	0.65
1:A:428:LEU:O	1:A:432:HIS:HD2	1.80	0.65
1:A:373:TYR:HD2	1:A:373:TYR:O	1.75	0.63
1:A:362:LEU:HD22	3:A:727:HOH:O	1.98	0.63
2:B:40:GLN:N	2:B:41:SER:HB3	2.13	0.63
1:A:531:LEU:H	1:A:531:LEU:CD2	2.03	0.63
1:A:373:TYR:N	1:A:375:HIS:H	1.94	0.62
1:A:373:TYR:H	1:A:374:GLN:CA	1.91	0.62
1:A:453:ARG:HG3	1:A:453:ARG:NH1	2.12	0.61
1:A:373:TYR:CB	1:A:374:GLN:C	2.65	0.61
1:A:373:TYR:N	1:A:375:HIS:N	2.48	0.61
1:A:428:LEU:HB3	1:A:432:HIS:CD2	2.35	0.60
1:A:414:GLU:HA	1:A:417:ILE:HG13	1.83	0.60
1:A:356:LYS:C	1:A:357:GLN:HG2	2.23	0.58
1:A:372:ASP:CG	1:A:373:TYR:HA	2.24	0.58
1:A:457:SER:OG	1:A:458:ASP:N	2.35	0.58
1:A:580:SER:O	1:A:583:PRO:HD2	2.03	0.58
1:A:581:ILE:CG2	1:A:584:LEU:HD12	2.34	0.57
1:A:326:LYS:C	1:A:327:ILE:CG2	2.74	0.56
1:A:356:LYS:O	1:A:357:GLN:HG2	2.06	0.55
2:B:39:TRP:O	2:B:40:GLN:HG3	2.06	0.55
1:A:439:ARG:HH21	1:A:463:ALA:HB2	1.70	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:326:LYS:HG2	2:B:43:ILE:CD1	2.36	0.54
1:A:404:THR:OG1	1:A:443:SER:OG	2.16	0.54
1:A:437:ILE:CG2	1:A:439:ARG:CG	2.82	0.54
1:A:326:LYS:O	1:A:327:ILE:HG22	2.08	0.54
1:A:506:ILE:HG12	1:A:535:LEU:HD13	1.91	0.53
1:A:369:ILE:N	1:A:369:ILE:HD13	2.23	0.53
1:A:301:HIS:HA	1:A:360:ARG:NH2	2.24	0.52
1:A:488:SER:O	1:A:489:ARG:HB2	2.09	0.52
1:A:327:ILE:HD13	1:A:337:ILE:HD12	1.91	0.52
1:A:317:PRO:C	1:A:319:SER:H	2.12	0.51
1:A:582:VAL:O	1:A:588:ASN:ND2	2.43	0.51
1:A:456:LEU:HD23	1:A:457:SER:H	1.75	0.51
1:A:437:ILE:HG21	1:A:439:ARG:HG3	1.90	0.51
1:A:514:PRO:HB2	3:A:735:HOH:O	2.11	0.50
1:A:453:ARG:CB	1:A:453:ARG:HH11	2.24	0.50
1:A:365:ASN:O	1:A:366:GLU:C	2.50	0.50
1:A:359:ARG:HG2	1:A:361:GLU:OE2	2.12	0.50
1:A:373:TYR:H	1:A:374:GLN:C	2.13	0.49
1:A:488:SER:HA	1:A:528:ARG:HD2	1.93	0.49
1:A:437:ILE:HG21	1:A:439:ARG:CG	2.42	0.49
1:A:438:HIS:O	1:A:439:ARG:HB2	2.12	0.49
1:A:414:GLU:HA	1:A:417:ILE:CG1	2.42	0.49
1:A:483:ALA:HB3	1:A:496:VAL:HG12	1.95	0.49
1:A:373:TYR:CB	1:A:375:HIS:HB2	2.39	0.49
1:A:531:LEU:HD23	1:A:531:LEU:N	2.18	0.49
1:A:488:SER:O	1:A:489:ARG:O	2.30	0.49
1:A:317:PRO:C	1:A:319:SER:N	2.66	0.49
1:A:528:ARG:O	1:A:555:ARG:NH2	2.46	0.48
1:A:326:LYS:C	1:A:327:ILE:HG22	2.33	0.48
1:A:504:MET:O	1:A:507:GLU:HB2	2.12	0.48
1:A:412:MET:HE1	1:A:508:MET:HG2	1.95	0.48
1:A:523:ALA:O	1:A:527:ILE:HG13	2.13	0.48
1:A:412:MET:CE	1:A:508:MET:HG2	2.43	0.48
1:A:410:THR:O	1:A:411:ARG:NH1	2.47	0.48
1:A:471:ARG:O	1:A:472:ARG:HD2	2.14	0.48
1:A:571:PHE:O	1:A:574:LYS:HG3	2.14	0.48
1:A:406:ILE:O	1:A:410:THR:HG22	2.13	0.47
1:A:308:LEU:O	1:A:309:GLN:C	2.52	0.47
1:A:453:ARG:NH1	1:A:453:ARG:CG	2.65	0.47
1:A:327:ILE:CD1	1:A:337:ILE:HD12	2.44	0.47
1:A:327:ILE:CD1	1:A:337:ILE:CD1	2.93	0.47
1:A:588:ASN:N	1:A:589:ARG:HA	2.29	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:437:ILE:O	1:A:462:CYS:HB2	2.14	0.47
1:A:406:ILE:HD13	1:A:584:LEU:HB3	1.97	0.46
1:A:483:ALA:O	1:A:487:ILE:HD12	2.16	0.46
1:A:532:PRO:HG3	1:A:555:ARG:HG3	1.97	0.46
1:A:538:LEU:HD13	1:A:546:LYS:HD3	1.98	0.46
1:A:411:ARG:HA	1:A:411:ARG:HD3	1.76	0.46
1:A:456:LEU:CD2	1:A:457:SER:H	2.29	0.46
1:A:327:ILE:CG1	1:A:327:ILE:O	2.60	0.45
1:A:369:ILE:HD11	1:A:462:CYS:SG	2.56	0.45
1:A:588:ASN:H	1:A:589:ARG:HA	1.81	0.45
1:A:378:VAL:HG13	1:A:459:PHE:CZ	2.51	0.45
1:A:428:LEU:C	1:A:432:HIS:HD2	2.20	0.45
1:A:326:LYS:HG2	2:B:43:ILE:HD11	1.98	0.45
1:A:334:ILE:HG12	1:A:334:ILE:H	1.37	0.45
1:A:414:GLU:CD	1:A:545:LEU:HD23	2.37	0.44
1:A:365:ASN:O	1:A:368:VAL:HB	2.17	0.44
1:A:449:THR:O	1:A:585:MET:HE1	2.17	0.44
1:A:518:GLU:O	1:A:519:PRO:C	2.55	0.44
1:A:326:LYS:HE2	2:B:43:ILE:HD13	1.99	0.44
1:A:429:SER:OG	1:A:430:VAL:N	2.49	0.44
1:A:326:LYS:HG2	2:B:43:ILE:HD13	1.99	0.43
1:A:465:VAL:HG11	1:A:470:PRO:O	2.19	0.43
1:A:373:TYR:CB	1:A:375:HIS:H	2.24	0.43
1:A:437:ILE:HG22	1:A:438:HIS:N	2.33	0.43
1:A:519:PRO:HA	1:A:520:PRO:HD2	1.85	0.43
1:A:407:VAL:HG22	1:A:508:MET:HA	2.00	0.43
1:A:478:THR:O	1:A:479:PRO:C	2.57	0.43
1:A:485:GLU:O	1:A:489:ARG:N	2.52	0.43
1:A:405:ASP:O	1:A:405:ASP:OD2	2.37	0.43
1:A:375:HIS:ND1	1:A:376:GLU:N	2.66	0.42
1:A:582:VAL:HA	1:A:585:MET:CE	2.49	0.42
1:A:445:SER:C	1:A:446:ILE:HD13	2.39	0.42
1:A:373:TYR:N	1:A:374:GLN:C	2.68	0.42
1:A:369:ILE:N	1:A:369:ILE:CD1	2.81	0.42
1:A:413:ASN:O	1:A:417:ILE:HG12	2.20	0.42
1:A:407:VAL:HG11	1:A:507:GLU:HB3	2.00	0.42
1:A:518:GLU:HB2	1:A:523:ALA:HB2	2.02	0.41
1:A:326:LYS:HD2	1:A:334:ILE:HG21	2.03	0.41
1:A:582:VAL:HA	1:A:585:MET:HE3	2.02	0.41
1:A:554:VAL:HG11	1:A:559:GLN:HB2	2.02	0.41
1:A:472:ARG:HE	1:A:472:ARG:HB3	1.55	0.41
1:A:425:LEU:C	1:A:427:ALA:N	2.72	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:439:ARG:NH1	1:A:476:VAL:HG21	2.35	0.41
1:A:456:LEU:CD2	1:A:457:SER:N	2.84	0.41
1:A:430:VAL:O	1:A:433:ALA:HB3	2.20	0.41
1:A:432:HIS:CE1	1:A:494:PRO:HB3	2.42	0.41
1:A:568:LYS:HB2	1:A:568:LYS:HE3	1.60	0.41
1:A:569:HIS:CG	1:A:570:PRO:HD2	2.56	0.40
1:A:472:ARG:O	1:A:491:PRO:HA	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	287/292 (98%)	254 (88%)	25 (9%)	8 (3%)	8	24
2	B	18/25 (72%)	14 (78%)	3 (17%)	1 (6%)	3	7
All	All	305/317 (96%)	268 (88%)	28 (9%)	9 (3%)	7	22

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	56	PRO
1	A	366	GLU
1	A	586	ARG
1	A	470	PRO
1	A	489	ARG
1	A	369	ILE
1	A	426	GLN
1	A	479	PRO
1	A	327	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	252/254 (99%)	223 (88%)	29 (12%)	8	23
2	B	18/23 (78%)	16 (89%)	2 (11%)	9	25
All	All	270/277 (98%)	239 (88%)	31 (12%)	8	23

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	302	GLU
1	A	305	ARG
1	A	322	ASP
1	A	327	ILE
1	A	332	THR
1	A	334	ILE
1	A	337	ILE
1	A	341	ARG
1	A	356	LYS
1	A	360	ARG
1	A	361	GLU
1	A	369	ILE
1	A	371	ARG
1	A	373	TYR
1	A	374	GLN
1	A	395	MET
1	A	405	ASP
1	A	417	ILE
1	A	453	ARG
1	A	456	LEU
1	A	464	GLN
1	A	472	ARG
1	A	490	LEU
1	A	529	ASP
1	A	531	LEU
1	A	534	ARG
1	A	541	VAL
1	A	545	LEU
1	A	589	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	42	LEU
2	B	53	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	377	ASN
1	A	409	HIS
1	A	434	GLN
1	A	464	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	SEP	A	474	1	9,9,10	6.23	1 (11%)	10,12,14	1.71	3 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	SEP	A	474	1	-	0/6/8/10	0/0/0/0

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	474	SEP	O-C	18.59	1.24	1.11

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	474	SEP	O2P-P-OG	-3.06	98.20	106.65
1	A	474	SEP	O3P-P-O2P	2.55	117.53	107.61
1	A	474	SEP	OG-CB-CA	2.45	112.16	108.69

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	290/292 (99%)	-0.30	3 (1%) 79 79	39, 66, 104, 139	0
2	B	20/25 (80%)	2.45	9 (45%) 1 0	86, 124, 163, 181	0
All	All	310/317 (97%)	-0.12	12 (3%) 37 37	39, 67, 114, 181	0

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	58	CYS	11.1
2	B	57	ALA	5.8
1	A	373	TYR	4.6
2	B	43	ILE	4.5
2	B	39	TRP	4.5
2	B	44	GLU	3.9
2	B	56	PRO	3.5
2	B	42	LEU	3.4
1	A	371	ARG	3.3
1	A	463	ALA	3.0
2	B	41	SER	2.7
2	B	47	ALA	2.3

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
1	SEP	A	474	10/11	0.11	-1.42	79,87,91,92	0

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

There are no ligands in this entry.

6.5 Other polymers ⓘ

There are no such residues in this entry.