



Full wwPDB X-ray Structure Validation Report i

Feb 28, 2014 – 04:03 PM GMT

PDB ID : 4LIH
Title : The crystal structure of Gamma-glutamyl-gamma-aminobutyraldehydehydrogenase from Burkholderia cenocepacia J2315
Authors : Seattle Structural Genomics Center for Infectious Disease; Seattle Structural Genomics Center for Infectious Disease (SSGCID)
Deposited on : 2013-07-02
Resolution : 1.85 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 1.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	1269 (1.86-1.86)
Clashscore	79885	1470 (1.86-1.86)
Ramachandran outliers	78287	1451 (1.86-1.86)
Sidechain outliers	78261	1451 (1.86-1.86)
RSRZ outliers	66119	1269 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	504	
1	B	504	
1	C	504	
1	D	504	
1	E	504	
1	F	504	
1	G	504	
1	H	504	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
2	MES	A	501	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Geometry	Electron density
2	MES	D	502	-	X

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 33175 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Gamma-glutamyl-gamma-aminobutyraldehydedehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	494	Total	C	N	O	S	0	10	0
			3771	2385	662	709	15			
1	B	493	Total	C	N	O	S	0	6	0
			3713	2355	647	695	16			
1	C	493	Total	C	N	O	S	0	5	0
			3717	2353	652	697	15			
1	D	494	Total	C	N	O	S	0	2	0
			3670	2328	639	689	14			
1	E	493	Total	C	N	O	S	0	11	0
			3776	2386	666	708	16			
1	F	493	Total	C	N	O	S	0	3	0
			3694	2340	647	692	15			
1	G	493	Total	C	N	O	S	0	3	0
			3688	2338	645	690	15			
1	H	494	Total	C	N	O	S	0	3	0
			3681	2335	641	690	15			

There are 64 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	MET	-	EXPRESSION TAG	UNP B4E926
A	-6	ALA	-	EXPRESSION TAG	UNP B4E926
A	-5	HIS	-	EXPRESSION TAG	UNP B4E926
A	-4	HIS	-	EXPRESSION TAG	UNP B4E926
A	-3	HIS	-	EXPRESSION TAG	UNP B4E926
A	-2	HIS	-	EXPRESSION TAG	UNP B4E926
A	-1	HIS	-	EXPRESSION TAG	UNP B4E926
A	0	HIS	-	EXPRESSION TAG	UNP B4E926
B	-7	MET	-	EXPRESSION TAG	UNP B4E926
B	-6	ALA	-	EXPRESSION TAG	UNP B4E926
B	-5	HIS	-	EXPRESSION TAG	UNP B4E926
B	-4	HIS	-	EXPRESSION TAG	UNP B4E926
B	-3	HIS	-	EXPRESSION TAG	UNP B4E926

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-2	HIS	-	EXPRESSION TAG	UNP B4E926
B	-1	HIS	-	EXPRESSION TAG	UNP B4E926
B	0	HIS	-	EXPRESSION TAG	UNP B4E926
C	-7	MET	-	EXPRESSION TAG	UNP B4E926
C	-6	ALA	-	EXPRESSION TAG	UNP B4E926
C	-5	HIS	-	EXPRESSION TAG	UNP B4E926
C	-4	HIS	-	EXPRESSION TAG	UNP B4E926
C	-3	HIS	-	EXPRESSION TAG	UNP B4E926
C	-2	HIS	-	EXPRESSION TAG	UNP B4E926
C	-1	HIS	-	EXPRESSION TAG	UNP B4E926
C	0	HIS	-	EXPRESSION TAG	UNP B4E926
D	-7	MET	-	EXPRESSION TAG	UNP B4E926
D	-6	ALA	-	EXPRESSION TAG	UNP B4E926
D	-5	HIS	-	EXPRESSION TAG	UNP B4E926
D	-4	HIS	-	EXPRESSION TAG	UNP B4E926
D	-3	HIS	-	EXPRESSION TAG	UNP B4E926
D	-2	HIS	-	EXPRESSION TAG	UNP B4E926
D	-1	HIS	-	EXPRESSION TAG	UNP B4E926
D	0	HIS	-	EXPRESSION TAG	UNP B4E926
E	-7	MET	-	EXPRESSION TAG	UNP B4E926
E	-6	ALA	-	EXPRESSION TAG	UNP B4E926
E	-5	HIS	-	EXPRESSION TAG	UNP B4E926
E	-4	HIS	-	EXPRESSION TAG	UNP B4E926
E	-3	HIS	-	EXPRESSION TAG	UNP B4E926
E	-2	HIS	-	EXPRESSION TAG	UNP B4E926
E	-1	HIS	-	EXPRESSION TAG	UNP B4E926
E	0	HIS	-	EXPRESSION TAG	UNP B4E926
F	-7	MET	-	EXPRESSION TAG	UNP B4E926
F	-6	ALA	-	EXPRESSION TAG	UNP B4E926
F	-5	HIS	-	EXPRESSION TAG	UNP B4E926
F	-4	HIS	-	EXPRESSION TAG	UNP B4E926
F	-3	HIS	-	EXPRESSION TAG	UNP B4E926
F	-2	HIS	-	EXPRESSION TAG	UNP B4E926
F	-1	HIS	-	EXPRESSION TAG	UNP B4E926
F	0	HIS	-	EXPRESSION TAG	UNP B4E926
G	-7	MET	-	EXPRESSION TAG	UNP B4E926
G	-6	ALA	-	EXPRESSION TAG	UNP B4E926
G	-5	HIS	-	EXPRESSION TAG	UNP B4E926
G	-4	HIS	-	EXPRESSION TAG	UNP B4E926
G	-3	HIS	-	EXPRESSION TAG	UNP B4E926
G	-2	HIS	-	EXPRESSION TAG	UNP B4E926
G	-1	HIS	-	EXPRESSION TAG	UNP B4E926

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	0	HIS	-	EXPRESSION TAG	UNP B4E926
H	-7	MET	-	EXPRESSION TAG	UNP B4E926
H	-6	ALA	-	EXPRESSION TAG	UNP B4E926
H	-5	HIS	-	EXPRESSION TAG	UNP B4E926
H	-4	HIS	-	EXPRESSION TAG	UNP B4E926
H	-3	HIS	-	EXPRESSION TAG	UNP B4E926
H	-2	HIS	-	EXPRESSION TAG	UNP B4E926
H	-1	HIS	-	EXPRESSION TAG	UNP B4E926
H	0	HIS	-	EXPRESSION TAG	UNP B4E926

- Molecule 2 is 2-(N-MORPHOLINO)-ETHANESULFONICACID (three-letter code: MES) (formula: C₆H₁₃NO₄S).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
2	B	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
2	C	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
2	D	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
2	E	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
2	F	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	G	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
2	H	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

- Molecule 3 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	C	O	0	0
			4	2	2		
3	C	1	Total	C	O	0	0
			4	2	2		
3	D	1	Total	C	O	0	0
			4	2	2		
3	F	1	Total	C	O	0	0
			4	2	2		
3	G	1	Total	C	O	0	0
			4	2	2		
3	H	1	Total	C	O	0	0
			4	2	2		
3	H	1	Total	C	O	0	0
			4	2	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	469	Total 469	O 469	0	0
4	B	460	Total 460	O 460	0	0
4	C	390	Total 390	O 390	0	0
4	D	384	Total 384	O 384	0	0
4	E	445	Total 445	O 445	0	0
4	F	431	Total 431	O 431	0	0
4	G	415	Total 415	O 415	0	0
4	H	347	Total 347	O 347	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Gamma-glutamyl-gamma-aminobutyraldehydedehydrogenase

Chain A: 



- Molecule 1: Gamma-glutamyl-gamma-aminobutyraldehydedehydrogenase

Chain B: 



- Molecule 1: Gamma-glutamyl-gamma-aminobutyraldehydedehydrogenase

Chain C: 



- Molecule 1: Gamma-glutamyl-gamma-aminobutyraldehydedehydrogenase

Chain D: 



- Molecule 1: Gamma-glutamyl-gamma-aminobutyraldehydedehydrogenase

Chain E: 




- Molecule 1: Gamma-glutamyl-gamma-aminobutyraldehydedehydrogenase

Chain F: 



● Molecule 1: Gamma-glutamyl-gamma-aminobutyraldehydedehydrogenase

Chain G: 



● Molecule 1: Gamma-glutamyl-gamma-aminobutyraldehydedehydrogenase

Chain H: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	90.31Å 104.19Å 108.28Å 91.70° 99.04° 90.02°	Depositor
Resolution (Å)	48.19 – 1.85 48.14 – 1.85	Depositor EDS
% Data completeness (in resolution range)	97.8 (48.19-1.85) 97.9 (48.14-1.85)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.33 (at 1.86Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.189 , 0.232 0.198 , 0.237	Depositor DCC
R_{free} test set	16432 reflections (5.32%)	DCC
Wilson B-factor (Å ²)	14.6	Xtriage
Anisotropy	0.034	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 33.8	EDS
Estimated twinning fraction	0.085 for -h,k,-l	Xtriage
L-test for twinning	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 325569 reflections	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	33175	wwPDB-VP
Average B, all atoms (Å ²)	16.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.55% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, MES

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.70	1/3849 (0.0%)	0.83	5/5236 (0.1%)
1	B	0.66	0/3792	0.76	2/5158 (0.0%)
1	C	0.65	0/3793	0.78	1/5160 (0.0%)
1	D	0.62	0/3746	0.78	5/5103 (0.1%)
1	E	0.68	1/3858 (0.0%)	0.79	2/5242 (0.0%)
1	F	0.66	0/3771	0.79	6/5134 (0.1%)
1	G	0.65	1/3764 (0.0%)	0.77	2/5122 (0.0%)
1	H	0.58	0/3757	0.75	3/5117 (0.1%)
All	All	0.65	3/30330 (0.0%)	0.78	26/41272 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	G	0	1
All	All	0	3

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	G	176	TRP	CB-CG	-5.79	1.39	1.50
1	E	194	GLU	CD-OE1	5.59	1.31	1.25
1	A	194	GLU	CD-OE1	5.51	1.31	1.25

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	67	ARG	NE-CZ-NH2	-10.80	114.90	120.30
1	A	67	ARG	NE-CZ-NH2	-8.54	116.03	120.30
1	D	67	ARG	NE-CZ-NH1	8.04	124.32	120.30
1	A	67	ARG	NE-CZ-NH1	7.35	123.98	120.30
1	H	67	ARG	NE-CZ-NH2	-6.48	117.06	120.30
1	G	440	ASP	CB-CG-OD1	6.43	124.08	118.30
1	F	494	ARG	NE-CZ-NH2	-6.02	117.29	120.30
1	A	476	ASP	CB-CG-OD1	5.92	123.63	118.30
1	B	29	ARG	NE-CZ-NH1	5.76	123.18	120.30
1	D	68	ARG	NE-CZ-NH2	-5.75	117.42	120.30
1	E	67	ARG	NE-CZ-NH2	-5.60	117.50	120.30
1	B	461	MET	CG-SD-CE	5.51	109.02	100.20
1	A	202	ARG	NE-CZ-NH1	5.46	123.03	120.30
1	F	146	ASP	CB-CG-OD2	-5.44	113.40	118.30
1	G	476	ASP	CB-CG-OD1	5.44	123.19	118.30
1	F	35	ARG	NE-CZ-NH1	5.42	123.01	120.30
1	F	38	ASP	CB-CG-OD2	-5.41	113.44	118.30
1	D	461	MET	CG-SD-CE	5.37	108.79	100.20
1	C	21	ARG	NE-CZ-NH2	-5.33	117.64	120.30
1	H	461	MET	CG-SD-CE	5.30	108.67	100.20
1	D	329	VAL	CB-CA-C	-5.28	101.37	111.40
1	H	146	ASP	CB-CG-OD1	5.25	123.03	118.30
1	E	262	ARG	NE-CZ-NH2	-5.13	117.73	120.30
1	A	146	ASP	CB-CG-OD1	5.09	122.88	118.30
1	F	67	ARG	NE-CZ-NH2	-5.04	117.78	120.30
1	F	38	ASP	CB-CG-OD1	5.04	122.83	118.30

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	467	GLY	Peptide
1	B	467	GLY	Peptide
1	G	467	GLY	Peptide

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3771	0	0	9	0
1	B	3713	0	0	8	0
1	C	3717	0	0	6	0
1	D	3670	0	0	7	0
1	E	3776	0	0	4	0
1	F	3694	0	0	8	0
1	G	3688	0	0	5	0
1	H	3681	0	0	6	0
2	A	12	0	13	1	0
2	B	12	0	13	3	0
2	C	12	0	13	1	0
2	D	12	0	13	2	0
2	E	12	0	13	0	0
2	F	12	0	13	0	0
2	G	12	0	13	0	0
2	H	12	0	13	2	0
3	B	4	0	6	0	0
3	C	4	0	6	0	0
3	D	4	0	6	0	0
3	F	4	0	6	0	0
3	G	4	0	6	0	0
3	H	8	0	12	1	0
4	A	469	0	0	6	0
4	B	460	0	0	5	0
4	C	390	0	0	5	0
4	D	384	0	0	4	0
4	E	445	0	0	3	0
4	F	431	0	0	3	0
4	G	415	0	0	3	0
4	H	347	0	0	6	0
All	All	33175	0	146	55	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 2.

All (55) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
4:A:784:HOH:O	1:B:252[A]:MET:SD	2.37	0.82
1:D:440[A]:ASP:OD1	4:D:859:HOH:O	2.07	0.72
1:D:279:CYS:SG	4:D:840:HOH:O	2.49	0.71
1:H:97:HIS:NE2	4:H:845:HOH:O	2.24	0.70
1:B:351:ARG:CD	4:B:1057:HOH:O	2.39	0.69
1:A:46[B]:ARG:NH2	4:A:706:HOH:O	2.28	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:D:67:ARG:CD	1:D:71:ASP:OD2	2.47	0.62
1:G:257:GLN:NE2	4:G:922:HOH:O	2.34	0.60
1:D:169:PHE:CE2	2:D:502:MES:H81	2.36	0.60
1:E:154[B]:THR:CG2	4:E:727:HOH:O	2.50	0.58
1:A:12:LYS:NZ	4:A:912:HOH:O	2.36	0.58
1:F:35:ARG:NH2	1:F:53:ASP:OD2	2.36	0.57
1:D:29:ARG:NH2	4:D:906:HOH:O	2.38	0.56
1:F:46:ARG:NH1	4:F:894:HOH:O	2.39	0.56
1:E:496[A]:ARG:NE	4:E:984:HOH:O	2.38	0.56
1:A:205[B]:GLN:OE1	4:A:813:HOH:O	2.18	0.54
2:B:502:MES:H21	4:B:874:HOH:O	2.10	0.51
1:H:440[A]:ASP:OD1	4:H:891:HOH:O	2.19	0.51
1:A:252[A]:MET:CE	4:B:865:HOH:O	2.58	0.51
1:E:364:ARG:NH2	1:E:387:GLU:OE1	2.44	0.51
2:H:503:MES:H22	4:H:727:HOH:O	2.10	0.51
1:A:67:ARG:CD	1:A:71:ASP:OD2	2.59	0.50
1:C:81:ARG:NH2	4:C:987:HOH:O	2.44	0.50
2:C:502:MES:H62	4:C:662:HOH:O	2.12	0.50
1:H:155:ARG:N	3:H:502:EDO:HO2	2.11	0.49
1:G:357:GLU:OE1	1:G:360:ARG:NH1	2.46	0.48
1:H:301:CYS:N	2:H:503:MES:O2S	2.47	0.48
1:C:440[A]:ASP:OD1	4:C:925:HOH:O	2.19	0.48
1:A:389:LYS:NZ	1:F:208:PHE:O	2.48	0.47
1:G:228:LYS:NZ	4:G:1014:HOH:O	2.47	0.47
1:E:360:ARG:NE	4:E:1022:HOH:O	2.47	0.47
1:D:371:ARG:NH2	4:D:813:HOH:O	2.47	0.47
1:C:283:ASP:OD1	1:C:320:LYS:NZ	2.50	0.45
1:C:375:GLU:N	1:C:375:GLU:OE1	2.50	0.45
1:D:456:ASP:OD2	2:D:502:MES:H61	2.16	0.45
1:B:440[A]:ASP:OD1	4:B:966:HOH:O	2.21	0.45
1:B:364:ARG:NH2	1:B:387:GLU:OE1	2.51	0.44
1:A:360:ARG:NE	4:A:984:HOH:O	2.49	0.44
1:G:89[B]:ARG:NE	1:G:210:ALA:O	2.51	0.43
1:B:169:PHE:CE2	2:B:502:MES:H82	2.53	0.43
1:C:32:HIS:CA	4:C:835:HOH:O	2.66	0.43
4:A:784:HOH:O	1:B:252[A]:MET:CE	2.65	0.43
1:F:373:ASN:ND2	4:F:889:HOH:O	2.52	0.42
1:F:252:MET:CE	4:H:889:HOH:O	2.66	0.42
1:F:25:ASP:OD1	1:F:68:ARG:NH2	2.53	0.42
1:H:371:ARG:NE	4:H:752:HOH:O	2.52	0.42
1:G:97:HIS:ND1	4:G:783:HOH:O	2.36	0.42
1:A:364:ARG:NH2	1:A:387:GLU:OE1	2.53	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:H:29:ARG:NH2	4:H:753:HOH:O	2.51	0.42
1:A:169:PHE:CE2	2:A:501:MES:H82	2.55	0.42
1:B:456:ASP:OD2	2:B:502:MES:H62	2.19	0.41
1:F:348:GLN:NE2	4:F:994:HOH:O	2.53	0.41
1:B:228:LYS:NZ	4:B:898:HOH:O	2.53	0.41
1:F:283:ASP:OD1	1:F:320:LYS:NZ	2.54	0.41
1:C:68:ARG:NH1	4:C:844:HOH:O	2.53	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	502/504 (100%)	487 (97%)	15 (3%)	0	100	100
1	B	496/504 (98%)	482 (97%)	14 (3%)	0	100	100
1	C	495/504 (98%)	481 (97%)	13 (3%)	1 (0%)	56	38
1	D	494/504 (98%)	480 (97%)	14 (3%)	0	100	100
1	E	501/504 (99%)	488 (97%)	12 (2%)	1 (0%)	56	38
1	F	494/504 (98%)	479 (97%)	14 (3%)	1 (0%)	56	38
1	G	493/504 (98%)	479 (97%)	13 (3%)	1 (0%)	56	38
1	H	495/504 (98%)	482 (97%)	13 (3%)	0	100	100
All	All	3970/4032 (98%)	3858 (97%)	108 (3%)	4 (0%)	59	42

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	477	LYS
1	G	425	GLY
1	C	425	GLY
1	F	425	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	377/382 (99%)	376 (100%)	1 (0%)	96	94
1	B	371/382 (97%)	369 (100%)	2 (0%)	94	91
1	C	372/382 (97%)	368 (99%)	4 (1%)	84	77
1	D	364/382 (95%)	361 (99%)	3 (1%)	89	85
1	E	380/382 (100%)	378 (100%)	2 (0%)	94	91
1	F	369/382 (97%)	367 (100%)	2 (0%)	94	91
1	G	367/382 (96%)	366 (100%)	1 (0%)	96	94
1	H	365/382 (96%)	363 (100%)	2 (0%)	94	91
All	All	2965/3056 (97%)	2948 (99%)	17 (1%)	92	89

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	191	LYS
1	B	191	LYS
1	B	400	PHE
1	C	15	SER
1	C	191	LYS
1	C	390	PRO
1	C	400	PHE
1	D	191	LYS
1	D	212	ILE
1	D	221	PRO
1	E	191	LYS
1	E	212	ILE
1	F	191	LYS
1	F	400	PHE
1	G	191	LYS
1	H	191	LYS
1	H	390	PRO

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

15 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	MES	A	501	-	12,12,12	1.96	1 (8%)	16,16,16	2.10	6 (37%)
3	EDO	B	501	-	3,3,3	0.56	0	2,2,2	0.26	0
2	MES	B	502	-	12,12,12	1.90	1 (8%)	16,16,16	2.14	5 (31%)
3	EDO	C	501	-	3,3,3	0.43	0	2,2,2	0.27	0
2	MES	C	502	-	12,12,12	1.83	1 (8%)	16,16,16	0.87	0
3	EDO	D	501	-	3,3,3	0.53	0	2,2,2	0.56	0
2	MES	D	502	-	12,12,12	2.14	2 (16%)	16,16,16	1.62	4 (25%)
2	MES	E	501	-	12,12,12	1.90	1 (8%)	16,16,16	2.26	7 (43%)
3	EDO	F	501	-	3,3,3	0.36	0	2,2,2	0.53	0
2	MES	F	502	-	12,12,12	1.85	1 (8%)	16,16,16	1.12	1 (6%)
3	EDO	G	501	-	3,3,3	0.48	0	2,2,2	0.05	0
2	MES	G	502	-	12,12,12	1.92	2 (16%)	16,16,16	1.61	4 (25%)
3	EDO	H	501	-	3,3,3	0.44	0	2,2,2	0.45	0
3	EDO	H	502	-	3,3,3	0.42	0	2,2,2	0.56	0
2	MES	H	503	-	12,12,12	2.02	1 (8%)	16,16,16	1.84	4 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MES	A	501	-	-	0/6/14/14	0/1/1/1
3	EDO	B	501	-	-	0/1/1/1	0/0/0/0
2	MES	B	502	-	-	0/6/14/14	1/1/1/1
3	EDO	C	501	-	-	0/1/1/1	0/0/0/0
2	MES	C	502	-	-	0/6/14/14	1/1/1/1
3	EDO	D	501	-	-	0/1/1/1	0/0/0/0
2	MES	D	502	-	-	0/6/14/14	0/1/1/1
2	MES	E	501	-	-	0/6/14/14	0/1/1/1
3	EDO	F	501	-	-	0/1/1/1	0/0/0/0
2	MES	F	502	-	-	0/6/14/14	1/1/1/1
3	EDO	G	501	-	-	0/1/1/1	0/0/0/0
2	MES	G	502	-	-	0/6/14/14	0/1/1/1
3	EDO	H	501	-	-	0/1/1/1	0/0/0/0
3	EDO	H	502	-	-	0/1/1/1	0/0/0/0
2	MES	H	503	-	-	0/6/14/14	0/1/1/1

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	502	MES	C8-S	-6.64	1.66	1.78
2	H	503	MES	C8-S	-6.29	1.67	1.78
2	A	501	MES	C8-S	-6.24	1.67	1.78
2	E	501	MES	C8-S	-5.80	1.68	1.78
2	G	502	MES	C8-S	-5.71	1.68	1.78
2	C	502	MES	C8-S	-5.63	1.68	1.78
2	F	502	MES	C8-S	-5.53	1.68	1.78
2	B	502	MES	C8-S	-5.51	1.68	1.78
2	D	502	MES	O2S-S	2.14	1.50	1.45
2	G	502	MES	O3S-S	2.13	1.50	1.45

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	502	MES	O2S-S-O1S	-5.31	102.19	112.44
2	E	501	MES	C2-C3-N4	5.03	116.42	109.96
2	D	502	MES	O2S-S-O1S	-4.34	104.07	112.44
2	B	502	MES	O2S-S-C8	4.01	118.73	106.36
2	H	503	MES	C8-C7-N4	3.72	118.80	112.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	MES	O3S-S-C8	3.62	115.34	105.99
2	A	501	MES	O3S-S-O1S	-3.61	103.20	112.48
2	H	503	MES	O2S-S-O1S	-3.54	105.61	112.44
2	G	502	MES	C2-C3-N4	3.53	114.49	109.96
2	E	501	MES	O2S-S-C8	3.41	116.88	106.36
2	E	501	MES	O2S-S-O1S	-3.41	105.86	112.44
2	E	501	MES	O3S-S-C8	3.37	114.68	105.99
2	H	503	MES	O2S-S-C8	3.08	115.86	106.36
2	A	501	MES	O2S-S-O1S	-3.06	106.53	112.44
2	G	502	MES	O2S-S-O1S	-2.96	106.74	112.44
2	A	501	MES	C8-C7-N4	2.92	117.43	112.44
2	G	502	MES	O2S-S-C8	2.73	114.79	106.36
2	A	501	MES	O1-C2-C3	2.60	114.44	111.34
2	B	502	MES	C8-C7-N4	2.56	116.82	112.44
2	F	502	MES	O2S-S-O1S	-2.56	107.49	112.44
2	D	502	MES	O2S-S-C8	2.54	114.19	106.36
2	B	502	MES	C5-N4-C3	-2.44	104.92	109.75
2	B	502	MES	O1-C6-C5	-2.35	108.55	111.34
2	E	501	MES	C8-C7-N4	2.19	116.18	112.44
2	E	501	MES	O3S-S-O1S	-2.18	106.87	112.48
2	H	503	MES	C6-C5-N4	2.15	112.71	109.96
2	D	502	MES	C5-N4-C3	-2.10	105.59	109.75
2	E	501	MES	O1S-S-C8	-2.09	99.93	106.36
2	D	502	MES	C2-C3-N4	-2.08	107.30	109.96
2	G	502	MES	O3S-S-C8	2.06	111.31	105.99
2	A	501	MES	O1-C6-C5	2.00	113.73	111.34

There are no chirality outliers.

There are no torsion outliers.

All (3) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	502	MES	C2-C3-C5-C6-N4-O1
2	C	502	MES	C2-C3-C5-C6-N4-O1
2	F	502	MES	C2-C3-C5-C6-N4-O1

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	494/504 (98%)	-0.23	1 (0%) 93 94	7, 12, 22, 35	0
1	B	493/504 (97%)	-0.22	2 (0%) 90 91	8, 13, 24, 42	0
1	C	493/504 (97%)	-0.08	1 (0%) 93 94	8, 15, 28, 37	0
1	D	494/504 (98%)	-0.09	2 (0%) 90 91	8, 15, 28, 39	0
1	E	493/504 (97%)	-0.21	1 (0%) 93 94	7, 12, 23, 29	0
1	F	493/504 (97%)	-0.21	0 100 100	8, 14, 25, 34	0
1	G	493/504 (97%)	-0.07	1 (0%) 93 94	8, 15, 29, 42	0
1	H	494/504 (98%)	0.12	6 (1%) 75 73	8, 20, 36, 50	0
All	All	3947/4032 (97%)	-0.12	14 (0%) 90 91	7, 14, 28, 50	0

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	14	ALA	2.7
1	G	315	ASP	2.6
1	H	11	HIS	2.5
1	D	4	LEU	2.5
1	D	14	ALA	2.4
1	B	15	SER	2.3
1	H	9	TRP	2.2
1	A	246	ALA	2.1
1	H	375	GLU	2.1
1	B	4	LEU	2.1
1	E	4	LEU	2.1
1	H	4	LEU	2.1
1	H	16	LEU	2.0
1	H	14	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	MES	D	502	12/12	0.20	5.66	32,34,38,42	0
2	MES	A	501	12/12	0.21	4.17	21,30,33,33	0
2	MES	E	501	12/12	0.17	1.99	20,26,29,32	0
2	MES	B	502	12/12	0.16	1.82	24,30,33,33	0
2	MES	F	502	12/12	0.13	1.34	25,30,32,33	0
2	MES	H	503	12/12	0.16	1.28	38,40,42,43	0
2	MES	G	502	12/12	0.14	1.10	29,34,36,36	0
3	EDO	G	501	4/4	0.10	1.04	20,22,23,23	0
3	EDO	C	501	4/4	0.12	1.03	22,22,22,23	0
3	EDO	H	502	4/4	0.16	0.96	20,20,20,21	0
3	EDO	F	501	4/4	0.10	0.80	19,20,20,21	0
2	MES	C	502	12/12	0.13	0.62	26,32,35,36	0
3	EDO	B	501	4/4	0.10	0.54	18,19,19,20	0
3	EDO	D	501	4/4	0.08	-0.69	16,17,17,17	0
3	EDO	H	501	4/4	0.08	-0.86	18,18,19,20	0

6.5 Other polymers ⓘ

There are no such residues in this entry.