



Full wwPDB X-ray Structure Validation Report

May 14, 2014 – 02:33 AM EDT

PDB ID : 4LXS
Title : Structure of the Toll - Spatzle complex, a molecular hub in Drosophila development and innate immunity (glycosylated form)
Authors : Stelter, M.; Parthier, C.; Breithaupt, C.; Stubbs, M.T.
Deposited on : 2013-07-30
Resolution : 3.30 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.16 November 2013
Xtriage (Phenix) : dev-1439
EDS : stable22978
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22978

1 Overall quality at a glance

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	1341 (3.40-3.20)
Clashscore	79885	1696 (3.40-3.20)
Ramachandran outliers	78287	1664 (3.40-3.20)
Sidechain outliers	78261	1662 (3.40-3.20)
RSRZ outliers	66119	1342 (3.40-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	783	
2	J	114	
2	K	114	

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 7311 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein toll.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	747	5977	3749	1080	1108	40	0	0	0

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	803	THR	-	EXPRESSION TAG	UNP P08953
A	804	GLY	-	EXPRESSION TAG	UNP P08953
A	805	HIS	-	EXPRESSION TAG	UNP P08953
A	806	HIS	-	EXPRESSION TAG	UNP P08953
A	807	HIS	-	EXPRESSION TAG	UNP P08953
A	808	HIS	-	EXPRESSION TAG	UNP P08953
A	809	HIS	-	EXPRESSION TAG	UNP P08953
A	810	HIS	-	EXPRESSION TAG	UNP P08953

- Molecule 2 is a protein called Protein spaetzle C-106.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	J	63	506	317	88	94	7	0	0	0
2	K	65	503	313	89	94	7	0	0	0

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
J	107	LEU	-	EXPRESSION TAG	UNP P48607
J	108	GLU	-	EXPRESSION TAG	UNP P48607
J	109	HIS	-	EXPRESSION TAG	UNP P48607
J	110	HIS	-	EXPRESSION TAG	UNP P48607
J	111	HIS	-	EXPRESSION TAG	UNP P48607
J	112	HIS	-	EXPRESSION TAG	UNP P48607

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
J	113	HIS	-	EXPRESSION TAG	UNP P48607
J	114	HIS	-	EXPRESSION TAG	UNP P48607
K	107	LEU	-	EXPRESSION TAG	UNP P48607
K	108	GLU	-	EXPRESSION TAG	UNP P48607
K	109	HIS	-	EXPRESSION TAG	UNP P48607
K	110	HIS	-	EXPRESSION TAG	UNP P48607
K	111	HIS	-	EXPRESSION TAG	UNP P48607
K	112	HIS	-	EXPRESSION TAG	UNP P48607
K	113	HIS	-	EXPRESSION TAG	UNP P48607
K	114	HIS	-	EXPRESSION TAG	UNP P48607


- Molecule 3 is a polymer of unknown type called SUGAR (5-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	5	Total	C	N	O	0	0
			61	34	2	25		

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	803	THR	-	EXPRESSION TAG	UNP P08953
A	804	GLY	-	EXPRESSION TAG	UNP P08953
A	805	HIS	-	EXPRESSION TAG	UNP P08953
A	806	HIS	-	EXPRESSION TAG	UNP P08953
A	807	HIS	-	EXPRESSION TAG	UNP P08953
A	808	HIS	-	EXPRESSION TAG	UNP P08953
A	809	HIS	-	EXPRESSION TAG	UNP P08953
A	810	HIS	-	EXPRESSION TAG	UNP P08953

- Molecule 4 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 5 is a polymer of unknown type called SUGAR (2-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	2	Total	C	N	O	0	0
			28	16	2	10		
5	A	2	Total	C	N	O	0	0
			28	16	2	10		
5	A	2	Total	C	N	O	0	0
			28	16	2	10		
5	A	2	Total	C	N	O	0	0
			28	16	2	10		
5	A	2	Total	C	N	O	0	0
			28	16	2	10		

There are 40 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	803	THR	-	EXPRESSION TAG	UNP P08953
A	804	GLY	-	EXPRESSION TAG	UNP P08953
A	805	HIS	-	EXPRESSION TAG	UNP P08953
A	806	HIS	-	EXPRESSION TAG	UNP P08953
A	807	HIS	-	EXPRESSION TAG	UNP P08953
A	808	HIS	-	EXPRESSION TAG	UNP P08953
A	809	HIS	-	EXPRESSION TAG	UNP P08953
A	810	HIS	-	EXPRESSION TAG	UNP P08953
A	803	THR	-	EXPRESSION TAG	UNP P08953
A	804	GLY	-	EXPRESSION TAG	UNP P08953
A	805	HIS	-	EXPRESSION TAG	UNP P08953
A	806	HIS	-	EXPRESSION TAG	UNP P08953
A	807	HIS	-	EXPRESSION TAG	UNP P08953
A	808	HIS	-	EXPRESSION TAG	UNP P08953
A	809	HIS	-	EXPRESSION TAG	UNP P08953
A	810	HIS	-	EXPRESSION TAG	UNP P08953
A	803	THR	-	EXPRESSION TAG	UNP P08953
A	804	GLY	-	EXPRESSION TAG	UNP P08953
A	805	HIS	-	EXPRESSION TAG	UNP P08953
A	806	HIS	-	EXPRESSION TAG	UNP P08953
A	807	HIS	-	EXPRESSION TAG	UNP P08953
A	808	HIS	-	EXPRESSION TAG	UNP P08953
A	809	HIS	-	EXPRESSION TAG	UNP P08953
A	810	HIS	-	EXPRESSION TAG	UNP P08953
A	803	THR	-	EXPRESSION TAG	UNP P08953
A	804	GLY	-	EXPRESSION TAG	UNP P08953
A	805	HIS	-	EXPRESSION TAG	UNP P08953
A	806	HIS	-	EXPRESSION TAG	UNP P08953
A	807	HIS	-	EXPRESSION TAG	UNP P08953
A	808	HIS	-	EXPRESSION TAG	UNP P08953
A	809	HIS	-	EXPRESSION TAG	UNP P08953
A	810	HIS	-	EXPRESSION TAG	UNP P08953
A	803	THR	-	EXPRESSION TAG	UNP P08953
A	804	GLY	-	EXPRESSION TAG	UNP P08953
A	805	HIS	-	EXPRESSION TAG	UNP P08953
A	806	HIS	-	EXPRESSION TAG	UNP P08953
A	807	HIS	-	EXPRESSION TAG	UNP P08953
A	808	HIS	-	EXPRESSION TAG	UNP P08953
A	809	HIS	-	EXPRESSION TAG	UNP P08953
A	810	HIS	-	EXPRESSION TAG	UNP P08953


- Molecule 6 is a polymer of unknown type called SUGAR (3-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	3	Total	C	N	O	0	0
			39	22	2	15		


There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	803	THR	-	EXPRESSION TAG	UNP P08953
A	804	GLY	-	EXPRESSION TAG	UNP P08953
A	805	HIS	-	EXPRESSION TAG	UNP P08953
A	806	HIS	-	EXPRESSION TAG	UNP P08953
A	807	HIS	-	EXPRESSION TAG	UNP P08953
A	808	HIS	-	EXPRESSION TAG	UNP P08953
A	809	HIS	-	EXPRESSION TAG	UNP P08953
A	810	HIS	-	EXPRESSION TAG	UNP P08953

- Molecule 7 is 4-(2-HYDROXYETHYL)-1-PIPERAZINEETHANESULFONIC ACID (three-letter code: EPE) (formula: C₈H₁₈N₂O₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
7	A	1	Total	C	N	O	S	0	0
			15	8	2	4	1		



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	171.28Å 76.82Å 123.82Å 90.00° 126.29° 90.00°	Depositor
Resolution (Å)	33.95 – 3.30 33.95 – 3.30	Depositor EDS
% Data completeness (in resolution range)	93.6 (33.95-3.30) 93.7 (33.95-3.30)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.74 (at 3.32Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.2_1309)	Depositor
R, R_{free}	0.207 , 0.264 0.203 , 0.262	Depositor DCC
R_{free} test set	925 reflections (5.01%)	DCC
Wilson B-factor (Å ²)	74.2	Xtriage
Anisotropy	0.517	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.23 , -10.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	1 of 18492 reflections (0.005%)	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	7311	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.09% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, EPE, BMA, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.27	0/6091	0.50	0/8271
2	J	0.33	0/515	0.47	0/690
2	K	0.31	0/510	0.42	0/681
All	All	0.28	0/7116	0.49	0/9642

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5977	0	5951	153	0
2	J	506	0	482	15	0
2	K	503	0	492	6	0
3	A	61	0	52	1	0
4	A	70	0	65	1	0
5	A	140	0	125	2	0
6	A	39	0	34	2	0
7	A	15	0	17	1	0
All	All	7311	0	7218	170	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 12.

All (170) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:282:ARG:HH12	1:A:305:VAL:HB	1.39	0.87
1:A:640:ARG:NH2	1:A:643:ASP:OD2	2.17	0.76
1:A:270:ASN:N	1:A:270:ASN:OD1	2.25	0.70
1:A:617:ILE:HG22	1:A:640:ARG:HB3	1.73	0.70
1:A:256:GLY:HA2	1:A:280:LEU:HD13	1.74	0.70
1:A:446:ASP:OD1	1:A:447:HIS:HD2	1.75	0.69
1:A:696:SER:OG	1:A:698:HIS:NE2	2.19	0.69
1:A:573:ILE:HG12	1:A:611:ILE:HD11	1.73	0.69
1:A:441:ARG:HB3	1:A:476:LEU:HD12	1.76	0.66
1:A:567:CYS:N	1:A:618:CYS:SG	2.68	0.65
1:A:467:SER:OG	1:A:491:ASP:OD2	2.09	0.64
1:A:142:THR:H	1:A:145:HIS:HD2	1.46	0.64
1:A:274:ILE:HD12	1:A:289:PHE:HE1	1.64	0.63
1:A:232:GLN:O	1:A:234:HIS:N	2.32	0.63
1:A:519:PHE:HB2	1:A:554:VAL:HG21	1.81	0.62
2:J:14:ARG:HA	2:J:45:GLU:HA	1.80	0.62
1:A:655:LEU:HD23	1:A:659:PRO:HD3	1.81	0.62
1:A:210:ARG:HH11	1:A:232:GLN:HE22	1.47	0.61
1:A:671:MET:HB3	1:A:694:VAL:HA	1.82	0.61
1:A:108:MET:HE1	1:A:136:ASN:HB3	1.83	0.61
1:A:422:SER:HB3	1:A:446:ASP:OD1	2.00	0.61
1:A:680:LEU:O	1:A:703:ASN:HB2	2.01	0.60
1:A:334:PRO:HG2	1:A:337:LEU:HB2	1.84	0.60
1:A:733:VAL:HG12	1:A:734:LEU:HD13	1.84	0.60
1:A:726:LEU:HB2	1:A:751:ASN:HD22	1.66	0.60
1:A:502:LEU:HB3	1:A:527:VAL:HG22	1.84	0.59
1:A:79:CYS:HB3	1:A:81:LEU:HD13	1.83	0.59
1:A:429:ILE:HD11	1:A:450:ILE:HD13	1.84	0.59
1:A:275:ASN:HB2	2:J:62:GLN:HE21	1.65	0.59
1:A:430:ASP:OD1	1:A:432:ARG:N	2.34	0.59
1:A:772:ARG:HH11	1:A:772:ARG:HG3	1.68	0.58
1:A:566:ASP:OD1	1:A:568:THR:OG1	2.22	0.58
1:A:528:ASN:OD1	1:A:530:THR:OG1	2.20	0.57
1:A:210:ARG:HH11	1:A:232:GLN:NE2	2.02	0.56
1:A:402:LEU:HB2	1:A:424:ASN:HD22	1.70	0.56
1:A:396:ARG:NH1	1:A:398:GLU:OE2	2.39	0.56
1:A:756:ASP:OD1	1:A:758:THR:HG22	2.05	0.56
2:K:55:ASP:HB3	2:K:56:PHE:CD2	2.41	0.56
1:A:282:ARG:NH1	1:A:305:VAL:HB	2.15	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:371:LEU:HD12	1:A:372:ASP:H	1.72	0.55
1:A:574:GLN:OE1	1:A:577:ARG:NH2	2.40	0.54
1:A:322:GLN:HA	1:A:344:ILE:HA	1.90	0.54
1:A:233:LEU:HB3	1:A:236:LEU:HD21	1.89	0.54
1:A:142:THR:H	1:A:145:HIS:CD2	2.24	0.53
2:J:44:ILE:HG22	2:J:95:ILE:HG23	1.89	0.53
1:A:36:GLU:C	1:A:40:ASP:HB2	2.29	0.53
1:A:223:LEU:O	1:A:246:SER:OG	2.26	0.53
1:A:368:LEU:HD12	1:A:369:LEU:H	1.74	0.53
1:A:354:LEU:HD13	1:A:357:LEU:HD21	1.90	0.53
1:A:771:GLU:OE1	1:A:771:GLU:N	2.37	0.53
1:A:388:HIS:O	1:A:390:THR:N	2.42	0.52
1:A:708:ASP:HB3	1:A:711:GLN:HG3	1.91	0.52
2:J:61:PRO:HB2	2:J:64:TYR:CD1	2.45	0.52
1:A:442:HIS:HA	1:A:477:THR:HB	1.91	0.52
1:A:665:HIS:HB3	1:A:668:MET:HG2	1.92	0.51
1:A:664:LEU:HG	1:A:668:MET:HB2	1.93	0.51
1:A:763:LEU:HD13	1:A:798:ILE:HD13	1.92	0.51
1:A:274:ILE:HD12	1:A:289:PHE:CE1	2.45	0.51
1:A:116:ALA:HB2	1:A:149:LEU:HG	1.93	0.51
1:A:418:THR:HB	1:A:442:HIS:HB2	1.93	0.51
1:A:81:LEU:HG	1:A:86:ASP:HB2	1.92	0.51
1:A:210:ARG:NH1	1:A:232:GLN:HE22	2.09	0.51
1:A:419:LEU:HD21	1:A:421:MET:HE3	1.93	0.51
1:A:143:ARG:HD3	1:A:171:THR:HB	1.93	0.50
1:A:446:ASP:O	1:A:448:ASN:ND2	2.43	0.50
2:J:42:ILE:HG21	2:J:95:ILE:HD13	1.92	0.50
1:A:632:PRO:HG2	1:A:635:CYS:HB2	1.93	0.50
2:J:97:SER:HB2	2:K:97:SER:HB2	1.94	0.50
1:A:751:ASN:HB2	1:A:753:TRP:CE2	2.47	0.50
1:A:447:HIS:HA	1:A:482:ASN:HB3	1.94	0.50
2:J:15:LYS:N	2:J:44:ILE:O	2.42	0.50
1:A:358:PRO:HG2	1:A:361:LEU:HB2	1.93	0.49
1:A:419:LEU:HD21	1:A:421:MET:CE	2.43	0.49
3:A:2004:BMA:H61	2:J:49:GLY:HA3	1.95	0.49
1:A:537:ILE:HG13	1:A:563:LEU:HD11	1.95	0.49
1:A:594:ARG:NH1	6:A:2011:NAG:H2	2.28	0.49
1:A:141:ILE:HG23	1:A:166:PRO:HD2	1.95	0.49
1:A:588:PHE:CD1	1:A:590:LEU:HD13	2.48	0.49
1:A:398:GLU:HB3	1:A:420:VAL:HG12	1.95	0.48
1:A:188:MET:HE3	1:A:192:LEU:HD13	1.96	0.48
1:A:356:THR:OG1	1:A:357:LEU:N	2.45	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:K:13:ILE:HD11	2:K:48:GLU:OE2	2.13	0.48
1:A:379:THR:HG22	1:A:401:LEU:HB2	1.96	0.48
1:A:29:PHE:CZ	1:A:54:ILE:HD11	2.49	0.48
1:A:371:LEU:HD23	1:A:386:PHE:HE1	1.79	0.47
1:A:107:CYS:H	1:A:134:SER:HB2	1.79	0.47
1:A:326:LEU:HD12	1:A:349:LEU:HD21	1.96	0.47
1:A:82:THR:OG1	1:A:83:ASP:N	2.47	0.47
1:A:491:ASP:N	1:A:491:ASP:OD1	2.39	0.47
1:A:299:ARG:HD2	1:A:325:ARG:HG3	1.97	0.47
1:A:712:LEU:HA	1:A:713:PRO:HD3	1.79	0.47
1:A:775:ASP:OD1	1:A:775:ASP:N	2.38	0.47
1:A:214:ARG:NH1	1:A:239:HIS:ND1	2.63	0.47
1:A:784:ALA:HB3	1:A:787:PRO:N	2.29	0.47
1:A:621:ASP:O	1:A:630:LYS:HB2	2.14	0.47
2:J:98:CYS:SG	2:K:100:LYS:HD3	2.54	0.47
1:A:217:PHE:CD2	1:A:244:ALA:HB2	2.50	0.46
1:A:232:GLN:O	1:A:234:HIS:ND1	2.45	0.46
1:A:255:ASN:O	1:A:257:ILE:N	2.48	0.46
1:A:40:ASP:N	1:A:42:LEU:H	2.12	0.46
1:A:640:ARG:NH1	1:A:672:GLU:OE1	2.49	0.46
1:A:561:ASN:HA	1:A:562:PRO:HD3	1.78	0.46
1:A:416:LEU:HD21	1:A:419:LEU:HD13	1.97	0.46
1:A:272:THR:HB	1:A:296:ASN:HB2	1.99	0.45
1:A:454:GLN:HA	1:A:455:PRO:HD2	1.80	0.45
1:A:397:LEU:O	1:A:400:ASN:ND2	2.45	0.45
1:A:772:ARG:CG	1:A:772:ARG:HH11	2.29	0.45
1:A:200:GLU:O	1:A:224:LYS:N	2.28	0.45
1:A:413:LEU:HB3	1:A:416:LEU:HB2	1.99	0.45
1:A:481:ARG:HH12	6:A:2010:NAG:H61	1.82	0.45
1:A:565:CYS:HA	1:A:569:ILE:HD11	1.99	0.45
1:A:91:PRO:HB2	1:A:94:LEU:HD13	1.99	0.45
1:A:318:GLN:HA	1:A:319:PRO:HD2	1.89	0.44
1:A:539:LEU:O	1:A:571:TRP:HB2	2.16	0.44
2:J:70:GLN:HG3	2:J:72:TYR:CE1	2.52	0.44
2:J:104:LYS:HB3	2:J:104:LYS:HE2	1.76	0.44
1:A:109:LEU:HD12	1:A:137:LEU:HB3	2.00	0.44
1:A:539:LEU:HD12	1:A:572:PHE:HA	1.99	0.44
1:A:31:ARG:HB2	1:A:31:ARG:NH1	2.33	0.44
1:A:261:PRO:O	1:A:264:VAL:HG23	2.18	0.43
1:A:307:LEU:HB3	1:A:328:ALA:HB1	2.00	0.43
1:A:53:GLU:HG2	2:K:16:LEU:HD13	2.00	0.43
1:A:210:ARG:NH1	1:A:232:GLN:NE2	2.65	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:492:TRP:HZ3	1:A:504:LEU:HD11	1.83	0.43
7:A:2024:EPE:H62	7:A:2024:EPE:H102	1.65	0.43
1:A:94:LEU:HD23	1:A:96:ILE:HD11	2.01	0.43
1:A:367:ASN:O	1:A:369:LEU:HD13	2.18	0.43
1:A:225:GLN:OE1	2:J:109:HIS:NE2	2.46	0.43
1:A:355:LYS:HD2	1:A:377:ARG:HB2	2.00	0.43
1:A:270:ASN:HD22	5:A:2015:NAG:C7	2.32	0.43
1:A:376:ASN:HB2	1:A:400:ASN:OD1	2.19	0.43
1:A:311:PRO:HG2	1:A:314:LEU:HD12	2.00	0.42
1:A:507:ASN:HB3	1:A:508:ASN:H	1.66	0.42
1:A:200:GLU:HA	1:A:223:LEU:HA	2.01	0.42
1:A:48:ILE:HD13	2:K:16:LEU:HD11	2.01	0.42
1:A:617:ILE:HD12	1:A:638:HIS:CG	2.55	0.42
1:A:559:ASN:ND2	1:A:594:ARG:HB2	2.35	0.42
2:J:64:TYR:HB3	2:J:103:LEU:HB3	2.00	0.42
2:J:69:LYS:HA	2:J:69:LYS:HD3	1.64	0.42
1:A:342:THR:OG1	1:A:342:THR:O	2.37	0.42
1:A:47:PRO:HB3	1:A:52:TYR:CE1	2.55	0.42
5:A:2008:NAG:H4	5:A:2009:NAG:H2	1.81	0.42
1:A:263:ASP:OD1	1:A:263:ASP:N	2.51	0.42
1:A:192:LEU:HD23	1:A:193:PHE:CE1	2.55	0.42
1:A:275:ASN:HB2	2:J:62:GLN:NE2	2.33	0.42
1:A:180:GLU:HG3	1:A:203:GLU:HG3	2.02	0.41
1:A:155:PHE:CZ	1:A:157:PHE:HB2	2.55	0.41
1:A:205:GLY:HA2	1:A:229:TRP:O	2.20	0.41
1:A:674:HIS:HB3	1:A:676:GLU:OE2	2.21	0.41
1:A:355:LYS:NZ	1:A:379:THR:HG21	2.35	0.41
1:A:381:LEU:HA	1:A:382:PRO:HD2	1.83	0.41
1:A:697:LEU:HG	1:A:699:LEU:HD21	2.02	0.41
1:A:90:LEU:HG	1:A:91:PRO:HD2	2.03	0.41
1:A:195:ASP:OD1	1:A:195:ASP:N	2.54	0.41
1:A:441:ARG:HA	1:A:441:ARG:HD3	1.91	0.41
1:A:81:LEU:HB2	1:A:108:MET:HE2	2.03	0.41
1:A:53:GLU:OE2	1:A:66:ARG:HD3	2.20	0.41
1:A:417:VAL:O	1:A:440:LEU:HD12	2.20	0.41
1:A:352:ASN:HB3	1:A:353:LEU:H	1.68	0.41
1:A:535:ARG:HH12	1:A:564:VAL:CG1	2.33	0.40
1:A:611:ILE:HD12	1:A:616:LEU:HD21	2.03	0.40
1:A:598:SER:O	1:A:604:GLU:HG3	2.22	0.40
4:A:2023:NAG:O7	4:A:2023:NAG:O3	2.37	0.40
1:A:510:SER:HA	1:A:533:LYS:O	2.21	0.40
1:A:559:ASN:HD22	1:A:594:ARG:HB2	1.87	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:493:LYS:HG2	1:A:519:PHE:CE1	2.57	0.40
1:A:57:PRO:HD2	1:A:60:ALA:CB	2.51	0.40
1:A:297:GLU:OE1	1:A:299:ARG:HD3	2.22	0.40
1:A:566:ASP:HB2	1:A:618:CYS:SG	2.62	0.40
1:A:720:ASP:HA	1:A:747:LYS:HB2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	735/783 (94%)	629 (86%)	96 (13%)	10 (1%)	16	67
2	J	57/114 (50%)	49 (86%)	8 (14%)	0	100	100
2	K	59/114 (52%)	54 (92%)	5 (8%)	0	100	100
All	All	851/1011 (84%)	732 (86%)	109 (13%)	10 (1%)	19	71

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	233	LEU
1	A	234	HIS
1	A	238	LYS
1	A	256	GLY
1	A	389	THR
1	A	524	ARG
1	A	382	PRO
1	A	583	GLN
1	A	579	VAL
1	A	257	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	691/723 (96%)	644 (93%)	47 (7%)	22	67
2	J	57/101 (56%)	52 (91%)	5 (9%)	14	52
2	K	56/101 (55%)	50 (89%)	6 (11%)	10	39
All	All	804/925 (87%)	746 (93%)	58 (7%)	21	64

All (58) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	48	ILE
1	A	75	VAL
1	A	99	VAL
1	A	134	SER
1	A	136	ASN
1	A	142	THR
1	A	143	ARG
1	A	163	THR
1	A	190	SER
1	A	195	ASP
1	A	246	SER
1	A	250	ILE
1	A	258	GLU
1	A	270	ASN
1	A	273	ASP
1	A	274	ILE
1	A	290	ASP
1	A	292	ASN
1	A	296	ASN
1	A	303	ASN
1	A	309	THR
1	A	342	THR
1	A	346	ASN
1	A	360	THR
1	A	390	THR
1	A	418	THR
1	A	419	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	425	ARG
1	A	438	ASN
1	A	445	LEU
1	A	473	HIS
1	A	478	LEU
1	A	499	LEU
1	A	530	THR
1	A	542	ASP
1	A	568	THR
1	A	583	GLN
1	A	590	LEU
1	A	615	THR
1	A	636	ASN
1	A	663	ASN
1	A	664	LEU
1	A	687	ASN
1	A	721	ILE
1	A	734	LEU
1	A	763	LEU
1	A	799	CYS
2	J	10	CYS
2	J	16	LEU
2	J	47	CYS
2	J	105	THR
2	J	109	HIS
2	K	39	LYS
2	K	47	CYS
2	K	55	ASP
2	K	63	SER
2	K	73	THR
2	K	103	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	136	ASN
1	A	145	HIS
1	A	232	GLN
1	A	380	HIS
1	A	424	ASN
1	A	526	HIS
1	A	636	ASN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

18 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	A	2001	1,3	12,14,15	0.42	0	15,19,21	0.46	0
3	NAG	A	2002	3	12,14,15	0.40	0	15,19,21	0.79	0
3	BMA	A	2003	3	10,11,12	1.29	2 (20%)	11,15,17	1.58	2 (18%)
3	BMA	A	2004	3	10,11,12	0.82	0	11,15,17	1.52	3 (27%)
3	MAN	A	2005	3	10,11,12	0.74	0	11,15,17	0.93	1 (9%)
5	NAG	A	2008	1,5	12,14,15	0.38	0	15,19,21	0.64	0
5	NAG	A	2009	5	12,14,15	0.40	0	15,19,21	0.32	0
6	NAG	A	2010	1,6	12,14,15	0.40	0	15,19,21	0.35	0
6	NAG	A	2011	6	12,14,15	0.35	0	15,19,21	0.53	0
6	BMA	A	2012	6	10,11,12	0.55	0	11,15,17	0.88	0
5	NAG	A	2013	1,5	12,14,15	0.40	0	15,19,21	0.39	0
5	NAG	A	2014	5	12,14,15	0.36	0	15,19,21	0.34	0
5	NAG	A	2015	1,5	12,14,15	0.43	0	15,19,21	0.39	0
5	NAG	A	2016	5	12,14,15	0.38	0	15,19,21	0.26	0
5	NAG	A	2017	1,5	12,14,15	0.39	0	15,19,21	0.34	0
5	NAG	A	2018	5	12,14,15	0.33	0	15,19,21	0.26	0
5	NAG	A	2019	1,5	12,14,15	0.54	0	15,19,21	0.69	0
5	NAG	A	2020	5	12,14,15	0.38	0	15,19,21	0.48	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means

no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	A	2001	1,3	-	0/6/23/26	0/1/1/1
3	NAG	A	2002	3	-	0/6/23/26	0/1/1/1
3	BMA	A	2003	3	-	0/2/19/22	0/1/1/1
3	BMA	A	2004	3	-	0/2/19/22	0/1/1/1
3	MAN	A	2005	3	-	0/2/19/22	0/1/1/1
5	NAG	A	2008	1,5	-	0/6/23/26	0/1/1/1
5	NAG	A	2009	5	-	0/6/23/26	0/1/1/1
6	NAG	A	2010	1,6	-	0/6/23/26	0/1/1/1
6	NAG	A	2011	6	-	0/6/23/26	0/1/1/1
6	BMA	A	2012	6	-	0/2/19/22	0/1/1/1
5	NAG	A	2013	1,5	-	0/6/23/26	0/1/1/1
5	NAG	A	2014	5	-	0/6/23/26	0/1/1/1
5	NAG	A	2015	1,5	-	0/6/23/26	0/1/1/1
5	NAG	A	2016	5	-	0/6/23/26	0/1/1/1
5	NAG	A	2017	1,5	-	0/6/23/26	0/1/1/1
5	NAG	A	2018	5	-	0/6/23/26	0/1/1/1
5	NAG	A	2019	1,5	-	0/6/23/26	0/1/1/1
5	NAG	A	2020	5	-	0/6/23/26	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	2003	BMA	O3-C3	2.39	1.48	1.43
3	A	2003	BMA	C4-C5	2.04	1.57	1.53

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	2003	BMA	O3-C3-C2	3.63	116.34	109.74
3	A	2004	BMA	C4-C3-C2	2.90	113.84	110.61
3	A	2004	BMA	O5-C5-C6	2.46	109.56	106.98
3	A	2003	BMA	O3-C3-C4	2.33	115.56	110.36
3	A	2004	BMA	O3-C3-C2	2.28	113.88	109.74
3	A	2005	MAN	C4-C3-C2	2.01	112.85	110.61

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.6 Ligand geometry

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	NAG	A	2006	1	12,14,15	0.37	0	15,19,21	0.35	0
4	NAG	A	2007	1	12,14,15	0.39	0	15,19,21	0.30	0
4	NAG	A	2021	1	12,14,15	0.45	0	15,19,21	0.58	0
4	NAG	A	2022	1	12,14,15	0.64	0	15,19,21	0.82	0
4	NAG	A	2023	1	12,14,15	0.44	0	15,19,21	0.38	0
7	EPE	A	2024	-	15,15,15	0.81	1 (6%)	20,20,20	1.93	6 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	A	2006	1	-	0/6/23/26	0/1/1/1
4	NAG	A	2007	1	-	0/6/23/26	0/1/1/1
4	NAG	A	2021	1	-	0/6/23/26	0/1/1/1
4	NAG	A	2022	1	-	0/6/23/26	0/1/1/1
4	NAG	A	2023	1	-	0/6/23/26	0/1/1/1
7	EPE	A	2024	-	-	0/9/19/19	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	2024	EPE	C10-S	2.80	1.81	1.77

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	2024	EPE	C5-N4-C3	4.44	119.59	108.88
7	A	2024	EPE	O3S-S-C10	3.73	110.42	105.93
7	A	2024	EPE	O2S-S-C10	3.09	109.54	106.79

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	2024	EPE	C7-N4-C3	3.08	119.00	111.28
7	A	2024	EPE	C7-N4-C5	3.03	118.88	111.28
7	A	2024	EPE	O1S-S-C10	2.10	108.66	106.79

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	747/783 (95%)	-0.25	1 (0%) 93 77	4, 27, 58, 87	0
2	J	63/114 (55%)	-0.04	0 100 100	11, 33, 64, 71	0
2	K	65/114 (57%)	-0.10	0 100 100	10, 37, 60, 76	0
All	All	875/1011 (86%)	-0.23	1 (0%) 93 77	4, 28, 59, 87	0

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	660	ARG	4.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
5	NAG	A	2014	14/15	0.41	13.23	47,73,81,83	0
5	NAG	A	2019	14/15	0.35	3.26	44,49,59,61	0
5	NAG	A	2016	14/15	0.24	2.24	48,59,70,75	0
5	NAG	A	2013	14/15	0.15	0.61	25,40,55,66	0
5	NAG	A	2017	14/15	0.21	0.29	47,55,66,69	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	NAG	A	2001	14/15	0.17	0.07	16,22,31,31	0
6	NAG	A	2010	14/15	0.18	-0.04	20,36,45,46	0
5	NAG	A	2015	14/15	0.15	-0.04	34,42,49,51	0
3	MAN	A	2005	11/12	0.16	-0.36	29,31,39,46	0
6	NAG	A	2011	14/15	0.14	-0.68	36,47,66,66	0
5	NAG	A	2008	14/15	0.15	-1.26	26,37,53,61	0
3	BMA	A	2004	11/12	0.11	-1.38	30,38,43,43	0
3	NAG	A	2002	14/15	0.13	-2.25	23,30,46,49	0
5	NAG	A	2020	14/15	0.32	-	49,60,63,66	0
5	NAG	A	2009	14/15	0.23	-	56,61,68,78	0
6	BMA	A	2012	11/12	0.14	-	51,62,70,71	0
5	NAG	A	2018	14/15	0.22	-	39,54,64,68	0
3	BMA	A	2003	11/12	0.11	-	15,25,35,36	0

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
4	NAG	A	2021	14/15	0.29	1.80	55,65,80,83	0
4	NAG	A	2022	14/15	0.28	1.55	33,50,54,63	0
4	NAG	A	2023	14/15	0.41	0.92	39,60,70,84	0
4	NAG	A	2006	14/15	0.21	0.60	36,59,66,75	0
7	EPE	A	2024	15/15	0.21	-0.30	25,33,45,47	0
4	NAG	A	2007	14/15	0.12	-1.02	28,33,43,49	0

6.5 Other polymers

There are no such residues in this entry.