



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 28, 2014 – 08:49 AM GMT

PDB ID : 1M0L
Title : BACTERIORHODOPSIN/LIPIDCOMPLEX AT 1.47 Å RESOLUTION
Authors : Lanyi, J.K.
Deposited on : 2002-06-13
Resolution : 1.47 Å (reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : NOT EXECUTED
EDS : NOT EXECUTED
Percentile statistics : 21963
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 1.47 Å.


Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	79885	2555 (1.50-1.46)
Ramachandran outliers	78287	2496 (1.50-1.46)
Sidechain outliers	78261	2494 (1.50-1.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	262	

2 Entry composition i


There are 5 unique types of molecules in this entry. The entry contains 2073 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called BACTERIORHODOPSIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	222	1720	1159	262	290	9	0	0	0

- Molecule 2 is 1-[2,6,10,14-TETRAMETHYL-HEXADECAN-16-YL]-2-[2,10,14-TRIMETHYLHEXADECAN-16-YL]GLYCEROL (three-letter code: LI1) (formula: $C_{42}H_{86}O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			32	29	3		
2	A	1	Total	C	O	0	0
			41	38	3		
2	A	1	Total	C		0	0
			18	18			
2	A	1	Total	C		0	0
			16	16			
2	A	1	Total	C		0	0
			8	8			

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C 8 8	0	0
2	A	1	Total C O 38 35 3	0	0
2	A	1	Total C 18 18	0	0
2	A	1	Total C 16 16	0	0
2	A	1	Total C O 40 37 3	0	0
2	A	1	Total C 17 17	0	0
2	A	1	Total C 18 18	0	0
2	A	1	Total C 13 13	0	0

- Molecule 3 is 2,10,23-TRIMETHYL-TETRACOSANE (three-letter code: SQU) (formula: $C_{27}H_{56}$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C 27 27	0	0

- Molecule 4 is RETINAL (three-letter code: RET) (formula: $C_{20}H_{28}O$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C 20 20	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	23	Total O 23 23	0	0

4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 63	Depositor
Cell constants a, b, c, α , β , γ	60.94Å 60.94Å 110.55Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	25.00 – 1.47	Depositor
% Data completeness (in resolution range)	97.3 (25.00-1.47)	Depositor
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	SHELXL-97	Depositor
R, R_{free}	0.149 , 0.179	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	2073	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: SQU, RET, LI1

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.71	0/1767	1.50	17/2413 (0.7%)

There are no bond length outliers.

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	175	ARG	NE-CZ-NH1	12.14	126.37	120.30
1	A	7	ARG	NE-CZ-NH1	9.74	125.17	120.30
1	A	175	ARG	NE-CZ-NH2	-8.14	116.23	120.30
1	A	83	TYR	CG-CD1-CE1	-6.58	116.03	121.30
1	A	57	TYR	CB-CG-CD1	-6.55	117.07	121.00
1	A	7	ARG	NE-CZ-NH2	-6.21	117.19	120.30
1	A	135	PHE	CB-CG-CD1	-6.04	116.57	120.80
1	A	209	MET	CA-CB-CG	-5.95	103.19	113.30
1	A	88	PHE	CB-CG-CD1	-5.92	116.66	120.80
1	A	86	TRP	CZ3-CH2-CZ2	-5.70	114.76	121.60
1	A	183	SER	O-C-N	-5.57	113.79	122.70
1	A	86	TRP	CH2-CZ2-CE2	5.34	122.74	117.40
1	A	57	TYR	CD1-CG-CD2	5.33	123.77	117.90
1	A	83	TYR	CZ-CE2-CD2	-5.15	115.17	119.80
1	A	134	ARG	NE-CZ-NH2	-5.14	117.73	120.30
1	A	219	PHE	CB-CG-CD1	5.08	124.36	120.80
1	A	82	ARG	NE-CZ-NH2	-5.05	117.77	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1720	0	1776	48	0
2	A	283	0	456	67	0
3	A	27	0	53	6	0
4	A	20	0	27	2	0
5	A	23	0	0	1	0
All	All	2073	0	2312	92	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 21.

All (92) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:A:611:LI1:C25	2:A:611:LI1:C26	1.74	1.62
2:A:610:LI1:C25	2:A:610:LI1:C26	1.74	1.61
2:A:609:LI1:C26	2:A:609:LI1:C25	1.74	1.56
1:A:217:VAL:HG11	3:A:701:SQU:H212	1.44	0.99
1:A:26:TYR:HD1	2:A:611:LI1:H152	1.38	0.88
2:A:611:LI1:C25	2:A:611:LI1:C27	2.53	0.86
2:A:610:LI1:C25	2:A:610:LI1:C27	2.53	0.86
2:A:609:LI1:C25	2:A:609:LI1:C27	2.54	0.85
2:A:611:LI1:C26	2:A:611:LI1:C23	2.58	0.82
2:A:609:LI1:C26	2:A:609:LI1:C23	2.57	0.81
2:A:610:LI1:C23	2:A:610:LI1:C26	2.60	0.80
1:A:214:SER:OG	3:A:701:SQU:H132	1.85	0.77
1:A:221:LEU:O	1:A:225:ARG:HG2	1.85	0.77
1:A:131:TYR:OH	2:A:602:LI1:H162	1.87	0.74
1:A:26:TYR:CE1	2:A:611:LI1:H121	2.24	0.72
1:A:136:VAL:HG22	2:A:602:LI1:H531	1.70	0.72
1:A:18:ALA:O	1:A:22:LEU:HD13	1.88	0.71
1:A:180:VAL:HG13	2:A:610:LI1:H591	1.73	0.69
1:A:26:TYR:CD1	2:A:611:LI1:H152	2.27	0.68
1:A:198:ILE:HD11	2:A:603:LI1:H152	1.76	0.68
1:A:131:TYR:OH	2:A:602:LI1:H13	1.95	0.67
1:A:153:PHE:HE1	2:A:610:LI1:H121	1.60	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:A:602:LI1:H412	2:A:602:LI1:H121	1.78	0.65
2:A:611:LI1:H262	2:A:611:LI1:H241	1.78	0.64
2:A:611:LI1:H262	2:A:611:LI1:C24	2.28	0.63
1:A:163:MET:HG3	1:A:168:ALA:HB2	1.82	0.61
1:A:70:PRO:HG2	1:A:129:LYS:HD3	1.81	0.61
2:A:601:LI1:H172	2:A:601:LI1:H11	1.82	0.60
1:A:26:TYR:CD1	2:A:611:LI1:H121	2.37	0.60
2:A:611:LI1:C26	2:A:611:LI1:C24	2.79	0.59
1:A:47:THR:HG21	2:A:612:LI1:H141	1.83	0.59
1:A:153:PHE:CE2	1:A:179:VAL:HG21	2.40	0.57
3:A:701:SQU:H182	3:A:701:SQU:H13	1.86	0.57
2:A:610:LI1:C25	2:A:610:LI1:H272	2.33	0.57
1:A:131:TYR:CE2	2:A:602:LI1:H112	2.39	0.57
1:A:136:VAL:HA	2:A:602:LI1:C55	2.35	0.56
2:A:601:LI1:H152	2:A:601:LI1:O1	2.05	0.55
1:A:56:MET:HE1	2:A:607:LI1:H501	1.87	0.55
2:A:602:LI1:C52	2:A:602:LI1:H592	2.38	0.54
1:A:190:LEU:CD2	2:A:603:LI1:H222	2.36	0.54
2:A:604:LI1:C28	2:A:610:LI1:H301	2.38	0.53
1:A:35:SER:O	1:A:37:PRO:HD3	2.08	0.53
1:A:180:VAL:CG1	2:A:610:LI1:H591	2.37	0.53
1:A:19:LEU:HD21	3:A:701:SQU:H32	1.91	0.53
1:A:47:THR:HG21	2:A:612:LI1:H162	1.93	0.51
2:A:610:LI1:H272	2:A:610:LI1:H251	1.91	0.51
1:A:70:PRO:HA	1:A:74:GLU:O	2.12	0.50
1:A:136:VAL:HG22	2:A:602:LI1:C53	2.41	0.49
1:A:198:ILE:HD11	2:A:603:LI1:C15	2.42	0.49
1:A:153:PHE:CE1	2:A:610:LI1:H121	2.46	0.49
1:A:164:ARG:HG3	1:A:167:VAL:HG23	1.95	0.49
2:A:610:LI1:H501	2:A:610:LI1:H591	1.95	0.48
1:A:131:TYR:CZ	2:A:602:LI1:H13	2.48	0.48
2:A:610:LI1:H122	2:A:610:LI1:H12	1.44	0.48
2:A:602:LI1:C59	2:A:602:LI1:H501	2.44	0.48
1:A:15:LEU:HD22	1:A:19:LEU:CD1	2.43	0.48
1:A:190:LEU:HD23	2:A:603:LI1:H222	1.96	0.47
1:A:166:GLU:H	1:A:166:GLU:HG3	1.39	0.47
1:A:131:TYR:CE2	2:A:602:LI1:H13	2.50	0.46
2:A:602:LI1:H411	2:A:602:LI1:H442	1.45	0.46
2:A:611:LI1:H252	2:A:611:LI1:H211	1.69	0.46
1:A:136:VAL:HA	2:A:602:LI1:H551	1.96	0.46
2:A:610:LI1:H593	2:A:610:LI1:C51	2.46	0.45
1:A:190:LEU:HD21	2:A:603:LI1:H222	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:A:602:LI1:H592	2:A:602:LI1:H521	1.98	0.45
2:A:602:LI1:H592	2:A:602:LI1:H501	1.99	0.45
1:A:28:LEU:HD23	2:A:612:LI1:C14	2.46	0.44
1:A:70:PRO:CG	1:A:129:LYS:HD3	2.44	0.44
2:A:601:LI1:H302	2:A:608:LI1:H303	2.00	0.44
4:A:301:RET:H181	4:A:301:RET:H7	1.81	0.43
1:A:64:TYR:CZ	2:A:607:LI1:H32	2.54	0.43
2:A:608:LI1:H211	2:A:608:LI1:H172	1.91	0.43
2:A:603:LI1:H262	2:A:603:LI1:H303	1.85	0.42
1:A:164:ARG:NH2	1:A:230:PHE:O	2.48	0.42
2:A:613:LI1:H201	2:A:613:LI1:H162	1.33	0.42
2:A:611:LI1:H193	2:A:611:LI1:H162	1.63	0.42
1:A:15:LEU:HD13	1:A:209:MET:HE1	2.02	0.42
2:A:601:LI1:H301	2:A:608:LI1:H272	2.02	0.42
4:A:301:RET:H171	4:A:301:RET:H8	2.01	0.42
1:A:78:ILE:HD12	1:A:194:GLU:HG3	2.01	0.42
3:A:701:SQU:H133	3:A:701:SQU:H102	1.97	0.42
1:A:172:LYS:HD3	2:A:610:LI1:O3	2.21	0.41
2:A:601:LI1:H193	2:A:601:LI1:H162	1.42	0.41
2:A:610:LI1:H501	2:A:610:LI1:C59	2.51	0.41
1:A:164:ARG:HG2	1:A:164:ARG:H	1.50	0.41
1:A:7:ARG:O	1:A:10:TRP:HD1	2.03	0.41
2:A:602:LI1:H243	2:A:602:LI1:H211	1.70	0.41
2:A:610:LI1:H593	2:A:610:LI1:C52	2.51	0.41
2:A:608:LI1:H262	2:A:608:LI1:H292	1.73	0.41
1:A:169:SER:O	1:A:173:VAL:HG23	2.21	0.41
2:A:612:LI1:H143	5:A:512:HOH:O	2.21	0.40
3:A:701:SQU:C1	3:A:701:SQU:H182	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	218/262 (83%)	216 (99%)	2 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	178/206 (86%)	169 (95%)	9 (5%)	33 5

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	15	LEU
1	A	38	ASP
1	A	74	GLU
1	A	95	LEU
1	A	162	SER
1	A	163	MET
1	A	164	ARG
1	A	166	GLU
1	A	202	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	105	GLN
1	A	202	ASN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

There are no carbohydrates in this entry.

5.6 Ligand geometry

15 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	RET	A	301	1	19,20,21	1.02	2 (10%)	26,27,28	1.98	9 (34%)
2	LI1	A	601	-	30,31,44	1.52	4 (13%)	26,33,51	1.90	4 (15%)
2	LI1	A	602	-	40,40,44	1.29	4 (10%)	43,45,51	2.47	8 (18%)
2	LI1	A	603	-	17,17,44	1.59	1 (5%)	13,18,51	2.09	2 (15%)
2	LI1	A	604	-	15,15,44	1.87	2 (13%)	7,14,51	1.17	1 (14%)
2	LI1	A	605	-	6,7,44	0.86	0	3,6,51	1.50	1 (33%)
2	LI1	A	606	-	6,7,44	1.42	1 (16%)	3,6,51	1.44	0
2	LI1	A	607	-	36,37,44	1.48	4 (11%)	28,38,51	1.50	4 (14%)
2	LI1	A	608	-	17,17,44	1.55	1 (5%)	14,18,51	2.19	2 (14%)
2	LI1	A	609	-	15,15,44	1.93	2 (13%)	7,14,51	1.21	1 (14%)
2	LI1	A	610	-	39,39,44	1.43	3 (7%)	31,41,51	1.73	3 (9%)
2	LI1	A	611	-	16,16,44	1.72	2 (12%)	17,18,51	2.44	5 (29%)
2	LI1	A	612	-	17,17,44	1.60	1 (5%)	13,18,51	2.15	3 (23%)
2	LI1	A	613	-	12,12,44	0.89	1 (8%)	9,12,51	1.71	2 (22%)
3	SQU	A	701	-	26,26,26	1.29	4 (15%)	28,28,28	1.74	8 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	RET	A	301	1	-	0/13/30/31	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LI1	A	601	-	2/2/3/8	0/31/32/49	0/0/0/0
2	LI1	A	602	-	1/1/6/8	0/44/44/49	0/0/0/0
2	LI1	A	603	-	-	0/16/16/49	0/0/0/0
2	LI1	A	604	-	-	0/12/13/49	0/0/0/0
2	LI1	A	605	-	-	0/5/5/49	0/0/0/0
2	LI1	A	606	-	-	0/5/5/49	0/0/0/0
2	LI1	A	607	-	-	0/37/38/49	0/0/0/0
2	LI1	A	608	-	-	0/16/16/49	0/0/0/0
2	LI1	A	609	-	-	0/12/13/49	0/0/0/0
2	LI1	A	610	-	-	0/39/39/49	0/0/0/0
2	LI1	A	611	-	1/1/3/8	0/17/17/49	0/0/0/0
2	LI1	A	612	-	-	0/16/16/49	0/0/0/0
2	LI1	A	613	-	1/1/1/8	0/10/11/49	0/0/0/0
3	SQU	A	701	-	1/1/3/3	0/25/25/25	0/0/0/0

All (32) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	610	LI1	C26-C25	6.01	1.74	1.52
2	A	611	LI1	C25-C26	5.99	1.74	1.53
2	A	609	LI1	C26-C25	5.97	1.74	1.52
2	A	612	LI1	C26-C25	5.89	1.74	1.52
2	A	604	LI1	C26-C25	5.86	1.74	1.52
2	A	603	LI1	C26-C25	5.86	1.74	1.52
2	A	608	LI1	C26-C25	5.84	1.74	1.52
2	A	602	LI1	C25-C26	5.81	1.73	1.53
2	A	601	LI1	C26-C25	5.81	1.73	1.52
2	A	607	LI1	C26-C25	5.73	1.73	1.52
2	A	607	LI1	C60-C58	3.69	1.55	1.49
2	A	609	LI1	C30-C28	3.36	1.55	1.49
2	A	610	LI1	O3-C3	3.22	1.56	1.42
3	A	701	SQU	C14-C12	-3.09	1.35	1.52
2	A	606	LI1	C22-C21	-3.07	1.53	1.55
2	A	601	LI1	O3-C3	3.04	1.55	1.42
2	A	602	LI1	O3-C3	2.82	1.54	1.42
2	A	607	LI1	O3-C3	2.82	1.54	1.42
3	A	701	SQU	C23-C22	-2.76	1.34	1.51
2	A	604	LI1	C29-C28	2.70	1.54	1.49
4	A	301	RET	C2-C3	-2.69	1.45	1.52
3	A	701	SQU	C18-C17	-2.66	1.35	1.51
3	A	701	SQU	C9-C7	-2.66	1.35	1.51
2	A	611	LI1	C27-C26	-2.28	1.54	1.55

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	607	LI1	C12-C11	2.26	1.55	1.51
2	A	613	LI1	C24-C23	2.25	1.53	1.49
2	A	602	LI1	C27-C26	-2.16	1.54	1.55
2	A	602	LI1	C3-C2	2.16	1.55	1.50
2	A	601	LI1	C42-C41	2.07	1.54	1.51
2	A	601	LI1	C12-C11	2.07	1.54	1.51
2	A	610	LI1	C12-C11	2.05	1.54	1.51
4	A	301	RET	C17-C1	2.02	1.58	1.53

All (53) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	602	LI1	C49-C48-C47	-9.88	74.78	111.02
2	A	608	LI1	C27-C26-C25	-7.09	100.64	114.68
2	A	601	LI1	C27-C26-C25	-6.93	100.95	114.68
2	A	603	LI1	C27-C26-C25	-6.91	101.00	114.68
2	A	610	LI1	C27-C26-C25	-6.82	101.17	114.68
2	A	612	LI1	C27-C26-C25	-6.58	101.64	114.68
2	A	611	LI1	C27-C26-C25	-6.13	100.68	114.46
2	A	602	LI1	C27-C26-C25	-5.63	101.81	114.46
2	A	602	LI1	C49-C48-C50	5.58	131.50	111.02
2	A	611	LI1	C26-C25-C23	-5.51	103.74	115.42
4	A	301	RET	C11-C10-C9	-5.47	119.41	127.29
2	A	602	LI1	C26-C25-C23	-5.43	103.92	115.42
3	A	701	SQU	C15-C14-C12	5.17	130.04	115.14
2	A	610	LI1	O2-C41-C42	4.63	116.53	107.52
2	A	607	LI1	C27-C26-C25	-4.22	101.22	113.69
2	A	607	LI1	C45-C46-C47	-3.80	107.16	114.68
4	A	301	RET	C8-C9-C10	-3.69	113.31	118.97
2	A	613	LI1	C17-C16-C15	-3.60	107.55	114.68
2	A	602	LI1	C51-C50-C48	-3.43	105.25	115.14
2	A	602	LI1	O3-C3-C2	-3.29	103.86	111.90
2	A	611	LI1	C16-C17-C18	-3.22	105.87	115.14
2	A	602	LI1	C24-C23-C25	-3.17	99.39	111.02
3	A	701	SQU	C10-C9-C7	3.05	131.13	114.61
2	A	610	LI1	O3-C3-C2	-3.05	104.46	111.90
2	A	611	LI1	C24-C23-C25	3.00	122.03	111.02
2	A	601	LI1	O3-C3-C2	-2.99	104.59	111.90
3	A	701	SQU	C5-C4-C2	2.82	129.97	115.69
2	A	601	LI1	C16-C17-C18	-2.74	107.24	115.14
2	A	602	LI1	C21-C22-C23	-2.63	107.55	115.14
4	A	301	RET	C10-C11-C12	-2.61	114.43	123.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	607	LI1	O2-C41-C42	2.59	114.78	108.90
2	A	603	LI1	C15-C16-C17	-2.51	109.71	114.68
3	A	701	SQU	C25-C23-C22	2.50	128.13	114.61
2	A	612	LI1	C15-C16-C17	-2.46	109.82	114.68
4	A	301	RET	C20-C13-C12	2.45	122.05	118.09
2	A	611	LI1	C21-C20-C18	-2.44	108.11	115.14
2	A	608	LI1	C21-C20-C18	-2.41	108.19	115.14
2	A	609	LI1	C27-C26-C25	-2.37	101.43	113.86
4	A	301	RET	C1-C6-C7	2.36	122.22	115.69
2	A	605	LI1	C22-C21-C20	-2.33	109.23	114.46
2	A	613	LI1	C21-C20-C18	-2.33	108.43	115.14
3	A	701	SQU	C18-C17-C16	2.29	127.03	114.61
2	A	604	LI1	C27-C26-C25	-2.25	102.05	113.86
3	A	701	SQU	C9-C7-C6	2.23	126.67	114.61
4	A	301	RET	C18-C5-C4	-2.22	109.27	113.34
2	A	607	LI1	O3-C3-C2	-2.21	106.50	111.90
3	A	701	SQU	C20-C18-C17	2.20	126.51	114.61
4	A	301	RET	C14-C13-C12	-2.19	112.02	119.62
2	A	601	LI1	C20-C21-C22	-2.14	110.45	114.68
4	A	301	RET	C18-C5-C6	2.12	126.92	124.51
2	A	612	LI1	C16-C15-C13	-2.08	109.15	115.14
4	A	301	RET	C19-C9-C8	2.05	121.41	118.09
3	A	701	SQU	C14-C12-C11	2.02	122.31	111.92

All (6) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	602	LI1	C48
2	A	611	LI1	C13
2	A	601	LI1	C2
2	A	601	LI1	C18
2	A	613	LI1	C18
3	A	701	SQU	C12

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates

EDS was not executed - this section will therefore be empty.

6.4 Ligands

EDS was not executed - this section will therefore be empty.

6.5 Other polymers

EDS was not executed - this section will therefore be empty.