



# Full wwPDB X-ray Structure Validation Report

Feb 26, 2014 – 09:20 PM GMT

PDB ID : 3M5R  
Title : Crystal Structure of Swine Flu Virus NS1 Effector Domain from H1N1 Influenza A/California/07/2009  
Authors : Fremont, D.H.; Yu, Y.Y.L.; Nelson, C.A.; Center for Structural Genomics of Infectious Diseases (CSGID)  
Deposited on : 2010-03-13  
Resolution : 2.00 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.15 2013
Xtriage (Phenix)	:	dev-1323
EDS	:	stable22639
Percentile statistics	:	21963
Refmac	:	5.8.0049
CCP4	:	6.3.0 (Settle)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP)	:	stable22683

# 1 Overall quality at a glance

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	66092	4888 (2.00-2.00)
Clashscore	79885	6188 (2.00-2.00)
Ramachandran outliers	78287	6102 (2.00-2.00)
Sidechain outliers	78261	6100 (2.00-2.00)
RSRZ outliers	66119	4890 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	133	
1	B	133	
1	D	133	
1	E	133	
1	F	133	
1	G	133	

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 6136 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nonstructural protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	126	Total	C	N	O	S	0	0	0
			1000	641	171	181	7			
1	B	126	Total	C	N	O	S	0	0	0
			1000	641	171	181	7			
1	D	121	Total	C	N	O	S	0	0	0
			962	617	164	175	6			
1	E	121	Total	C	N	O	S	0	0	0
			962	617	164	175	6			
1	F	121	Total	C	N	O	S	0	0	0
			962	617	164	175	6			
1	G	121	Total	C	N	O	S	0	0	0
			962	617	164	175	6			

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	76	GLY	-	EXPRESSION TAG	UNP D2Y6Z6
A	77	SER	-	EXPRESSION TAG	UNP D2Y6Z6
A	78	HIS	-	EXPRESSION TAG	UNP D2Y6Z6
B	76	GLY	-	EXPRESSION TAG	UNP D2Y6Z6
B	77	SER	-	EXPRESSION TAG	UNP D2Y6Z6
B	78	HIS	-	EXPRESSION TAG	UNP D2Y6Z6
D	76	GLY	-	EXPRESSION TAG	UNP D2Y6Z6
D	77	SER	-	EXPRESSION TAG	UNP D2Y6Z6
D	78	HIS	-	EXPRESSION TAG	UNP D2Y6Z6
E	76	GLY	-	EXPRESSION TAG	UNP D2Y6Z6
E	77	SER	-	EXPRESSION TAG	UNP D2Y6Z6
E	78	HIS	-	EXPRESSION TAG	UNP D2Y6Z6
F	76	GLY	-	EXPRESSION TAG	UNP D2Y6Z6
F	77	SER	-	EXPRESSION TAG	UNP D2Y6Z6
F	78	HIS	-	EXPRESSION TAG	UNP D2Y6Z6
G	76	GLY	-	EXPRESSION TAG	UNP D2Y6Z6
G	77	SER	-	EXPRESSION TAG	UNP D2Y6Z6

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
G	78	HIS	-	EXPRESSION TAG	UNP D2Y6Z6


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	49	Total O 49 49	0	0
2	B	49	Total O 49 49	0	0
2	D	62	Total O 62 62	0	0
2	E	54	Total O 54 54	0	0
2	F	27	Total O 27 27	0	0
2	G	47	Total O 47 47	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Nonstructural protein 1




- Molecule 1: Nonstructural protein 1




- Molecule 1: Nonstructural protein 1



- Molecule 1: Nonstructural protein 1



- Molecule 1: Nonstructural protein 1



- Molecule 1: Nonstructural protein 1

Chain G: 

GLY	SER	HIS	MET	THR	ILE	ALA	S83	V84	P85	T86	S87	R88	M98	Q109	K110	I111	V117	I123	K131	A132	N133	F134	I137	E142	L147	V157	L163	P164	S165	L166	P167	G168	Y171	K175	V187	V194	S195	E196	N197	I198	G199	R200	F201	A202	V203
ARG	ASN	CYS	ASP	GLU																																									

## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	73.53Å 70.80Å 96.69Å 90.00° 110.30° 90.00°	Depositor
Resolution (Å)	50.00 – 2.00 48.77 – 2.01	Depositor EDS
% Data completeness (in resolution range)	91.8 (50.00-2.00) 91.8 (48.77-2.01)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.82 (at 2.01Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.6_289)	Depositor
R, $R_{free}$	0.207 , 0.244 0.202 , 0.240	Depositor DCC
$R_{free}$ test set	1553 reflections (2.71%)	DCC
Wilson B-factor (Å <sup>2</sup> )	33.5	Xtriage
Anisotropy	0.341	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.38 , 47.7	EDS
Estimated twinning fraction	0.020 for h,-k,-h-l	Xtriage
L-test for twinning	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 61964 reflections	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	6136	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 15.31% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.39	0/1020	0.55	0/1383
1	B	0.39	0/1020	0.56	0/1383
1	D	0.45	0/981	0.58	0/1330
1	E	0.41	0/981	0.55	0/1330
1	F	0.40	0/981	0.56	0/1330
1	G	0.42	0/981	0.59	0/1330
All	All	0.41	0/5964	0.56	0/8086

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1000	0	1018	27	0
1	B	1000	0	1018	13	0
1	D	962	0	979	19	0
1	E	962	0	979	20	0
1	F	962	0	979	18	0
1	G	962	0	979	26	0
2	A	49	0	0	3	0
2	B	49	0	0	1	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	62	0	0	1	0
2	E	54	0	0	2	0
2	F	27	0	0	0	0
2	G	47	0	0	2	0
All	All	6136	0	5952	113	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 10.

All (113) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:E:139:ASN:HA	1:E:201:PHE:HE1	1.31	0.96
1:E:139:ASN:HA	1:E:201:PHE:CE1	2.20	0.75
1:D:89:TYR:HE1	1:D:145:ILE:HD12	1.56	0.70
1:B:85:PRO:HB3	1:B:138:PHE:CE1	2.27	0.70
1:A:139:ASN:HD21	1:A:200:ARG:NH2	1.88	0.69
1:G:171:TYR:CZ	1:G:175:LYS:HD2	2.28	0.68
1:E:85:PRO:HG3	1:E:138:PHE:CE2	2.28	0.68
1:G:98:MET:CE	1:G:133:ASN:HD22	2.07	0.67
1:E:116:CYS:SG	2:E:252:HOH:O	2.52	0.67
1:A:148:ARG:HD3	1:A:156:ILE:HD13	1.78	0.66
1:B:90:LEU:HD12	1:B:134:PHE:CE2	2.31	0.64
1:F:151:THR:OG1	1:F:153:GLU:HG2	1.97	0.64
1:B:78:HIS:HB3	1:B:88:ARG:HD3	1.80	0.64
1:B:104:MET:HG2	1:B:120:ASP:HB2	1.80	0.64
1:F:194:VAL:HG13	1:F:198:ILE:HB	1.80	0.63
1:F:137:ILE:HD12	1:F:142:GLU:HG3	1.83	0.60
1:A:78:HIS:HD1	1:A:78:HIS:N	2.01	0.59
1:A:94:THR:HB	1:D:196:GLU:OE2	2.01	0.59
1:F:175:LYS:HZ2	1:F:175:LYS:HB3	1.69	0.58
1:A:108:ARG:HD2	1:A:109:GLN:H	1.69	0.56
1:D:203:TRP:CE3	1:D:203:TRP:HA	2.41	0.56
1:B:141:LEU:HD21	1:B:174:VAL:HG21	1.86	0.55
1:B:166:LEU:N	1:B:167:PRO:HD3	2.21	0.55
1:D:182:ILE:O	1:D:186:GLU:HG3	2.07	0.55
1:E:85:PRO:HG3	1:E:138:PHE:HE2	1.70	0.54
1:A:187:TRP:CZ2	1:B:110:LYS:HG3	2.43	0.54
1:F:165:SER:HB2	1:F:167:PRO:HG3	1.89	0.53
1:A:86:THR:HG23	1:G:88:ARG:HA	1.89	0.53
1:E:108:ARG:HG3	1:E:121:GLN:HG2	1.89	0.53
1:E:203:TRP:HA	1:E:203:TRP:CE3	2.44	0.52
1:G:137:ILE:HG22	1:G:142:GLU:HG3	1.90	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:D:139:ASN:HD21	1:D:200:ARG:NH2	2.07	0.52
1:D:203:TRP:HA	1:D:203:TRP:HE3	1.74	0.52
1:D:98:MET:HE1	1:D:133:ASN:HB2	1.92	0.52
1:A:78:HIS:ND1	1:A:78:HIS:N	2.54	0.51
1:B:78:HIS:CB	1:B:88:ARG:HD3	2.39	0.51
1:G:137:ILE:HA	2:G:225:HOH:O	2.11	0.51
1:D:83:SER:O	1:G:200:ARG:NH1	2.44	0.50
1:E:166:LEU:N	1:E:167:PRO:HD3	2.25	0.50
1:G:134:PHE:CZ	1:G:201:PHE:CD2	2.99	0.50
1:D:88:ARG:NH1	1:G:86:THR:HG23	2.26	0.50
1:A:153:GLU:OE1	1:A:153:GLU:N	2.45	0.50
1:E:104:MET:HG2	1:E:120:ASP:HB2	1.94	0.50
1:D:118:ARG:NH1	2:D:220:HOH:O	2.39	0.50
1:E:108:ARG:HG3	1:E:121:GLN:CG	2.43	0.49
1:B:203:TRP:HA	1:B:203:TRP:CE3	2.48	0.49
1:A:137:ILE:O	1:A:140:ARG:HG2	2.13	0.49
1:G:83:SER:OG	1:G:84:VAL:N	2.46	0.48
1:D:88:ARG:HH11	1:G:86:THR:HG23	1.79	0.48
1:A:78:HIS:CA	2:A:261:HOH:O	2.62	0.48
1:A:172:GLU:OE2	1:A:175:LYS:HE2	2.13	0.48
1:G:194:VAL:HG12	1:G:198:ILE:HB	1.94	0.48
1:A:194:VAL:HG23	1:A:199:GLN:HG3	1.96	0.47
1:A:78:HIS:HA	2:A:261:HOH:O	2.12	0.47
1:A:137:ILE:HG22	1:A:142:GLU:HB2	1.96	0.47
1:G:163:LEU:O	1:G:166:LEU:HD23	2.14	0.47
1:F:141:LEU:C	1:F:141:LEU:HD23	2.35	0.47
1:F:119:LEU:HD11	1:F:185:LEU:HD23	1.97	0.47
1:D:84:VAL:HG23	1:G:201:PHE:CZ	2.50	0.47
1:G:109:GLN:HA	1:G:117:VAL:O	2.14	0.47
1:G:147:LEU:C	1:G:147:LEU:HD23	2.36	0.47
1:F:134:PHE:HA	1:F:145:ILE:HD12	1.96	0.46
1:D:89:TYR:CE1	1:D:145:ILE:HD12	2.44	0.46
1:G:111:ILE:N	1:G:111:ILE:HD12	2.30	0.46
1:E:194:VAL:HG13	1:E:198:ILE:HB	1.98	0.46
1:E:123:ILE:HG23	1:E:126:LYS:HD2	1.98	0.46
1:F:203:TRP:HA	1:F:203:TRP:CE3	2.51	0.46
1:E:164:PRO:C	1:E:166:LEU:H	2.19	0.45
1:A:89:TYR:HE1	1:A:145:ILE:HD13	1.82	0.45
1:G:196:GLU:O	1:G:200:ARG:HG3	2.17	0.45
1:F:89:TYR:HE1	1:F:145:ILE:HD11	1.81	0.45
1:E:163:LEU:O	1:E:166:LEU:N	2.42	0.45
1:G:123:ILE:HG13	1:G:157:VAL:HB	1.98	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:F:121:GLN:HG3	1:F:121:GLN:O	2.17	0.45
1:A:100:ARG:HG2	1:A:101:ASP:N	2.32	0.45
1:E:164:PRO:C	1:E:166:LEU:N	2.70	0.45
1:B:108:ARG:HB2	1:B:121:GLN:HG3	1.98	0.45
1:D:138:PHE:HD2	1:D:140:ARG:NH2	2.14	0.45
1:G:202:ALA:O	1:G:203:TRP:HE3	1.99	0.45
1:A:104:MET:HB2	1:A:107:PRO:HB3	1.98	0.44
1:A:104:MET:SD	1:A:107:PRO:HA	2.58	0.44
1:D:124:MET:HG2	1:D:188:ASN:HB3	1.99	0.44
1:E:172:GLU:OE1	1:E:175:LYS:HE3	2.18	0.44
1:F:110:LYS:HE3	1:G:187:TRP:NE1	2.32	0.44
1:A:145:ILE:HD12	1:A:145:ILE:N	2.32	0.44
1:F:147:LEU:C	1:F:147:LEU:HD23	2.38	0.44
1:E:147:LEU:HD23	1:E:147:LEU:C	2.38	0.43
1:F:194:VAL:HG12	1:F:199:GLN:HG3	1.99	0.43
1:B:119:LEU:HD11	1:B:185:LEU:CD2	2.48	0.43
1:A:194:VAL:CG2	1:A:199:GLN:HG3	2.48	0.43
1:G:137:ILE:HG22	1:G:142:GLU:CG	2.49	0.43
1:G:131:LYS:HE2	2:G:238:HOH:O	2.18	0.42
1:A:114:PRO:O	1:A:163:LEU:HG	2.19	0.42
1:B:96:GLU:HB3	2:B:239:HOH:O	2.19	0.42
1:E:203:TRP:HE3	1:E:203:TRP:HA	1.84	0.42
1:F:136:VAL:HG12	1:F:137:ILE:N	2.35	0.42
1:D:148:ARG:HD3	1:D:156:ILE:HD13	2.01	0.42
1:A:110:LYS:HD3	1:A:112:ILE:HD11	2.01	0.42
1:G:134:PHE:HZ	1:G:201:PHE:HD2	1.68	0.42
1:E:139:ASN:N	1:E:139:ASN:HD22	2.17	0.41
1:G:134:PHE:HZ	1:G:201:PHE:CD2	2.39	0.41
1:F:88:ARG:HH11	1:F:88:ARG:HB2	1.85	0.41
1:G:98:MET:HE3	1:G:133:ASN:HD22	1.83	0.41
1:A:78:HIS:N	2:A:261:HOH:O	2.53	0.41
1:F:110:LYS:HE3	1:G:187:TRP:CE2	2.55	0.41
1:A:95:LEU:HD12	1:D:196:GLU:HB3	2.02	0.41
1:A:172:GLU:HA	1:A:175:LYS:HE3	2.03	0.41
1:A:139:ASN:ND2	1:A:200:ARG:NH2	2.65	0.41
1:B:119:LEU:HD11	1:B:185:LEU:HD23	2.03	0.41
1:D:117:VAL:HG22	1:D:160:ILE:HG12	2.03	0.40
1:E:112:ILE:HG22	2:E:237:HOH:O	2.20	0.40
1:D:164:PRO:C	1:D:166:LEU:H	2.25	0.40
1:F:104:MET:HG2	1:F:120:ASP:HB2	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	124/133 (93%)	122 (98%)	2 (2%)	0	100	100
1	B	124/133 (93%)	117 (94%)	7 (6%)	0	100	100
1	D	119/133 (90%)	115 (97%)	4 (3%)	0	100	100
1	E	119/133 (90%)	114 (96%)	4 (3%)	1 (1%)	27	17
1	F	119/133 (90%)	116 (98%)	3 (2%)	0	100	100
1	G	119/133 (90%)	114 (96%)	4 (3%)	1 (1%)	27	17
All	All	724/798 (91%)	698 (96%)	24 (3%)	2 (0%)	50	44

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	165	SER
1	G	168	GLY

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	111/117 (95%)	111 (100%)	0	100	100
1	B	111/117 (95%)	110 (99%)	1 (1%)	87	90
1	D	107/117 (92%)	107 (100%)	0	100	100
1	E	107/117 (92%)	107 (100%)	0	100	100
1	F	107/117 (92%)	106 (99%)	1 (1%)	87	90
1	G	107/117 (92%)	106 (99%)	1 (1%)	87	90
All	All	650/702 (93%)	647 (100%)	3 (0%)	94	96

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	139	ASN
1	F	165	SER
1	G	137	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	139	ASN
1	G	133	ASN

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

There are no ligands in this entry.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	126/133 (94%)	-0.05	2 (1%) 68 69	25, 38, 55, 64	0
1	B	126/133 (94%)	0.01	1 (0%) 83 84	27, 39, 54, 64	0
1	D	121/133 (90%)	0.10	0 100 100	21, 33, 49, 65	0
1	E	121/133 (90%)	-0.14	5 (4%) 35 35	23, 37, 63, 87	0
1	F	121/133 (90%)	0.04	7 (5%) 22 22	26, 41, 70, 89	0
1	G	121/133 (90%)	0.26	1 (0%) 83 84	25, 39, 58, 67	0
All	All	736/798 (92%)	0.04	16 (2%) 59 59	21, 38, 58, 89	0

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	84	VAL	5.2
1	E	84	VAL	4.6
1	E	166	LEU	4.3
1	F	139	ASN	4.0
1	F	166	LEU	3.4
1	E	83	SER	2.6
1	A	98	MET	2.5
1	F	138	PHE	2.4
1	F	140	ARG	2.4
1	G	164	PRO	2.3
1	E	139	ASN	2.3
1	B	103	PHE	2.3
1	E	171	TYR	2.2
1	F	171	TYR	2.1
1	F	164	PRO	2.1
1	A	203	TRP	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ

There are no ligands in this entry.

## 6.5 Other polymers ⓘ

There are no such residues in this entry.