



Full wwPDB X-ray Structure Validation Report

Aug 20, 2014 – 05:35 PM EDT

PDB ID : 4MQ6
Title : Pantothenate synthase in complex with 2-(5-methoxy-2-(tosylcarbamoyl)-1H-indol-1-yl)acetic acid
Authors : Silvestre, H.L.; Blundell, T.L.
Deposited on : 2013-09-15
Resolution : 1.70 Å (reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.16 November 2013
Xtriage (Phenix) : dev-1439
EDS : stable23489
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable23489

1 Overall quality at a glance

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	2456 (1.70-1.70)
Clashscore	79885	2929 (1.70-1.70)
Ramachandran outliers	78287	2878 (1.70-1.70)
Sidechain outliers	78261	2878 (1.70-1.70)
RSRZ outliers	66119	2456 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	309	
1	B	309	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
2	EOH	A	402	-	X
2	EOH	A	407	-	X
2	EOH	A	411	-	X

2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 4831 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Pantothenate synthetase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	289	Total	C	N	O	S	0	7	0
			2173	1371	389	407	6			
1	B	273	Total	C	N	O	S	0	7	0
			2054	1301	368	379	6			

There are 4 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	2	ALA	THR	ENGINEERED MUTATION	UNP P0A5R0
A	77	GLY	GLU	ENGINEERED MUTATION	UNP P0A5R0
B	2	ALA	THR	ENGINEERED MUTATION	UNP P0A5R0
B	77	GLY	GLU	ENGINEERED MUTATION	UNP P0A5R0

- Molecule 2 is ETHANOL (three-letter code: EOH) (formula: C₂H₆O).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 3 2 1	0	0
2	A	1	Total C O 3 2 1	0	0
2	A	1	Total C O 3 2 1	0	0
2	A	1	Total C O 3 2 1	0	0
2	A	1	Total C O 3 2 1	0	0
2	A	1	Total C O 3 2 1	0	0
2	A	1	Total C O 3 2 1	0	0
2	A	1	Total C O 3 2 1	0	0

- Molecule 3 is (5-METHOXY-2-{[(4-METHYLPHENYL)SULFONYL]CARBAMOYL}-1H-INDOL-1-YL)ACETICACID (three-letter code: 29W) (formula: C₁₉H₁₈N₂O₆S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C N O S 28 19 2 6 1	0	0
3	A	1	Total C N O S 28 19 2 6 1	0	0
3	B	1	Total C N O S 28 19 2 6 1	0	0

- Molecule 4 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	253	Total	O	0	0
			253	253		
5	B	227	Total	O	0	0
			227	227		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Pantothenate synthetase

Chain A:



- Molecule 1: Pantothenate synthetase

Chain B:



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	48.54Å 70.90Å 81.61Å 90.00° 99.36° 90.00°	Depositor
Resolution (Å)	25.00 – 1.70 24.40 – 1.70	Depositor EDS
% Data completeness (in resolution range)	99.9 (25.00-1.70) 99.9 (24.40-1.70)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.18 (at 1.70Å)	Xtriage
Refinement program	REFMAC 5.5.0102	Depositor
R, R_{free}	0.166 , 0.213 0.167 , 0.213	Depositor DCC
R_{free} test set	3033 reflections (5.32%)	DCC
Wilson B-factor (Å ²)	20.8	Xtriage
Anisotropy	0.057	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 41.9	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 60076 reflections	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	4831	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.94% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 29W, EOH, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.28	5/2212 (0.2%)	1.10	7/3022 (0.2%)
1	B	1.22	3/2094 (0.1%)	1.10	10/2859 (0.3%)
All	All	1.25	8/4306 (0.2%)	1.10	17/5881 (0.3%)

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	249	TYR	CE1-CZ	5.89	1.46	1.38
1	A	258	GLY	N-CA	5.86	1.54	1.46
1	A	237	ALA	CA-CB	5.84	1.64	1.52
1	A	110	TYR	CE1-CZ	5.70	1.46	1.38
1	B	181	VAL	CB-CG1	5.63	1.64	1.52
1	B	28	ARG	CG-CD	5.50	1.65	1.51
1	A	126	GLU	CG-CD	-5.40	1.43	1.51
1	A	157	PHE	CE1-CZ	5.19	1.47	1.37

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	132	ARG	NE-CZ-NH2	-9.46	115.57	120.30
1	A	278	ARG	NE-CZ-NH1	-9.23	115.69	120.30
1	B	32	ARG	NE-CZ-NH1	8.91	124.75	120.30
1	B	278	ARG	NE-CZ-NH1	-8.10	116.25	120.30
1	B	191	ASP	CB-CG-OD1	7.08	124.67	118.30
1	A	84	ARG	NE-CZ-NH1	6.80	123.70	120.30
1	B	236	ARG	NE-CZ-NH2	-6.43	117.09	120.30
1	B	56	ARG	NE-CZ-NH2	-6.42	117.09	120.30
1	A	56	ARG	NE-CZ-NH1	6.33	123.47	120.30
1	B	188	ARG	NE-CZ-NH2	-6.14	117.23	120.30
1	B	253	ARG	NE-CZ-NH1	5.94	123.27	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	56	ARG	NE-CZ-NH1	5.80	123.20	120.30
1	B	151	ARG	NE-CZ-NH2	-5.71	117.44	120.30
1	A	254	ASP	CB-CG-OD1	-5.57	113.29	118.30
1	B	278	ARG	NE-CZ-NH2	5.54	123.07	120.30
1	A	191	ASP	CB-CG-OD2	-5.42	113.43	118.30
1	A	132	ARG	NE-CZ-NH1	5.26	122.93	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2173	0	2198	39	0
1	B	2054	0	2113	35	0
2	A	24	0	48	23	0
3	A	56	0	0	4	0
3	B	28	0	0	2	0
4	A	4	0	6	1	0
4	B	12	0	18	0	0
5	A	253	0	0	13	0
5	B	227	0	0	7	0
All	All	4831	0	4383	80	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 9.

All (80) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:151:ARG:NH2	1:B:151:ARG:HH22	1.28	1.30
1:A:151:ARG:NH2	1:B:151:ARG:NH2	1.90	1.17
1:A:83:PRO:HA	2:A:408:EOH:H22	1.31	1.08
1:A:263:ASN:CG	1:A:264:GLY:H	1.56	1.08
1:A:263:ASN:OD1	1:A:264:GLY:N	1.97	0.96

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:291:ALA:HB1	5:A:657:HOH:O	1.65	0.95
1:A:151:ARG:CZ	1:B:151:ARG:NH2	2.34	0.91
1:A:25:ARG:HG3	1:A:25:ARG:HH21	1.39	0.88
2:A:401:EOH:H22	5:B:506:HOH:O	1.74	0.85
3:A:404:29W:CAI	5:A:730:HOH:O	2.25	0.84
1:B:44:HIS:HE1	3:B:401:29W:OXT	1.61	0.84
1:A:151:ARG:CZ	1:B:151:ARG:HH22	1.90	0.84
2:A:408:EOH:C1	5:A:611:HOH:O	2.24	0.83
2:A:408:EOH:H12	5:A:611:HOH:O	1.79	0.80
1:B:44:HIS:HD2	1:B:46:GLY:H	1.28	0.79
1:A:263:ASN:CG	1:A:264:GLY:N	2.32	0.77
1:A:40:MET:SD	2:A:410:EOH:H23	2.26	0.75
1:A:72:GLN:NE2	2:A:410:EOH:H21	2.03	0.73
1:A:44:HIS:HD2	1:A:46:GLY:H	1.35	0.72
1:A:83:PRO:CA	2:A:408:EOH:H22	2.17	0.70
1:B:254:ASP:HB3	1:B:261:PRO:HD3	1.74	0.70
1:A:69:ASN:HD22	1:A:72:GLN:HE21	1.37	0.70
1:A:72:GLN:HE22	2:A:410:EOH:H21	1.56	0.69
1:B:160:LYS:HE3	5:B:617:HOH:O	1.92	0.68
1:A:84:ARG:H	2:A:408:EOH:H11	1.59	0.68
1:B:44:HIS:HD2	1:B:46:GLY:N	1.93	0.67
1:B:187:VAL:HG12	1:B:195:MET:HG3	1.78	0.65
1:A:151:ARG:HH21	1:B:151:ARG:HH22	1.41	0.65
1:A:88[B]:ASP:O	1:A:92:GLN:HG3	1.96	0.65
1:A:151:ARG:HH22	1:B:151:ARG:NH2	1.95	0.64
1:A:44:HIS:HE1	3:A:404:29W:O	1.80	0.64
2:A:410:EOH:H22	5:A:585:HOH:O	1.99	0.63
1:A:25:ARG:NH2	1:A:25:ARG:HG3	2.04	0.63
1:A:44:HIS:HD2	1:A:46:GLY:N	1.97	0.63
1:B:248:ASP:HB3	5:B:721:HOH:O	2.01	0.60
1:B:28:ARG:HD3	5:B:668:HOH:O	2.02	0.59
1:B:1:MET:CE	1:B:1:MET:HA	2.33	0.59
1:A:71:MET:HG3	1:A:114:LEU:HD13	1.84	0.58
2:A:408:EOH:H11	5:A:611:HOH:O	1.96	0.56
3:A:405:29W:NAQ	3:A:405:29W:CA	2.71	0.54
1:B:278:ARG:HG2	1:B:278:ARG:NH1	2.23	0.54
1:A:84:ARG:H	2:A:408:EOH:C1	2.20	0.54
1:A:218[B]:THR:O	1:A:222:HIS:HD2	1.92	0.53
1:A:286:GLU:O	1:A:291:ALA:HB2	2.08	0.53
1:B:88:ASP:N	1:B:88:ASP:OD1	2.40	0.52
1:A:40:MET:CG	2:A:410:EOH:H23	2.40	0.52
3:A:405:29W:OAF	1:B:119:GLN:NE2	2.43	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:1:MET:HA	1:B:1:MET:HE3	1.92	0.51
1:A:85:THR:N	1:A:86:PRO:HD3	2.26	0.51
1:B:278:ARG:HG2	1:B:278:ARG:HH11	1.76	0.50
1:A:160[A]:LYS:HE3	1:A:280:LEU:HB2	1.92	0.50
1:A:40:MET:SD	2:A:410:EOH:C2	2.99	0.50
1:A:92:GLN:HG2	5:A:731:HOH:O	2.13	0.49
1:B:55:LYS:HD3	5:B:530:HOH:O	2.12	0.48
1:B:44:HIS:CE1	3:B:401:29W:OXT	2.53	0.47
1:A:286:GLU:HB3	1:A:290:PHE:CB	2.44	0.47
2:A:403:EOH:H22	5:A:620:HOH:O	2.14	0.46
2:A:409:EOH:H23	1:B:177:LEU:HB3	1.98	0.46
1:B:69:ASN:OD1	1:B:142[B]:VAL:HG21	2.15	0.46
1:A:92:GLN:NE2	5:A:702:HOH:O	2.46	0.46
2:A:409:EOH:C2	5:B:540:HOH:O	2.64	0.44
1:A:115:ARG:O	2:A:401:EOH:H23	2.18	0.44
2:A:408:EOH:O	5:A:587:HOH:O	2.21	0.44
4:A:406:EDO:H11	1:B:174:ASP:HB3	1.99	0.44
2:A:408:EOH:H23	5:A:664:HOH:O	2.17	0.44
1:B:260:MET:SD	1:B:261:PRO:HD2	2.58	0.43
1:B:160:LYS:HG3	5:B:711:HOH:O	2.18	0.42
1:A:78:ASP:HB2	5:A:533:HOH:O	2.19	0.42
1:B:203:ASP:HB2	1:B:204:PRO:CD	2.49	0.42
1:A:25:ARG:NH1	1:A:151:ARG:HG3	2.33	0.42
1:B:44:HIS:CD2	1:B:46:GLY:H	2.19	0.41
1:B:55:LYS:HB3	1:B:55:LYS:HE3	1.72	0.41
2:A:401:EOH:H11	1:B:119:GLN:HE21	1.85	0.41
2:A:403:EOH:C2	5:A:620:HOH:O	2.68	0.41
1:A:38:PRO:HA	1:A:65:SER:OG	2.21	0.41
1:B:191:ASP:OD2	1:B:211[B]:VAL:HG22	2.20	0.41
1:A:84:ARG:H	2:A:408:EOH:C2	2.34	0.40
1:B:191:ASP:OD2	1:B:211[B]:VAL:CG2	2.70	0.40
1:B:203:ASP:C	1:B:203:ASP:OD1	2.60	0.40
1:B:1:MET:HE2	1:B:1:MET:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	293/309 (95%)	284 (97%)	8 (3%)	1 (0%)	50	27
1	B	276/309 (89%)	273 (99%)	3 (1%)	0	100	100
All	All	569/618 (92%)	557 (98%)	11 (2%)	1 (0%)	56	33

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	75	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	221/231 (96%)	213 (96%)	8 (4%)	47	22
1	B	210/231 (91%)	205 (98%)	5 (2%)	61	39
All	All	431/462 (93%)	418 (97%)	13 (3%)	55	29

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	ILE
1	A	197[A]	SER
1	A	197[B]	SER
1	A	204	PRO
1	A	260	MET
1	A	263	ASN
1	A	286	GLU
1	A	289	THR
1	B	1	MET
1	B	17	PRO
1	B	88	ASP
1	B	160	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	200	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	44	HIS
1	A	72	GLN
1	A	222	HIS
1	B	44	HIS
1	B	119	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

15 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	EOH	A	401	-	2,2,2	0.62	0	1,1,1	0.15	0
2	EOH	A	402	-	2,2,2	0.61	0	1,1,1	0.56	0
2	EOH	A	403	-	2,2,2	0.37	0	1,1,1	0.70	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	29W	A	404	-	30,30,30	4.01	9 (30%)	43,44,44	3.54	11 (25%)
3	29W	A	405	-	30,30,30	3.58	14 (46%)	43,44,44	1.80	12 (27%)
4	EDO	A	406	-	3,3,3	0.47	0	2,2,2	0.83	0
2	EOH	A	407	-	2,2,2	0.47	0	1,1,1	0.08	0
2	EOH	A	408	-	2,2,2	0.41	0	1,1,1	0.33	0
2	EOH	A	409	-	2,2,2	0.43	0	1,1,1	0.74	0
2	EOH	A	410	-	2,2,2	0.38	0	1,1,1	0.70	0
2	EOH	A	411	-	2,2,2	0.39	0	1,1,1	0.44	0
3	29W	B	401	-	30,30,30	2.91	9 (30%)	43,44,44	2.63	18 (41%)
4	EDO	B	402	-	3,3,3	0.43	0	2,2,2	1.01	0
4	EDO	B	403	-	3,3,3	0.60	0	2,2,2	0.75	0
4	EDO	B	404	-	3,3,3	0.63	0	2,2,2	0.55	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EOH	A	401	-	-	0/0/0/0	0/0/0/0
2	EOH	A	402	-	-	0/0/0/0	0/0/0/0
2	EOH	A	403	-	-	0/0/0/0	0/0/0/0
3	29W	A	404	-	-	0/19/21/21	0/3/3/3
3	29W	A	405	-	-	0/19/21/21	0/3/3/3
4	EDO	A	406	-	-	0/1/1/1	0/0/0/0
2	EOH	A	407	-	-	0/0/0/0	0/0/0/0
2	EOH	A	408	-	-	0/0/0/0	0/0/0/0
2	EOH	A	409	-	-	0/0/0/0	0/0/0/0
2	EOH	A	410	-	-	0/0/0/0	0/0/0/0
2	EOH	A	411	-	-	0/0/0/0	0/0/0/0
3	29W	B	401	-	-	0/19/21/21	0/3/3/3
4	EDO	B	402	-	-	0/1/1/1	0/0/0/0
4	EDO	B	403	-	-	0/1/1/1	0/0/0/0
4	EDO	B	404	-	-	0/1/1/1	0/0/0/0

All (32) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	404	29W	CAW-SBB	-14.47	1.55	1.76
3	A	405	29W	OAE-SBB	11.32	1.56	1.43
3	A	404	29W	CAT-NAQ	-9.50	1.29	1.39
3	A	405	29W	OAF-SBB	9.50	1.53	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	404	29W	OAF-SBB	9.34	1.53	1.43
3	B	401	29W	OAF-SBB	8.36	1.52	1.43
3	A	405	29W	CA-C	8.34	1.60	1.51
3	B	401	29W	CAW-SBB	-6.89	1.66	1.76
3	B	401	29W	CAT-NAQ	-5.65	1.33	1.39
3	A	404	29W	CA-C	-5.17	1.46	1.51
3	B	401	29W	CAZ-N	-4.14	1.33	1.38
3	B	401	29W	OAE-SBB	4.05	1.47	1.43
3	A	405	29W	SBB-NAQ	3.74	1.72	1.64
3	B	401	29W	SBB-NAQ	-3.72	1.56	1.64
3	A	404	29W	CAN-CAV	3.42	1.43	1.37
3	B	401	29W	CA-C	-3.25	1.48	1.51
3	A	404	29W	CAH-CAJ	3.00	1.44	1.38
3	B	401	29W	CAN-CAY	-2.98	1.35	1.42
3	A	405	29W	CA-N	2.88	1.56	1.49
3	A	405	29W	CAW-SBB	2.85	1.80	1.76
3	A	405	29W	CAN-CAY	-2.81	1.35	1.42
3	A	404	29W	CAB-CAU	-2.66	1.40	1.51
3	A	405	29W	CAB-CAU	-2.55	1.41	1.51
3	A	404	29W	OAE-SBB	-2.42	1.40	1.43
3	A	405	29W	CAO-CAX	-2.35	1.36	1.38
3	A	405	29W	CAT-NAQ	-2.32	1.36	1.39
3	B	401	29W	CAN-CAV	2.26	1.41	1.37
3	A	405	29W	CAM-CAZ	-2.24	1.36	1.41
3	A	405	29W	CAY-CAZ	-2.16	1.36	1.41
3	A	405	29W	OXT-C	2.13	1.29	1.22
3	A	405	29W	CAN-CAV	2.04	1.40	1.37
3	A	404	29W	CAY-CAZ	-2.03	1.37	1.41

All (41) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	404	29W	OAE-SBB-OAF	-18.79	94.76	119.55
3	B	401	29W	OAE-SBB-OAF	-9.76	106.68	119.55
3	A	404	29W	C-CA-N	8.25	121.58	111.45
3	A	405	29W	OAE-SBB-CAW	-6.21	100.09	107.97
3	A	404	29W	OAE-SBB-CAW	4.71	113.94	107.97
3	B	401	29W	OAF-SBB-NAQ	4.67	120.70	106.85
3	B	401	29W	OAE-SBB-CAW	4.41	113.57	107.97
3	B	401	29W	OAF-SBB-CAW	-4.17	102.68	107.97
3	A	404	29W	OAF-SBB-NAQ	4.12	119.08	106.85
3	B	401	29W	CAV-CAN-CAY	4.11	125.72	119.74

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	401	29W	CAO-CAY-CAZ	3.75	109.54	106.27
3	A	405	29W	CA-N-CAX	3.49	132.05	124.39
3	A	404	29W	CAX-N-CAZ	3.39	109.64	106.34
3	A	405	29W	OAD-CAT-NAQ	3.23	124.11	120.91
3	B	401	29W	CAW-SBB-NAQ	3.17	109.94	105.85
3	B	401	29W	CAJ-CAW-SBB	-3.13	116.18	119.77
3	A	404	29W	CAX-CAO-CAY	2.96	108.59	106.17
3	B	401	29W	OAD-CAT-NAQ	-2.93	118.00	120.91
3	B	401	29W	CAK-CAW-SBB	2.88	123.08	119.77
3	B	401	29W	CAM-CAL-CAV	-2.77	116.47	120.13
3	B	401	29W	CAX-N-CAZ	2.75	109.01	106.34
3	A	404	29W	OAD-CAT-NAQ	-2.70	118.23	120.91
3	A	405	29W	CA-N-CAZ	-2.63	119.74	124.96
3	A	405	29W	CAI-CAK-CAW	-2.61	116.50	119.47
3	B	401	29W	CAL-CAV-CAN	-2.60	117.05	120.83
3	A	405	29W	CAO-CAY-CAZ	2.57	108.52	106.27
3	A	404	29W	OXT-C-CA	-2.46	112.85	121.70
3	A	405	29W	CAJ-CAH-CAU	-2.44	117.89	121.37
3	B	401	29W	CAA-OAR-CAV	2.43	123.18	117.54
3	A	404	29W	CAW-SBB-NAQ	2.42	108.97	105.85
3	B	401	29W	C-CA-N	2.41	114.42	111.45
3	A	405	29W	CAJ-CAW-SBB	-2.39	117.03	119.77
3	B	401	29W	CAN-CAY-CAZ	-2.38	116.50	119.87
3	B	401	29W	CAL-CAM-CAZ	2.32	123.46	119.34
3	A	404	29W	CAJ-CAW-SBB	-2.29	117.15	119.77
3	A	405	29W	OAE-SBB-OAF	-2.26	116.57	119.55
3	B	401	29W	CA-N-CAX	2.25	129.33	124.39
3	A	404	29W	CAK-CAW-CAJ	2.23	123.89	120.40
3	A	405	29W	OAF-SBB-CAW	2.13	110.67	107.97
3	A	405	29W	OAE-SBB-NAQ	2.08	113.01	106.85
3	A	405	29W	CAW-SBB-NAQ	-2.04	103.21	105.85

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	289/309 (93%)	-0.15	10 (3%)	42 47	13, 21, 41, 56	2 (0%)
1	B	273/309 (88%)	-0.00	16 (5%)	22 26	13, 21, 44, 60	1 (0%)
All	All	562/618 (90%)	-0.08	26 (4%)	31 35	13, 21, 42, 60	3 (0%)

All (26) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	262	LEU	7.6
1	A	3	ILE	6.3
1	A	75	ALA	5.7
1	B	1	MET	4.7
1	A	76	GLY	4.3
1	B	201	TYR	4.2
1	A	289	THR	4.2
1	B	288	GLY	3.7
1	A	74	GLY	3.4
1	B	263	ASN	3.4
1	B	87	ASP	3.4
1	B	86	PRO	3.2
1	A	4	PRO	3.0
1	A	77	GLY	2.6
1	B	29	LEU	2.6
1	B	69	ASN	2.5
1	A	291	ALA	2.5
1	A	258	GLY	2.5
1	B	70	PRO	2.4
1	B	261	PRO	2.4
1	B	131	PRO	2.4
1	B	200	ARG	2.4
1	B	88	ASP	2.3
1	B	130	GLY	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	2	ALA	2.2
1	A	290	PHE	2.2

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	EOH	A	402	3/3	0.17	10.94	38,38,38,40	0
2	EOH	A	407	3/3	0.17	3.84	41,41,41,42	0
2	EOH	A	411	3/3	0.12	2.40	40,40,41,42	0
2	EOH	A	401	3/3	0.10	1.72	29,29,33,33	0
2	EOH	A	408	3/3	0.14	1.52	37,37,37,38	0
3	29W	A	405	28/28	0.12	1.41	28,36,43,44	0
2	EOH	A	403	3/3	0.11	1.40	45,45,46,46	0
4	EDO	A	406	4/4	0.09	1.03	26,27,31,31	0
2	EOH	A	410	3/3	0.12	0.49	31,31,35,37	0
4	EDO	B	402	4/4	0.07	0.37	22,24,27,29	0
4	EDO	B	403	4/4	0.07	-0.04	34,34,36,38	0
4	EDO	B	404	4/4	0.13	-0.11	38,38,40,42	0
3	29W	B	401	28/28	0.08	-0.25	17,22,31,32	0
2	EOH	A	409	3/3	0.09	-0.57	35,35,37,38	0
3	29W	A	404	28/28	0.06	-0.66	16,22,29,32	0

6.5 Other polymers ⓘ

There are no such residues in this entry.