



Full wwPDB X-ray Structure Validation Report

Mar 31, 2014 – 01:32 PM BST

PDB ID : 4MQQ
Title : Mycobacterium tuberculosis transaminase BioA complexed with benzo[d]thiazole-2-carbohydrazide
Authors : Finzel, B.C.; Dai, R.
Deposited on : 2013-09-16
Resolution : 1.70 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable23004
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable23004

1 Overall quality at a glance

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	2456 (1.70-1.70)
Clashscore	79885	2929 (1.70-1.70)
Ramachandran outliers	78287	2878 (1.70-1.70)
Sidechain outliers	78261	2878 (1.70-1.70)
RSRZ outliers	66119	2456 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	457	
1	B	457	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
2	EDO	A	501	-	X
2	EDO	A	504	-	X
2	EDO	B	502	-	X
4	2B6	A	505	-	X

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 7587 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Adenosylmethionine-8-amino-7-oxononanoateaminotransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	428	Total	C	N	O	S	0	26	0
			3413	2172	605	614	22			
1	B	428	Total	C	N	O	S	0	21	0
			3353	2127	597	606	23			

There are 40 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	INITIATING METHIONINE	UNP P0A4X6
A	-18	GLY	-	EXPRESSION TAG	UNP P0A4X6
A	-17	SER	-	EXPRESSION TAG	UNP P0A4X6
A	-16	SER	-	EXPRESSION TAG	UNP P0A4X6
A	-15	HIS	-	EXPRESSION TAG	UNP P0A4X6
A	-14	HIS	-	EXPRESSION TAG	UNP P0A4X6
A	-13	HIS	-	EXPRESSION TAG	UNP P0A4X6
A	-12	HIS	-	EXPRESSION TAG	UNP P0A4X6
A	-11	HIS	-	EXPRESSION TAG	UNP P0A4X6
A	-10	HIS	-	EXPRESSION TAG	UNP P0A4X6
A	-9	SER	-	EXPRESSION TAG	UNP P0A4X6
A	-8	SER	-	EXPRESSION TAG	UNP P0A4X6
A	-7	GLY	-	EXPRESSION TAG	UNP P0A4X6
A	-6	LEU	-	EXPRESSION TAG	UNP P0A4X6
A	-5	VAL	-	EXPRESSION TAG	UNP P0A4X6
A	-4	PRO	-	EXPRESSION TAG	UNP P0A4X6
A	-3	ARG	-	EXPRESSION TAG	UNP P0A4X6
A	-2	GLY	-	EXPRESSION TAG	UNP P0A4X6
A	-1	SER	-	EXPRESSION TAG	UNP P0A4X6
A	0	HIS	-	EXPRESSION TAG	UNP P0A4X6
B	-19	MET	-	INITIATING METHIONINE	UNP P0A4X6
B	-18	GLY	-	EXPRESSION TAG	UNP P0A4X6
B	-17	SER	-	EXPRESSION TAG	UNP P0A4X6
B	-16	SER	-	EXPRESSION TAG	UNP P0A4X6
B	-15	HIS	-	EXPRESSION TAG	UNP P0A4X6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-14	HIS	-	EXPRESSION TAG	UNP P0A4X6
B	-13	HIS	-	EXPRESSION TAG	UNP P0A4X6
B	-12	HIS	-	EXPRESSION TAG	UNP P0A4X6
B	-11	HIS	-	EXPRESSION TAG	UNP P0A4X6
B	-10	HIS	-	EXPRESSION TAG	UNP P0A4X6
B	-9	SER	-	EXPRESSION TAG	UNP P0A4X6
B	-8	SER	-	EXPRESSION TAG	UNP P0A4X6
B	-7	GLY	-	EXPRESSION TAG	UNP P0A4X6
B	-6	LEU	-	EXPRESSION TAG	UNP P0A4X6
B	-5	VAL	-	EXPRESSION TAG	UNP P0A4X6
B	-4	PRO	-	EXPRESSION TAG	UNP P0A4X6
B	-3	ARG	-	EXPRESSION TAG	UNP P0A4X6
B	-2	GLY	-	EXPRESSION TAG	UNP P0A4X6
B	-1	SER	-	EXPRESSION TAG	UNP P0A4X6
B	0	HIS	-	EXPRESSION TAG	UNP P0A4X6

- Molecule 2 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Cl 1 1	0	0

- Molecule 4 is (4-{[(E)-(1,3-BENZOTHIASOL-2-YLCARBONYL)DIAZENYL]METHYL}-5-HYDROXY-6-METHYLPYRIDIN-3-YL)METHYLDIHYDROGEN PHOSPHATE (three-letter code: 2B6) (formula: C₁₆H₁₅N₄O₆PS).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	A	1	Total 28	C 16	N 4	O 6	P 1	S 1	0	0
4	B	1	Total 28	C 16	N 4	O 6	P 1	S 1	0	0

- Molecule 5 is IMIDAZOLE (three-letter code: IMD) (formula: C₃H₅N₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	N	0	0
			5	3	2		

- Molecule 6 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	385	Total	O	0	0
			385	385		
6	B	358	Total	O	0	0
			358	358		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Adenosylmethionine-8-amino-7-oxononanoateaminotransferase

Chain A: 



- Molecule 1: Adenosylmethionine-8-amino-7-oxononanoateaminotransferase

Chain B: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	62.95Å 66.35Å 203.97Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	101.99 – 1.70 101.99 – 1.70	Depositor EDS
% Data completeness (in resolution range)	98.9 (101.99-1.70) 98.9 (101.99-1.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.48 (at 1.70Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.182 , 0.209 0.182 , 0.209	Depositor DCC
R_{free} test set	4694 reflections (5.27%)	DCC
Wilson B-factor (Å ²)	16.2	Xtriage
Anisotropy	0.073	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 33.5	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	0 of 93791 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7587	wwPDB-VP
Average B, all atoms (Å ²)	17.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.13% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 2B6, CL, EDO, IMD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.54	6/3520 (0.2%)	0.55	0/4812
1	B	0.51	1/3446 (0.0%)	0.55	0/4708
All	All	0.52	7/6966 (0.1%)	0.55	0/9520

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	398	TRP	CD2-CE2	5.20	1.47	1.41
1	A	153	TRP	CD2-CE2	5.06	1.47	1.41
1	B	398	TRP	CD2-CE2	5.05	1.47	1.41
1	A	65[A]	TRP	CD2-CE2	5.02	1.47	1.41
1	A	65[B]	TRP	CD2-CE2	5.02	1.47	1.41
1	A	22[A]	TRP	CD2-CE2	5.01	1.47	1.41
1	A	22[B]	TRP	CD2-CE2	5.01	1.47	1.41

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3413	0	3368	47	0
1	B	3353	0	3327	57	0
2	A	12	0	18	0	0
2	B	4	0	6	0	0
3	A	1	0	0	0	0
4	A	28	0	15	5	0
4	B	28	0	15	2	0
5	A	5	0	5	6	0
6	A	385	0	0	8	0
6	B	358	0	0	11	0
All	All	7587	0	6754	92	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 7.

All (92) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:400[B]:ARG:HH11	1:B:400[B]:ARG:HG3	1.17	1.04
1:B:314:MET:HB2	6:B:735:HOH:O	1.68	0.93
1:A:25[B]:TYR:HD1	1:B:314:MET:CE	1.85	0.90
1:A:25[A]:TYR:HE2	4:A:505:2B6:H12	1.36	0.88
1:A:168:CYS:HB2	6:A:985:HOH:O	1.74	0.88
1:A:178[B]:TRP:O	1:A:179[B]:THR:HB	1.76	0.83
1:B:61[B]:MET:HE1	1:B:400[B]:ARG:HB2	1.60	0.82
5:A:506:IMD:H2	6:A:941:HOH:O	1.78	0.82
1:A:175:HIS:O	5:A:506:IMD:H4	1.80	0.81
1:B:61[B]:MET:HE1	1:B:400[B]:ARG:CB	2.11	0.80
1:A:25[B]:TYR:HD1	1:B:314:MET:HE2	1.47	0.78
1:B:400[B]:ARG:HH11	1:B:400[B]:ARG:CG	1.97	0.76
1:A:25[A]:TYR:HE2	4:A:505:2B6:CAJ	1.99	0.76
1:B:61[A]:MET:HG2	6:B:718:HOH:O	1.88	0.74
1:A:178[B]:TRP:O	1:A:179[B]:THR:CB	2.36	0.73
1:B:175:HIS:HD2	6:B:744:HOH:O	1.72	0.70
1:A:157:TYR:HE2	4:A:505:2B6:H10	1.57	0.69
1:A:178[A]:TRP:CZ2	1:B:137:GLN:HG3	2.27	0.69
1:A:25[A]:TYR:CE2	4:A:505:2B6:CAJ	2.76	0.68
1:B:80:LEU:HD13	1:B:328[B]:VAL:HG23	1.76	0.68
1:A:65[A]:TRP:HB3	1:A:409[A]:MET:HE2	1.75	0.68
1:A:25[B]:TYR:HD1	1:B:314:MET:HE3	1.59	0.67
1:B:400[B]:ARG:HG3	1:B:400[B]:ARG:NH1	1.98	0.66
1:B:80:LEU:HD13	1:B:328[B]:VAL:CG2	2.25	0.66
1:A:398:TRP:HD1	6:A:782:HOH:O	1.79	0.66
1:B:310:ALA:HB1	6:B:811:HOH:O	1.96	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:310:ALA:HB3	6:B:938:HOH:O	1.94	0.65
1:A:91:MET:HG2	6:B:837:HOH:O	1.97	0.65
1:A:25[A]:TYR:CE2	4:A:505:2B6:H12	2.26	0.65
1:A:65[A]:TRP:CD1	1:A:65[A]:TRP:N	2.62	0.65
1:B:61[B]:MET:CE	1:B:400[B]:ARG:CB	2.74	0.64
1:B:25:TYR:OH	1:B:160[A]:ASP:OD2	2.16	0.63
1:B:140:ARG:NH2	6:B:742:HOH:O	2.32	0.63
1:A:25[B]:TYR:CD1	1:B:314:MET:HE2	2.31	0.63
1:A:40:ALA:HB1	1:A:42[B]:HIS:CE1	2.35	0.61
1:A:61:MET:HG2	6:A:782:HOH:O	2.00	0.61
1:B:157:TYR:HE2	4:B:501:2B6:H10	1.64	0.61
1:A:65[A]:TRP:HB3	1:A:409[A]:MET:CE	2.30	0.60
1:B:61[B]:MET:HE1	1:B:400[B]:ARG:HB3	1.84	0.59
1:A:25[B]:TYR:OH	1:A:160:ASP:OD2	2.21	0.59
1:B:400[B]:ARG:NH1	1:B:400[B]:ARG:CG	2.62	0.59
1:B:61[B]:MET:SD	1:B:400[B]:ARG:HB3	2.43	0.59
1:A:178[A]:TRP:HZ2	1:B:137:GLN:HG3	1.68	0.58
1:B:61[B]:MET:CE	1:B:400[B]:ARG:HB2	2.34	0.57
1:A:175:HIS:C	5:A:506:IMD:H4	2.27	0.55
1:B:61[B]:MET:CE	1:B:400[B]:ARG:HB3	2.36	0.55
1:A:91:MET:HE1	1:B:400[B]:ARG:HD2	1.89	0.54
1:A:25[B]:TYR:CZ	1:A:174:MET:SD	3.02	0.53
1:A:65[B]:TRP:HB2	1:A:283:LYS:HD3	1.91	0.53
1:B:81[A]:THR:HG21	6:B:821:HOH:O	2.07	0.53
1:B:400[B]:ARG:HD3	6:B:812:HOH:O	2.10	0.52
1:A:25[A]:TYR:HB3	1:B:314:MET:HE3	1.91	0.52
1:B:235[B]:ARG:HG3	1:B:235[B]:ARG:O	2.09	0.51
1:A:88:ASN:HD22	1:A:89:HIS:H	1.59	0.50
1:A:25[B]:TYR:CD1	1:B:314:MET:HE3	2.45	0.50
1:A:91:MET:CE	1:B:400[B]:ARG:HD2	2.42	0.49
1:B:61[B]:MET:HE2	1:B:400[B]:ARG:N	2.28	0.49
1:A:177:LEU:O	1:B:140:ARG:NH1	2.46	0.48
1:B:88:ASN:HD22	1:B:89:HIS:H	1.60	0.48
1:B:195:TYR:CE1	1:B:235[B]:ARG:HG2	2.48	0.48
1:B:65:TRP:HB2	1:B:283:LYS:HD3	1.96	0.47
1:A:105:LYS:NZ	1:A:109[B]:ASP:OD2	2.44	0.47
1:B:89:HIS:HA	1:B:323:PRO:HD2	1.97	0.47
1:B:175:HIS:CD2	6:B:744:HOH:O	2.55	0.47
1:B:88:ASN:ND2	1:B:89:HIS:H	2.13	0.47
1:A:25[B]:TYR:CD1	1:B:314:MET:CE	2.77	0.46
1:A:154:ARG:HH22	1:A:171[A]:HIS:HD2	1.64	0.46
1:A:165:MET:O	5:A:506:IMD:H5	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
5:A:506:IMD:C4	6:A:923:HOH:O	2.63	0.46
1:A:81:THR:O	1:A:85:ARG:HG2	2.16	0.45
1:A:238:HIS:HD2	6:A:836:HOH:O	2.01	0.44
1:B:66:THR:HB	1:B:288:GLY:HA2	2.00	0.44
1:A:89:HIS:HA	1:A:323:PRO:HD2	1.98	0.44
1:B:244:CYS:HB3	1:B:249:VAL:O	2.17	0.44
6:A:938:HOH:O	1:B:105:LYS:HE3	2.16	0.44
1:B:218[B]:VAL:O	1:B:218[B]:VAL:HG13	2.18	0.44
1:B:252:ILE:HG12	1:B:278:ILE:HB	2.00	0.43
1:B:88:ASN:N	1:B:88:ASN:HD22	2.16	0.43
1:B:24:PRO:HB2	4:B:501:2B6:H13	1.99	0.43
1:A:181:VAL:HG22	6:B:742:HOH:O	2.19	0.43
1:A:133:LYS:HG3	1:B:178:TRP:CH2	2.54	0.43
1:A:286:THR:HG22	1:A:329[A]:SER:OG	2.19	0.43
1:B:178:TRP:HB3	1:B:181:VAL:HG22	2.00	0.43
1:A:180:ASP:OD2	1:A:180:ASP:N	2.47	0.42
6:A:708:HOH:O	1:B:91:MET:HG2	2.20	0.42
1:A:148[B]:ARG:NH1	1:A:148[B]:ARG:HB3	2.35	0.42
1:A:179[B]:THR:OG1	5:A:506:IMD:N3	2.46	0.42
1:A:252:ILE:HG12	1:A:278:ILE:HB	2.01	0.41
1:B:97:HIS:CE1	1:B:100:ALA:HB2	2.55	0.41
1:B:178:TRP:HE3	1:B:181:VAL:HG21	1.86	0.41
1:A:178[B]:TRP:CH2	1:B:133:LYS:HG3	2.56	0.41
1:B:80:LEU:HD22	1:B:328[B]:VAL:HG21	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	452/457 (99%)	432 (96%)	17 (4%)	3 (1%)	30	10
1	B	447/457 (98%)	438 (98%)	6 (1%)	3 (1%)	30	10
All	All	899/914 (98%)	870 (97%)	23 (3%)	6 (1%)	30	10

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	172	GLY
1	A	283	LYS
1	B	283	LYS
1	A	316	GLY
1	B	316	GLY
1	B	228	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	351/346 (101%)	344 (98%)	7 (2%)	68	47
1	B	345/346 (100%)	339 (98%)	6 (2%)	73	55
All	All	696/692 (101%)	683 (98%)	13 (2%)	73	50

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	22[A]	TRP
1	A	22[B]	TRP
1	A	65[A]	TRP
1	A	65[B]	TRP
1	A	88	ASN
1	A	153	TRP
1	A	180	ASP
1	B	31	GLU
1	B	88	ASN
1	B	153	TRP
1	B	175	HIS
1	B	182	LEU
1	B	314	MET

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	88	ASN
1	A	209	GLN
1	B	88	ASN
1	B	175	HIS
1	B	209	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 8 ligands modelled in this entry, 1 is monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	EDO	A	501	-	3,3,3	0.53	0	2,2,2	0.41	0
2	EDO	A	502	-	3,3,3	0.52	0	2,2,2	0.44	0
2	EDO	A	504	-	3,3,3	0.55	0	2,2,2	0.32	0
4	2B6	A	505	-	30,30,30	3.66	10 (33%)	39,43,43	2.26	11 (28%)
5	IMD	A	506	-	5,5,5	1.27	0	5,5,5	0.41	0
4	2B6	B	501	-	30,30,30	2.86	12 (40%)	39,43,43	2.26	10 (25%)
2	EDO	B	502	-	3,3,3	0.54	0	2,2,2	0.31	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	A	501	-	-	0/1/1/1	0/0/0/0
2	EDO	A	502	-	-	0/1/1/1	0/0/0/0
2	EDO	A	504	-	-	0/1/1/1	0/0/0/0
4	2B6	A	505	-	-	1/10/16/16	0/1/3/3
5	IMD	A	506	-	-	0/0/0/0	0/1/1/1
4	2B6	B	501	-	-	1/10/16/16	0/1/3/3
2	EDO	B	502	-	-	0/1/1/1	0/0/0/0

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	505	2B6	CBA-SAS	-14.03	1.60	1.74
4	B	501	2B6	CBA-SAS	-7.88	1.66	1.74
4	A	505	2B6	CAX-SAS	-5.96	1.65	1.73
4	A	505	2B6	CAG-CAY	-5.91	1.38	1.51
4	B	501	2B6	CAG-CAY	-5.19	1.40	1.51
4	B	501	2B6	CAX-SAS	-4.76	1.66	1.73
4	A	505	2B6	CAX-CAT	-4.76	1.33	1.48
4	B	501	2B6	CAA-CAU	-4.71	1.40	1.50
4	B	501	2B6	CAK-CBA	-4.70	1.34	1.40
4	A	505	2B6	CAK-CBA	-4.69	1.34	1.40
4	B	501	2B6	CAX-CAT	-4.62	1.33	1.48
4	A	505	2B6	CAA-CAU	-4.44	1.41	1.50
4	A	505	2B6	CAJ-CAZ	-4.13	1.34	1.41
4	B	501	2B6	CAJ-CAZ	-3.99	1.34	1.41
4	B	501	2B6	CAM-CAW	-3.54	1.41	1.51
4	A	505	2B6	CAM-CAW	-3.30	1.41	1.51
4	A	505	2B6	CAL-NAQ	3.00	1.41	1.34
4	B	501	2B6	PBB-OAF	2.72	1.60	1.51
4	B	501	2B6	CAL-NAQ	2.62	1.40	1.34
4	A	505	2B6	CAG-NAN	-2.37	1.34	1.47
4	B	501	2B6	CAG-NAN	-2.25	1.34	1.47
4	B	501	2B6	CAX-NAP	2.08	1.34	1.31

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	501	2B6	CAT-NAO-NAN	8.06	118.07	113.03
4	A	505	2B6	CAT-NAO-NAN	7.80	117.91	113.03

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	501	2B6	CAX-NAP-CAZ	6.21	114.67	103.62
4	A	505	2B6	CAY-CAG-NAN	5.25	126.48	112.42
4	A	505	2B6	CAX-NAP-CAZ	4.73	112.03	103.62
4	A	505	2B6	CAX-SAS-CBA	3.81	96.88	90.16
4	B	501	2B6	CAY-CAG-NAN	3.55	121.94	112.42
4	A	505	2B6	CAZ-CBA-SAS	-3.32	107.86	112.03
4	B	501	2B6	SAS-CAX-NAP	-3.27	108.03	117.14
4	B	501	2B6	CAZ-CBA-SAS	-3.26	107.94	112.03
4	B	501	2B6	CAX-SAS-CBA	3.09	95.62	90.16
4	A	505	2B6	SAS-CAX-NAP	-3.01	108.73	117.14
4	A	505	2B6	CBA-CAZ-NAP	2.59	114.44	108.37
4	B	501	2B6	CAK-CBA-SAS	2.39	129.96	125.58
4	A	505	2B6	CAH-CAI-CAK	-2.38	116.99	120.47
4	A	505	2B6	CAJ-CAZ-CBA	-2.35	117.24	121.01
4	B	501	2B6	CBA-CAZ-NAP	2.25	113.65	108.37
4	A	505	2B6	CAK-CBA-CAZ	2.19	123.09	120.83
4	A	505	2B6	OAC-PBB-OAR	2.09	112.41	106.65
4	B	501	2B6	CAH-CAI-CAK	-2.05	117.47	120.47
4	B	501	2B6	CAG-CAY-CAV	2.04	123.62	120.05

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	505	2B6	CAW-CAY-CAG-NAN
4	B	501	2B6	CAW-CAY-CAG-NAN

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	428/457 (93%)	-0.09	15 (3%)	42 47	7, 14, 27, 39	0
1	B	428/457 (93%)	-0.05	12 (2%)	50 56	8, 15, 34, 42	4 (0%)
All	All	856/914 (93%)	-0.07	27 (3%)	47 50	7, 15, 31, 42	4 (0%)

All (27) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	171[A]	HIS	6.5
1	A	179[A]	THR	6.4
1	B	177	LEU	5.0
1	A	32	ALA	4.1
1	B	402	PHE	3.8
1	A	174	MET	3.5
1	A	33	VAL	3.4
1	B	30	ARG	3.2
1	B	307	ALA	3.0
1	A	175	HIS	2.8
1	B	180	ASP	2.8
1	B	309	ALA	2.8
1	A	172	GLY	2.7
1	B	174	MET	2.6
1	A	435	SER	2.5
1	A	402	PHE	2.4
1	A	177	LEU	2.4
1	B	310	ALA	2.3
1	B	385	LEU	2.3
1	B	311	GLY	2.3
1	A	65[A]	TRP	2.3
1	A	309	ALA	2.2
1	A	303	HIS	2.2
1	A	51	ASP	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	85	ARG	2.1
1	B	64	TRP	2.1
1	B	33	VAL	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	EDO	A	504	4/4	0.16	15.76	30,32,32,33	0
2	EDO	A	501	4/4	0.14	9.26	29,29,29,30	0
4	2B6	A	505	28/28	0.21	3.10	11,14,34,37	0
2	EDO	B	502	4/4	0.14	2.04	29,30,30,31	0
4	2B6	B	501	28/28	0.13	1.17	11,13,27,27	0
2	EDO	A	502	4/4	0.12	0.82	32,33,33,34	0
5	IMD	A	506	5/5	0.24	0.71	23,24,24,25	0
3	CL	A	503	1/1	0.06	-1.20	33,33,33,33	0

6.5 Other polymers ⓘ

There are no such residues in this entry.