



# Full wwPDB X-ray Structure Validation Report

(i)

Feb 28, 2014 – 12:50 AM GMT

PDB ID : 3MVR  
Title : Crystal Structure of cytochrome P450 2B4-H226Y in a closed conformation  
Authors : Shah, M.B.; Stout, C.D.; Halpert, J.R.  
Deposited on : 2010-05-04  
Resolution : 1.76 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.15 2013
Xtriage (Phenix)	:	dev-1323
EDS	:	stable22639
Percentile statistics	:	21963
Refmac	:	5.8.0049
CCP4	:	6.3.0 (Settle)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP)	:	stable22683

# 1 Overall quality at a glance (i)


The reported resolution of this entry is 1.76 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	66092	1134 (1.76-1.76)
Clashscore	79885	1304 (1.76-1.76)
Ramachandran outliers	78287	1288 (1.76-1.76)
Sidechain outliers	78261	1288 (1.76-1.76)
RSRZ outliers	66119	1135 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.



The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
3	CM5	A	601	-	X
3	CM5	A	602	-	X
3	CM5	B	603	-	X
3	CM5	B	604	-	X

## 2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 8375 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome P450 2B4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	463	Total	C	N	O	S	0	0	0
			3710	2391	643	665	11			
1	B	463	Total	C	N	O	S	0	0	0
			3714	2394	644	665	11			

There are 30 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	20	MET	-	EXPRESSION TAG	UNP P00178
A	21	ALA	-	EXPRESSION TAG	UNP P00178
A	22	LYS	GLY	ENGINEERED	UNP P00178
A	23	LYS	HIS	ENGINEERED	UNP P00178
A	24	THR	PRO	ENGINEERED	UNP P00178
A	25	SER	LYS	ENGINEERED	UNP P00178
A	26	SER	ALA	ENGINEERED	UNP P00178
A	27	LYS	HIS	ENGINEERED	UNP P00178
A	29	LYS	ARG	ENGINEERED	UNP P00178
A	221	SER	PRO	ENGINEERED	UNP P00178
A	226	TYR	HIS	ENGINEERED	UNP P00178
A	492	HIS	-	EXPRESSION TAG	UNP P00178
A	493	HIS	-	EXPRESSION TAG	UNP P00178
A	494	HIS	-	EXPRESSION TAG	UNP P00178
A	495	HIS	-	EXPRESSION TAG	UNP P00178
B	20	MET	-	EXPRESSION TAG	UNP P00178
B	21	ALA	-	EXPRESSION TAG	UNP P00178
B	22	LYS	GLY	ENGINEERED	UNP P00178
B	23	LYS	HIS	ENGINEERED	UNP P00178
B	24	THR	PRO	ENGINEERED	UNP P00178
B	25	SER	LYS	ENGINEERED	UNP P00178
B	26	SER	ALA	ENGINEERED	UNP P00178
B	27	LYS	HIS	ENGINEERED	UNP P00178
B	29	LYS	ARG	ENGINEERED	UNP P00178
B	221	SER	PRO	ENGINEERED	UNP P00178

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
B	226	TYR	HIS	ENGINEERED	UNP P00178
B	492	HIS	-	EXPRESSION TAG	UNP P00178
B	493	HIS	-	EXPRESSION TAG	UNP P00178
B	494	HIS	-	EXPRESSION TAG	UNP P00178
B	495	HIS	-	EXPRESSION TAG	UNP P00178

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: C<sub>34</sub>H<sub>32</sub>FeN<sub>4</sub>O<sub>4</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 3 is 5-CYCLOHEXYL-1-PENTYL-BETA-D-MALTOSIDE (three-letter code: CM5) (formula: C<sub>23</sub>H<sub>42</sub>O<sub>11</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 34 23 11	0	0
3	A	1	Total C O 34 23 11	0	0
3	B	1	Total C O 34 23 11	0	0
3	B	1	Total C O 34 23 11	0	0

- Molecule 4 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	338	Total O 338 338	0	0
4	B	391	Total O 391 391	0	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Cytochrome P450 2B4

Chain A:



- Molecule 1: Cytochrome P450 2B4

Chain B:



## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 31	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	91.47Å 91.47Å 150.40Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	150.00 – 1.76 22.61 – 1.76	Depositor EDS
% Data completeness (in resolution range)	97.8 (150.00-1.76) 97.9 (22.61-1.76)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	0.06	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	2.83 (at 1.77Å)	Xtriage
Refinement program	REFMAC 5.5.0102	Depositor
$R$ , $R_{free}$	0.196 , 0.224 0.191 , 0.203	Depositor DCC
$R_{free}$ test set	6792 reflections (5.28%)	DCC
Wilson B-factor (Å <sup>2</sup> )	22.1	Xtriage
Anisotropy	0.034	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.41 , 38.6	EDS
Estimated twinning fraction	0.020 for -h,-k,l 0.479 for h,-h-k,-l 0.021 for -k,-h,-l	Xtriage
L-test for twinning	$<  L  > = 0.50$ , $< L^2 > = 0.33$	Xtriage
Outliers	0 of 135622 reflections	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	8375	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.03% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality (i)

### 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, CM5

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.63	0/3803	0.68	0/5148
1	B	0.63	0/3807	0.68	2/5152 (0.0%)
All	All	0.63	0/7610	0.68	2/10300 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	443	ARG	NE-CZ-NH1	5.48	123.04	120.30
1	B	443	ARG	NE-CZ-NH2	-5.36	117.62	120.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3710	0	3713	32	0
1	B	3714	0	3724	34	0
2	A	43	0	30	1	0
2	B	43	0	30	2	0
3	A	68	0	84	3	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	68	0	84	1	0
4	A	338	0	0	3	0
4	B	391	0	0	5	0
All	All	8375	0	7665	68	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 4.

All (68) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:422:ARG:HG3	1:B:422:ARG:HH21	1.40	0.84
1:A:57:ARG:HG2	1:A:57:ARG:HH11	1.44	0.82
1:A:57:ARG:CG	1:A:57:ARG:HH11	1.94	0.81
1:A:57:ARG:HG2	1:A:57:ARG:NH1	1.95	0.80
1:B:422:ARG:CG	1:B:422:ARG:HH21	1.95	0.78
1:A:423:ASN:HB2	4:A:1016:HOH:O	1.87	0.75
1:B:423:ASN:HB2	4:B:824:HOH:O	1.89	0.73
1:A:308:ARG:NH2	1:A:481:PRO:HG2	2.09	0.68
1:A:491:ARG:O	1:A:492:HIS:CB	2.43	0.67
1:B:215:GLN:HE21	1:B:476:GLY:HA2	1.63	0.64
1:A:61:LYS:HD2	1:A:62:TYR:CE1	2.33	0.63
1:B:422:ARG:HG3	1:B:422:ARG:NH2	2.10	0.63
1:A:362:LEU:HA	1:A:479:ASN:HB2	1.81	0.61
1:A:119:GLU:OE1	1:A:122:ARG:NH1	2.33	0.61
1:A:491:ARG:O	1:A:492:HIS:HB3	2.02	0.59
1:B:215:GLN:NE2	1:B:476:GLY:HA2	2.18	0.59
1:B:475:SER:O	1:B:478:GLY:O	2.21	0.58
1:A:491:ARG:O	1:A:492:HIS:CG	2.56	0.58
1:B:183:VAL:HG23	1:B:184:PHE:N	2.19	0.57
1:B:423:ASN:HA	4:B:836:HOH:O	2.06	0.56
1:B:302:THR:HG22	4:B:920:HOH:O	2.05	0.56
1:A:132:MET:CE	1:A:437:LEU:CD2	2.86	0.54
1:B:362:LEU:HA	1:B:479:ASN:HB2	1.90	0.53
1:B:179:ILE:O	1:B:183:VAL:HG22	2.09	0.53
1:A:57:ARG:HH11	1:A:57:ARG:CB	2.23	0.52
1:A:145:ARG:NH2	1:A:182:ILE:HG12	2.25	0.51
1:B:273:GLU:O	1:B:276:LYS:HD2	2.10	0.51
1:B:401:TYR:HB3	1:B:423:ASN:OD1	2.11	0.50
1:A:276:LYS:HG2	1:A:277:SER:N	2.27	0.50
1:A:401:TYR:HB3	1:A:423:ASN:OD1	2.13	0.48
3:A:601:CM5:O21	3:A:601:CM5:H29	2.13	0.48
1:B:137:MET:HB3	1:B:145:ARG:HD3	1.95	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:86:GLU:O	1:A:90:ASP:HB2	2.13	0.48
1:A:475:SER:HB3	1:A:479:ASN:OD1	2.14	0.47
1:A:120:ARG:HA	1:A:282:GLU:HG3	1.96	0.47
1:B:362:LEU:O	1:B:478:GLY:HA2	2.15	0.47
3:A:601:CM5:H26	3:A:601:CM5:H16	1.97	0.46
1:B:139:LYS:HG3	1:B:139:LYS:O	2.16	0.46
1:B:302:THR:HG21	1:B:363:ILE:HD11	1.98	0.46
1:B:86:GLU:O	1:B:90:ASP:HB2	2.15	0.45
1:B:44:LEU:HD22	3:B:603:CM5:H192	1.97	0.45
1:A:299:GLY:HA2	2:A:500:HEM:C2C	2.52	0.45
1:A:94:ALA:O	1:A:371:VAL:HA	2.18	0.44
1:B:436:CYS:HB2	2:B:500:HEM:NA	2.32	0.44
1:B:299:GLY:HA2	2:B:500:HEM:C2C	2.53	0.44
1:B:199:LEU:C	1:B:199:LEU:HD23	2.38	0.44
1:A:219:LEU:HD22	3:A:602:CM5:H82	1.98	0.44
1:A:345:LYS:HD2	4:A:966:HOH:O	2.17	0.44
1:A:362:LEU:O	1:A:478:GLY:HA2	2.18	0.43
1:B:477:VAL:HG23	4:B:931:HOH:O	2.18	0.43
1:B:239:GLN:NE2	4:B:959:HOH:O	2.51	0.43
1:B:191:LYS:HE2	1:B:191:LYS:HA	2.00	0.43
1:A:308:ARG:CZ	1:A:481:PRO:HG2	2.49	0.42
1:B:429:PHE:HB3	1:B:436:CYS:HB3	2.00	0.42
1:A:91:GLN:HG3	4:A:730:HOH:O	2.18	0.42
1:A:57:ARG:HH11	1:A:57:ARG:HB3	1.84	0.42
1:A:471:THR:O	1:A:482:PRO:HD3	2.19	0.42
1:A:475:SER:CB	1:A:479:ASN:OD1	2.68	0.42
1:B:142:VAL:HG11	1:B:441:ILE:HG12	2.01	0.42
1:A:98:ARG:HG2	1:A:115:PHE:HA	2.01	0.42
1:B:42:ASN:O	1:B:46:MET:HG2	2.20	0.41
1:B:308:ARG:NH2	1:B:481:PRO:HG2	2.35	0.41
1:B:94:ALA:O	1:B:371:VAL:HA	2.21	0.41
1:B:422:ARG:NH2	1:B:422:ARG:CG	2.65	0.41
1:B:268:TYR:CE1	1:B:288:LEU:HB2	2.56	0.41
1:A:199:LEU:HD23	1:A:199:LEU:C	2.42	0.41
1:B:251:LYS:HE3	1:B:251:LYS:HB2	1.78	0.40
1:A:132:MET:HE1	1:A:437:LEU:CD2	2.52	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	459/476 (96%)	448 (98%)	11 (2%)	0	100 100
1	B	459/476 (96%)	446 (97%)	12 (3%)	1 (0%)	56 34
All	All	918/952 (96%)	894 (97%)	23 (2%)	1 (0%)	59 37

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	430	SER

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	408/421 (97%)	401 (98%)	7 (2%)	73 52
1	B	409/421 (97%)	400 (98%)	9 (2%)	64 38
All	All	817/842 (97%)	801 (98%)	16 (2%)	68 43

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	57	ARG
1	A	274	LYS
1	A	276	LYS
1	A	362	LEU
1	A	424	GLU
1	A	475	SER
1	A	489	LEU
1	B	48	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	49	LYS
1	B	53	ARG
1	B	239	GLN
1	B	276	LYS
1	B	362	LEU
1	B	376	GLN
1	B	422	ARG
1	B	430	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA (i)

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates (i)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry (i)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	HEM	A	500	1	49,50,50	2.51	17 (34%)	46,82,82	2.33	8 (17%)
3	CM5	A	601	-	36,36,36	1.05	3 (8%)	49,49,49	1.61	10 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	CM5	A	602	-	36,36,36	1.08	3 (8%)	49,49,49	1.44	7 (14%)
2	HEM	B	500	1	49,50,50	2.22	17 (34%)	46,82,82	2.23	7 (15%)
3	CM5	B	603	-	36,36,36	1.13	3 (8%)	49,49,49	1.27	5 (10%)
3	CM5	B	604	-	36,36,36	0.98	2 (5%)	49,49,49	1.84	9 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	500	1	-	0/14/114/114	0/0/8/8
3	CM5	A	601	-	4/4/11/11	0/17/65/65	1/3/3/3
3	CM5	A	602	-	4/4/11/11	0/17/65/65	0/3/3/3
2	HEM	B	500	1	-	0/14/114/114	0/0/8/8
3	CM5	B	603	-	4/4/11/11	0/17/65/65	0/3/3/3
3	CM5	B	604	-	4/4/11/11	0/17/65/65	0/3/3/3

All (45) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	500	HEM	C3D-C4D	9.11	1.46	1.44
2	B	500	HEM	C3D-C4D	5.08	1.45	1.44
2	A	500	HEM	C3B-C2B	-4.95	1.35	1.43
2	A	500	HEM	C3C-C2C	-4.89	1.35	1.43
2	B	500	HEM	C3C-C2C	-4.78	1.35	1.43
2	B	500	HEM	C3B-C2B	-4.61	1.35	1.43
2	A	500	HEM	C3B-CAB	4.60	1.54	1.40
2	B	500	HEM	C3C-CAC	4.51	1.54	1.40
2	A	500	HEM	C3C-CAC	4.50	1.54	1.40
2	B	500	HEM	C3B-CAB	4.45	1.54	1.40
2	A	500	HEM	C4A-C3A	4.42	1.45	1.40
2	B	500	HEM	C3D-C2D	4.10	1.50	1.43
2	B	500	HEM	C4A-C3A	4.05	1.45	1.40
2	A	500	HEM	C3D-C2D	3.96	1.50	1.43
2	B	500	HEM	FE-NB	3.61	2.11	1.97
3	B	603	CM5	O12-C13	3.22	1.46	1.40
2	A	500	HEM	C2B-C1B	3.22	1.45	1.44
3	B	603	CM5	O25-C24	3.09	1.49	1.41
2	A	500	HEM	FE-NB	3.08	2.09	1.97

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	500	HEM	FE-ND	2.95	2.08	1.97
2	B	500	HEM	FE-NA	2.95	2.05	1.92
2	A	500	HEM	CMB-C2B	2.94	1.56	1.47
2	B	500	HEM	FE-NC	2.90	2.08	1.97
3	A	601	CM5	O25-C24	2.85	1.49	1.41
3	A	602	CM5	O12-C13	2.85	1.45	1.40
3	B	604	CM5	O25-C24	2.82	1.49	1.41
2	B	500	HEM	CMB-C2B	2.79	1.56	1.47
3	A	602	CM5	O14-C13	2.74	1.48	1.41
3	A	602	CM5	O25-C24	2.72	1.48	1.41
2	B	500	HEM	FE-ND	2.67	2.07	1.97
2	B	500	HEM	CMD-C2D	2.62	1.55	1.47
2	B	500	HEM	CHC-C1C	2.47	1.40	1.36
2	A	500	HEM	FE-NA	2.46	2.02	1.92
2	A	500	HEM	CMD-C2D	2.46	1.55	1.47
2	A	500	HEM	FE-NC	2.42	2.06	1.97
3	B	603	CM5	O23-C24	2.30	1.48	1.41
3	A	601	CM5	O23-C24	2.26	1.47	1.41
2	A	500	HEM	CMC-C2C	2.26	1.54	1.47
2	B	500	HEM	CAA-C2A	2.25	1.56	1.52
2	A	500	HEM	CHC-C1C	2.21	1.40	1.36
2	A	500	HEM	CMA-C3A	2.15	1.56	1.51
2	B	500	HEM	CMC-C2C	2.09	1.53	1.47
3	A	601	CM5	O14-C13	2.09	1.47	1.41
3	B	604	CM5	O23-C24	2.08	1.47	1.41
2	B	500	HEM	CHB-C1B	2.07	1.38	1.35

All (46) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	500	HEM	C3B-C4B-NB	-9.93	106.89	114.00
2	B	500	HEM	C3B-C4B-NB	-9.33	107.32	114.00
3	B	604	CM5	O14-C13-O12	-7.12	93.24	109.98
2	A	500	HEM	C4D-ND-C1D	6.39	111.70	105.16
3	B	604	CM5	O12-C13-C18	5.96	115.76	108.18
2	B	500	HEM	C4D-ND-C1D	5.93	111.23	105.16
3	A	601	CM5	O12-C13-C18	5.45	115.12	108.18
2	A	500	HEM	C1B-NB-C4B	4.73	110.00	105.16
2	B	500	HEM	C1B-NB-C4B	4.69	109.96	105.16
3	B	603	CM5	O12-C13-C18	4.44	113.83	108.18
3	A	601	CM5	O25-C24-C29	4.37	119.26	110.31
3	A	602	CM5	O25-C24-C29	4.31	119.14	110.31

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	500	HEM	CHD-C1D-ND	4.19	128.07	124.58
3	A	602	CM5	C13-O14-C15	4.06	121.61	113.73
3	A	602	CM5	O14-C15-C16	4.05	118.16	109.70
3	A	601	CM5	C24-C29-C28	3.90	117.57	110.00
2	A	500	HEM	CBD-CAD-C3D	-3.86	105.95	114.37
2	A	500	HEM	CHD-C1D-ND	3.73	127.68	124.58
2	A	500	HEM	C2D-C1D-ND	-3.69	108.58	112.93
2	B	500	HEM	CBD-CAD-C3D	-3.59	106.54	114.37
3	B	603	CM5	O25-C26-C30	3.56	115.10	106.34
2	A	500	HEM	CHC-C4B-NB	3.55	127.53	124.58
2	B	500	HEM	C2D-C1D-ND	-3.52	108.78	112.93
3	B	604	CM5	C13-O14-C15	3.35	120.24	113.73
3	B	604	CM5	O14-C15-C16	3.27	116.54	109.70
3	A	602	CM5	C24-C29-C28	3.14	116.10	110.00
3	A	601	CM5	C13-O14-C15	-2.95	107.99	113.73
3	A	602	CM5	O14-C13-C18	2.90	116.26	110.31
3	B	604	CM5	O14-C15-C19	-2.89	99.23	106.34
3	B	604	CM5	C17-C16-C15	2.88	117.33	110.85
3	A	601	CM5	O14-C15-C19	2.76	113.12	106.34
3	A	602	CM5	O25-C26-C30	2.56	112.64	106.34
3	B	604	CM5	O25-C26-C30	2.49	112.47	106.34
3	B	604	CM5	O14-C13-C18	2.43	115.30	110.31
3	B	604	CM5	O23-C24-C29	2.35	113.76	108.12
3	A	601	CM5	C1-O12-C13	-2.30	109.82	113.96
2	B	500	HEM	C4A-C3A-C2A	2.25	108.56	107.00
3	B	603	CM5	O23-C16-C17	2.22	112.86	107.16
3	A	601	CM5	O22-C18-C13	2.22	114.88	110.04
2	A	500	HEM	CHA-C4D-ND	2.19	127.32	124.31
3	A	601	CM5	C30-C26-C27	2.13	118.14	113.00
3	B	603	CM5	O23-C24-O25	2.10	115.93	110.69
3	A	601	CM5	C9-C8-C7	2.10	116.11	111.45
3	A	602	CM5	C29-C28-C27	2.08	114.66	110.82
3	A	601	CM5	C29-C28-C27	2.07	114.64	110.82
3	B	603	CM5	C1-O12-C13	-2.06	110.25	113.96

All (16) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	B	603	CM5	C24
3	B	603	CM5	C18
3	B	603	CM5	C26
3	B	603	CM5	C17

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atom
3	A	602	CM5	C24
3	A	602	CM5	C18
3	A	602	CM5	C26
3	A	602	CM5	C17
3	B	604	CM5	C24
3	B	604	CM5	C18
3	B	604	CM5	C26
3	B	604	CM5	C17
3	A	601	CM5	C24
3	A	601	CM5	C18
3	A	601	CM5	C26
3	A	601	CM5	C17

There are no torsion outliers.

All (1) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	601	CM5	C13-C15-C16-C17-C18-O14

## 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	463/476 (97%)	0.05	16 (3%) 42 50	13, 22, 43, 51	0
1	B	463/476 (97%)	0.05	16 (3%) 42 50	12, 22, 44, 61	0
All	All	926/952 (97%)	0.05	32 (3%) 43 50	12, 22, 43, 61	0

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	476	GLY	5.4
1	B	472	PRO	4.9
1	A	136	GLY	4.9
1	A	135	PHE	4.8
1	B	475	SER	4.4
1	A	478	GLY	4.2
1	B	223	PHE	4.1
1	A	223	PHE	4.1
1	B	136	GLY	4.1
1	B	28	GLY	3.7
1	B	478	GLY	3.7
1	A	476	GLY	3.7
1	A	28	GLY	3.6
1	B	135	PHE	3.4
1	A	472	PRO	3.4
1	A	137	MET	3.3
1	B	479	ASN	3.0
1	B	137	MET	2.9
1	A	335	HIS	2.7
1	A	479	ASN	2.7
1	B	335	HIS	2.7
1	B	477	VAL	2.6
1	A	138	GLY	2.5
1	B	138	GLY	2.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	475	SER	2.4
1	B	492	HIS	2.3
1	A	480	VAL	2.3
1	B	480	VAL	2.3
1	A	477	VAL	2.2
1	B	226	TYR	2.1
1	A	139	LYS	2.1
1	A	492	HIS	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates (i)

There are no carbohydrates in this entry.

## 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	CM5	A	602	34/34	0.35	7.53	78,94,97,97	0
3	CM5	B	604	34/34	0.20	5.28	33,58,73,73	0
3	CM5	B	603	34/34	0.31	4.59	68,87,91,91	0
3	CM5	A	601	34/34	0.18	2.84	28,52,66,67	0
2	HEM	B	500	43/43	0.10	0.68	12,15,18,20	0
2	HEM	A	500	43/43	0.09	-0.23	11,14,18,20	0

## 6.5 Other polymers (i)

There are no such residues in this entry.