



wwPDB X-ray Structure Validation Summary Report

Nov 6, 2014 – 05:24 AM EST

PDB ID : 4MVQ
Title : Structural Basis for Ca²⁺ Selectivity of a Voltage-gated Calcium Channel
Authors : Tang, L.; Gamal El-Din, T.M.; Payandeh, J.; Gilbert, Q.M.; Heard, T.M.;
Scheuer, T.; Zheng, N.; Catterall, W.A.
Deposited on : 2013-09-24
Resolution : 3.40 Å(reported)

This is a wwPDB validation summary report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.16 November 2013
Xtriage (Phenix) : dev-1439
EDS : stable24103
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.1.3
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable24103

1 Overall quality at a glance

The reported resolution of this entry is 3.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	1017 (3.52-3.28)
Clashscore	79885	1214 (3.50-3.30)
Ramachandran outliers	78287	1177 (3.50-3.30)
Sidechain outliers	78261	1177 (3.50-3.30)
RSRZ outliers	66119	1017 (3.52-3.28)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	237	
1	B	237	
1	C	237	
1	D	237	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
2	CA	A	1302	-	X
3	PX4	A	1305	-	X
3	PX4	B	1303	-	X
3	PX4	C	1303	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Geometry	Electron density
3	PX4	D	1302	-	X

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 7386 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ion transport protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	219	Total	C	N	O	S	0	0	0
			1798	1224	268	295	11			
1	B	219	Total	C	N	O	S	0	0	0
			1798	1224	268	295	11			
1	C	219	Total	C	N	O	S	0	0	0
			1798	1224	268	295	11			
1	D	219	Total	C	N	O	S	0	0	0
			1798	1224	268	295	11			

There are 88 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	983	MET	-	EXPRESSION TAG	UNP A8EVM5
A	984	ASP	-	EXPRESSION TAG	UNP A8EVM5
A	985	TYR	-	EXPRESSION TAG	UNP A8EVM5
A	986	LYS	-	EXPRESSION TAG	UNP A8EVM5
A	987	ASP	-	EXPRESSION TAG	UNP A8EVM5
A	988	ASP	-	EXPRESSION TAG	UNP A8EVM5
A	989	ASP	-	EXPRESSION TAG	UNP A8EVM5
A	990	ASP	-	EXPRESSION TAG	UNP A8EVM5
A	991	LYS	-	EXPRESSION TAG	UNP A8EVM5
A	992	GLY	-	EXPRESSION TAG	UNP A8EVM5
A	993	SER	-	EXPRESSION TAG	UNP A8EVM5
A	994	LEU	-	EXPRESSION TAG	UNP A8EVM5
A	995	VAL	-	EXPRESSION TAG	UNP A8EVM5
A	996	PRO	-	EXPRESSION TAG	UNP A8EVM5
A	997	ARG	-	EXPRESSION TAG	UNP A8EVM5
A	998	GLY	-	EXPRESSION TAG	UNP A8EVM5
A	999	SER	-	EXPRESSION TAG	UNP A8EVM5
A	1000	HIS	-	EXPRESSION TAG	UNP A8EVM5
A	1177	ASP	GLU	CONFLICT	UNP A8EVM5
A	1178	ASP	SER	CONFLICT	UNP A8EVM5
A	1181	ASP	MET	CONFLICT	UNP A8EVM5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	1217	CYS	ILE	CONFLICT	UNP A8EVM5
B	983	MET	-	EXPRESSION TAG	UNP A8EVM5
B	984	ASP	-	EXPRESSION TAG	UNP A8EVM5
B	985	TYR	-	EXPRESSION TAG	UNP A8EVM5
B	986	LYS	-	EXPRESSION TAG	UNP A8EVM5
B	987	ASP	-	EXPRESSION TAG	UNP A8EVM5
B	988	ASP	-	EXPRESSION TAG	UNP A8EVM5
B	989	ASP	-	EXPRESSION TAG	UNP A8EVM5
B	990	ASP	-	EXPRESSION TAG	UNP A8EVM5
B	991	LYS	-	EXPRESSION TAG	UNP A8EVM5
B	992	GLY	-	EXPRESSION TAG	UNP A8EVM5
B	993	SER	-	EXPRESSION TAG	UNP A8EVM5
B	994	LEU	-	EXPRESSION TAG	UNP A8EVM5
B	995	VAL	-	EXPRESSION TAG	UNP A8EVM5
B	996	PRO	-	EXPRESSION TAG	UNP A8EVM5
B	997	ARG	-	EXPRESSION TAG	UNP A8EVM5
B	998	GLY	-	EXPRESSION TAG	UNP A8EVM5
B	999	SER	-	EXPRESSION TAG	UNP A8EVM5
B	1000	HIS	-	EXPRESSION TAG	UNP A8EVM5
B	1177	ASP	GLU	CONFLICT	UNP A8EVM5
B	1178	ASP	SER	CONFLICT	UNP A8EVM5
B	1181	ASP	MET	CONFLICT	UNP A8EVM5
B	1217	CYS	ILE	CONFLICT	UNP A8EVM5
C	983	MET	-	EXPRESSION TAG	UNP A8EVM5
C	984	ASP	-	EXPRESSION TAG	UNP A8EVM5
C	985	TYR	-	EXPRESSION TAG	UNP A8EVM5
C	986	LYS	-	EXPRESSION TAG	UNP A8EVM5
C	987	ASP	-	EXPRESSION TAG	UNP A8EVM5
C	988	ASP	-	EXPRESSION TAG	UNP A8EVM5
C	989	ASP	-	EXPRESSION TAG	UNP A8EVM5
C	990	ASP	-	EXPRESSION TAG	UNP A8EVM5
C	991	LYS	-	EXPRESSION TAG	UNP A8EVM5
C	992	GLY	-	EXPRESSION TAG	UNP A8EVM5
C	993	SER	-	EXPRESSION TAG	UNP A8EVM5
C	994	LEU	-	EXPRESSION TAG	UNP A8EVM5
C	995	VAL	-	EXPRESSION TAG	UNP A8EVM5
C	996	PRO	-	EXPRESSION TAG	UNP A8EVM5
C	997	ARG	-	EXPRESSION TAG	UNP A8EVM5
C	998	GLY	-	EXPRESSION TAG	UNP A8EVM5
C	999	SER	-	EXPRESSION TAG	UNP A8EVM5
C	1000	HIS	-	EXPRESSION TAG	UNP A8EVM5
C	1177	ASP	GLU	CONFLICT	UNP A8EVM5

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	1178	ASP	SER	CONFLICT	UNP A8EVM5
C	1181	ASP	MET	CONFLICT	UNP A8EVM5
C	1217	CYS	ILE	CONFLICT	UNP A8EVM5
D	983	MET	-	EXPRESSION TAG	UNP A8EVM5
D	984	ASP	-	EXPRESSION TAG	UNP A8EVM5
D	985	TYR	-	EXPRESSION TAG	UNP A8EVM5
D	986	LYS	-	EXPRESSION TAG	UNP A8EVM5
D	987	ASP	-	EXPRESSION TAG	UNP A8EVM5
D	988	ASP	-	EXPRESSION TAG	UNP A8EVM5
D	989	ASP	-	EXPRESSION TAG	UNP A8EVM5
D	990	ASP	-	EXPRESSION TAG	UNP A8EVM5
D	991	LYS	-	EXPRESSION TAG	UNP A8EVM5
D	992	GLY	-	EXPRESSION TAG	UNP A8EVM5
D	993	SER	-	EXPRESSION TAG	UNP A8EVM5
D	994	LEU	-	EXPRESSION TAG	UNP A8EVM5
D	995	VAL	-	EXPRESSION TAG	UNP A8EVM5
D	996	PRO	-	EXPRESSION TAG	UNP A8EVM5
D	997	ARG	-	EXPRESSION TAG	UNP A8EVM5
D	998	GLY	-	EXPRESSION TAG	UNP A8EVM5
D	999	SER	-	EXPRESSION TAG	UNP A8EVM5
D	1000	HIS	-	EXPRESSION TAG	UNP A8EVM5
D	1177	ASP	GLU	CONFLICT	UNP A8EVM5
D	1178	ASP	SER	CONFLICT	UNP A8EVM5
D	1181	ASP	MET	CONFLICT	UNP A8EVM5
D	1217	CYS	ILE	CONFLICT	UNP A8EVM5

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	2	Total Ca 2 2	0	0

- Molecule 3 is 1,2-DIMYRISTOYL-SN-GLYCERO-3-PHOSPHOCHOLINE (three-letter code: PX4) (formula: C₃₆H₇₃NO₈P).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O	P	0	0
			21	13	7	1		
3	A	1	Total	C	O	P	0	0
			21	13	7	1		
3	A	1	Total	C			0	0
			6	6				
3	A	1	Total	C	O	P	0	0
			10	3	6	1		
3	B	1	Total	C	O	P	0	0
			10	3	6	1		
3	B	1	Total	C	O	P	0	0
			21	13	7	1		
3	B	1	Total	C			0	0
			6	6				
3	B	1	Total	C	O	P	0	0
			10	3	6	1		
3	C	1	Total	C	O	P	0	0
			10	3	6	1		
3	C	1	Total	C	O	P	0	0
			21	13	7	1		
3	C	1	Total	C			0	0
			6	6				
3	C	1	Total	C	O	P	0	0
			10	3	6	1		
3	C	1	Total	C	O	P	0	0
			10	3	6	1		
3	D	1	Total	C	O	P	0	0
			10	3	6	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	D	1	Total	C			0	0
			6	6				
3	D	1	Total	C	O	P	0	0
			10	3	6	1		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	O	0	0
			1	1		
4	B	1	Total	O	0	0
			1	1		
4	C	1	Total	O	0	0
			1	1		
4	D	1	Total	O	0	0
			1	1		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Ion transport protein

Chain A:




- Molecule 1: Ion transport protein

Chain B:



- Molecule 1: Ion transport protein

Chain C:



● Molecule 1: Ion transport protein

Chain D: 

MET	ASP	TYR	LYS	ASP	ASP	ASP	ASP	ASP	ASP	GLY	SER	LEU	VAL	PRO	ARG	GLY	SER	HIS	M1001	Y1002	L1003	R1004	I1005	E1010	T1015	I1018	I1019	I1022	M1025	T1028	M1029	E1032	T1033	F1037	S1040	F1041	T1045	T1046	L1047	F1048	M1049	Q1050	I1051	V1052	I1053	L1062	R1063	I1064	Y1065																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
V1066	H1067	R1068	I1069			D1080				V1083	V1084	A1085	I1086	S1087	L1088	V1089	T1090	T1091	S1092	S1093	G1094	F1095	E1096	I1097		V1100	L1101	R1102	V1103	L1104	R1105	L1106	F1107	R1108	L1109	V1110	T1111	A1112	V1113	P1114	Q1115		K1118	I1119	S1125	V1126	I1127	P1128	G1129	M1130	L1131	S1132		M1137		F1144		A1148	T1149	Q1150																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
F1160	G1161	T1162	L1163	G1164	E1165	S1166	F1167	Y1168	T1169	L1170	F1171	Q1172	V1173	M1174	T1175	L1176		V1184	L1187	M1188		W1195	V1196	F1197	F1198	I1199	P1200	F1201	T1206	F1207	V1208	M1209	I1210	V1214	A1215	I1216	C1217	V1218	D1219																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				

4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	177.78Å 177.72Å 130.82Å 90.00° 132.79° 90.00°	Depositor
Resolution (Å)	27.54 – 3.40 27.53 – 3.40	Depositor EDS
% Data completeness (in resolution range)	96.0 (27.54-3.40) 96.1 (27.53-3.40)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.37 (at 3.38Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.280 , 0.313 0.279 , 0.315	Depositor DCC
R_{free} test set	1987 reflections (5.32%)	DCC
Wilson B-factor (Å ²)	101.1	Xtriage
Anisotropy	0.396	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 44.4	EDS
Estimated twinning fraction	0.438 for k,h,-1/2*h-1/2*k-l 0.439 for -k,-h,-1/2*h+1/2*k-l 0.438 for h,-k,-h-l	Xtriage
L-test for twinning	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$	Xtriage
Outliers	0 of 39362 reflections	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	7386	wwPDB-VP
Average B, all atoms (Å ²)	91.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.74% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA, PX4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.71	0/1849	0.86	1/2517 (0.0%)
1	B	0.71	0/1849	0.87	1/2517 (0.0%)
1	C	0.70	0/1849	0.86	0/2517
1	D	0.70	0/1849	0.87	0/2517
All	All	0.70	0/7396	0.87	2/10068 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1163	LEU	CB-CG-CD1	-5.37	101.87	111.00
1	B	1208	VAL	CB-CA-C	-5.14	101.64	111.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1798	0	1861	75	0
1	B	1798	0	1861	61	0
1	C	1798	0	1861	78	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	1798	0	1861	76	0
2	A	2	0	0	0	0
3	A	58	0	54	10	0
3	B	47	0	40	3	0
3	C	57	0	45	1	0
3	D	26	0	21	1	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
All	All	7386	0	7604	276	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 18.

The worst 5 of 276 close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:1195:TRP:CH2	3:A:1303:PX4:H17	1.98	0.99
1:D:1092:SER:HB3	1:D:1093:SER:HB2	1.49	0.94
1:A:1091:THR:O	1:A:1092:SER:OG	1.91	0.88
1:C:1162:THR:HG22	1:C:1165:GLU:H	1.39	0.88
1:B:1162:THR:HG22	1:B:1165:GLU:H	1.40	0.84

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	217/237 (92%)	202 (93%)	15 (7%)	0	100	100
1	B	217/237 (92%)	200 (92%)	15 (7%)	2 (1%)	25	80
1	C	217/237 (92%)	204 (94%)	13 (6%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	D	217/237 (92%)	198 (91%)	17 (8%)	2 (1%)	25	80
All	All	868/948 (92%)	804 (93%)	60 (7%)	4 (0%)	38	87

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	1094	GLY
1	B	1090	PRO
1	D	1090	PRO
1	B	1114	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	202/218 (93%)	188 (93%)	14 (7%)	22	69
1	B	202/218 (93%)	183 (91%)	19 (9%)	13	50
1	C	202/218 (93%)	186 (92%)	16 (8%)	18	62
1	D	202/218 (93%)	186 (92%)	16 (8%)	18	62
All	All	808/872 (93%)	743 (92%)	65 (8%)	17	61

5 of 65 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	1187	LEU
1	C	1035	LYS
1	D	1162	THR
1	B	1206	THR
1	C	1010	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1150	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	1150	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 18 ligands modelled in this entry, 2 are monoatomic - leaving 16 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	PX4	A	1303	-	19,20,45	2.33	3 (15%)	23,24,53	8.67	5 (21%)
3	PX4	A	1304	-	19,20,45	2.28	4 (21%)	23,24,53	9.77	5 (21%)
3	PX4	A	1305	-	5,5,45	1.77	1 (20%)	4,4,53	0.15	0
3	PX4	A	1306	-	9,9,45	0.78	0	12,12,53	9.05	3 (25%)
3	PX4	B	1301	-	9,9,45	0.63	0	12,12,53	7.14	2 (16%)
3	PX4	B	1302	-	19,20,45	2.62	3 (15%)	23,24,53	7.50	4 (17%)
3	PX4	B	1303	-	5,5,45	2.90	1 (20%)	4,4,53	0.42	0
3	PX4	B	1304	-	9,9,45	0.62	0	12,12,53	11.53	4 (33%)
3	PX4	C	1301	-	9,9,45	0.68	0	12,12,53	7.86	2 (16%)
3	PX4	C	1302	-	19,20,45	2.84	3 (15%)	23,24,53	10.15	6 (26%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	PX4	C	1303	-	5,5,45	3.27	1 (20%)	4,4,53	0.37	0
3	PX4	C	1304	-	9,9,45	0.57	0	12,12,53	7.66	4 (33%)
3	PX4	C	1305	-	9,9,45	0.98	0	12,12,53	8.28	6 (50%)
3	PX4	D	1301	-	9,9,45	0.58	0	12,12,53	9.19	4 (33%)
3	PX4	D	1302	-	5,5,45	1.09	1 (20%)	4,4,53	0.48	0
3	PX4	D	1303	-	9,9,45	0.56	0	12,12,53	11.05	3 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PX4	A	1303	-	-	0/22/22/49	0/0/0/0
3	PX4	A	1304	-	-	0/22/22/49	0/0/0/0
3	PX4	A	1305	-	-	0/3/3/49	0/0/0/0
3	PX4	A	1306	-	-	0/8/8/49	0/0/0/0
3	PX4	B	1301	-	-	0/8/8/49	0/0/0/0
3	PX4	B	1302	-	-	0/22/22/49	0/0/0/0
3	PX4	B	1303	-	-	0/3/3/49	0/0/0/0
3	PX4	B	1304	-	-	0/8/8/49	0/0/0/0
3	PX4	C	1301	-	-	0/8/8/49	0/0/0/0
3	PX4	C	1302	-	-	0/22/22/49	0/0/0/0
3	PX4	C	1303	-	-	0/3/3/49	0/0/0/0
3	PX4	C	1304	-	-	0/8/8/49	0/0/0/0
3	PX4	C	1305	-	-	0/8/8/49	0/0/0/0
3	PX4	D	1301	-	-	0/8/8/49	0/0/0/0
3	PX4	D	1302	-	-	0/3/3/49	0/0/0/0
3	PX4	D	1303	-	-	0/8/8/49	0/0/0/0

The worst 5 of 17 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	1302	PX4	C17-C16	-10.48	1.51	1.55
3	B	1302	PX4	C17-C16	-9.48	1.51	1.55
3	A	1303	PX4	C17-C16	-7.42	1.52	1.55
3	C	1303	PX4	C31-C32	-7.27	1.52	1.55
3	A	1304	PX4	C17-C16	-6.93	1.52	1.55

The worst 5 of 48 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	1302	PX4	O7-C7-C6	-38.18	105.28	119.54
3	A	1304	PX4	O7-C7-C8	-34.03	106.83	119.54
3	A	1304	PX4	O7-C7-C6	-31.42	107.81	119.54
3	D	1301	PX4	O7-C7-C6	-31.25	107.87	119.54
3	B	1304	PX4	O7-C7-C6	-30.91	107.99	119.54

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	219/237 (92%)	-0.01	0	100 100	31, 95, 137, 180	0
1	B	219/237 (92%)	0.03	0	100 100	32, 99, 140, 172	0
1	C	219/237 (92%)	0.03	2 (0%)	81 47	30, 100, 139, 170	0
1	D	219/237 (92%)	0.05	0	100 100	30, 100, 140, 161	0
All	All	876/948 (92%)	0.03	2 (0%)	93 77	30, 99, 140, 180	0

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	1001	MET	2.8
1	C	1115	GLN	2.3

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

There are no carbohydrates in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	PX4	B	1303	6/46	0.92	12.68	59,62,68,69	0
3	PX4	A	1305	6/46	0.73	11.63	55,60,64,67	0
3	PX4	C	1303	6/46	0.45	4.68	49,49,54,55	0
3	PX4	D	1302	6/46	0.38	2.82	44,51,54,55	0
2	CA	A	1302	1/1	0.37	2.07	46,46,46,46	0
3	PX4	A	1303	21/46	0.25	0.37	57,67,83,91	0
3	PX4	C	1302	21/46	0.27	0.19	54,61,83,94	0
3	PX4	A	1306	10/46	0.21	-0.25	60,76,102,110	0
3	PX4	B	1304	10/46	0.19	-0.48	64,81,106,107	0
3	PX4	C	1305	10/46	0.19	-0.52	66,84,105,109	0
3	PX4	D	1303	10/46	0.20	-0.87	61,82,109,110	0
3	PX4	C	1301	10/46	0.23	-0.98	48,69,109,111	0
3	PX4	A	1304	21/46	0.21	-1.05	55,70,93,107	0
3	PX4	B	1302	21/46	0.20	-1.37	60,70,94,105	0
3	PX4	B	1301	10/46	0.21	-1.69	53,81,128,131	0
3	PX4	C	1304	10/46	0.23	-1.79	47,71,124,125	0
3	PX4	D	1301	10/46	0.19	-2.85	48,79,129,132	0
2	CA	A	1301	1/1	0.13	-22.38	44,44,44,44	0

6.5 Other polymers ⓘ

There are no such residues in this entry.