



# Full wwPDB X-ray Structure Validation Report ⓘ

Sep 10, 2014 – 12:55 PM EDT

PDB ID : 4N4D  
Title : Structure of ThiT with AV-38 bound  
Authors : Swier, L.J.Y.M.; Guskov, A.; Slotboom, D.J.  
Deposited on : 2013-10-08  
Resolution : 2.40 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.16 November 2013  
Xtriage (Phenix) : dev-1439  
EDS : stable23489  
Percentile statistics : 21963  
Refmac : 5.8.0049  
CCP4 : 6.3.0 (Settle)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable23489

# 1 Overall quality at a glance

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	66092	2207 (2.40-2.40)
Clashscore	79885	2789 (2.40-2.40)
Ramachandran outliers	78287	2736 (2.40-2.40)
Sidechain outliers	78261	2737 (2.40-2.40)
RSRZ outliers	66119	2210 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	182	
1	B	182	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
3	BNG	A	202	-	X
3	BNG	A	203	-	X
3	BNG	B	203	-	X
4	PG0	A	206	-	X
4	PG0	B	204	-	X
5	PEG	A	207	-	X

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Geometry	Electron density
5	PEG	A	208	-	X
5	PEG	A	209	-	X
5	PEG	A	210	-	X
5	PEG	A	211	-	X
5	PEG	B	205	-	X
5	PEG	B	206	-	X
7	PGE	A	215[A]	-	X
7	PGE	A	215[B]	-	X
7	PGE	A	216	-	X
7	PGE	A	217	-	X
7	PGE	B	210	-	X
8	1PE	A	218[A]	-	X
8	1PE	A	218[B]	-	X
8	1PE	B	211	-	X
9	P33	B	208	-	X

## 2 Entry composition

There are 11 unique types of molecules in this entry. The entry contains 3165 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called thiamine binding protein ThiT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	176	Total	C	N	O	S	0	0	0
			1366	936	213	214	3			
1	B	176	Total	C	N	O	S	0	0	0
			1366	936	213	214	3			

There are 12 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	EXPRESSION TAG	UNP D8KFM5
A	2	SER	-	EXPRESSION TAG	UNP D8KFM5
A	3	ASN	-	EXPRESSION TAG	UNP D8KFM5
A	4	SER	-	EXPRESSION TAG	UNP D8KFM5
A	5	LYS	-	EXPRESSION TAG	UNP D8KFM5
A	6	PHE	-	EXPRESSION TAG	UNP D8KFM5
B	1	MET	-	EXPRESSION TAG	UNP D8KFM5
B	2	SER	-	EXPRESSION TAG	UNP D8KFM5
B	3	ASN	-	EXPRESSION TAG	UNP D8KFM5
B	4	SER	-	EXPRESSION TAG	UNP D8KFM5
B	5	LYS	-	EXPRESSION TAG	UNP D8KFM5
B	6	PHE	-	EXPRESSION TAG	UNP D8KFM5

- Molecule 2 is {3-[(4-AMINO-2-METHYLPYRIMIDIN-5-YL)METHYL]PHENYL}METHANOL (three-letter code: XX8) (formula: C<sub>13</sub>H<sub>15</sub>N<sub>3</sub>O).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			17	13	3	1		
2	B	1	Total	C	N	O	0	0
			17	13	3	1		

- Molecule 3 is SUGAR (B-NONYLGLUCOSIDE) (three-letter code: BNG) (formula: C<sub>15</sub>H<sub>30</sub>O<sub>6</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			21	15	6		
3	A	1	Total	C	O	0	0
			21	15	6		

*Continued on next page...*

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			21	15	6		
3	B	1	Total	C	O	0	0
			21	15	6		
3	B	1	Total	C	O	0	0
			21	15	6		

- Molecule 4 is 2-(2-METHOXYETHOXY)ETHANOL (three-letter code: PG0) (formula:  $C_5H_{12}O_3$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			8	5	3		
4	A	1	Total	C	O	0	0
			8	5	3		
4	B	1	Total	C	O	0	0
			8	5	3		

- Molecule 5 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula:  $C_4H_{10}O_3$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			7	4	3		
5	A	1	Total	C	O	0	0
			7	4	3		
5	A	1	Total	C	O	0	0
			7	4	3		
5	A	1	Total	C	O	0	0
			7	4	3		
5	A	1	Total	C	O	0	0
			7	4	3		
5	B	1	Total	C	O	0	0
			7	4	3		
5	B	1	Total	C	O	0	0
			7	4	3		

- Molecule 6 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: C<sub>8</sub>H<sub>18</sub>O<sub>5</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			13	8	5		
6	B	1	Total	C	O	0	0
			13	8	5		

- Molecule 7 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: C<sub>6</sub>H<sub>14</sub>O<sub>4</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			10	6	4		
7	A	1	Total	C	O	0	1
			20	12	8		


Continued on next page...



Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			10	6	4		
7	A	1	Total	C	O	0	0
			10	6	4		
7	B	1	Total	C	O	0	0
			10	6	4		
7	B	1	Total	C	O	0	0
			10	6	4		

- Molecule 8 is PENTAETHYLENE GLYCOL (three-letter code: 1PE) (formula:  $C_{10}H_{22}O_6$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	1
			32	20	12		
8	B	1	Total	C	O	0	0
			16	10	6		

- Molecule 9 is 3,6,9,12,15,18-HEXAOSAICOSANE-1,20-DIOL (three-letter code: P33) (formula:  $C_{14}H_{30}O_8$ ).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	B	1	Total	C O	0	0
			22	14 8		

- Molecule 10 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	B	1	Total	Cl	0	0
			1	1		

- Molecule 11 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	A	20	Total	O	0	1
			21	21		
11	B	26	Total	O	0	0
			26	26		



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	63.16Å 84.26Å 127.25Å 90.00° 94.17° 90.00°	Depositor
Resolution (Å)	42.30 – 2.40 47.85 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.3 (42.30-2.40) 99.3 (47.85-2.40)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.28 (at 2.39Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.2_1309)	Depositor
R, $R_{free}$	0.204 , 0.257 0.206 , 0.255	Depositor DCC
$R_{free}$ test set	1296 reflections (5.00%)	DCC
Wilson B-factor (Å <sup>2</sup> )	46.4	Xtriage
Anisotropy	0.374	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 57.2	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	1 of 25935 reflections (0.004%)	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	3165	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	57.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.51% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PGE, CL, XX8, 1PE, PG4, PG0, P33, PEG, BNG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.64	0/1404	0.67	0/1914
1	B	0.65	0/1404	0.65	0/1914
All	All	0.65	0/2808	0.66	0/3828

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1366	0	1462	45	0
1	B	1366	0	1462	23	0
2	A	17	0	0	2	0
2	B	17	0	0	0	0
3	A	63	0	90	7	0
3	B	42	0	60	16	0
4	A	16	0	24	4	0
4	B	8	0	12	0	0
5	A	42	0	54	20	0
5	B	14	0	18	5	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	A	13	0	18	2	0
6	B	13	0	18	4	0
7	A	50	0	70	6	0
7	B	20	0	28	3	0
8	A	32	0	44	8	0
8	B	16	0	22	6	0
9	B	22	0	30	0	0
10	B	1	0	0	0	0
11	A	21	0	0	0	0
11	B	26	0	0	1	0
All	All	3165	0	3412	87	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 13.

All (87) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:38:GLU:HG3	5:A:212:PEG:H41	1.38	1.03
8:A:218[A]:1PE:H142	8:B:211:1PE:H131	1.55	0.89
1:A:25:SER:HB2	5:A:212:PEG:H32	1.62	0.81
1:A:91:SER:CB	5:A:210:PEG:H11	2.15	0.77
1:B:32:TYR:HB2	3:B:203:BNG:H8'2	1.67	0.76
1:A:40:ALA:HB3	5:A:212:PEG:H42	1.67	0.74
1:A:36:ILE:HG21	5:A:209:PEG:H42	1.71	0.71
1:B:36:ILE:HG21	5:B:206:PEG:H31	1.73	0.70
1:B:36:ILE:CG2	5:B:206:PEG:H31	2.22	0.70
1:A:78:LEU:CD2	4:A:206:PG0:H32	2.24	0.68
1:A:91:SER:HB3	5:A:210:PEG:H11	1.76	0.67
1:A:25:SER:CB	5:A:212:PEG:H32	2.26	0.65
1:B:32:TYR:CB	3:B:203:BNG:H8'2	2.27	0.64
1:A:38:GLU:CG	5:A:212:PEG:H41	2.21	0.64
3:A:203:BNG:H9'3	3:A:203:BNG:C5'	2.28	0.63
8:A:218[B]:1PE:H251	8:B:211:1PE:H131	1.81	0.63
1:A:142:GLY:H	7:A:214:PGE:H22	1.65	0.61
1:B:141:TRP:CD1	3:B:202:BNG:H1'1	2.35	0.61
1:A:91:SER:HA	5:A:210:PEG:H22	1.83	0.61
1:A:90:VAL:HG11	5:A:211:PEG:H22	1.83	0.60
1:A:78:LEU:HD23	4:A:206:PG0:H32	1.83	0.60
1:B:35:ILE:CD1	3:B:203:BNG:H5'2	2.32	0.59
1:B:11:LEU:HD21	7:B:210:PGE:H5	1.86	0.58
1:B:30:THR:OG1	5:B:206:PEG:H42	2.03	0.58
3:A:203:BNG:H9'3	3:A:203:BNG:H5'1	1.86	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:74:TYR:OH	5:A:209:PEG:H32	2.04	0.57
1:B:35:ILE:HD12	3:B:203:BNG:H5'2	1.86	0.57
1:A:29:ASN:HD21	5:A:212:PEG:H21	1.73	0.54
6:B:207:PG4:C8	6:B:207:PG4:H52	2.38	0.53
1:A:25:SER:HB2	5:A:212:PEG:C3	2.37	0.53
1:A:97:LEU:CD1	3:A:202:BNG:H4'2	2.39	0.52
1:A:145:ALA:CB	7:A:214:PGE:H2	2.39	0.52
8:B:211:1PE:H132	8:B:211:1PE:C25	2.42	0.50
1:A:108:ALA:HA	3:B:203:BNG:H6'2	1.93	0.50
1:A:68:MET:HB3	5:A:207:PEG:H31	1.94	0.49
7:B:209:PGE:H5	7:B:209:PGE:H3	1.62	0.49
1:B:35:ILE:HD12	3:B:203:BNG:C3'	2.42	0.48
8:A:218[A]:1PE:H251	8:A:218[A]:1PE:H242	1.58	0.47
1:A:107:LEU:HD23	3:B:203:BNG:H9'3	1.96	0.47
5:B:205:PEG:H42	5:B:205:PEG:H21	1.64	0.47
1:B:175:LYS:H	1:B:175:LYS:HD3	1.80	0.47
1:A:40:ALA:CB	5:A:212:PEG:H42	2.41	0.47
6:B:207:PG4:H82	6:B:207:PG4:H52	1.96	0.47
5:A:210:PEG:H21	5:A:211:PEG:H12	1.97	0.46
1:A:156:ILE:HG12	8:A:218[B]:1PE:H261	1.96	0.46
1:B:141:TRP:CE2	3:B:202:BNG:H3'2	2.51	0.46
1:A:116:VAL:HG22	3:B:202:BNG:H9'3	1.98	0.46
1:A:78:LEU:HD22	4:A:206:PG0:H32	1.97	0.46
8:A:218[A]:1PE:H142	8:B:211:1PE:C13	2.38	0.46
1:A:25:SER:HA	5:A:212:PEG:H32	1.98	0.45
1:A:122:TYR:HE2	2:A:201:XX8:C6	2.30	0.45
1:A:152:GLY:HA3	8:A:218[B]:1PE:H241	1.97	0.45
1:A:38:GLU:HG3	5:A:212:PEG:C4	2.28	0.45
1:A:97:LEU:HD12	3:A:202:BNG:H4'2	1.99	0.45
7:B:210:PGE:H1	11:B:324:HOH:O	2.15	0.45
6:B:207:PG4:C5	6:B:207:PG4:H82	2.46	0.45
1:A:48:SER:OG	1:A:93:GLY:HA2	2.17	0.45
1:B:108:ALA:HB3	1:B:109:PRO:HD3	1.98	0.44
1:A:54:THR:CG2	7:A:217:PGE:H2	2.47	0.44
1:A:29:ASN:HA	6:A:213:PG4:H82	1.98	0.44
1:B:47:LEU:HD21	1:B:55:ALA:O	2.17	0.44
3:A:203:BNG:H6'2	3:A:203:BNG:H9'2	1.52	0.43
1:A:112:LEU:HB2	3:B:203:BNG:H2'2	1.99	0.43
1:B:140:GLY:O	3:B:202:BNG:H1'2	2.19	0.43
1:B:175:LYS:H	1:B:175:LYS:CD	2.31	0.43
1:A:91:SER:HB2	5:A:210:PEG:H11	1.97	0.43
1:B:123:PHE:CE1	8:B:211:1PE:H221	2.53	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
6:B:207:PG4:C8	6:B:207:PG4:C5	2.97	0.43
4:A:205:PG0:C5	1:B:32:TYR:CD2	3.02	0.42
1:A:145:ALA:HB3	7:A:214:PGE:H2	2.00	0.42
3:A:202:BNG:H9'2	3:B:202:BNG:H6'1	2.01	0.42
1:B:35:ILE:HD13	3:B:203:BNG:H5'2	2.02	0.42
1:B:31:VAL:HG22	3:B:203:BNG:H8'1	2.01	0.42
1:B:123:PHE:HD1	8:B:211:1PE:H232	1.84	0.42
1:A:25:SER:CA	5:A:212:PEG:H32	2.50	0.42
1:A:156:ILE:CG1	8:A:218[B]:1PE:H261	2.50	0.42
1:A:103:ALA:HB1	1:A:104:PRO:HA	2.01	0.42
1:A:97:LEU:HD13	3:A:202:BNG:H4'2	2.01	0.42
1:A:37:VAL:HB	6:A:213:PG4:H81	2.01	0.41
1:B:34:TRP:CZ3	5:B:206:PEG:H21	2.55	0.41
1:A:122:TYR:CE2	2:A:201:XX8:C6	3.05	0.40
1:A:34:TRP:CZ2	1:A:74:TYR:CD2	3.08	0.40
1:B:35:ILE:CD1	3:B:203:BNG:C3'	2.99	0.40
8:A:218[A]:1PE:H152	8:A:218[A]:1PE:C24	2.52	0.40
1:A:82:PHE:CD1	1:A:86:LEU:HD12	2.56	0.40
7:A:215[A]:PGE:H22	7:A:215[A]:PGE:H4	1.19	0.40
1:A:123:PHE:HD1	7:A:215[A]:PGE:H32	1.87	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	174/182 (96%)	169 (97%)	5 (3%)	0	100	100
1	B	174/182 (96%)	168 (97%)	6 (3%)	0	100	100
All	All	348/364 (96%)	337 (97%)	11 (3%)	0	100	100

There are no Ramachandran outliers to report.



### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	140/146 (96%)	136 (97%)	4 (3%)	55	76
1	B	140/146 (96%)	135 (96%)	5 (4%)	47	68
All	All	280/292 (96%)	271 (97%)	9 (3%)	51	72

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	11	LEU
1	A	34	TRP
1	A	66	LEU
1	A	175	LYS
1	B	9	ARG
1	B	112	LEU
1	B	139	LYS
1	B	171	LYS
1	B	175	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	72	HIS

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 32 ligands modelled in this entry, 1 is monoatomic - leaving 31 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	XX8	A	201	-	18,18,18	1.85	6 (33%)	24,24,24	1.46	3 (12%)
3	BNG	A	202	-	21,21,21	0.78	0	26,26,26	1.48	2 (7%)
3	BNG	A	203	-	21,21,21	0.85	0	26,26,26	1.79	5 (19%)
3	BNG	A	204	-	21,21,21	0.76	0	26,26,26	0.93	1 (3%)
4	PG0	A	205	-	7,7,7	0.33	0	6,6,6	0.47	0
4	PG0	A	206	-	7,7,7	0.35	0	6,6,6	0.18	0
5	PEG	A	207	-	6,6,6	0.54	0	5,5,5	0.46	0
5	PEG	A	208	-	6,6,6	0.60	0	5,5,5	0.65	0
5	PEG	A	209	-	6,6,6	0.64	0	5,5,5	0.38	0
5	PEG	A	210	-	6,6,6	0.56	0	5,5,5	0.41	0
5	PEG	A	211	-	6,6,6	0.58	0	5,5,5	0.33	0
5	PEG	A	212	-	6,6,6	0.66	0	5,5,5	0.75	0
6	PG4	A	213	-	12,12,12	0.74	0	11,11,11	0.43	0
7	PGE	A	214	-	9,9,9	0.35	0	8,8,8	0.34	0
7	PGE	A	215[A]	-	9,9,9	0.29	0	8,8,8	0.54	0
7	PGE	A	215[B]	-	9,9,9	0.36	0	8,8,8	0.29	0
7	PGE	A	216	-	9,9,9	0.41	0	8,8,8	0.38	0
7	PGE	A	217	-	9,9,9	0.34	0	8,8,8	0.50	0
8	1PE	A	218[A]	-	15,15,15	0.73	0	14,14,14	0.46	0
8	1PE	A	218[B]	-	15,15,15	0.78	0	14,14,14	0.34	0
2	XX8	B	201	-	18,18,18	1.84	4 (22%)	24,24,24	1.47	4 (16%)
3	BNG	B	202	-	21,21,21	0.90	1 (4%)	26,26,26	1.57	5 (19%)
3	BNG	B	203	-	21,21,21	0.89	1 (4%)	26,26,26	1.67	4 (15%)
4	PG0	B	204	-	7,7,7	0.41	0	6,6,6	0.50	0
5	PEG	B	205	-	6,6,6	0.62	0	5,5,5	0.23	0
5	PEG	B	206	-	6,6,6	0.67	0	5,5,5	0.41	0
6	PG4	B	207	-	12,12,12	0.81	0	11,11,11	0.44	0
9	P33	B	208	-	21,21,21	0.98	0	20,20,20	0.49	0
7	PGE	B	209	-	9,9,9	0.37	0	8,8,8	0.40	0
7	PGE	B	210	-	9,9,9	0.34	0	8,8,8	0.47	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
8	1PE	B	211	-	15,15,15	0.79	0	14,14,14	0.31	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	XX8	A	201	-	-	0/6/6/6	0/2/2/2
3	BNG	A	202	-	-	0/12/32/32	0/1/1/1
3	BNG	A	203	-	-	0/12/32/32	0/1/1/1
3	BNG	A	204	-	-	0/12/32/32	0/1/1/1
4	PG0	A	205	-	-	0/5/5/5	0/0/0/0
4	PG0	A	206	-	-	0/5/5/5	0/0/0/0
5	PEG	A	207	-	-	0/4/4/4	0/0/0/0
5	PEG	A	208	-	-	0/4/4/4	0/0/0/0
5	PEG	A	209	-	-	0/4/4/4	0/0/0/0
5	PEG	A	210	-	-	0/4/4/4	0/0/0/0
5	PEG	A	211	-	-	0/4/4/4	0/0/0/0
5	PEG	A	212	-	-	0/4/4/4	0/0/0/0
6	PG4	A	213	-	-	0/10/10/10	0/0/0/0
7	PGE	A	214	-	-	0/7/7/7	0/0/0/0
7	PGE	A	215[A]	-	-	0/7/7/7	0/0/0/0
7	PGE	A	215[B]	-	-	0/7/7/7	0/0/0/0
7	PGE	A	216	-	-	0/7/7/7	0/0/0/0
7	PGE	A	217	-	-	0/7/7/7	0/0/0/0
8	1PE	A	218[A]	-	-	0/13/13/13	0/0/0/0
8	1PE	A	218[B]	-	-	0/13/13/13	0/0/0/0
2	XX8	B	201	-	-	0/6/6/6	0/2/2/2
3	BNG	B	202	-	-	0/12/32/32	0/1/1/1
3	BNG	B	203	-	-	0/12/32/32	0/1/1/1
4	PG0	B	204	-	-	0/5/5/5	0/0/0/0
5	PEG	B	205	-	-	0/4/4/4	0/0/0/0
5	PEG	B	206	-	-	0/4/4/4	0/0/0/0
6	PG4	B	207	-	-	0/10/10/10	0/0/0/0
9	P33	B	208	-	-	0/19/19/19	0/0/0/0
7	PGE	B	209	-	-	0/7/7/7	0/0/0/0
7	PGE	B	210	-	-	0/7/7/7	0/0/0/0
8	1PE	B	211	-	-	0/13/13/13	0/0/0/0

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	201	XX8	C4A-N4A	4.34	1.45	1.34
2	B	201	XX8	C4A-N4A	4.17	1.44	1.34
2	B	201	XX8	C4-C01	3.64	1.45	1.39
2	A	201	XX8	C4A-N3A	3.19	1.40	1.35
2	B	201	XX8	C30-C28	2.76	1.44	1.38
2	A	201	XX8	C4-C01	2.57	1.43	1.39
2	B	201	XX8	C4A-N3A	2.53	1.39	1.35
2	A	201	XX8	C30-C28	2.38	1.43	1.38
2	A	201	XX8	C6A-C5A	2.16	1.42	1.37
2	A	201	XX8	O01-C6	2.12	1.50	1.41
3	B	202	BNG	O1-C1	2.11	1.43	1.40
3	B	203	BNG	O1-C1	2.06	1.43	1.40

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	202	BNG	O1-C1-C2	5.37	115.04	108.15
3	A	203	BNG	O1-C1-C2	4.92	114.45	108.15
3	B	203	BNG	O1-C1-C2	4.52	113.94	108.15
3	B	202	BNG	C1-O5-C5	-4.51	105.01	113.73
3	B	203	BNG	C3-C4-C5	3.98	117.31	110.17
2	A	201	XX8	C6A-N1A-C2A	3.80	122.35	115.68
3	A	202	BNG	C1-O5-C5	-3.47	107.01	113.73
2	B	201	XX8	C6A-N1A-C2A	3.45	121.74	115.68
3	A	203	BNG	C1-O5-C5	-3.37	107.22	113.73
3	A	203	BNG	O5-C1-C2	-3.34	103.47	110.30
3	A	203	BNG	C3-C4-C5	3.25	116.00	110.17
3	B	202	BNG	C3-C4-C5	-3.20	104.43	110.17
2	A	201	XX8	N1A-C2A-N3A	-2.86	120.50	125.65
3	B	203	BNG	C6-C5-C4	-2.72	106.40	113.04
3	B	203	BNG	O3-C3-C4	-2.66	104.42	110.36
3	B	202	BNG	O5-C5-C6	2.59	112.78	106.34
3	A	204	BNG	C1-O5-C5	-2.53	108.84	113.73
2	B	201	XX8	C5A-C6A-N1A	-2.47	119.42	123.88
3	B	202	BNG	O5-C5-C4	-2.41	105.26	109.73
2	B	201	XX8	C5-C4-C01	-2.41	118.10	121.28
3	B	202	BNG	C1'-O1-C1	2.32	118.01	113.91
2	A	201	XX8	C5A-C6A-N1A	-2.30	119.72	123.88
2	B	201	XX8	N1A-C2A-N3A	-2.16	121.76	125.65
3	A	203	BNG	O2-C2-C1	2.08	114.55	110.03

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	176/182 (96%)	-0.36	2 (1%) 77 77	33, 50, 80, 126	0
1	B	176/182 (96%)	-0.25	2 (1%) 77 77	34, 52, 87, 119	0
All	All	352/364 (96%)	-0.31	4 (1%) 77 77	33, 51, 86, 126	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	9	ARG	2.5
1	B	175	LYS	2.4
1	A	131	ILE	2.2
1	A	182	TYR	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

### 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
7	PGE	A	216	10/10	0.24	69.23	76,90,95,95	0
4	PG0	B	204	8/8	0.33	12.60	65,78,88,91	0
7	PGE	A	215[A]	10/10	0.25	12.34	51,59,69,69	10
7	PGE	A	215[B]	10/10	0.25	11.46	43,64,73,75	10
5	PEG	A	211	7/7	0.30	11.18	68,84,92,92	0
7	PGE	A	217	10/10	0.22	10.47	81,93,100,101	0
5	PEG	A	210	7/7	0.28	10.27	75,77,90,90	0
8	1PE	A	218[A]	16/16	0.22	10.12	48,58,61,61	16
8	1PE	A	218[B]	16/16	0.22	7.57	38,53,59,60	16
5	PEG	A	207	7/7	0.20	7.28	73,76,79,79	0
4	PG0	A	206	8/8	0.23	6.89	73,76,82,82	0
5	PEG	B	205	7/7	0.22	6.11	64,73,96,102	0
7	PGE	B	210	10/10	0.20	4.62	87,95,99,100	0
3	BNG	A	202	21/21	0.18	3.53	42,73,103,106	0
5	PEG	B	206	7/7	0.17	3.37	61,76,87,87	0
8	1PE	B	211	16/16	0.18	3.30	49,74,80,82	0
5	PEG	A	208	7/7	0.17	2.92	70,73,76,76	0
3	BNG	B	203	21/21	0.22	2.40	41,57,64,67	0
5	PEG	A	209	7/7	0.22	2.35	64,68,70,75	0
9	P33	B	208	22/22	0.16	2.32	40,53,61,68	22
3	BNG	A	203	21/21	0.16	2.13	28,57,69,71	21
6	PG4	B	207	13/13	0.16	1.46	67,75,92,92	0
3	BNG	A	204	21/21	0.17	1.44	47,95,116,118	0
3	BNG	B	202	21/21	0.17	0.87	51,76,94,103	0
7	PGE	A	214	10/10	0.13	0.79	81,88,102,102	0
2	XX8	B	201	17/17	0.13	0.76	35,40,49,54	0
5	PEG	A	212	7/7	0.16	0.65	66,84,88,89	0
10	CL	B	212	1/1	0.12	0.33	76,76,76,76	0
6	PG4	A	213	13/13	0.12	-0.02	78,88,96,100	0
4	PG0	A	205	8/8	0.12	-0.41	49,69,77,78	0
2	XX8	A	201	17/17	0.11	-0.65	30,42,54,55	0
7	PGE	B	209	10/10	0.11	-0.83	71,77,89,92	0

## 6.5 Other polymers ⓘ

There are no such residues in this entry.