



Full wwPDB X-ray Structure Validation Report i

Feb 28, 2014 – 07:12 PM GMT

PDB ID : 1NNP
Title : X-ray structure of the GluR2 ligand-binding core (S1S2J) in complex with (S)-ATPA at 1.9 Å resolution. Crystallization without zinc ions.
Authors : Lunn, M.L.; Hogner, A.; Stensbol, T.B.; Gouaux, E.; Egebjerg, J.; Kastrup, J.S.
Deposited on : 2003-01-14
Resolution : 1.90 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.15 2013
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	21963
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP)	:	stable22683

1 Overall quality at a glance

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	79885	4465 (1.90-1.90)
Ramachandran outliers	78287	4413 (1.90-1.90)
Sidechain outliers	78261	4414 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	263	
1	B	263	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4855 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glutamate receptor 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	258	Total	C	N	O	S	0	4	0
			2052	1306	344	388	14			
1	B	258	Total	C	N	O	S	0	2	0
			2036	1297	339	386	14			

There are 8 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	CLONING ARTIFACT	UNP P19491
A	-1	ALA	-	CLONING ARTIFACT	UNP P19491
A	115	GLY	-	LINKER	UNP P19491
A	116	THR	-	LINKER	UNP P19491
B	-2	GLY	-	CLONING ARTIFACT	UNP P19491
B	-1	ALA	-	CLONING ARTIFACT	UNP P19491
B	115	GLY	-	LINKER	UNP P19491
B	116	THR	-	LINKER	UNP P19491

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is 3-(5-TERT-BUTYL-3-OXIDOISOXAZOL-4-YL)-L-ALANINATE (three-letter code: CE2) (formula: C₁₀H₁₅N₂O₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			16	10	2	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	B	1	Total	C	N	O	0	0
			16	10	2	4		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	362	Total	O	0	0
			362	362		
4	B	363	Total	O	0	0
			363	363		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


- Molecule 1: Glutamate receptor 2

Chain A: 



- Molecule 1: Glutamate receptor 2

Chain B: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	96.73Å 121.47Å 47.10Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 1.90	Depositor
% Data completeness (in resolution range)	91.7 (20.00-1.90)	Depositor
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.190 , 0.216	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	4855	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CE2, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.31	0/2088	0.58	0/2806
1	B	0.36	0/2072	0.71	5/2785 (0.2%)
All	All	0.34	0/4160	0.65	5/5591 (0.1%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	256	GLY	N-CA-C	-11.61	84.07	113.10
1	B	257	GLU	N-CA-C	10.53	139.43	111.00
1	B	256	GLY	C-N-CA	5.76	136.09	121.70
1	B	254	ASP	C-N-CA	5.32	134.99	121.70
1	B	254	ASP	CA-C-N	-5.02	106.15	117.20

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2052	0	2088	35	0
1	B	2036	0	2070	54	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	5	0	0	0	0
2	B	5	0	0	0	0
3	A	16	0	15	0	0
3	B	16	0	15	2	0
4	A	362	0	0	6	0
4	B	363	0	0	13	0
All	All	4855	0	4188	91	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 11.

All (91) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:127:GLN:HE22	1:B:130:ILE:H	1.10	0.95
1:B:255:LYS:HG3	1:B:257:GLU:HG3	1.44	0.94
1:A:127:GLN:HE22	1:A:130:ILE:H	1.12	0.94
1:B:129:GLU:OE1	1:B:129:GLU:HA	1.69	0.91
1:B:176:ALA:O	1:B:180:LYS:HD2	1.71	0.90
1:A:122:GLU:HG2	1:A:126:LYS:HE2	1.49	0.90
1:B:255:LYS:HG3	1:B:257:GLU:CG	2.04	0.87
1:A:113:LYS:HE3	4:A:1187:HOH:O	1.81	0.80
1:A:200:ARG:HH11	1:A:200:ARG:HG3	1.49	0.78
1:B:200:ARG:HB2	4:B:1185:HOH:O	1.83	0.78
1:A:18[B]:LYS:O	1:A:19[B]:ASN:HB2	1.84	0.77
1:B:255:LYS:CG	1:B:257:GLU:HG3	2.16	0.76
1:B:255:LYS:O	1:B:255:LYS:HD3	1.85	0.76
3:B:1007:CE2:H123	4:B:1023:HOH:O	1.88	0.73
3:B:1007:CE2:N24	4:B:1023:HOH:O	2.15	0.72
1:B:27:GLU:HG2	4:B:1103:HOH:O	1.91	0.69
1:A:153:ASP:O	1:A:157:THR:HG23	1.91	0.69
1:A:39:GLU:OE2	1:A:243:LEU:HD11	1.92	0.69
1:B:253:TYR:O	1:B:255:LYS:N	2.27	0.67
1:B:129:GLU:CA	1:B:129:GLU:OE1	2.43	0.66
1:B:85:ALA:HB1	1:B:86:PRO:HD2	1.77	0.65
1:B:160:ARG:NH1	1:B:161:SER:HB3	2.14	0.63
1:A:19[A]:ASN:HB3	1:A:22:MET:CE	2.29	0.62
1:A:85:ALA:HB1	1:A:86:PRO:HD2	1.81	0.62
1:B:199:GLN:NE2	1:B:254:ASP:OD2	2.31	0.62
1:B:246:LYS:HE3	4:B:1286:HOH:O	1.99	0.61
1:B:113:LYS:HE3	4:B:1061:HOH:O	2.02	0.60
1:A:91:LEU:O	1:A:95:GLU:HG3	2.03	0.58
1:A:78:GLY:HA2	4:A:1101:HOH:O	2.03	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:207:LYS:HD2	4:B:1227:HOH:O	2.04	0.58
1:A:18[B]:LYS:O	1:A:19[B]:ASN:CB	2.53	0.57
1:B:33:CYS:SG	1:B:85:ALA:HA	2.46	0.56
1:A:127:GLN:HE22	1:A:130:ILE:N	1.94	0.55
1:B:78:GLY:HA2	4:B:1088:HOH:O	2.05	0.55
1:B:19:ASN:N	4:B:1367:HOH:O	2.27	0.55
1:B:127:GLN:HE22	1:B:130:ILE:N	1.94	0.54
1:A:19[A]:ASN:HB3	1:A:22:MET:HE2	1.89	0.53
1:B:64:ASP:OD1	1:B:65:THR:HG23	2.08	0.53
1:A:200:ARG:HH11	1:A:200:ARG:CG	2.16	0.53
1:B:255:LYS:O	1:B:255:LYS:CD	2.55	0.53
1:B:201:LYS:HG3	1:B:257:GLU:OE1	2.08	0.53
1:B:131:ALA:O	1:B:185:TYR:HA	2.10	0.52
1:B:217:TYR:CE1	4:B:1023:HOH:O	2.54	0.51
1:A:19[A]:ASN:HB3	1:A:22:MET:HE3	1.91	0.51
1:B:20:HIS:HD2	4:B:1095:HOH:O	1.93	0.51
1:B:65:THR:O	1:B:66:LYS:HB2	2.11	0.51
1:B:200:ARG:HH11	1:B:255:LYS:HG2	1.77	0.49
1:B:102:PRO:HA	1:B:217:TYR:O	2.12	0.49
1:B:5:VAL:HG22	1:B:82:ILE:CG2	2.43	0.49
1:B:157:THR:O	1:B:160:ARG:HG2	2.13	0.49
1:B:106:LEU:N	1:B:106:LEU:HD13	2.27	0.49
1:A:20:HIS:HD2	4:A:1157:HOH:O	1.96	0.49
1:B:1:LYS:N	4:B:1273:HOH:O	2.44	0.49
1:A:119:GLU:HG3	4:A:1223:HOH:O	2.14	0.48
1:B:127:GLN:NE2	1:B:130:ILE:H	1.94	0.48
1:A:1:LYS:NZ	4:A:1284:HOH:O	2.44	0.48
1:B:176:ALA:O	1:B:180:LYS:CD	2.52	0.48
1:A:106:LEU:N	1:A:106:LEU:HD13	2.28	0.48
1:A:127:GLN:NE2	1:A:130:ILE:H	1.96	0.47
1:A:61:ARG:NH2	1:A:66:LYS:HD3	2.30	0.47
1:A:82:ILE:HD11	1:A:219:ILE:HG21	1.97	0.46
1:A:64:ASP:OD1	1:A:64:ASP:C	2.53	0.46
1:B:200:ARG:NH1	1:B:255:LYS:HG2	2.31	0.46
1:B:64:ASP:OD1	1:B:65:THR:N	2.48	0.46
1:B:91:LEU:O	1:B:95:GLU:HG3	2.15	0.46
1:A:102:PRO:HA	1:A:217:TYR:O	2.16	0.46
1:A:200:ARG:NH1	1:A:200:ARG:CG	2.78	0.45
1:B:196:TYR:CE1	1:B:200:ARG:NH2	2.84	0.45
1:B:144:PHE:CE2	1:B:188:LEU:HD13	2.52	0.45
1:B:144:PHE:CZ	1:B:188:LEU:HD13	2.52	0.45
1:A:82:ILE:HD11	1:A:219:ILE:CG2	2.48	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:200:ARG:NH1	1:B:255:LYS:HB2	2.33	0.44
1:B:62:ASP:HB3	1:B:65:THR:OG1	2.18	0.43
1:A:169:ARG:NH1	1:A:173:GLU:OE2	2.52	0.43
1:A:122:GLU:HG2	1:A:126:LYS:CE	2.36	0.42
1:B:82:ILE:HD11	1:B:219:ILE:HG21	2.01	0.42
1:A:65:THR:O	1:A:66:LYS:HB2	2.18	0.42
1:A:61:ARG:HH22	1:A:66:LYS:CE	2.32	0.42
1:B:160:ARG:HG3	1:B:160:ARG:NH1	2.35	0.42
1:B:6:THR:OG1	1:B:74[B]:GLU:OE1	2.39	0.41
1:B:243:LEU:C	1:B:243:LEU:HD13	2.41	0.41
1:A:151:VAL:O	1:A:155:MET:HG3	2.20	0.41
1:B:20:HIS:HE1	4:B:1113:HOH:O	2.03	0.41
1:B:106:LEU:HD22	1:B:106:LEU:C	2.41	0.41
1:A:196:TYR:HB2	1:A:252:TRP:NE1	2.36	0.41
1:B:160:ARG:HG3	1:B:161:SER:N	2.36	0.41
1:B:160:ARG:HG3	1:B:160:ARG:HH11	1.86	0.41
1:B:160:ARG:HH12	1:B:161:SER:HB3	1.83	0.41
1:A:133:GLY:HA3	1:A:166:VAL:O	2.21	0.41
1:A:200:ARG:NE	4:A:1168:HOH:O	2.54	0.40
1:B:127:GLN:NE2	1:B:129:GLU:N	2.70	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	260/263 (99%)	254 (98%)	3 (1%)	3 (1%)	19	6
1	B	258/263 (98%)	251 (97%)	5 (2%)	2 (1%)	27	12
All	All	518/526 (98%)	505 (98%)	8 (2%)	5 (1%)	27	8

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	255	LYS
1	B	257	GLU
1	A	19[A]	ASN
1	A	19[B]	ASN
1	A	64	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	221/219 (101%)	214 (97%)	7 (3%)	51	39
1	B	219/219 (100%)	212 (97%)	7 (3%)	51	39
All	All	440/438 (100%)	426 (97%)	14 (3%)	51	39

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	LYS
1	A	12	PRO
1	A	106	LEU
1	A	127	GLN
1	A	160	ARG
1	A	215	LYS
1	A	247	LEU
1	B	12	PRO
1	B	106	LEU
1	B	127	GLN
1	B	129	GLU
1	B	180	LYS
1	B	194	ASN
1	B	255	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	20	HIS
1	A	127	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	20	HIS
1	B	127	GLN
1	B	194	ASN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	SO4	A	1007	-	4,4,4	1.95	2 (50%)	6,6,6	0.47	0
3	CE2	A	1008	-	13,16,16	2.39	3 (23%)	14,24,24	1.87	6 (42%)
2	SO4	B	1006	-	4,4,4	1.93	2 (50%)	6,6,6	0.46	0
3	CE2	B	1007	-	13,16,16	2.67	3 (23%)	14,24,24	1.72	5 (35%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SO4	A	1007	-	-	0/0/0/0	0/0/0/0
3	CE2	A	1008	-	-	0/10/14/14	0/1/1/1
2	SO4	B	1006	-	-	0/0/0/0	0/0/0/0
3	CE2	B	1007	-	-	0/10/14/14	0/1/1/1

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	1007	CE2	O8-N1	7.39	1.48	1.42
3	A	1008	CE2	O8-N1	6.55	1.47	1.42
3	B	1007	CE2	C2-N1	4.25	1.34	1.31
3	A	1008	CE2	C2-N1	3.84	1.34	1.31
3	B	1007	CE2	C2-C3	3.77	1.47	1.38
3	A	1008	CE2	C2-C3	3.53	1.46	1.38
2	A	1007	SO4	O4-S	2.50	1.55	1.47
2	B	1006	SO4	O4-S	2.43	1.55	1.47
2	B	1006	SO4	O3-S	2.33	1.55	1.47
2	A	1007	SO4	O3-S	2.23	1.54	1.47

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	1007	CE2	C12-C7-C5	2.91	117.44	109.43
3	A	1008	CE2	C12-C7-C5	2.83	117.22	109.43
3	A	1008	CE2	C6-C3-C2	-2.78	117.91	123.95
3	A	1008	CE2	C6-C3-C5	2.71	136.14	129.20
3	A	1008	CE2	C5-O8-N1	2.56	108.50	107.66
3	B	1007	CE2	C6-C3-C2	-2.56	118.38	123.95
3	B	1007	CE2	C6-C3-C5	2.46	135.48	129.20
3	A	1008	CE2	C6-C11-N24	2.19	113.02	109.43
3	A	1008	CE2	C3-C6-C11	-2.13	110.26	113.92
3	B	1007	CE2	C3-C6-C11	-2.06	110.38	113.92
3	B	1007	CE2	C6-C11-N24	2.05	112.79	109.43

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.