



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 27, 2014 – 03:03 PM GMT

PDB ID : 2O25
Title : Ubiquitin-ConjugatingEnzyme E2-25 kDa Complexed With SUMO-1-Conjugating Enzyme UBC9
Authors : Walker, J.R.; Avvakumov, G.V.; Xue, S.; Newman, E.M.; Mackenzie, F.; Weigelt, J.; Sundstrom, M.; Arrowsmith, C.H.; Edwards, A.M.; Bochkarev, A.; Dhe-Paganon, S.; Structural Genomics Consortium (SGC)
Deposited on : 2006-11-29
Resolution : 2.60 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	1718 (2.60-2.60)
Clashscore	79885	2154 (2.60-2.60)
Ramachandran outliers	78287	2113 (2.60-2.60)
Sidechain outliers	78261	2113 (2.60-2.60)
RSRZ outliers	66119	1718 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	202	
1	B	202	
2	C	160	
2	D	160	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 5687 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ubiquitin-conjugatingenzyme E2-25 kDa.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	199	Total	C	N	O	S	0	1	0
			1578	1007	264	301	6			
1	B	197	Total	C	N	O	S	0	0	0
			1550	991	258	296	5			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	CLONING ARTIFACT	UNP P61086
A	0	SER	-	CLONING ARTIFACT	UNP P61086
B	-1	GLY	-	CLONING ARTIFACT	UNP P61086
B	0	SER	-	CLONING ARTIFACT	UNP P61086

- Molecule 2 is a protein called SUMO-1-conjugating enzyme UBC9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	157	Total	C	N	O	S	0	1	0
			1271	816	221	227	7			
2	D	156	Total	C	N	O	S	0	0	0
			1249	804	215	223	7			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	-1	GLY	-	CLONING ARTIFACT	UNP P63279
C	0	SER	-	CLONING ARTIFACT	UNP P63279
D	-1	GLY	-	CLONING ARTIFACT	UNP P63279
D	0	SER	-	CLONING ARTIFACT	UNP P63279

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	13	Total 13	O 13	0	0
3	B	11	Total 11	O 11	0	0
3	C	13	Total 13	O 13	0	0
3	D	2	Total 2	O 2	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Ubiquitin-conjugatingenzyme E2-25 kDa

Chain A:




- Molecule 1: Ubiquitin-conjugatingenzyme E2-25 kDa

Chain B:




- Molecule 2: SUMO-1-conjugating enzyme UBC9

Chain C:



- Molecule 2: SUMO-1-conjugating enzyme UBC9

Chain D:



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	41.87Å 68.50Å 91.28Å 85.05° 80.85° 75.83°	Depositor
Resolution (Å)	30.00 – 2.60 29.02 – 2.60	Depositor EDS
% Data completeness (in resolution range)	92.9 (30.00-2.60) 92.9 (29.02-2.60)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.23 (at 2.61Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.228 , 0.291 0.220 , 0.281	Depositor DCC
R_{free} test set	1398 reflections (5.32%)	DCC
Wilson B-factor (Å ²)	65.7	Xtriage
Anisotropy	0.112	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 42.9	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	0 of 27679 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5687	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.36% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.70	0/1612	0.79	0/2193
1	B	1.41	7/1584 (0.4%)	0.81	5/2157 (0.2%)
2	C	0.83	0/1308	0.86	2/1772 (0.1%)
2	D	0.64	2/1286 (0.2%)	0.65	0/1746
All	All	0.96	9/5790 (0.2%)	0.78	7/7868 (0.1%)

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	64	GLU	CD-OE1	34.84	1.64	1.25
1	B	34	GLU	CD-OE1	20.44	1.48	1.25
1	B	34	GLU	CD-OE2	18.58	1.46	1.25
1	B	64	GLU	CD-OE2	14.54	1.41	1.25
1	B	107	ARG	CZ-NH1	12.62	1.49	1.33
2	D	132	GLU	CD-OE1	11.63	1.38	1.25
2	D	132	GLU	CD-OE2	8.00	1.34	1.25
1	B	158	SER	CB-OG	6.99	1.51	1.42
1	B	107	ARG	NE-CZ	6.43	1.41	1.33

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	107	ARG	NE-CZ-NH2	-9.16	115.72	120.30
1	B	34	GLU	OE1-CD-OE2	8.25	133.20	123.30
2	C	119	LEU	CA-CB-CG	7.30	132.10	115.30
1	B	107	ARG	NE-CZ-NH1	6.21	123.41	120.30
2	C	60	LEU	CA-CB-CG	5.55	128.07	115.30
1	B	64	GLU	OE1-CD-OE2	5.27	129.62	123.30
1	B	39	LEU	CA-CB-CG	5.16	127.16	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1578	0	1586	20	0
1	B	1550	0	1553	26	0
2	C	1271	0	1270	30	0
2	D	1249	0	1242	20	0
3	A	13	0	0	1	0
3	B	11	0	0	0	0
3	C	13	0	0	0	0
3	D	2	0	0	0	0
All	All	5687	0	5651	92	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 8.

All (92) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:64:GLU:OE1	1:B:64:GLU:CD	1.64	1.34
1:A:49:THR:HG22	1:A:50:PRO:HD2	1.33	1.11
1:A:49:THR:HG22	1:A:50:PRO:CD	2.06	0.86
1:B:81:HIS:HD2	1:B:83:ASN:H	1.21	0.83
1:B:49:THR:HG22	1:B:50:PRO:HD2	1.63	0.79
1:B:81:HIS:CD2	1:B:83:ASN:H	2.02	0.78
1:A:81:HIS:HD2	1:A:83:ASN:H	1.33	0.75
1:A:158:SER:OG	1:A:159:SER:N	2.19	0.75
2:C:40:ASN:HD21	2:C:61:ARG:HE	1.36	0.72
1:B:73:VAL:HG12	1:B:91:ILE:HD12	1.72	0.70
2:C:44:ALA:HB1	2:C:57:LEU:HD22	1.76	0.68
1:A:81:HIS:CD2	1:A:83:ASN:H	2.12	0.67
2:C:108:THR:H	2:C:111:GLN:HE21	1.43	0.67
2:D:72:PRO:HD2	2:D:99:GLU:HG2	1.77	0.67
1:B:194:THR:HG21	2:C:11:GLN:HG2	1.79	0.64
2:D:147:ARG:CG	2:D:147:ARG:HH11	2.11	0.64
1:B:194:THR:CG2	2:C:11:GLN:HG2	2.29	0.62
2:C:108:THR:HG22	2:C:111:GLN:H	1.64	0.61
1:A:147:LEU:O	1:A:151:VAL:HG12	1.99	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:D:35:THR:H	2:D:36:MET:HA	1.66	0.59
1:B:9:ILE:HG21	1:B:36:PHE:HB3	1.83	0.59
2:C:137:TYR:O	2:C:141:ARG:HD3	2.02	0.59
2:C:68:TYR:CD1	2:C:69:PRO:HA	2.38	0.59
1:B:147:LEU:HD22	1:B:188:TRP:CH2	2.39	0.58
2:D:147:ARG:HG2	2:D:147:ARG:HH11	1.68	0.58
2:C:128:PRO:HB3	2:C:134:TYR:CD1	2.38	0.58
1:B:81:HIS:HD2	1:B:83:ASN:N	1.98	0.57
1:A:21:GLU:HG2	1:A:111:LEU:HD21	1.87	0.57
2:C:100:ASP:OD1	2:C:100:ASP:N	2.38	0.57
1:A:48:ASP:OD1	2:C:11:GLN:NE2	2.39	0.56
2:D:75:CYS:SG	2:D:97:LEU:HD21	2.46	0.56
2:C:31:ASN:HB3	2:C:32:PRO:HD2	1.87	0.55
1:B:49:THR:CG2	1:B:50:PRO:HD2	2.35	0.55
1:B:27:ILE:HB	1:B:110:LEU:HD23	1.88	0.54
1:A:40:ARG:HD3	3:A:202:HOH:O	2.08	0.54
1:A:5:ALA:O	1:A:9:ILE:HG12	2.08	0.53
2:C:33:ASP:HB2	2:C:35:THR:HG22	1.91	0.53
2:C:137:TYR:O	2:C:141:ARG:CD	2.56	0.53
1:B:16:VAL:HG11	1:B:29:VAL:HG12	1.89	0.53
2:D:4:ILE:HD12	2:D:4:ILE:H	1.73	0.52
1:B:69:ASN:HD22	1:B:70:PRO:HD2	1.74	0.52
1:B:92:CYS:HA	1:B:97:LYS:NZ	2.25	0.52
2:C:40:ASN:C	2:C:40:ASN:HD22	2.13	0.52
1:B:189:ASP:HB3	1:B:192:THR:HG23	1.91	0.51
2:D:83:HIS:H	2:D:130:GLN:HE22	1.58	0.51
1:A:192:THR:O	1:A:195:GLU:HG3	2.11	0.51
2:C:9:LEU:CD1	2:C:39:MET:CE	2.89	0.51
1:B:158:SER:OG	1:B:159:SER:N	2.40	0.50
1:B:147:LEU:HD22	1:B:188:TRP:HH2	1.77	0.50
2:C:9:LEU:CD1	2:C:39:MET:HE2	2.42	0.49
2:C:9:LEU:HD13	2:C:38:LEU:O	2.13	0.49
1:A:13:PHE:CZ	1:A:17:LEU:HD11	2.48	0.49
2:D:67:ASP:HB2	2:D:71:SER:OG	2.14	0.48
2:C:95:SER:C	2:C:97:LEU:H	2.16	0.48
2:D:58:PHE:HB3	2:D:81:LEU:HD11	1.96	0.48
1:A:80:TRP:CZ2	1:A:130:VAL:HG22	2.49	0.48
1:A:78:LYS:HE2	1:A:152:TYR:CE2	2.48	0.47
2:D:25:VAL:HB	2:D:44:ALA:HB3	1.96	0.47
2:C:75:CYS:O	2:C:91:THR:HA	2.14	0.47
2:C:43:CYS:HB2	2:C:60:LEU:HD13	1.96	0.47
2:C:125:ILE:HD13	2:C:125:ILE:O	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:39:LEU:HB2	1:A:60:ILE:HB	1.96	0.46
1:A:7:GLN:O	1:A:11:ARG:HG3	2.16	0.46
1:B:31:LEU:HD22	1:B:32:VAL:H	1.80	0.46
1:B:42:GLU:HA	1:B:56:TYR:O	2.16	0.46
2:C:51:THR:HB	2:C:52:PRO:HD2	1.98	0.45
2:C:127:ASP:HA	2:C:128:PRO:HD2	1.80	0.45
2:C:95:SER:C	2:C:97:LEU:N	2.70	0.45
1:A:186:LYS:HB3	1:A:192:THR:HG23	1.98	0.45
2:D:62:MET:HE2	2:D:64:PHE:CZ	2.52	0.44
2:D:86:VAL:O	2:D:130:GLN:HB2	2.16	0.44
1:B:39:LEU:HB2	1:B:60:ILE:HB	1.99	0.44
2:C:107:ILE:HA	2:C:111:GLN:NE2	2.33	0.43
2:C:108:THR:N	2:C:111:GLN:HE21	2.13	0.43
2:D:83:HIS:H	2:D:130:GLN:NE2	2.16	0.43
1:B:31:LEU:HD22	1:B:32:VAL:N	2.33	0.43
1:B:178:ALA:O	1:B:181:VAL:HG12	2.18	0.43
2:D:52:PRO:HA	2:D:149:ARG:HH21	1.83	0.43
1:B:31:LEU:HD11	1:B:33:ASP:O	2.18	0.43
1:A:49:THR:HG21	1:A:117:LEU:O	2.19	0.42
2:C:51:THR:O	2:C:54:GLU:HB2	2.19	0.42
1:A:159:SER:O	1:A:163:THR:HG22	2.20	0.41
1:B:39:LEU:HD23	1:B:62:ILE:CD1	2.50	0.41
1:A:194:THR:HG21	2:D:11:GLN:HG2	2.02	0.41
2:D:31:ASN:HB2	2:D:35:THR:OG1	2.19	0.41
2:C:141:ARG:HB3	2:C:141:ARG:HH11	1.85	0.41
2:C:9:LEU:HD12	2:C:39:MET:CE	2.50	0.41
2:D:147:ARG:CG	2:D:147:ARG:NH1	2.77	0.41
2:D:78:GLU:HA	2:D:79:PRO:HA	1.94	0.41
2:D:85:ASN:ND2	2:D:127:ASP:O	2.53	0.41
2:D:142:VAL:HA	2:D:145:GLU:HB2	2.02	0.40
1:B:189:ASP:HB3	1:B:192:THR:CG2	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	198/202 (98%)	190 (96%)	8 (4%)	0	100	100
1	B	195/202 (96%)	183 (94%)	11 (6%)	1 (0%)	38	67
2	C	156/160 (98%)	149 (96%)	6 (4%)	1 (1%)	33	63
2	D	154/160 (96%)	141 (92%)	13 (8%)	0	100	100
All	All	703/724 (97%)	663 (94%)	38 (5%)	2 (0%)	50	77

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	9	ILE
2	C	96	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	172/173 (99%)	159 (92%)	13 (8%)	19	36
1	B	169/173 (98%)	159 (94%)	10 (6%)	28	52
2	C	137/138 (99%)	114 (83%)	23 (17%)	3	5
2	D	134/138 (97%)	124 (92%)	10 (8%)	19	36
All	All	612/622 (98%)	556 (91%)	56 (9%)	13	24

All (56) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	ILE
1	A	14	LYS
1	A	22	THR
1	A	29	VAL
1	A	49	THR
1	A	97	LYS
1	A	135	LYS
1	A	151	VAL
1	A	163	THR
1	A	168	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	172	MET
1	A	176	ARG
1	A	195	GLU
1	B	10	LYS
1	B	27	ILE
1	B	42	GLU
1	B	60	ILE
1	B	96	LEU
1	B	99	GLN
1	B	123	ASP
1	B	176	ARG
1	B	181	VAL
1	B	192	THR
2	C	11	GLN
2	C	18	LYS
2	C	27	VAL
2	C	33	ASP
2	C	40	ASN
2	C	49	LYS
2	C	57	LEU
2	C	59	LYS
2	C	60	LEU
2	C	61	ARG
2	C	70	SER
2	C	97	LEU
2	C	98	GLU
2	C	99	GLU
2	C	100	ASP
2	C	108	THR
2	C	113	LEU
2	C	119	LEU
2	C	123	PRO
2	C	125	ILE
2	C	141	ARG
2	C	153	LYS
2	C	158	SER
2	D	6	LEU
2	D	36	MET
2	D	60	LEU
2	D	70	SER
2	D	99	GLU
2	D	102	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	119	LEU
2	D	121	ASN
2	D	147	ARG
2	D	149	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	81	HIS
1	A	143	GLN
1	A	168	ASN
1	B	25	ASN
1	B	69	ASN
1	B	81	HIS
1	B	114	GLN
1	B	168	ASN
2	C	11	GLN
2	C	40	ASN
2	C	111	GLN
2	D	11	GLN
2	D	20	HIS
2	D	121	ASN
2	D	130	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	199/202 (98%)	-0.14	3 (1%) 70 71	29, 34, 39, 44	0
1	B	197/202 (97%)	0.04	8 (4%) 35 32	25, 34, 38, 41	0
2	C	157/160 (98%)	-0.22	2 (1%) 74 75	30, 35, 39, 44	0
2	D	156/160 (97%)	0.42	10 (6%) 19 16	27, 34, 36, 39	0
All	All	709/724 (97%)	0.02	23 (3%) 45 42	25, 34, 38, 44	0

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1	MET	6.7
2	D	50	GLY	4.0
2	C	158	SER	3.1
2	D	35	THR	2.9
2	D	141	ARG	2.9
2	D	157	PRO	2.8
2	D	49	LYS	2.5
2	C	2	SER	2.5
1	B	68	PHE	2.4
2	D	142	VAL	2.4
2	D	33	ASP	2.4
1	B	31	LEU	2.4
1	B	100	TRP	2.3
1	A	68	PHE	2.3
1	B	20	GLU	2.3
2	D	134	TYR	2.3
2	D	31	ASN	2.2
1	B	5	ALA	2.2
1	B	4	ILE	2.1
1	A	128	ALA	2.1
2	D	82	PHE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	13	PHE	2.0
1	B	23	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

There are no ligands in this entry.

6.5 Other polymers ⓘ

There are no such residues in this entry.