



# Full wwPDB X-ray Structure Validation Report

Feb 28, 2014 – 12:34 PM GMT

PDB ID : 3O2J  
Title : Structure of the GluA2 NTD-dimer interface mutant, N54A  
Authors : Rossmann, M.; Sukumaran, M.; Penn, A.C.; Veprintsev, D.B.; Greger, I.H.  
Deposited on : 2010-07-22  
Resolution : 1.95 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.15 2013  
Xtriage (Phenix) : dev-1323  
EDS : stable22639  
Percentile statistics : 21963  
Refmac : 5.8.0049  
CCP4 : 6.3.0 (Settle)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable22683

# 1 Overall quality at a glance

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	66092	1321 (1.96-1.96)
Clashscore	79885	1488 (1.96-1.96)
Ramachandran outliers	78287	1475 (1.96-1.96)
Sidechain outliers	78261	1475 (1.96-1.96)
RSRZ outliers	66119	1321 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	388	
1	B	388	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
2	NAG	B	389	-	X

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6099 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glutamate receptor 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	356	Total	C	N	O	S	0	1	0
			2811	1797	477	529	8			
1	B	362	Total	C	N	O	S	0	1	0
			2855	1822	478	546	9			

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	54	ALA	ASN	ENGINEERED MUTATION	UNP P19491
A	380	ARG	-	EXPRESSION TAG	UNP P19491
A	381	THR	-	EXPRESSION TAG	UNP P19491
A	382	LYS	-	EXPRESSION TAG	UNP P19491
A	383	HIS	-	EXPRESSION TAG	UNP P19491
A	384	HIS	-	EXPRESSION TAG	UNP P19491
A	385	HIS	-	EXPRESSION TAG	UNP P19491
A	386	HIS	-	EXPRESSION TAG	UNP P19491
A	387	HIS	-	EXPRESSION TAG	UNP P19491
A	388	HIS	-	EXPRESSION TAG	UNP P19491
B	54	ALA	ASN	ENGINEERED MUTATION	UNP P19491
B	380	ARG	-	EXPRESSION TAG	UNP P19491
B	381	THR	-	EXPRESSION TAG	UNP P19491
B	382	LYS	-	EXPRESSION TAG	UNP P19491
B	383	HIS	-	EXPRESSION TAG	UNP P19491
B	384	HIS	-	EXPRESSION TAG	UNP P19491
B	385	HIS	-	EXPRESSION TAG	UNP P19491
B	386	HIS	-	EXPRESSION TAG	UNP P19491
B	387	HIS	-	EXPRESSION TAG	UNP P19491
B	388	HIS	-	EXPRESSION TAG	UNP P19491

- Molecule 2 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula: C<sub>8</sub>H<sub>15</sub>NO<sub>6</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	197	Total	O	0	0
			197	197		
3	B	208	Total	O	0	0
			208	208		



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	82.33Å 92.58Å 102.48Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	51.24 – 1.95 51.24 – 1.95	Depositor EDS
% Data completeness (in resolution range)	99.9 (51.24-1.95) 99.9 (51.24-1.95)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.13	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.35 (at 1.95Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.6.1_357)	Depositor
R, $R_{free}$	0.191 , 0.247 0.191 , 0.242	Depositor DCC
$R_{free}$ test set	2342 reflections (4.06%)	DCC
Wilson B-factor (Å <sup>2</sup> )	24.2	Xtriage
Anisotropy	0.026	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 44.7	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 57699 reflections	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	6099	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.99% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.41	0/2874	0.51	0/3893
1	B	0.42	0/2915	0.52	0/3950
All	All	0.42	0/5789	0.52	0/7843

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2811	0	2759	60	0
1	B	2855	0	2760	70	0
2	A	14	0	13	1	0
2	B	14	0	13	0	0
3	A	197	0	0	7	0
3	B	208	0	0	10	0
All	All	6099	0	5545	131	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 12.

All (131) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:227:LEU:HB3	1:B:228:LYS:CB	1.49	1.41
1:B:227:LEU:HB3	1:B:228:LYS:CA	1.57	1.33
1:B:227:LEU:HB3	1:B:228:LYS:C	1.61	1.20
1:A:203:ILE:O	1:A:204:THR:HG23	1.45	1.15
1:B:229:ILE:N	1:B:230:GLN:HA	1.52	1.15
1:B:227:LEU:CB	1:B:228:LYS:CB	2.27	1.12
1:B:227:LEU:CB	1:B:228:LYS:C	2.24	1.04
1:B:227:LEU:CB	1:B:228:LYS:CA	2.43	0.96
1:B:227:LEU:HD12	1:B:228:LYS:CB	1.97	0.95
1:B:229:ILE:N	1:B:230:GLN:CA	2.32	0.92
1:B:32:THR:HG22	1:B:34:GLU:H	1.34	0.90
1:A:203:ILE:O	1:A:204:THR:CG2	2.20	0.90
1:B:190:CYS:HB3	3:B:573:HOH:O	1.70	0.90
1:B:319:GLN:HG3	3:B:566:HOH:O	1.72	0.90
1:A:203:ILE:C	1:A:204:THR:HG23	1.95	0.87
1:A:65:TYR:CE1	1:A:317:TRP:HH2	1.95	0.84
1:A:65:TYR:CD1	1:A:317:TRP:HH2	1.96	0.84
1:B:331:GLN:OE1	1:B:340:LYS:HE3	1.77	0.83
1:B:227:LEU:HB2	1:B:229:ILE:N	1.93	0.82
1:B:227:LEU:CD1	1:B:228:LYS:CB	2.58	0.81
1:B:229:ILE:H	1:B:230:GLN:HA	1.46	0.79
1:A:65:TYR:CE1	1:A:300:ILE:HA	2.20	0.77
1:A:65:TYR:CE1	1:A:317:TRP:CH2	2.76	0.74
1:B:227:LEU:HB2	1:B:228:LYS:C	2.08	0.73
1:B:227:LEU:CB	1:B:229:ILE:N	2.49	0.72
1:A:304:GLY:O	1:A:305:ASN:CB	2.38	0.72
1:B:160:GLY:O	1:B:161:ASN:OD1	2.07	0.72
1:B:292:ASN:O	1:B:293:LEU:CB	2.37	0.71
1:B:196:ASN:HB2	1:B:225:ASP:OD1	1.91	0.71
1:B:32:THR:HG22	1:B:34:GLU:N	2.06	0.70
1:A:304:GLY:O	1:A:305:ASN:HB3	1.91	0.70
1:A:61:SER:HB2	1:A:306:ALA:HB1	1.74	0.69
1:B:228:LYS:C	1:B:230:GLN:CB	2.61	0.69
1:B:218:ASN:HB2	3:B:553:HOH:O	1.94	0.68
1:B:44:LEU:H	1:B:44:LEU:HD12	1.58	0.68
1:B:176:GLN:HA	1:B:180:LEU:HD12	1.74	0.68
1:A:299:GLU:OE2	1:A:301:SER:O	2.13	0.67
1:A:61:SER:O	1:A:306:ALA:HA	1.96	0.66
1:A:200:ASP:O	1:A:203:ILE:O	2.14	0.66
1:B:6:ILE:HG12	1:B:35:PHE:HE1	1.62	0.65
1:B:164:ASN:OD1	1:B:164:ASN:N	2.29	0.64
1:B:32:THR:HG21	1:B:34:GLU:OE1	1.97	0.64

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:126:LYS:HG2	1:A:183:GLU:OE1	1.98	0.63
1:A:65:TYR:CD1	1:A:317:TRP:CH2	2.84	0.62
1:A:65:TYR:HE1	1:A:300:ILE:HA	1.64	0.62
1:A:203:ILE:O	1:A:204:THR:CB	2.46	0.62
2:A:389:NAG:C1	2:A:389:NAG:O7	2.45	0.62
1:A:44:LEU:N	1:A:44:LEU:HD12	2.15	0.61
1:A:40:HIS:HB3	1:A:62:ARG:NH1	2.15	0.61
1:A:72:ASP:HB2	3:A:570:HOH:O	2.00	0.61
1:A:14:ARG:HA	1:A:43:ASN:OD1	2.02	0.59
1:A:203:ILE:C	1:A:204:THR:CG2	2.67	0.58
1:A:180:LEU:O	1:A:180:LEU:HD23	2.05	0.57
1:A:362:PRO:O	1:A:363:ARG:HD3	2.04	0.57
1:B:227:LEU:CG	1:B:228:LYS:CB	2.83	0.56
1:B:362:PRO:O	1:B:363:ARG:HD2	2.05	0.56
1:B:197:ASP:O	1:B:201:GLN:HG2	2.06	0.56
1:B:227:LEU:CA	1:B:228:LYS:CB	2.83	0.56
1:B:44:LEU:HB3	3:B:578:HOH:O	2.06	0.56
1:B:97:THR:HG23	1:B:106:GLN:NE2	2.21	0.56
1:B:228:LYS:C	1:B:230:GLN:CA	2.75	0.56
1:A:83:CYS:SG	1:A:90:PHE:HB2	2.46	0.55
1:B:83:CYS:SG	1:B:90:PHE:HB2	2.46	0.55
1:A:61:SER:HA	1:A:306:ALA:O	2.06	0.54
1:B:228:LYS:C	1:B:230:GLN:HA	2.24	0.54
1:A:219:LEU:HD22	1:A:241:ILE:HG23	1.90	0.53
1:A:68:PHE:CZ	1:A:279:THR:HG23	2.43	0.53
1:B:247:SER:O	1:B:251:LYS:HG3	2.09	0.53
1:A:331:GLN:HB3	3:A:551:HOH:O	2.08	0.53
1:A:65:TYR:CZ	1:A:317:TRP:CH2	2.97	0.52
1:B:73:LYS:HG2	3:B:583:HOH:O	2.09	0.52
1:B:44:LEU:N	1:B:44:LEU:HD12	2.25	0.52
1:B:43:ASN:C	3:B:578:HOH:O	2.48	0.51
1:A:65:TYR:CZ	1:A:317:TRP:HH2	2.29	0.51
1:B:331:GLN:HG2	1:B:340:LYS:HG2	1.92	0.50
1:B:218:ASN:CB	3:B:553:HOH:O	2.55	0.50
1:A:65:TYR:CG	1:A:317:TRP:HH2	2.30	0.49
1:A:149:GLU:HG2	3:A:406:HOH:O	2.12	0.49
1:A:6:ILE:HD12	1:A:35:PHE:CD1	2.48	0.49
1:A:205:ILE:HG22	1:A:205:ILE:O	2.12	0.49
1:B:35:PHE:CZ	1:B:37:LEU:HD23	2.48	0.48
1:A:65:TYR:CE1	1:A:300:ILE:CA	2.96	0.48
1:A:44:LEU:HD12	1:A:44:LEU:H	1.76	0.48
1:B:188:LEU:HD12	1:B:216:ILE:CD1	2.43	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:44:LEU:CB	3:B:597:HOH:O	2.62	0.47
1:B:6:ILE:CG1	1:B:35:PHE:HE1	2.26	0.47
1:B:106:GLN:OE1	1:B:346:LYS:HE2	2.15	0.47
1:B:227:LEU:O	1:B:357:LEU:HD21	2.15	0.47
1:B:228:LYS:CA	1:B:230:GLN:CB	2.92	0.47
1:B:303:ARG:HG2	1:B:304:GLY:N	2.29	0.46
1:A:40:HIS:HB3	1:A:62:ARG:HH11	1.79	0.46
1:A:312:ASN:OD1	1:A:313:PRO:HA	2.16	0.46
1:A:194:LYS:O	1:A:198:ILE:HG13	2.16	0.46
1:A:377:THR:O	1:A:378:LEU:HB2	2.15	0.45
1:B:46:VAL:HG22	3:B:430:HOH:O	2.16	0.45
1:A:205:ILE:O	1:A:207:LYS:N	2.50	0.45
1:B:228:LYS:HA	1:B:230:GLN:CB	2.47	0.45
1:A:205:ILE:HG21	3:A:519:HOH:O	2.16	0.45
1:A:203:ILE:O	1:A:204:THR:OG1	2.33	0.45
1:A:203:ILE:CD1	1:A:230:GLN:O	2.66	0.44
1:A:208:HIS:O	1:A:211:GLY:N	2.45	0.44
1:B:44:LEU:HB2	3:B:597:HOH:O	2.16	0.44
1:B:176:GLN:O	1:B:180:LEU:HB2	2.18	0.44
1:A:14:ARG:HG2	1:A:43:ASN:OD1	2.17	0.44
1:B:27:MET:O	1:B:31:SER:HB3	2.18	0.44
1:A:250:SER:O	1:A:254:GLU:HG3	2.17	0.43
1:A:260:GLU:OE1	1:A:262:LYS:HB3	2.17	0.43
1:A:40:HIS:CG	1:A:62:ARG:HH11	2.37	0.43
1:A:10:GLY:HA2	1:A:68:PHE:O	2.19	0.43
1:B:32:THR:CG2	1:B:34:GLU:HB3	2.49	0.43
1:B:183:GLU:O	1:B:184:ARG:HG2	2.18	0.43
1:B:194:LYS:HD3	1:B:194:LYS:HA	1.70	0.43
1:A:221:PHE:CD1	1:A:238:GLY:HA3	2.53	0.43
1:B:303:ARG:HG2	1:B:304:GLY:H	1.84	0.43
1:B:167:LYS:CG	1:B:171:TYR:HE1	2.32	0.42
1:B:131:TYR:CD2	1:B:140:LEU:HD22	2.54	0.42
1:B:17:ASP:HB3	1:B:265:PRO:HB2	2.01	0.42
1:A:100:THR:HA	3:A:584:HOH:O	2.18	0.42
1:A:134:ASP:HB2	3:A:550:HOH:O	2.18	0.42
1:A:205:ILE:C	1:A:207:LYS:H	2.23	0.42
1:B:193:ASP:OD1	1:B:194:LYS:HE2	2.20	0.42
1:B:227:LEU:HB2	1:B:229:ILE:CA	2.50	0.41
1:A:205:ILE:O	1:A:205:ILE:CG2	2.67	0.41
1:A:344:ASN:HB3	3:A:584:HOH:O	2.20	0.41
1:B:321:VAL:O	1:B:325:ARG:HG3	2.20	0.41
1:B:192:ARG:CD	1:B:218:ASN:HD21	2.34	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:34:GLU:OE1	1:A:294:ARG:HD3	2.21	0.41
1:B:288:GLU:HG3	1:B:332:VAL:HG11	2.03	0.40
1:A:147:ALA:HA	1:A:152:TRP:HB2	2.03	0.40
1:B:40[B]:HIS:CE1	1:B:62:ARG:NH2	2.89	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	353/388 (91%)	345 (98%)	6 (2%)	2 (1%)	33	19
1	B	357/388 (92%)	347 (97%)	10 (3%)	0	100	100
All	All	710/776 (92%)	692 (98%)	16 (2%)	2 (0%)	50	38

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	305	ASN
1	A	206	GLY

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	301/336 (90%)	299 (99%)	2 (1%)	91	90
1	B	304/336 (90%)	298 (98%)	6 (2%)	68	59
All	All	605/672 (90%)	597 (99%)	8 (1%)	80	76

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	44	LEU
1	A	301	SER
1	B	34	GLU
1	B	44	LEU
1	B	164	ASN
1	B	209	VAL
1	B	303	ARG
1	B	358	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	NAG	A	389	1	12,14,15	0.86	1 (8%)	15,19,21	1.68	4 (26%)
2	NAG	B	389	1	12,14,15	0.85	0	15,19,21	1.86	4 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	389	1	-	0/6/23/26	0/1/1/1
2	NAG	B	389	1	-	0/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	389	NAG	O5-C5	-2.37	1.41	1.45

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	389	NAG	C2-N2-C7	-4.08	116.23	123.09
2	B	389	NAG	C3-C2-N2	-3.93	105.78	111.76
2	B	389	NAG	O5-C5-C6	3.42	110.57	106.98
2	B	389	NAG	C3-C4-C5	-3.11	104.66	110.20
2	B	389	NAG	O5-C5-C4	-2.98	106.87	110.65
2	A	389	NAG	O5-C5-C6	2.91	110.04	106.98
2	A	389	NAG	C4-C3-C2	-2.47	105.27	111.32
2	A	389	NAG	C3-C4-C5	-2.08	106.49	110.20

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	356/388 (91%)	0.24	16 (4%) 32 37	14, 26, 50, 71	0
1	B	362/388 (93%)	0.45	36 (9%) 8 10	13, 23, 62, 87	0
All	All	718/776 (92%)	0.35	52 (7%) 15 20	13, 25, 58, 87	0

All (52) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	229	ILE	7.4
1	A	303	ARG	7.0
1	B	228	LYS	6.7
1	B	227	LEU	6.7
1	B	162	ILE	6.1
1	B	165	ASP	5.8
1	B	292	ASN	5.6
1	B	161	ASN	5.4
1	B	170	THR	5.0
1	A	204	THR	5.0
1	B	226	LEU	4.7
1	B	231	PHE	4.6
1	A	305	ASN	4.6
1	B	163	ASN	4.4
1	A	209	VAL	4.4
1	B	168	ASP	4.3
1	B	201	GLN	4.2
1	A	180	LEU	4.2
1	B	195	VAL	4.2
1	B	180	LEU	4.1
1	B	175	PHE	4.0
1	B	225	ASP	4.0
1	A	304	GLY	4.0
1	B	196	ASN	4.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	65	TYR	3.9
1	A	302	ARG	3.9
1	B	204	THR	3.8
1	A	203	ILE	3.8
1	B	178	LEU	3.5
1	A	205	ILE	3.5
1	B	203	ILE	3.5
1	B	166	LYS	3.4
1	A	306	ALA	3.4
1	B	169	GLU	3.3
1	B	35	PHE	3.2
1	B	173	SER	3.1
1	B	197	ASP	3.1
1	A	262	LYS	3.0
1	B	192	ARG	2.9
1	B	202	VAL	2.7
1	B	160	GLY	2.6
1	A	317	TRP	2.6
1	B	200	ASP	2.5
1	B	199	VAL	2.5
1	B	232	GLY	2.3
1	A	378	LEU	2.3
1	B	176	GLN	2.2
1	B	184	ARG	2.1
1	B	167	LYS	2.1
1	A	193	ASP	2.1
1	B	171	TYR	2.0
1	A	182	LYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron

density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	NAG	B	389	14/15	0.22	6.19	43,49,55,58	0
2	NAG	A	389	14/15	0.17	1.64	29,40,49,51	0

## 6.5 Other polymers ⓘ

There are no such residues in this entry.