



Full wwPDB X-ray Structure Validation Report

Feb 28, 2014 – 05:27 AM GMT

PDB ID : 2OBQ
Title : Discovery of the HCV NS3/4A Protease Inhibitor SCH503034. Key Steps in Structure-Based Optimization
Authors : Prongay, A.J.; Guo, Z.; Yao, N.; Fischmann, T.; Strickland, C.; Myers Jr., J.; Weber, P.C.; Malcolm, B.; Beyer, B.M.; Ingram, R.; Pichardo, J.; Hong, Z.; Prosise, W.W.; Ramanathan, L.; Taremi, S.S.; Yarosh-Tomaine, T.; Zhang, R.; Senior, M.; Yang, R.; Arasappan, A.; Bennett, F.; Bogen, S.F.; Chen, K.; Jao, E.; Liu, Y.; Love, R.G.; Saksena, A.K.; Venkatraman, S.; Girijavallabhan, V.; Njoroge, F.G.; Madison, V.
Deposited on : 2006-12-19
Resolution : 2.50 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.15 2013
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	21963
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP)	:	stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	79885	3562 (2.50-2.50)
Ramachandran outliers	78287	3480 (2.50-2.50)
Sidechain outliers	78261	3482 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	200	
1	C	200	
2	B	23	
2	D	23	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 2881 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hepatitis C virus.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	180	Total	C	N	O	S	0	0	0
			1335	833	243	250	9			
1	C	151	Total	C	N	O	S	0	0	0
			1116	699	200	209	8			

There are 40 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-10	MET	-	CLONING ARTIFACTS	UNP Q9ELS8
A	-9	ALA	-	CLONING ARTIFACTS	UNP Q9ELS8
A	-8	SER	-	CLONING ARTIFACTS	UNP Q9ELS8
A	-7	MET	-	CLONING ARTIFACTS	UNP Q9ELS8
A	-6	THR	-	CLONING ARTIFACTS	UNP Q9ELS8
A	-5	GLY	-	CLONING ARTIFACTS	UNP Q9ELS8
A	-4	GLY	-	CLONING ARTIFACTS	UNP Q9ELS8
A	-3	GLN	-	CLONING ARTIFACTS	UNP Q9ELS8
A	-2	GLN	-	CLONING ARTIFACTS	UNP Q9ELS8
A	-1	MET	-	CLONING ARTIFACTS	UNP Q9ELS8
A	0	GLY	-	CLONING ARTIFACTS	UNP Q9ELS8
A	119	ARG	GLN	CONFLICT	UNP Q9ELS8
A	182	GLY	-	CLONING ARTIFACTS	UNP Q9ELS8
A	183	SER	-	CLONING ARTIFACTS	UNP Q9ELS8
A	184	HIS	-	EXPRESSION TAG	UNP Q9ELS8
A	185	HIS	-	EXPRESSION TAG	UNP Q9ELS8
A	186	HIS	-	EXPRESSION TAG	UNP Q9ELS8
A	187	HIS	-	EXPRESSION TAG	UNP Q9ELS8
A	188	HIS	-	EXPRESSION TAG	UNP Q9ELS8
A	189	HIS	-	EXPRESSION TAG	UNP Q9ELS8
C	-10	MET	-	CLONING ARTIFACT	UNP Q9ELS8
C	-9	ALA	-	CLONING ARTIFACT	UNP Q9ELS8
C	-8	SER	-	CLONING ARTIFACT	UNP Q9ELS8
C	-7	MET	-	CLONING ARTIFACT	UNP Q9ELS8
C	-6	THR	-	CLONING ARTIFACT	UNP Q9ELS8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-5	GLY	-	CLONING ARTIFACT	UNP Q9ELS8
C	-4	GLY	-	CLONING ARTIFACT	UNP Q9ELS8
C	-3	GLN	-	CLONING ARTIFACT	UNP Q9ELS8
C	-2	GLN	-	CLONING ARTIFACT	UNP Q9ELS8
C	-1	MET	-	CLONING ARTIFACT	UNP Q9ELS8
C	0	GLY	-	CLONING ARTIFACT	UNP Q9ELS8
C	119	ARG	GLN	CONFLICT	UNP Q9ELS8
C	182	GLY	-	CLONING ARTIFACT	UNP Q9ELS8
C	183	SER	-	CLONING ARTIFACT	UNP Q9ELS8
C	184	HIS	-	EXPRESSION TAG	UNP Q9ELS8
C	185	HIS	-	EXPRESSION TAG	UNP Q9ELS8
C	186	HIS	-	EXPRESSION TAG	UNP Q9ELS8
C	187	HIS	-	EXPRESSION TAG	UNP Q9ELS8
C	188	HIS	-	EXPRESSION TAG	UNP Q9ELS8
C	189	HIS	-	EXPRESSION TAG	UNP Q9ELS8

- Molecule 2 is a protein called Hepatitis C virus.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	22	Total	C	N	O	S	0	0	0
			159	105	29	24	1			
2	D	16	Total	C	N	O	S	0	0	0
			108	70	20	17	1			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	19	LYS	-	CLONING ARTIFACT	UNP P27958
B	20	LYS	-	CLONING ARTIFACT	UNP P27958
B	40	LYS	-	CLONING ARTIFACT	UNP P27958
B	41	LYS	-	CLONING ARTIFACT	UNP P27958
D	19	LYS	-	CLONING ARTIFACT	UNP P27958
D	20	LYS	-	CLONING ARTIFACT	UNP P27958
D	40	LYS	-	CLONING ARTIFACT	UNP P27958
D	41	LYS	-	CLONING ARTIFACT	UNP P27958

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Zn	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	C	1	Total 1	Zn 1	0	0

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	92	Total 92	O 92	0	0
4	B	12	Total 12	O 12	0	0
4	C	49	Total 49	O 49	0	0
4	D	8	Total 8	O 8	0	0

3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: Hepatitis C virus




- Molecule 1: Hepatitis C virus



- Molecule 2: Hepatitis C virus



- Molecule 2: Hepatitis C virus



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	H 3 2	Depositor
Cell constants a, b, c, α , β , γ	225.57Å 225.57Å 75.72Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	8.00 – 2.50	Depositor
% Data completeness (in resolution range)	89.4 (8.00-2.50)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
Refinement program	X-PLOR	Depositor
R, R_{free}	0.203 , 0.264	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	2881	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.42	0/1361	0.71	0/1856
1	C	0.39	0/1140	0.74	0/1557
2	B	0.46	0/160	0.77	0/212
2	D	0.48	0/108	0.70	0/145
All	All	0.42	0/2769	0.73	0/3770

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1335	0	1352	24	0
1	C	1116	0	1119	19	0
2	B	159	0	193	2	0
2	D	108	0	125	8	0
3	A	1	0	0	0	0
3	C	1	0	0	0	0
4	A	92	0	0	1	0
4	B	12	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	C	49	0	0	0	0
4	D	8	0	0	1	0
All	All	2881	0	2789	45	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 8.

All (45) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:63:THR:HG23	2:D:22:CYS:SG	2.10	0.91
1:A:176:GLU:HG2	4:A:987:HOH:O	1.91	0.70
1:C:66:SER:HB3	1:C:69:GLY:O	1.92	0.70
1:C:59:ALA:O	1:C:62:ARG:HB2	1.93	0.68
1:C:106:LEU:HD12	1:C:143:LEU:HG	1.82	0.61
1:A:32:GLU:HA	1:A:92:ARG:O	2.06	0.53
1:A:158:VAL:HB	1:A:166:ALA:HB3	1.90	0.53
1:C:56:TYR:CE2	1:C:78:VAL:HG22	2.43	0.53
1:C:33:VAL:HB	2:D:29:ILE:HB	1.91	0.53
1:C:64:ILE:HG23	1:C:71:VAL:HG13	1.92	0.52
1:A:36:VAL:HG22	2:B:23:VAL:HG12	1.91	0.52
1:C:64:ILE:CG2	1:C:71:VAL:HG13	2.41	0.51
1:C:42:THR:HG22	1:C:109:ARG:HH12	1.75	0.51
1:A:172:VAL:HG23	1:A:175:LEU:HD22	1.93	0.51
1:A:13:LEU:O	1:A:17:ILE:HG13	2.11	0.50
1:C:32:GLU:HG3	1:C:92:ARG:HG3	1.95	0.49
1:C:117:ARG:HH11	1:C:117:ARG:HG3	1.77	0.49
1:A:127:LEU:HD12	1:C:99:CYS:HA	1.95	0.49
1:A:104:LEU:HD22	1:A:151:VAL:HG21	1.95	0.48
1:C:29:VAL:HG21	2:D:36:ALA:HA	1.95	0.48
1:A:104:LEU:HB2	1:A:116:VAL:CG2	2.44	0.48
1:C:44:LEU:HD21	1:C:109:ARG:HA	1.96	0.47
1:A:132:ILE:HG22	1:A:162:GLY:O	2.15	0.47
1:A:55:VAL:HG21	1:A:57:HIS:CE1	2.50	0.47
2:D:30:VAL:HG13	2:D:30:VAL:O	2.15	0.46
1:A:44:LEU:O	1:A:140:GLY:HA3	2.16	0.45
2:D:28:ARG:HD3	4:D:42:HOH:O	2.15	0.45
1:A:23:GLY:HA3	1:A:70:PRO:HG3	1.98	0.45
1:A:117:ARG:HB2	1:A:127:LEU:HD21	2.00	0.44
1:A:92:ARG:HB3	1:A:92:ARG:NH1	2.33	0.44
1:A:104:LEU:HB2	1:A:116:VAL:HG22	1.99	0.43
1:C:47:CYS:HA	1:C:51:VAL:O	2.18	0.43
1:C:74:MET:SD	1:C:86:PRO:HG3	2.57	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:B:40:LYS:HB2	2:B:40:LYS:NZ	2.33	0.43
1:C:29:VAL:CG2	2:D:36:ALA:HA	2.49	0.42
1:C:63:THR:CG2	2:D:22:CYS:SG	2.97	0.42
1:A:63:THR:HG22	1:A:72:ILE:HA	2.00	0.42
1:A:118:ARG:HD2	1:A:120:GLY:O	2.18	0.42
1:A:106:LEU:O	1:A:113:VAL:HA	2.19	0.42
1:C:62:ARG:HB3	2:D:23:VAL:HG23	2.01	0.42
1:A:95:THR:OG1	1:A:149:HIS:CD2	2.73	0.42
1:A:44:LEU:HD21	1:A:109:ARG:HG3	2.01	0.41
1:A:159:CYS:HB3	1:A:164:ALA:HA	2.01	0.41
1:A:54:THR:CG2	1:A:83:VAL:HG22	2.51	0.41
1:A:43:PHE:CD1	1:A:43:PHE:N	2.89	0.41

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	178/200 (89%)	169 (95%)	8 (4%)	1 (1%)	33	55
1	C	149/200 (74%)	143 (96%)	6 (4%)	0	100	100
2	B	20/23 (87%)	20 (100%)	0	0	100	100
2	D	14/23 (61%)	14 (100%)	0	0	100	100
All	All	361/446 (81%)	346 (96%)	14 (4%)	1 (0%)	50	73

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	172	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	146/161 (91%)	137 (94%)	9 (6%)	26	45
1	C	123/161 (76%)	110 (89%)	13 (11%)	10	18
2	B	18/19 (95%)	18 (100%)	0	100	100
2	D	12/19 (63%)	12 (100%)	0	100	100
All	All	299/360 (83%)	277 (93%)	22 (7%)	20	35

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	28	GLN
1	A	36	VAL
1	A	43	PHE
1	A	66	SER
1	A	117	ARG
1	A	118	ARG
1	A	135	LEU
1	A	144	LEU
1	A	159	CYS
1	C	40	THR
1	C	62	ARG
1	C	71	VAL
1	C	89	GLN
1	C	104	LEU
1	C	106	LEU
1	C	123	ARG
1	C	128	SER
1	C	142	PRO
1	C	143	LEU
1	C	144	LEU
1	C	159	CYS
1	C	168	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	27	ASN
1	A	34	GLN
1	A	80	GLN
1	A	149	HIS
1	C	49	ASN
1	C	89	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.