



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2014 – 01:08 AM GMT

PDB ID : 2OCF  
Title : Human estrogen receptor alpha ligand-binding domain in complex with estradiol and the E2#23 FN3 monobody  
Authors : Rajan, S.S.; Kuruvilla, S.M.; Sharma, S.K.; Kim, Y.; Huang, J.; Koide, A.; Koide, S.; Joachimiak, A.; Greene, G.L.  
Deposited on : 2006-12-20  
Resolution : 2.95 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.15 2013  
Xtriage (Phenix) : dev-1323  
EDS : stable22639  
Percentile statistics : 21963  
Refmac : 5.8.0049  
CCP4 : 6.3.0 (Settle)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable22683

# 1 Overall quality at a glance

The reported resolution of this entry is 2.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	66092	1587 (3.00-2.92)
Clashscore	79885	2029 (3.00-2.92)
Ramachandran outliers	78287	1955 (3.00-2.92)
Sidechain outliers	78261	1958 (3.00-2.92)
RSRZ outliers	66119	1588 (3.00-2.92)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	298	
2	D	121	

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 2600 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Estrogen receptor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	233	1873	1196	323	333	21	0	2	0

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	381	CME	CYS	MODIFIED RESIDUE	UNP P03372
A	417	CME	CYS	MODIFIED RESIDUE	UNP P03372
A	537	SER	TYR	ENGINEERED	UNP P03372

- Molecule 2 is a protein called Fibronectin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	D	93	696	446	113	136	1	0	0	0

There are 35 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
D	-26	MET	-	INSERTION	UNP P02751
D	-25	LYS	-	EXPRESSION TAG	UNP P02751
D	-24	HIS	-	EXPRESSION TAG	UNP P02751
D	-23	HIS	-	EXPRESSION TAG	UNP P02751
D	-22	HIS	-	EXPRESSION TAG	UNP P02751
D	-21	HIS	-	EXPRESSION TAG	UNP P02751
D	-20	HIS	-	EXPRESSION TAG	UNP P02751
D	-19	HIS	-	EXPRESSION TAG	UNP P02751
D	-18	SER	-	EXPRESSION TAG	UNP P02751
D	-17	SER	-	EXPRESSION TAG	UNP P02751
D	-16	ASP	-	EXPRESSION TAG	UNP P02751
D	-15	TYR	-	EXPRESSION TAG	UNP P02751
D	-14	LYS	-	EXPRESSION TAG	UNP P02751

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
D	-13	ASP	-	EXPRESSION TAG	UNP P02751
D	-12	ASP	-	EXPRESSION TAG	UNP P02751
D	-11	ASP	-	EXPRESSION TAG	UNP P02751
D	-10	ASP	-	EXPRESSION TAG	UNP P02751
D	-9	LYS	-	EXPRESSION TAG	UNP P02751
D	-8	GLY	-	EXPRESSION TAG	UNP P02751
D	-7	GLU	-	EXPRESSION TAG	UNP P02751
D	-6	ASN	-	EXPRESSION TAG	UNP P02751
D	-5	LEU	-	EXPRESSION TAG	UNP P02751
D	-4	TYR	-	EXPRESSION TAG	UNP P02751
D	-3	PHE	-	EXPRESSION TAG	UNP P02751
D	-2	GLN	-	EXPRESSION TAG	UNP P02751
D	-1	GLY	-	EXPRESSION TAG	UNP P02751
D	0	SER	-	EXPRESSION TAG	UNP P02751
D	6	THR	ARG	ENGINEERED	UNP P02751
D	7	LYS	ASP	ENGINEERED	UNP P02751
D	78	LEU	ARG	ENGINEERED	UNP P02751
D	79	ARG	GLY	ENGINEERED	UNP P02751
D	80	LEU	ASP	ENGINEERED	UNP P02751
D	81	MET	SER	ENGINEERED	UNP P02751
D	82	LEU	PRO	ENGINEERED	UNP P02751
D	84	GLY	SER	ENGINEERED	UNP P02751

- Molecule 3 is ESTRADIOL (three-letter code: EST) (formula:  $C_{18}H_{24}O_2$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			20	18	2		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	6	Total	O	0	0
			6	6		
4	D	5	Total	O	0	0
			5	5		

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Estrogen receptor

Chain A: 



#### • Molecule 2: Fibronectin

Chain D: 



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	119.22Å 119.22Å 133.00Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	48.11 – 2.95 48.13 – 2.95	Depositor EDS
% Data completeness (in resolution range)	98.7 (48.11-2.95) 98.7 (48.13-2.95)	Depositor EDS
$R_{merge}$	0.12	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.39 (at 2.96Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.191 , 0.251 0.192 , 0.252	Depositor DCC
$R_{free}$ test set	575 reflections (4.98%)	DCC
Wilson B-factor (Å <sup>2</sup> )	68.8	Xtriage
Anisotropy	0.353	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 75.8	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 12116 reflections	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	2600	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	67.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.02% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CME, EST

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.46	0/1894	0.62	0/2556
2	D	0.48	0/711	0.68	0/975
All	All	0.46	0/2605	0.63	0/3531

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1873	0	1920	71	0
2	D	696	0	712	31	0
3	A	20	0	23	1	0
4	A	6	0	0	0	0
4	D	5	0	0	0	0
All	All	2600	0	2655	99	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 19.



All (99) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:403:LEU:HD23	1:A:409:LEU:HD23	1.39	1.04
2:D:8:LEU:CD1	2:D:90:ILE:HG12	2.01	0.89
2:D:35:THR:HG22	2:D:47:GLU:HG3	1.57	0.86
1:A:401:LYS:HG3	1:A:409:LEU:HD11	1.60	0.83
2:D:77:GLY:O	2:D:81:MET:HG3	1.80	0.81
1:A:343:MET:O	1:A:347:THR:HB	1.80	0.80
1:A:472:LYS:N	1:A:472:LYS:HD2	1.96	0.80
1:A:438:MET:HE1	1:A:507:LEU:HD23	1.63	0.79
2:D:4:VAL:HG13	2:D:5:PRO:HD2	1.64	0.78
2:D:8:LEU:HD13	2:D:90:ILE:HG12	1.67	0.76
1:A:308:LEU:HA	1:A:481:LYS:HD2	1.69	0.73
2:D:32:TYR:HB2	2:D:50:VAL:HG12	1.70	0.73
1:A:530:CYS:O	1:A:532:ASN:N	2.22	0.73
1:A:357:MET:HE1	1:A:387:LEU:HD13	1.73	0.71
1:A:401:LYS:HG3	1:A:409:LEU:CD1	2.20	0.71
1:A:366:GLY:HA2	1:A:369:ASP:OD1	1.92	0.69
1:A:423:GLU:HA	1:A:423:GLU:OE2	1.94	0.68
2:D:26:ALA:O	2:D:27:VAL:HG22	1.94	0.68
1:A:438:MET:CE	1:A:507:LEU:HD23	2.24	0.67
1:A:498:GLN:HA	1:A:501[A]:HIS:CE1	2.29	0.67
1:A:357:MET:CE	1:A:387:LEU:HD13	2.25	0.66
1:A:385:GLU:OE2	1:A:515:ARG:HD3	1.97	0.65
1:A:385:GLU:HG2	1:A:514:ILE:HG22	1.80	0.64
2:D:33:ARG:HG3	2:D:33:ARG:HH21	1.64	0.61
1:A:394:ARG:NH2	1:A:404:PHE:O	2.34	0.61
1:A:530:CYS:C	1:A:532:ASN:N	2.54	0.60
2:D:26:ALA:C	2:D:27:VAL:CG2	2.70	0.60
2:D:35:THR:HG22	2:D:47:GLU:CG	2.31	0.59
2:D:80:LEU:H	2:D:80:LEU:HD22	1.68	0.59
1:A:351:ASP:OD1	1:A:537:SER:HB2	2.03	0.59
1:A:342:MET:HE3	1:A:418:VAL:HG23	1.84	0.58
1:A:392:VAL:HG13	1:A:432:SER:HA	1.86	0.58
1:A:327:LEU:HD12	1:A:353:GLU:HG2	1.87	0.56
1:A:438:MET:HE1	1:A:507:LEU:CD2	2.35	0.56
1:A:403:LEU:CD2	1:A:409:LEU:HD23	2.26	0.56
1:A:403:LEU:HD23	1:A:409:LEU:CD2	2.26	0.55
2:D:41:GLY:O	2:D:42:ASN:HB3	2.07	0.55
2:D:67:ASP:HA	2:D:93:ARG:HA	1.89	0.54
1:A:459:TYR:CE2	1:A:460:THR:HG22	2.43	0.53
1:A:496:THR:O	1:A:500:GLN:HG3	2.08	0.53
1:A:398:HIS:O	1:A:399:PRO:C	2.45	0.53
1:A:530:CYS:C	1:A:532:ASN:H	2.11	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:D:4:VAL:HG13	2:D:5:PRO:CD	2.39	0.52
1:A:438:MET:CE	1:A:507:LEU:CD2	2.87	0.52
1:A:434:ARG:HH12	1:A:513:HIS:CE1	2.28	0.52
2:D:79:ARG:HG3	2:D:80:LEU:N	2.25	0.51
1:A:444:GLU:O	1:A:448:LEU:HD22	2.10	0.51
1:A:427:MET:CE	1:A:517:MET:HG2	2.41	0.50
1:A:327:LEU:CD2	2:D:47:GLU:OE1	2.60	0.50
1:A:411:ASP:H	1:A:414:GLN:HE21	1.60	0.50
1:A:323:GLU:OE2	1:A:323:GLU:HA	2.12	0.49
1:A:394:ARG:HG2	1:A:403:LEU:HD12	1.93	0.49
1:A:337:PHE:CE2	1:A:342:MET:HG3	2.48	0.49
1:A:530:CYS:O	1:A:531:LYS:C	2.51	0.48
2:D:66:VAL:HG12	2:D:67:ASP:N	2.28	0.48
2:D:66:VAL:CG1	2:D:67:ASP:N	2.76	0.48
1:A:327:LEU:HD22	2:D:47:GLU:OE1	2.14	0.48
1:A:435:PHE:CZ	1:A:510:ILE:HG21	2.49	0.48
1:A:458:VAL:HG22	1:A:459:TYR:N	2.30	0.47
1:A:427:MET:HE1	1:A:517:MET:HG2	1.96	0.47
1:A:529:LYS:HB2	1:A:536:LEU:HD11	1.96	0.47
1:A:435:PHE:CE1	1:A:510:ILE:HG21	2.50	0.47
1:A:351:ASP:OD1	1:A:537:SER:CB	2.63	0.47
1:A:360:TRP:CZ2	1:A:449:LYS:HE2	2.50	0.46
2:D:76:THR:HG21	2:D:80:LEU:HG	1.96	0.46
1:A:353:GLU:OE1	3:A:596:EST:O3	2.34	0.46
2:D:26:ALA:O	2:D:27:VAL:CG2	2.63	0.46
2:D:80:LEU:H	2:D:80:LEU:CD2	2.28	0.46
1:A:389:ILE:HD12	1:A:445:PHE:CE2	2.51	0.45
1:A:475:ILE:HG22	1:A:476:HIS:HD2	1.81	0.45
1:A:337:PHE:CD2	1:A:342:MET:HG3	2.51	0.45
1:A:487:ILE:HD11	1:A:504:LEU:HD22	1.99	0.45
1:A:486:LEU:HA	1:A:486:LEU:HD23	1.72	0.45
2:D:36:TYR:HA	2:D:69:THR:O	2.17	0.44
2:D:33:ARG:NH2	2:D:33:ARG:HG3	2.31	0.44
2:D:21:SER:CB	2:D:56:THR:HG22	2.48	0.44
2:D:26:ALA:C	2:D:27:VAL:HG23	2.39	0.43
1:A:316:VAL:HG11	1:A:443:GLU:HG2	1.98	0.43
1:A:451:ILE:HG13	1:A:482:ILE:HG21	2.00	0.43
1:A:346:LEU:HA	1:A:346:LEU:HD12	1.82	0.43
1:A:496:THR:OG1	1:A:499:GLN:HG3	2.19	0.43
1:A:427:MET:HE3	1:A:427:MET:HB2	1.85	0.43
1:A:539:LEU:O	1:A:543:MET:HG2	2.19	0.42
2:D:33:ARG:HB2	2:D:73:TYR:HB2	2.01	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:424:ILE:HA	1:A:427:MET:CE	2.50	0.41
1:A:389:ILE:CD1	1:A:445:PHE:HE2	2.32	0.41
1:A:320:LEU:HD12	1:A:320:LEU:HA	1.71	0.41
1:A:327:LEU:HD13	1:A:352:ARG:HB3	2.02	0.41
1:A:372:LEU:HD21	2:D:83:ALA:HB2	2.02	0.41
1:A:389:ILE:CD1	1:A:445:PHE:CE2	3.04	0.41
1:A:394:ARG:HG2	1:A:403:LEU:CD1	2.51	0.41
2:D:10:VAL:O	2:D:10:VAL:HG12	2.20	0.41
1:A:509:LEU:HD12	1:A:509:LEU:HA	1.83	0.40
1:A:401:LYS:CB	1:A:410:LEU:O	2.70	0.40
2:D:73:TYR:CE1	2:D:87:PRO:HG3	2.56	0.40
2:D:21:SER:HB3	2:D:56:THR:HG22	2.03	0.40
1:A:403:LEU:HA	1:A:409:LEU:HD23	2.02	0.40
1:A:383:TRP:NE1	1:A:543:MET:HB3	2.36	0.40
1:A:381:CME:HB2	1:A:456:SER:HB2	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	229/298 (77%)	214 (93%)	12 (5%)	3 (1%)	18	60
2	D	91/121 (75%)	83 (91%)	8 (9%)	0	100	100
All	All	320/419 (76%)	297 (93%)	20 (6%)	3 (1%)	25	71

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	531	LYS
1	A	533	VAL
1	A	458	VAL

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	209/261 (80%)	173 (83%)	36 (17%)	3	13
2	D	78/104 (75%)	67 (86%)	11 (14%)	5	20
All	All	287/365 (79%)	240 (84%)	47 (16%)	3	14

All (47) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	306	LEU
1	A	320	LEU
1	A	323	GLU
1	A	330	GLU
1	A	332	ASP
1	A	342	MET
1	A	346	LEU
1	A	347	THR
1	A	349	LEU
1	A	352	ARG
1	A	359[A]	ASN
1	A	359[B]	ASN
1	A	378	LEU
1	A	384	LEU
1	A	387	LEU
1	A	389	ILE
1	A	391	LEU
1	A	401	LYS
1	A	403	LEU
1	A	409	LEU
1	A	413	ASN
1	A	416	LYS
1	A	419	GLU
1	A	421	MET
1	A	425	PHE
1	A	434	ARG
1	A	436	ARG
1	A	443	GLU
1	A	449	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	472	LYS
1	A	478	VAL
1	A	481	LYS
1	A	509	LEU
1	A	536	LEU
1	A	540	LEU
1	A	541	LEU
2	D	3	ASP
2	D	4	VAL
2	D	8	LEU
2	D	46	GLN
2	D	50	VAL
2	D	58	THR
2	D	78	LEU
2	D	79	ARG
2	D	80	LEU
2	D	85	SER
2	D	89	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	356	HIS
1	A	373	HIS
1	A	414	GLN
1	A	476	HIS
1	A	513	HIS

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected

value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
1	CME	A	381	1	9,9,10	5.45	1 (11%)	7,9,11	3.52	2 (28%)
1	CME	A	417	1	9,9,10	5.69	1 (11%)	7,9,11	4.17	3 (42%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CME	A	381	1	-	0/6/8/10	0/0/0/0
1	CME	A	417	1	-	0/6/8/10	0/0/0/0

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	417	CME	O-C	16.89	1.23	1.11
1	A	381	CME	O-C	16.14	1.22	1.11

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	381	CME	CE-SD-SG	6.95	139.45	103.50
1	A	417	CME	CB-SG-SD	6.83	117.50	103.87
1	A	417	CME	CE-SD-SG	6.81	138.72	103.50
1	A	381	CME	CB-SG-SD	5.71	115.26	103.87
1	A	417	CME	C-CA-N	-5.01	108.82	113.83

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	EST	A	596	-	23,23,23	1.26	2 (8%)	36,36,36	1.02	2 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EST	A	596	-	-	0/0/40/40	0/0/4/4

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	596	EST	C5-C10	4.75	1.48	1.39
3	A	596	EST	C10-C9	-2.31	1.48	1.52

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	596	EST	C9-C8-C14	-2.92	104.33	108.91
3	A	596	EST	C15-C14-C13	2.15	106.84	103.82

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	233/298 (78%)	0.02	9 (3%) 37 18	40, 65, 93, 146	1 (0%)
2	D	93/121 (76%)	0.55	11 (11%) 5 3	44, 63, 102, 143	0
All	All	326/419 (77%)	0.17	20 (6%) 21 11	40, 64, 96, 146	1 (0%)

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	28	THR	4.2
2	D	26	ALA	4.1
1	A	459	TYR	3.7
2	D	2	SER	3.0
2	D	30	ARG	2.8
1	A	534	VAL	2.8
2	D	32	TYR	2.7
2	D	34	ILE	2.6
1	A	484	ASP	2.5
2	D	25	PRO	2.5
1	A	501[A]	HIS	2.4
2	D	53	SER	2.3
1	A	460	THR	2.3
1	A	305	SER	2.3
1	A	309	SER	2.3
2	D	94	THR	2.3
1	A	497	LEU	2.2
2	D	29	VAL	2.2
1	A	315	MET	2.2
2	D	76	THR	2.2

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
1	CME	A	417	10/11	0.26	2.34	73,81,190,196	0
1	CME	A	381	10/11	0.21	0.69	45,48,81,87	4

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	EST	A	596	20/20	0.16	-1.01	26,41,59,60	0

## 6.5 Other polymers ⓘ

There are no such residues in this entry.