



# Full wwPDB X-ray Structure Validation Report

Feb 28, 2014 – 03:33 PM GMT

PDB ID : 3OT4  
Title : Structure and Catalytic Mechanism of Bordetella bronchiseptica nicF  
Authors : Rowlett, R.S.; Snider, M.J.  
Deposited on : 2010-09-10  
Resolution : 2.40 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.15 2013  
Xtriage (Phenix) : dev-1323  
EDS : stable22639  
Percentile statistics : 21963  
Refmac : 5.8.0049  
CCP4 : 6.3.0 (Settle)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable22683

# 1 Overall quality at a glance

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	66092	2207 (2.40-2.40)
Clashscore	79885	2789 (2.40-2.40)
Ramachandran outliers	78287	2736 (2.40-2.40)
Sidechain outliers	78261	2737 (2.40-2.40)
RSRZ outliers	66119	2210 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	236	
1	B	236	
1	C	236	
1	D	236	
1	E	236	
1	F	236	
1	G	236	
1	H	236	

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 12175 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Putative isochorismatase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	198	Total	C	N	O	S	0	0	0
			1463	927	257	272	7			
1	B	198	Total	C	N	O	S	0	0	0
			1463	927	257	272	7			
1	C	198	Total	C	N	O	S	0	0	0
			1469	932	259	271	7			
1	D	198	Total	C	N	O	S	0	0	0
			1469	932	259	271	7			
1	E	201	Total	C	N	O	S	0	0	0
			1487	943	262	275	7			
1	F	197	Total	C	N	O	S	0	0	0
			1461	926	257	271	7			
1	G	197	Total	C	N	O	S	0	0	0
			1461	926	257	271	7			
1	H	198	Total	C	N	O	S	0	0	0
			1467	929	258	273	7			

There are 248 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-21	GLY	-	EXPRESSION TAG	UNP Q7TTE5
A	-20	SER	-	EXPRESSION TAG	UNP Q7TTE5
A	-19	ASP	-	EXPRESSION TAG	UNP Q7TTE5
A	-18	LYS	-	EXPRESSION TAG	UNP Q7TTE5
A	-17	ILE	-	EXPRESSION TAG	UNP Q7TTE5
A	-16	HIS	-	EXPRESSION TAG	UNP Q7TTE5
A	-15	HIS	-	EXPRESSION TAG	UNP Q7TTE5
A	-14	HIS	-	EXPRESSION TAG	UNP Q7TTE5
A	-13	HIS	-	EXPRESSION TAG	UNP Q7TTE5
A	-12	HIS	-	EXPRESSION TAG	UNP Q7TTE5
A	-11	HIS	-	EXPRESSION TAG	UNP Q7TTE5
A	-10	SER	-	EXPRESSION TAG	UNP Q7TTE5
A	-9	SER	-	EXPRESSION TAG	UNP Q7TTE5

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	-8	GLY	-	EXPRESSION TAG	UNP Q7TTE5
A	-7	GLU	-	EXPRESSION TAG	UNP Q7TTE5
A	-6	ASN	-	EXPRESSION TAG	UNP Q7TTE5
A	-5	LEU	-	EXPRESSION TAG	UNP Q7TTE5
A	-4	TYR	-	EXPRESSION TAG	UNP Q7TTE5
A	-3	PHE	-	EXPRESSION TAG	UNP Q7TTE5
A	-2	GLN	-	EXPRESSION TAG	UNP Q7TTE5
A	-1	GLY	-	EXPRESSION TAG	UNP Q7TTE5
A	0	HIS	-	EXPRESSION TAG	UNP Q7TTE5
A	206	GLY	-	EXPRESSION TAG	UNP Q7TTE5
A	207	LEU	-	EXPRESSION TAG	UNP Q7TTE5
A	208	GLU	-	EXPRESSION TAG	UNP Q7TTE5
A	209	HIS	-	EXPRESSION TAG	UNP Q7TTE5
A	210	HIS	-	EXPRESSION TAG	UNP Q7TTE5
A	211	HIS	-	EXPRESSION TAG	UNP Q7TTE5
A	212	HIS	-	EXPRESSION TAG	UNP Q7TTE5
A	213	HIS	-	EXPRESSION TAG	UNP Q7TTE5
A	214	HIS	-	EXPRESSION TAG	UNP Q7TTE5
B	-21	GLY	-	EXPRESSION TAG	UNP Q7TTE5
B	-20	SER	-	EXPRESSION TAG	UNP Q7TTE5
B	-19	ASP	-	EXPRESSION TAG	UNP Q7TTE5
B	-18	LYS	-	EXPRESSION TAG	UNP Q7TTE5
B	-17	ILE	-	EXPRESSION TAG	UNP Q7TTE5
B	-16	HIS	-	EXPRESSION TAG	UNP Q7TTE5
B	-15	HIS	-	EXPRESSION TAG	UNP Q7TTE5
B	-14	HIS	-	EXPRESSION TAG	UNP Q7TTE5
B	-13	HIS	-	EXPRESSION TAG	UNP Q7TTE5
B	-12	HIS	-	EXPRESSION TAG	UNP Q7TTE5
B	-11	HIS	-	EXPRESSION TAG	UNP Q7TTE5
B	-10	SER	-	EXPRESSION TAG	UNP Q7TTE5
B	-9	SER	-	EXPRESSION TAG	UNP Q7TTE5
B	-8	GLY	-	EXPRESSION TAG	UNP Q7TTE5
B	-7	GLU	-	EXPRESSION TAG	UNP Q7TTE5
B	-6	ASN	-	EXPRESSION TAG	UNP Q7TTE5
B	-5	LEU	-	EXPRESSION TAG	UNP Q7TTE5
B	-4	TYR	-	EXPRESSION TAG	UNP Q7TTE5
B	-3	PHE	-	EXPRESSION TAG	UNP Q7TTE5
B	-2	GLN	-	EXPRESSION TAG	UNP Q7TTE5
B	-1	GLY	-	EXPRESSION TAG	UNP Q7TTE5
B	0	HIS	-	EXPRESSION TAG	UNP Q7TTE5
B	206	GLY	-	EXPRESSION TAG	UNP Q7TTE5
B	207	LEU	-	EXPRESSION TAG	UNP Q7TTE5

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	208	GLU	-	EXPRESSION TAG	UNP Q7TTE5
B	209	HIS	-	EXPRESSION TAG	UNP Q7TTE5
B	210	HIS	-	EXPRESSION TAG	UNP Q7TTE5
B	211	HIS	-	EXPRESSION TAG	UNP Q7TTE5
B	212	HIS	-	EXPRESSION TAG	UNP Q7TTE5
B	213	HIS	-	EXPRESSION TAG	UNP Q7TTE5
B	214	HIS	-	EXPRESSION TAG	UNP Q7TTE5
C	-21	GLY	-	EXPRESSION TAG	UNP Q7TTE5
C	-20	SER	-	EXPRESSION TAG	UNP Q7TTE5
C	-19	ASP	-	EXPRESSION TAG	UNP Q7TTE5
C	-18	LYS	-	EXPRESSION TAG	UNP Q7TTE5
C	-17	ILE	-	EXPRESSION TAG	UNP Q7TTE5
C	-16	HIS	-	EXPRESSION TAG	UNP Q7TTE5
C	-15	HIS	-	EXPRESSION TAG	UNP Q7TTE5
C	-14	HIS	-	EXPRESSION TAG	UNP Q7TTE5
C	-13	HIS	-	EXPRESSION TAG	UNP Q7TTE5
C	-12	HIS	-	EXPRESSION TAG	UNP Q7TTE5
C	-11	HIS	-	EXPRESSION TAG	UNP Q7TTE5
C	-10	SER	-	EXPRESSION TAG	UNP Q7TTE5
C	-9	SER	-	EXPRESSION TAG	UNP Q7TTE5
C	-8	GLY	-	EXPRESSION TAG	UNP Q7TTE5
C	-7	GLU	-	EXPRESSION TAG	UNP Q7TTE5
C	-6	ASN	-	EXPRESSION TAG	UNP Q7TTE5
C	-5	LEU	-	EXPRESSION TAG	UNP Q7TTE5
C	-4	TYR	-	EXPRESSION TAG	UNP Q7TTE5
C	-3	PHE	-	EXPRESSION TAG	UNP Q7TTE5
C	-2	GLN	-	EXPRESSION TAG	UNP Q7TTE5
C	-1	GLY	-	EXPRESSION TAG	UNP Q7TTE5
C	0	HIS	-	EXPRESSION TAG	UNP Q7TTE5
C	206	GLY	-	EXPRESSION TAG	UNP Q7TTE5
C	207	LEU	-	EXPRESSION TAG	UNP Q7TTE5
C	208	GLU	-	EXPRESSION TAG	UNP Q7TTE5
C	209	HIS	-	EXPRESSION TAG	UNP Q7TTE5
C	210	HIS	-	EXPRESSION TAG	UNP Q7TTE5
C	211	HIS	-	EXPRESSION TAG	UNP Q7TTE5
C	212	HIS	-	EXPRESSION TAG	UNP Q7TTE5
C	213	HIS	-	EXPRESSION TAG	UNP Q7TTE5
C	214	HIS	-	EXPRESSION TAG	UNP Q7TTE5
D	-21	GLY	-	EXPRESSION TAG	UNP Q7TTE5
D	-20	SER	-	EXPRESSION TAG	UNP Q7TTE5
D	-19	ASP	-	EXPRESSION TAG	UNP Q7TTE5
D	-18	LYS	-	EXPRESSION TAG	UNP Q7TTE5

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
D	-17	ILE	-	EXPRESSION TAG	UNP Q7TTE5
D	-16	HIS	-	EXPRESSION TAG	UNP Q7TTE5
D	-15	HIS	-	EXPRESSION TAG	UNP Q7TTE5
D	-14	HIS	-	EXPRESSION TAG	UNP Q7TTE5
D	-13	HIS	-	EXPRESSION TAG	UNP Q7TTE5
D	-12	HIS	-	EXPRESSION TAG	UNP Q7TTE5
D	-11	HIS	-	EXPRESSION TAG	UNP Q7TTE5
D	-10	SER	-	EXPRESSION TAG	UNP Q7TTE5
D	-9	SER	-	EXPRESSION TAG	UNP Q7TTE5
D	-8	GLY	-	EXPRESSION TAG	UNP Q7TTE5
D	-7	GLU	-	EXPRESSION TAG	UNP Q7TTE5
D	-6	ASN	-	EXPRESSION TAG	UNP Q7TTE5
D	-5	LEU	-	EXPRESSION TAG	UNP Q7TTE5
D	-4	TYR	-	EXPRESSION TAG	UNP Q7TTE5
D	-3	PHE	-	EXPRESSION TAG	UNP Q7TTE5
D	-2	GLN	-	EXPRESSION TAG	UNP Q7TTE5
D	-1	GLY	-	EXPRESSION TAG	UNP Q7TTE5
D	0	HIS	-	EXPRESSION TAG	UNP Q7TTE5
D	206	GLY	-	EXPRESSION TAG	UNP Q7TTE5
D	207	LEU	-	EXPRESSION TAG	UNP Q7TTE5
D	208	GLU	-	EXPRESSION TAG	UNP Q7TTE5
D	209	HIS	-	EXPRESSION TAG	UNP Q7TTE5
D	210	HIS	-	EXPRESSION TAG	UNP Q7TTE5
D	211	HIS	-	EXPRESSION TAG	UNP Q7TTE5
D	212	HIS	-	EXPRESSION TAG	UNP Q7TTE5
D	213	HIS	-	EXPRESSION TAG	UNP Q7TTE5
D	214	HIS	-	EXPRESSION TAG	UNP Q7TTE5
E	-21	GLY	-	EXPRESSION TAG	UNP Q7TTE5
E	-20	SER	-	EXPRESSION TAG	UNP Q7TTE5
E	-19	ASP	-	EXPRESSION TAG	UNP Q7TTE5
E	-18	LYS	-	EXPRESSION TAG	UNP Q7TTE5
E	-17	ILE	-	EXPRESSION TAG	UNP Q7TTE5
E	-16	HIS	-	EXPRESSION TAG	UNP Q7TTE5
E	-15	HIS	-	EXPRESSION TAG	UNP Q7TTE5
E	-14	HIS	-	EXPRESSION TAG	UNP Q7TTE5
E	-13	HIS	-	EXPRESSION TAG	UNP Q7TTE5
E	-12	HIS	-	EXPRESSION TAG	UNP Q7TTE5
E	-11	HIS	-	EXPRESSION TAG	UNP Q7TTE5
E	-10	SER	-	EXPRESSION TAG	UNP Q7TTE5
E	-9	SER	-	EXPRESSION TAG	UNP Q7TTE5
E	-8	GLY	-	EXPRESSION TAG	UNP Q7TTE5
E	-7	GLU	-	EXPRESSION TAG	UNP Q7TTE5

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
E	-6	ASN	-	EXPRESSION TAG	UNP Q7TTE5
E	-5	LEU	-	EXPRESSION TAG	UNP Q7TTE5
E	-4	TYR	-	EXPRESSION TAG	UNP Q7TTE5
E	-3	PHE	-	EXPRESSION TAG	UNP Q7TTE5
E	-2	GLN	-	EXPRESSION TAG	UNP Q7TTE5
E	-1	GLY	-	EXPRESSION TAG	UNP Q7TTE5
E	0	HIS	-	EXPRESSION TAG	UNP Q7TTE5
E	206	GLY	-	EXPRESSION TAG	UNP Q7TTE5
E	207	LEU	-	EXPRESSION TAG	UNP Q7TTE5
E	208	GLU	-	EXPRESSION TAG	UNP Q7TTE5
E	209	HIS	-	EXPRESSION TAG	UNP Q7TTE5
E	210	HIS	-	EXPRESSION TAG	UNP Q7TTE5
E	211	HIS	-	EXPRESSION TAG	UNP Q7TTE5
E	212	HIS	-	EXPRESSION TAG	UNP Q7TTE5
E	213	HIS	-	EXPRESSION TAG	UNP Q7TTE5
E	214	HIS	-	EXPRESSION TAG	UNP Q7TTE5
F	-21	GLY	-	EXPRESSION TAG	UNP Q7TTE5
F	-20	SER	-	EXPRESSION TAG	UNP Q7TTE5
F	-19	ASP	-	EXPRESSION TAG	UNP Q7TTE5
F	-18	LYS	-	EXPRESSION TAG	UNP Q7TTE5
F	-17	ILE	-	EXPRESSION TAG	UNP Q7TTE5
F	-16	HIS	-	EXPRESSION TAG	UNP Q7TTE5
F	-15	HIS	-	EXPRESSION TAG	UNP Q7TTE5
F	-14	HIS	-	EXPRESSION TAG	UNP Q7TTE5
F	-13	HIS	-	EXPRESSION TAG	UNP Q7TTE5
F	-12	HIS	-	EXPRESSION TAG	UNP Q7TTE5
F	-11	HIS	-	EXPRESSION TAG	UNP Q7TTE5
F	-10	SER	-	EXPRESSION TAG	UNP Q7TTE5
F	-9	SER	-	EXPRESSION TAG	UNP Q7TTE5
F	-8	GLY	-	EXPRESSION TAG	UNP Q7TTE5
F	-7	GLU	-	EXPRESSION TAG	UNP Q7TTE5
F	-6	ASN	-	EXPRESSION TAG	UNP Q7TTE5
F	-5	LEU	-	EXPRESSION TAG	UNP Q7TTE5
F	-4	TYR	-	EXPRESSION TAG	UNP Q7TTE5
F	-3	PHE	-	EXPRESSION TAG	UNP Q7TTE5
F	-2	GLN	-	EXPRESSION TAG	UNP Q7TTE5
F	-1	GLY	-	EXPRESSION TAG	UNP Q7TTE5
F	0	HIS	-	EXPRESSION TAG	UNP Q7TTE5
F	206	GLY	-	EXPRESSION TAG	UNP Q7TTE5
F	207	LEU	-	EXPRESSION TAG	UNP Q7TTE5
F	208	GLU	-	EXPRESSION TAG	UNP Q7TTE5
F	209	HIS	-	EXPRESSION TAG	UNP Q7TTE5

*Continued on next page...*



*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
F	210	HIS	-	EXPRESSION TAG	UNP Q7TTE5
F	211	HIS	-	EXPRESSION TAG	UNP Q7TTE5
F	212	HIS	-	EXPRESSION TAG	UNP Q7TTE5
F	213	HIS	-	EXPRESSION TAG	UNP Q7TTE5
F	214	HIS	-	EXPRESSION TAG	UNP Q7TTE5
G	-21	GLY	-	EXPRESSION TAG	UNP Q7TTE5
G	-20	SER	-	EXPRESSION TAG	UNP Q7TTE5
G	-19	ASP	-	EXPRESSION TAG	UNP Q7TTE5
G	-18	LYS	-	EXPRESSION TAG	UNP Q7TTE5
G	-17	ILE	-	EXPRESSION TAG	UNP Q7TTE5
G	-16	HIS	-	EXPRESSION TAG	UNP Q7TTE5
G	-15	HIS	-	EXPRESSION TAG	UNP Q7TTE5
G	-14	HIS	-	EXPRESSION TAG	UNP Q7TTE5
G	-13	HIS	-	EXPRESSION TAG	UNP Q7TTE5
G	-12	HIS	-	EXPRESSION TAG	UNP Q7TTE5
G	-11	HIS	-	EXPRESSION TAG	UNP Q7TTE5
G	-10	SER	-	EXPRESSION TAG	UNP Q7TTE5
G	-9	SER	-	EXPRESSION TAG	UNP Q7TTE5
G	-8	GLY	-	EXPRESSION TAG	UNP Q7TTE5
G	-7	GLU	-	EXPRESSION TAG	UNP Q7TTE5
G	-6	ASN	-	EXPRESSION TAG	UNP Q7TTE5
G	-5	LEU	-	EXPRESSION TAG	UNP Q7TTE5
G	-4	TYR	-	EXPRESSION TAG	UNP Q7TTE5
G	-3	PHE	-	EXPRESSION TAG	UNP Q7TTE5
G	-2	GLN	-	EXPRESSION TAG	UNP Q7TTE5
G	-1	GLY	-	EXPRESSION TAG	UNP Q7TTE5
G	0	HIS	-	EXPRESSION TAG	UNP Q7TTE5
G	206	GLY	-	EXPRESSION TAG	UNP Q7TTE5
G	207	LEU	-	EXPRESSION TAG	UNP Q7TTE5
G	208	GLU	-	EXPRESSION TAG	UNP Q7TTE5
G	209	HIS	-	EXPRESSION TAG	UNP Q7TTE5
G	210	HIS	-	EXPRESSION TAG	UNP Q7TTE5
G	211	HIS	-	EXPRESSION TAG	UNP Q7TTE5
G	212	HIS	-	EXPRESSION TAG	UNP Q7TTE5
G	213	HIS	-	EXPRESSION TAG	UNP Q7TTE5
G	214	HIS	-	EXPRESSION TAG	UNP Q7TTE5
H	-21	GLY	-	EXPRESSION TAG	UNP Q7TTE5
H	-20	SER	-	EXPRESSION TAG	UNP Q7TTE5
H	-19	ASP	-	EXPRESSION TAG	UNP Q7TTE5
H	-18	LYS	-	EXPRESSION TAG	UNP Q7TTE5
H	-17	ILE	-	EXPRESSION TAG	UNP Q7TTE5
H	-16	HIS	-	EXPRESSION TAG	UNP Q7TTE5

*Continued on next page...*



*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
H	-15	HIS	-	EXPRESSION TAG	UNP Q7TTE5
H	-14	HIS	-	EXPRESSION TAG	UNP Q7TTE5
H	-13	HIS	-	EXPRESSION TAG	UNP Q7TTE5
H	-12	HIS	-	EXPRESSION TAG	UNP Q7TTE5
H	-11	HIS	-	EXPRESSION TAG	UNP Q7TTE5
H	-10	SER	-	EXPRESSION TAG	UNP Q7TTE5
H	-9	SER	-	EXPRESSION TAG	UNP Q7TTE5
H	-8	GLY	-	EXPRESSION TAG	UNP Q7TTE5
H	-7	GLU	-	EXPRESSION TAG	UNP Q7TTE5
H	-6	ASN	-	EXPRESSION TAG	UNP Q7TTE5
H	-5	LEU	-	EXPRESSION TAG	UNP Q7TTE5
H	-4	TYR	-	EXPRESSION TAG	UNP Q7TTE5
H	-3	PHE	-	EXPRESSION TAG	UNP Q7TTE5
H	-2	GLN	-	EXPRESSION TAG	UNP Q7TTE5
H	-1	GLY	-	EXPRESSION TAG	UNP Q7TTE5
H	0	HIS	-	EXPRESSION TAG	UNP Q7TTE5
H	206	GLY	-	EXPRESSION TAG	UNP Q7TTE5
H	207	LEU	-	EXPRESSION TAG	UNP Q7TTE5
H	208	GLU	-	EXPRESSION TAG	UNP Q7TTE5
H	209	HIS	-	EXPRESSION TAG	UNP Q7TTE5
H	210	HIS	-	EXPRESSION TAG	UNP Q7TTE5
H	211	HIS	-	EXPRESSION TAG	UNP Q7TTE5
H	212	HIS	-	EXPRESSION TAG	UNP Q7TTE5
H	213	HIS	-	EXPRESSION TAG	UNP Q7TTE5
H	214	HIS	-	EXPRESSION TAG	UNP Q7TTE5

- Molecule 2 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	37	Total O 37 37	0	0
2	B	46	Total O 46 46	0	0
2	C	63	Total O 63 63	0	0
2	D	69	Total O 69 69	0	0
2	E	82	Total O 82 82	0	0
2	F	38	Total O 38 38	0	0
2	G	37	Total O 37 37	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	H	63	Total	O	0	0
			63	63		





- Chain F:



- Chain G:



- Chain H:



## 4 Data and refinement statistics

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	157.56Å 157.56Å 198.48Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	12.01 – 2.40 12.01 – 2.40	Depositor EDS
% Data completeness (in resolution range)	98.1 (12.01-2.40) 98.1 (12.01-2.40)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.09	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.67 (at 2.40Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, $R_{free}$	0.241 , 0.311 0.162 , 0.181	Depositor DCC
$R_{free}$ test set	1400 reflections (2.04%)	DCC
Wilson B-factor (Å <sup>2</sup> )	18.9	Xtriage
Anisotropy	0.046	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.43 , 1.8	EDS
Estimated twinning fraction	0.105 for -2/3*h-1/3*k+2/3*l,-1/3*h-2/3*k-2/3*l,2/3*h-2/3*k+1/3*l 0.095 for -h,1/3*h-1/3*k+2/3*l,2/3*h+4/3*k+1/3*l 0.095 for -1/3*h+1/3*k-2/3*l,-k,-4/3*h-2/3*k+1/3*l 0.094 for -h,2/3*h+1/3*k-2/3*l,-2/3*h-4/3*k-1/3*l 0.096 for 1/3*h+2/3*k+2/3*l,-k,4/3*h+2/3*k-1/3*l 0.105 for -1/3*h-2/3*k-2/3*l,-2/3*h-1/3*k+2/3*l,-2/3*h+2/3*k-1/3*l 0.380 for h,-h-k,-l	Xtriage
L-test for twinning	$\langle  L  \rangle = 0.40$ , $\langle L^2 \rangle = 0.23$	Xtriage
Outliers	0 of 69904 reflections	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	12175	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	14.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.22% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CSO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.69	0/1486	0.80	0/2021
1	B	0.74	0/1486	0.80	0/2021
1	C	0.71	0/1492	0.78	0/2028
1	D	0.70	0/1492	0.78	0/2028
1	E	0.74	0/1510	0.81	0/2052
1	F	0.74	0/1484	0.81	0/2018
1	G	0.67	0/1484	0.76	1/2018 (0.0%)
1	H	0.73	0/1490	0.80	1/2026 (0.0%)
All	All	0.72	0/11924	0.79	2/16212 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1
1	C	0	1
1	E	0	2
1	G	0	1
1	H	0	1
All	All	0	6

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	H	175	ARG	NE-CZ-NH1	5.90	123.25	120.30
1	G	60	ARG	NE-CZ-NH1	5.36	122.98	120.30

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	109	GLN	Peptide
1	C	40	PHE	Peptide
1	E	125	GLY	Peptide
1	E	40	PHE	Peptide
1	G	109	GLN	Peptide
1	H	109	GLN	Peptide

## 5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1463	0	0	12	0
1	B	1463	0	0	14	0
1	C	1469	0	0	12	0
1	D	1469	0	0	19	0
1	E	1487	0	0	9	0
1	F	1461	0	0	13	0
1	G	1461	0	0	16	0
1	H	1467	0	0	16	0
2	A	37	0	0	1	0
2	B	46	0	0	2	0
2	C	63	0	0	2	0
2	D	69	0	0	3	0
2	E	82	0	0	3	0
2	F	38	0	0	3	0
2	G	37	0	0	0	0
2	H	63	0	0	2	0
All	All	12175	0	0	94	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 8.

All (94) close contacts within the same asymmetric unit are listed below.



Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:20:LYS:NZ	2:C:231:HOH:O	1.91	1.03
1:B:110:ALA:O	1:H:76:ASP:OD2	1.91	0.88
1:B:76:ASP:OD2	1:H:110:ALA:O	1.95	0.85
1:A:110:ALA:O	1:F:76:ASP:OD2	2.03	0.77
1:C:105:GLN:O	2:C:308:HOH:O	2.03	0.77
1:G:77:ASP:OD1	1:G:94:LYS:NZ	2.18	0.76
1:D:61:GLU:OE1	2:D:350:HOH:O	2.10	0.69
1:D:159:MET:CE	1:G:83:PHE:CA	2.73	0.67
1:F:75:ASP:OD2	2:F:444:HOH:O	2.14	0.66
1:H:79:ASP:OD2	2:H:475:HOH:O	2.14	0.65
1:A:76:ASP:OD2	1:F:110:ALA:O	2.15	0.64
1:D:74:ALA:O	1:D:94:LYS:NZ	2.32	0.62
1:B:17:LEU:O	2:B:228:HOH:O	2.16	0.61
1:C:76:ASP:OD2	1:G:110:ALA:O	2.18	0.61
1:E:91:LEU:O	1:E:94:LYS:NZ	2.36	0.59
1:D:77:ASP:OD1	1:D:94:LYS:NZ	2.36	0.59
1:D:36:ASP:CB	2:D:343:HOH:O	2.50	0.59
1:B:106:LEU:CD1	1:B:106:LEU:N	2.67	0.57
1:G:148:SER:OG	1:G:174:ASP:OD1	2.22	0.57
1:D:95:GLU:O	2:D:235:HOH:O	2.17	0.57
1:E:203:LYS:O	2:E:439:HOH:O	2.17	0.56
1:B:75:ASP:O	2:B:231:HOH:O	2.17	0.55
1:A:5:LEU:N	2:A:226:HOH:O	2.40	0.54
1:C:131:TRP:CD1	1:C:132:LEU:N	2.76	0.54
1:G:19:LEU:N	1:G:19:LEU:CD1	2.71	0.54
1:H:159:MET:CE	1:H:190:LYS:O	2.56	0.53
1:C:174:ASP:OD2	1:C:175:ARG:N	2.42	0.53
1:A:77:ASP:OD1	1:A:94:LYS:NZ	2.43	0.52
1:E:83:PHE:CZ	1:E:90:MET:CE	2.92	0.52
1:G:68:HIS:NE2	1:G:112:GLU:OE1	2.43	0.51
1:G:89:GLY:O	1:G:92:THR:OG1	2.29	0.51
1:F:77:ASP:OD1	1:F:94:LYS:NZ	2.43	0.51
1:H:20:LYS:O	1:H:139:THR:OG1	2.28	0.51
1:D:131:TRP:C	1:D:131:TRP:CD1	2.83	0.51
1:H:131:TRP:CH2	1:H:135:ARG:NH1	2.80	0.50
1:F:29:ASP:OD2	1:F:117:LYS:NZ	2.45	0.50
1:B:96:HIS:CE1	1:D:96:HIS:CE1	3.00	0.50
1:B:77:ASP:OD1	1:B:94:LYS:NZ	2.45	0.50
1:C:68:HIS:NE2	1:C:112:GLU:OE1	2.45	0.49
1:B:86:LYS:CE	1:F:192:ALA:O	2.60	0.49
1:C:110:ALA:O	1:G:76:ASP:OD2	2.30	0.49
1:H:8:TYR:OH	2:H:235:HOH:O	2.20	0.49
1:E:40:PHE:CE2	1:E:90:MET:SD	3.06	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:F:131:TRP:CD1	1:F:132:LEU:N	2.80	0.48
1:H:131:TRP:CD1	1:H:132:LEU:N	2.82	0.47
1:H:129:ALA:O	1:H:133:ALA:N	2.47	0.47
1:H:146:THR:CG2	1:H:149:GLY:N	2.78	0.47
1:G:94:LYS:O	1:G:100:SER:OG	2.34	0.46
1:D:113:TYR:CE2	1:D:115:VAL:CG2	2.98	0.46
1:B:78:ALA:O	1:H:131:TRP:CZ3	2.68	0.46
1:B:170:ASP:OD1	1:B:170:ASP:N	2.49	0.46
1:F:36:ASP:CB	2:F:225:HOH:O	2.64	0.45
1:B:150:CSO:O	1:B:154:SER:OG	2.35	0.45
1:G:48:ALA:O	1:G:52:THR:OG1	2.35	0.45
1:A:190:LYS:NZ	1:H:148:SER:OG	2.50	0.45
1:D:103:VAL:CG2	1:D:105:GLN:NE2	2.80	0.44
1:F:8:TYR:CD1	1:F:189:GLN:CG	3.00	0.44
1:G:150:CSO:N	1:G:150:CSO:OD	2.51	0.44
1:B:142:VAL:O	1:B:168:LEU:CD2	2.66	0.44
1:D:88:PRO:O	1:D:91:LEU:CD1	2.66	0.43
1:D:78:ALA:O	1:E:131:TRP:CZ3	2.71	0.43
1:C:41:GLY:CA	1:E:11:GLN:NE2	2.81	0.43
1:D:192:ALA:O	1:G:86:LYS:NZ	2.51	0.43
1:E:5:LEU:CD2	1:E:7:SER:CB	2.96	0.43
1:D:131:TRP:CZ3	1:D:135:ARG:NH2	2.87	0.43
1:C:33:GLY:O	1:C:40:PHE:N	2.51	0.43
1:A:131:TRP:CE3	1:A:135:ARG:CZ	3.01	0.43
1:E:109:GLN:NE2	2:E:241:HOH:O	2.52	0.43
1:E:89:GLY:N	2:E:405:HOH:O	2.50	0.43
1:G:81:ASN:ND2	1:G:118:SER:O	2.52	0.43
1:C:131:TRP:CZ3	1:G:78:ALA:O	2.72	0.43
1:D:52:THR:O	1:D:53:ARG:C	2.57	0.42
1:F:47:ALA:N	2:F:228:HOH:O	2.53	0.42
1:H:147:THR:OG1	1:H:180:HIS:CD2	2.73	0.42
1:C:74:ALA:O	1:C:75:ASP:C	2.57	0.42
1:A:8:TYR:CD1	1:A:189:GLN:CG	3.02	0.42
1:F:170:ASP:N	1:F:170:ASP:OD1	2.53	0.42
1:G:132:LEU:O	1:G:133:ALA:C	2.58	0.42
1:A:8:TYR:O	1:A:13:PHE:N	2.53	0.41
1:F:151:VAL:O	1:F:155:VAL:N	2.53	0.41
1:H:174:ASP:OD2	1:H:175:ARG:N	2.53	0.41
1:D:146:THR:CG2	1:D:174:ASP:CG	2.89	0.41
1:A:86:LYS:NZ	1:H:188:ARG:O	2.53	0.41
1:A:188:ARG:NH1	1:A:189:GLN:OE1	2.54	0.41
1:D:170:ASP:OD2	1:D:197:HIS:ND1	2.53	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:8:TYR:CD1	1:B:189:GLN:CG	3.04	0.41
1:G:168:LEU:O	1:G:172:VAL:CG1	2.69	0.41
1:A:29:ASP:O	1:A:31:VAL:N	2.54	0.41
1:D:131:TRP:CD1	1:D:132:LEU:N	2.89	0.40
1:B:86:LYS:NZ	1:F:15:ALA:O	2.54	0.40
1:A:131:TRP:CD1	1:A:132:LEU:N	2.89	0.40
1:D:175:ARG:CB	1:D:175:ARG:CZ	2.99	0.40
1:C:60:ARG:NE	1:C:112:GLU:OE2	2.54	0.40
1:H:131:TRP:CZ3	1:H:135:ARG:CZ	3.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	195/236 (83%)	179 (92%)	14 (7%)	2 (1%)	22	32
1	B	195/236 (83%)	183 (94%)	10 (5%)	2 (1%)	22	32
1	C	195/236 (83%)	185 (95%)	9 (5%)	1 (0%)	38	53
1	D	195/236 (83%)	185 (95%)	9 (5%)	1 (0%)	38	53
1	E	198/236 (84%)	192 (97%)	5 (2%)	1 (0%)	38	53
1	F	194/236 (82%)	184 (95%)	9 (5%)	1 (0%)	38	53
1	G	194/236 (82%)	181 (93%)	12 (6%)	1 (0%)	38	53
1	H	195/236 (83%)	191 (98%)	4 (2%)	0	100	100
All	All	1561/1888 (83%)	1480 (95%)	72 (5%)	9 (1%)	33	47

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	29	ASP
1	D	175	ARG
1	F	110	ALA

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	75	ASP
1	B	7	SER
1	B	188	ARG
1	E	42	GLY
1	G	110	ALA
1	A	124	TYR

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	143/176 (81%)	139 (97%)	4 (3%)	56	77
1	B	143/176 (81%)	133 (93%)	10 (7%)	21	33
1	C	144/176 (82%)	134 (93%)	10 (7%)	22	33
1	D	144/176 (82%)	136 (94%)	8 (6%)	30	45
1	E	146/176 (83%)	138 (94%)	8 (6%)	30	46
1	F	143/176 (81%)	135 (94%)	8 (6%)	30	45
1	G	143/176 (81%)	137 (96%)	6 (4%)	40	60
1	H	144/176 (82%)	130 (90%)	14 (10%)	12	17
All	All	1150/1408 (82%)	1082 (94%)	68 (6%)	28	42

All (68) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	28	VAL
1	A	131	TRP
1	A	135	ARG
1	A	168	LEU
1	B	19	LEU
1	B	68	HIS
1	B	84	SER
1	B	105	GLN
1	B	109	GLN
1	B	115	VAL
1	B	146	THR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	168	LEU
1	B	169	SER
1	B	175	ARG
1	C	19	LEU
1	C	28	VAL
1	C	69	SER
1	C	91	LEU
1	C	118	SER
1	C	131	TRP
1	C	146	THR
1	C	165	PRO
1	C	168	LEU
1	C	198	ASP
1	D	8	TYR
1	D	19	LEU
1	D	39	GLN
1	D	69	SER
1	D	105	GLN
1	D	126	THR
1	D	131	TRP
1	D	198	ASP
1	E	28	VAL
1	E	40	PHE
1	E	91	LEU
1	E	131	TRP
1	E	146	THR
1	E	168	LEU
1	E	184	LEU
1	E	205	LYS
1	F	30	PHE
1	F	69	SER
1	F	102	ILE
1	F	105	GLN
1	F	131	TRP
1	F	146	THR
1	F	152	ARG
1	F	168	LEU
1	G	28	VAL
1	G	68	HIS
1	G	131	TRP
1	G	135	ARG
1	G	146	THR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	G	168	LEU
1	H	19	LEU
1	H	39	GLN
1	H	84	SER
1	H	102	ILE
1	H	105	GLN
1	H	106	LEU
1	H	121	SER
1	H	131	TRP
1	H	135	ARG
1	H	146	THR
1	H	159	MET
1	H	168	LEU
1	H	179	PRO
1	H	198	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
1	CSO	A	150	1	6,6,7	7.12	2 (33%)	3,6,8	1.27	1 (33%)
1	CSO	B	150	1	6,6,7	6.78	3 (50%)	3,6,8	2.15	2 (66%)
1	CSO	C	150	1	6,6,7	7.60	4 (66%)	3,6,8	0.93	0
1	CSO	D	150	1	6,6,7	6.13	3 (50%)	3,6,8	0.61	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	CSO	E	150	1	6,6,7	7.31	3 (50%)	3,6,8	1.56	1 (33%)
1	CSO	F	150	1	6,6,7	8.30	3 (50%)	3,6,8	2.70	2 (66%)
1	CSO	G	150	1	6,6,7	7.15	4 (66%)	3,6,8	2.41	1 (33%)
1	CSO	H	150	1	6,6,7	7.25	2 (33%)	3,6,8	1.15	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CSO	A	150	1	-	0/2/5/7	0/0/0/0
1	CSO	B	150	1	-	0/2/5/7	0/0/0/0
1	CSO	C	150	1	-	0/2/5/7	0/0/0/0
1	CSO	D	150	1	-	0/2/5/7	0/0/0/0
1	CSO	E	150	1	-	0/2/5/7	0/0/0/0
1	CSO	F	150	1	-	0/2/5/7	0/0/0/0
1	CSO	G	150	1	-	0/2/5/7	0/0/0/0
1	CSO	H	150	1	-	0/2/5/7	0/0/0/0

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	F	150	CSO	O-C	19.60	1.24	1.11
1	C	150	CSO	O-C	17.62	1.23	1.11
1	H	150	CSO	O-C	17.23	1.23	1.11
1	E	150	CSO	O-C	16.80	1.23	1.11
1	G	150	CSO	O-C	16.75	1.22	1.11
1	A	150	CSO	O-C	16.67	1.22	1.11
1	B	150	CSO	O-C	15.98	1.22	1.11
1	D	150	CSO	O-C	14.10	1.21	1.11
1	E	150	CSO	OD-SG	4.90	1.83	1.62
1	A	150	CSO	OD-SG	4.64	1.82	1.62
1	C	150	CSO	OD-SG	4.26	1.80	1.62
1	D	150	CSO	OD-SG	4.24	1.80	1.62
1	F	150	CSO	OD-SG	4.16	1.80	1.62
1	H	150	CSO	OD-SG	3.72	1.78	1.62
1	G	150	CSO	OD-SG	3.59	1.77	1.62
1	E	150	CSO	CA-C	3.56	1.55	1.48
1	C	150	CSO	CA-C	3.47	1.54	1.48
1	B	150	CSO	OD-SG	3.36	1.76	1.62

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	F	150	CSO	CA-C	3.16	1.54	1.48
1	B	150	CSO	CA-C	2.82	1.53	1.48
1	G	150	CSO	CB-SG	-2.74	1.79	1.82
1	D	150	CSO	CA-C	2.56	1.53	1.48
1	G	150	CSO	CA-C	2.10	1.52	1.48
1	C	150	CSO	CB-SG	2.05	1.85	1.82

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	150	CSO	CA-CB-SG	-4.06	105.80	113.01
1	G	150	CSO	CA-CB-SG	-3.54	106.71	113.01
1	B	150	CSO	C-CA-N	2.71	116.54	113.83
1	E	150	CSO	CA-CB-SG	-2.60	108.38	113.01
1	B	150	CSO	CA-CB-SG	-2.47	108.61	113.01
1	F	150	CSO	C-CA-N	2.22	116.05	113.83
1	A	150	CSO	CA-CB-SG	-2.09	109.29	113.01

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

There are no ligands in this entry.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	198/236 (83%)	-0.48	0 100 100	7, 15, 27, 37	0
1	B	198/236 (83%)	-0.56	0 100 100	7, 13, 24, 33	0
1	C	198/236 (83%)	-0.56	0 100 100	6, 14, 24, 30	0
1	D	198/236 (83%)	-0.54	0 100 100	7, 13, 25, 39	0
1	E	201/236 (85%)	-0.54	0 100 100	6, 12, 24, 41	0
1	F	197/236 (83%)	-0.57	0 100 100	6, 12, 21, 32	0
1	G	197/236 (83%)	-0.45	0 100 100	11, 18, 28, 38	0
1	H	198/236 (83%)	-0.51	0 100 100	6, 12, 23, 42	0
All	All	1585/1888 (83%)	-0.52	0 100 100	6, 14, 25, 42	0

There are no RSRZ outliers to report.

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
1	CSO	C	150	7/8	0.12	0.78	11,11,11,12	0
1	CSO	G	150	7/8	0.12	0.48	15,16,18,21	0
1	CSO	H	150	7/8	0.11	0.07	13,13,17,22	0
1	CSO	E	150	7/8	0.10	-0.50	8,9,10,15	0
1	CSO	A	150	7/8	0.10	-0.98	7,9,11,11	0
1	CSO	B	150	7/8	0.09	-1.10	6,7,8,16	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
1	CSO	F	150	7/8	0.08	-1.50	9,9,14,14	0
1	CSO	D	150	7/8	0.08	-2.08	9,10,11,14	0

### 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

### 6.4 Ligands ⓘ

There are no ligands in this entry.

### 6.5 Other polymers ⓘ

There are no such residues in this entry.