



# Full wwPDB X-ray Structure Validation Report

Feb 26, 2014 – 10:47 PM GMT

PDB ID : 2OV4  
Title : Crystal structure of B. stearothermophilus tryptophanyl tRNA synthetase in complex with adenosine tetraphosphate  
Authors : Retailleau, P.; Carter Jr., C.W.  
Deposited on : 2007-02-12  
Resolution : 2.50 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.15 2013  
Xtriage (Phenix) : dev-1323  
EDS : stable22639  
Percentile statistics : 21963  
Refmac : 5.8.0049  
CCP4 : 6.3.0 (Settle)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable22683

# 1 Overall quality at a glance

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	66092	2784 (2.50-2.50)
Clashscore	79885	3562 (2.50-2.50)
Ramachandran outliers	78287	3480 (2.50-2.50)
Sidechain outliers	78261	3482 (2.50-2.50)
RSRZ outliers	66119	2785 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	328	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
4	ANL	A	950	X	-
5	GOL	A	930	X	-
5	GOL	A	940	X	-

## 2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 2723 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tryptophanyl-tRNA synthetase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	328	2613	1654	453	493	13	0	0	0


There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	64	LEU	LYS	SEE REMARK 999	UNP P00953

- Molecule 2 is CESIUM ION (three-letter code: CS) (formula: Cs).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Cs	0	0
			1	1		

- Molecule 3 is ADENOSINE-5'-TETRAPHOSPHATE (three-letter code: AQP) (formula: C<sub>10</sub>H<sub>17</sub>N<sub>5</sub>O<sub>16</sub>P<sub>4</sub>).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			35	10	5	16	4		

- Molecule 4 is ANILINE (three-letter code: ANL) (formula: C<sub>6</sub>H<sub>7</sub>N).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	N	0	0
			7	6	1		

- Molecule 5 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 6 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	55	Total	O	0	0
			55	55		

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Tryptophanyl-tRNA synthetase

Chain A: 



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	62.18Å 62.18Å 220.88Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.50 19.95 – 2.50	Depositor EDS
% Data completeness (in resolution range)	95.3 (20.00-2.50) 95.3 (19.95-2.50)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.08	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.18 (at 2.50Å)	Xtriage
Refinement program	BUSTER-TNT	Depositor
R, $R_{free}$	0.191 , 0.258 0.189 , 0.256	Depositor DCC
$R_{free}$ test set	1518 reflections (11.19%)	DCC
Wilson B-factor (Å <sup>2</sup> )	50.4	Xtriage
Anisotropy	0.175	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 44.7	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 15082 reflections	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	2723	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.27% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CS, GOL, AQP, ANL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.71	0/2661	0.81	0/3593

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2613	0	2637	101	0
2	A	1	0	0	0	0
3	A	35	0	12	5	0
4	A	7	0	7	3	0
5	A	12	0	8	1	0
6	A	55	0	0	1	0
All	All	2723	0	2664	101	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 19.

All (101) close contacts within the same asymmetric unit are listed below.



Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:316:ARG:HG3	1:A:328:ARG:HH21	1.23	1.02
1:A:160:ARG:HG3	1:A:160:ARG:HH21	1.30	0.95
1:A:113:ALA:HB3	1:A:115:LYS:HG3	1.57	0.85
1:A:108:PHE:O	1:A:112:SER:HB3	1.79	0.82
1:A:175:ARG:HH21	1:A:175:ARG:HG3	1.44	0.81
1:A:306:LYS:HE3	1:A:309:ARG:NH1	1.96	0.81
1:A:23:LEU:CD1	1:A:68:VAL:HG21	2.11	0.81
1:A:23:LEU:HD13	1:A:68:VAL:HG21	1.65	0.79
1:A:298:ARG:O	1:A:302:GLU:HG3	1.83	0.78
1:A:272:LEU:O	1:A:272:LEU:HD12	1.84	0.78
1:A:273:ALA:O	1:A:277:ILE:HG13	1.85	0.76
1:A:316:ARG:HG3	1:A:328:ARG:NH2	1.99	0.76
1:A:210:ALA:CB	1:A:277:ILE:HD13	2.19	0.73
1:A:306:LYS:HE3	1:A:309:ARG:HH11	1.55	0.71
1:A:188:ASP:OD2	1:A:191:LYS:HE3	1.92	0.69
1:A:228:ILE:CD1	1:A:260:TYR:HB3	2.22	0.69
1:A:313:GLU:OE1	1:A:316:ARG:NH1	2.26	0.69
1:A:149:GLN:O	1:A:152:GLU:HG3	1.92	0.69
1:A:175:ARG:HH21	1:A:175:ARG:CG	2.07	0.68
1:A:124:THR:O	1:A:127:PRO:HD2	1.94	0.67
1:A:306:LYS:HD3	1:A:306:LYS:O	1.95	0.67
1:A:228:ILE:HD13	1:A:260:TYR:HB3	1.77	0.66
1:A:160:ARG:HG3	1:A:160:ARG:NH2	2.07	0.66
1:A:149:GLN:HA	1:A:152:GLU:HG3	1.77	0.65
1:A:229:ARG:HH21	1:A:229:ARG:HG3	1.60	0.65
1:A:149:GLN:HA	1:A:152:GLU:CG	2.28	0.64
1:A:175:ARG:NH2	1:A:175:ARG:HG3	2.13	0.63
1:A:23:LEU:HD11	1:A:68:VAL:HG21	1.83	0.61
1:A:132:ASP:OD1	4:A:950:ANL:N	2.29	0.60
1:A:245:TYR:CE2	1:A:275:VAL:HG21	2.37	0.59
1:A:60:ARG:HH11	5:A:940:GOL:C3	2.15	0.59
1:A:229:ARG:NH2	1:A:229:ARG:HG3	2.19	0.58
1:A:294:GLU:OE1	1:A:298:ARG:NH2	2.37	0.58
1:A:210:ALA:HB1	1:A:277:ILE:HD13	1.85	0.58
1:A:125:TYR:HB3	1:A:126:PRO:HD3	1.84	0.58
1:A:223:ASP:OD1	1:A:235:LYS:HG2	2.05	0.57
1:A:4:ILE:HG23	1:A:142:PRO:HD3	1.87	0.56
1:A:11:SER:OG	3:A:400:AQP:O2D	2.20	0.55
1:A:228:ILE:O	1:A:228:ILE:HG22	2.05	0.54
1:A:192:LYS:HG2	3:A:400:AQP:HN62	1.72	0.54
1:A:189:PRO:HB2	1:A:236:PRO:HB2	1.89	0.54
1:A:10:PRO:HD2	1:A:44:ALA:HB2	1.90	0.54
1:A:306:LYS:HD3	1:A:306:LYS:C	2.29	0.53

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:209:ASP:O	1:A:213:ILE:HG13	2.09	0.53
1:A:106:THR:O	1:A:110:GLU:HG3	2.10	0.52
1:A:160:ARG:HH21	1:A:160:ARG:CG	2.10	0.52
1:A:107:GLN:O	1:A:111:LYS:HB2	2.09	0.52
1:A:228:ILE:HD12	1:A:260:TYR:HB3	1.92	0.52
1:A:272:LEU:C	1:A:272:LEU:HD12	2.29	0.52
1:A:5:PHE:HE2	4:A:950:ANL:H6	1.76	0.51
1:A:4:ILE:HG23	1:A:142:PRO:CD	2.41	0.51
1:A:192:LYS:HG2	3:A:400:AQP:N6	2.26	0.51
1:A:210:ALA:HA	1:A:277:ILE:HD13	1.94	0.50
1:A:66:LEU:HD12	1:A:296:LEU:HD13	1.92	0.50
1:A:148:LYS:HG3	1:A:176:ILE:HD11	1.92	0.50
1:A:288:HIS:O	1:A:292:GLU:HG2	2.10	0.50
1:A:4:ILE:HG12	1:A:140:ILE:HB	1.94	0.50
1:A:243:ASN:O	1:A:247:THR:HG23	2.12	0.49
1:A:218:LYS:HA	1:A:269:LYS:HD3	1.94	0.49
1:A:109:LYS:O	1:A:112:SER:O	2.30	0.48
1:A:105:MET:O	1:A:109:LYS:HG2	2.13	0.48
1:A:210:ALA:HA	1:A:277:ILE:CD1	2.44	0.48
1:A:210:ALA:HB1	1:A:277:ILE:CD1	2.44	0.47
1:A:149:GLN:CA	1:A:152:GLU:HG3	2.44	0.47
1:A:245:TYR:HD1	1:A:268:PHE:CE1	2.33	0.47
1:A:192:LYS:HG2	1:A:193:MET:N	2.30	0.47
1:A:5:PHE:CE2	4:A:950:ANL:H6	2.49	0.47
1:A:66:LEU:HD13	1:A:290:TRP:CZ3	2.51	0.46
1:A:244:ILE:O	1:A:248:LEU:HB2	2.15	0.46
1:A:89:ALA:HB3	1:A:131:ALA:HB1	1.98	0.46
1:A:229:ARG:HA	1:A:257:GLU:HG2	1.97	0.45
1:A:125:TYR:N	1:A:126:PRO:CD	2.80	0.45
1:A:217:ILE:HA	1:A:217:ILE:HD13	1.78	0.45
1:A:265:TYR:N	1:A:265:TYR:CD2	2.82	0.45
1:A:192:LYS:CG	3:A:400:AQP:N6	2.80	0.45
1:A:210:ALA:CA	1:A:277:ILE:HD13	2.46	0.45
1:A:65:TYR:CD2	1:A:77:LEU:CD1	3.00	0.45
1:A:65:TYR:CD2	1:A:77:LEU:HD11	2.51	0.45
1:A:298:ARG:HD3	1:A:298:ARG:HA	1.62	0.44
1:A:184:MET:HB2	1:A:240:ASN:ND2	2.33	0.44
1:A:23:LEU:HD23	1:A:26:PHE:CD2	2.52	0.44
1:A:149:GLN:C	1:A:152:GLU:HG3	2.37	0.44
1:A:5:PHE:CE2	1:A:132:ASP:HB3	2.52	0.44
1:A:239:SER:O	1:A:242:LEU:HB2	2.18	0.44
1:A:163:LYS:NZ	1:A:167:GLU:OE2	2.50	0.44

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:316:ARG:CG	1:A:328:ARG:NH2	2.75	0.43
1:A:8:ILE:HG21	1:A:61:LEU:HD11	1.99	0.43
1:A:246:SER:OG	1:A:253:ILE:HD13	2.17	0.43
1:A:160:ARG:CG	1:A:160:ARG:NH2	2.75	0.43
1:A:272:LEU:HD13	1:A:272:LEU:HA	1.83	0.43
1:A:206:LEU:HD12	1:A:206:LEU:HA	1.81	0.43
1:A:5:PHE:O	1:A:141:VAL:HG13	2.18	0.42
1:A:242:LEU:HD23	1:A:242:LEU:HA	1.93	0.42
1:A:9:GLN:OE1	1:A:44:ALA:HA	2.19	0.41
1:A:27:VAL:HG21	1:A:68:VAL:O	2.20	0.41
1:A:192:LYS:HD2	3:A:400:AQP:N7	2.35	0.41
1:A:286:ARG:HD3	6:A:515:HOH:O	2.21	0.41
1:A:122:LEU:HD12	1:A:122:LEU:HA	1.98	0.41
1:A:23:LEU:HD11	1:A:68:VAL:CG2	2.50	0.40
1:A:109:LYS:H	1:A:109:LYS:HG2	1.45	0.40
1:A:235:LYS:NZ	1:A:265:TYR:OH	2.55	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	326/328 (99%)	297 (91%)	26 (8%)	3 (1%)	25	42

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	246	SER
1	A	115	LYS
1	A	259	GLN

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	280/280 (100%)	240 (86%)	40 (14%)	5 8

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	6	SER
1	A	23	LEU
1	A	28	GLU
1	A	47	VAL
1	A	65	TYR
1	A	94	GLN
1	A	96	ILE
1	A	102	LEU
1	A	104	ARG
1	A	109	LYS
1	A	111	LYS
1	A	112	SER
1	A	119	SER
1	A	152	GLU
1	A	164	ARG
1	A	167	GLU
1	A	175	ARG
1	A	182	ARG
1	A	185	SER
1	A	186	LEU
1	A	187	VAL
1	A	204	ILE
1	A	205	THR
1	A	206	LEU
1	A	224	SER
1	A	225	GLU
1	A	229	ARG
1	A	233	GLU
1	A	245	TYR
1	A	246	SER

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	251	GLN
1	A	272	LEU
1	A	286	ARG
1	A	292	GLU
1	A	293	SER
1	A	294	GLU
1	A	298	ARG
1	A	306	LYS
1	A	328	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	137	ASN
1	A	251	GLN
1	A	259	GLN
1	A	288	HIS

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 5 ligands modelled in this entry, 1 is monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected

value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	AQP	A	400	-	37,37,37	2.15	10 (27%)	59,59,59	2.44	12 (20%)
5	GOL	A	930	-	5,5,5	4.62	5 (100%)	5,5,5	5.73	3 (60%)
5	GOL	A	940	-	5,5,5	4.52	5 (100%)	5,5,5	5.79	3 (60%)
4	ANL	A	950	-	7,7,7	6.51	7 (100%)	8,8,8	2.94	6 (75%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	AQP	A	400	-	-	0/28/44/44	0/1/3/3
5	GOL	A	930	-	-	0/4/4/4	0/0/0/0
5	GOL	A	940	-	-	0/4/4/4	0/0/0/0
4	ANL	A	950	-	-	0/0/0/0	0/1/1/1

All (27) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	950	ANL	C5-C6	9.46	1.61	1.39
5	A	930	GOL	C3-C2	-7.60	1.20	1.52
5	A	940	GOL	C3-C2	-7.32	1.22	1.52
3	A	400	AQP	PG-O3G	-6.98	1.47	1.59
4	A	950	ANL	C6-C1	6.93	1.56	1.39
4	A	950	ANL	C4-C3	6.35	1.56	1.37
4	A	950	ANL	C3-C2	6.20	1.53	1.39
4	A	950	ANL	C2-C1	6.16	1.54	1.39
4	A	950	ANL	C5-C4	6.03	1.55	1.37
3	A	400	AQP	C4-N3	4.85	1.43	1.35
5	A	940	GOL	O1-C1	4.83	1.63	1.42
5	A	930	GOL	O1-C1	4.55	1.62	1.42
3	A	400	AQP	O4'-C1'	-3.94	1.35	1.41
3	A	400	AQP	C2-N1	3.56	1.40	1.33
5	A	940	GOL	O3-C3	3.50	1.57	1.42
3	A	400	AQP	PG-O3B	-3.18	1.54	1.59
5	A	930	GOL	O3-C3	3.16	1.56	1.42
3	A	400	AQP	C2-N3	3.07	1.38	1.32
5	A	930	GOL	O2-C2	-3.01	1.34	1.43
5	A	930	GOL	C1-C2	-2.99	1.40	1.52

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	940	GOL	O2-C2	-2.57	1.35	1.43
5	A	940	GOL	C1-C2	-2.51	1.42	1.52
3	A	400	AQP	PA-O3A	-2.44	1.55	1.59
4	A	950	ANL	C1-N	2.41	1.47	1.38
3	A	400	AQP	PA-O1A	-2.40	1.44	1.55
3	A	400	AQP	O2'-C2'	-2.15	1.37	1.43
3	A	400	AQP	C8-N9	2.02	1.39	1.36

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	400	AQP	N3-C2-N1	-13.31	117.58	128.71
5	A	940	GOL	O3-C3-C2	10.66	161.70	109.71
5	A	930	GOL	O3-C3-C2	10.44	160.67	109.71
5	A	930	GOL	O2-C2-C3	6.72	138.81	108.22
5	A	940	GOL	O2-C2-C3	6.50	137.84	108.22
3	A	400	AQP	O4'-C1'-N9	-6.49	102.41	108.44
4	A	950	ANL	C4-C5-C6	-4.74	112.27	120.17
3	A	400	AQP	O4'-C1'-C2'	-3.77	100.99	106.77
3	A	400	AQP	C2-N1-C6	3.71	125.47	118.77
3	A	400	AQP	C3'-C2'-C1'	3.64	106.61	100.91
4	A	950	ANL	C2-C1-N	-3.62	113.29	120.90
3	A	400	AQP	C4'-O4'-C1'	3.42	113.46	109.75
5	A	940	GOL	O1-C1-C2	3.38	126.19	109.71
4	A	950	ANL	C4-C3-C2	-3.25	114.75	120.17
3	A	400	AQP	O2'-C2'-C3'	3.18	122.18	111.83
5	A	930	GOL	O1-C1-C2	3.14	125.04	109.71
3	A	400	AQP	N3-C4-N9	3.08	130.99	125.43
3	A	400	AQP	O3B-PB-O3A	-2.92	95.72	101.66
3	A	400	AQP	O2B-PB-O3B	2.77	118.30	105.14
4	A	950	ANL	C3-C2-C1	-2.51	113.44	119.88
4	A	950	ANL	C5-C4-C3	-2.50	114.76	119.97
4	A	950	ANL	C6-C1-N	-2.48	115.69	120.90
3	A	400	AQP	C2'-C3'-C4'	-2.28	98.11	102.65
3	A	400	AQP	C2-N3-C4	2.10	119.98	114.01

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.



## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	328/328 (100%)	-0.17	12 (3%) 39 41	30, 47, 84, 123	1 (0%)

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	116	GLU	4.2
1	A	114	GLY	3.6
1	A	262	GLY	3.5
1	A	178	LYS	3.4
1	A	113	ALA	3.4
1	A	258	ARG	3.0
1	A	117	ALA	2.9
1	A	328	ARG	2.6
1	A	179	VAL	2.6
1	A	182	ARG	2.2
1	A	327	ARG	2.2
1	A	115	LYS	2.2

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

### 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron

density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
4	ANL	A	950	7/7	0.18	1.77	46,46,47,48	0
5	GOL	A	940	6/6	0.21	0.54	60,65,69,74	6
3	AQP	A	400	35/35	0.15	0.17	44,48,58,59	35
5	GOL	A	930	6/6	0.10	-0.60	64,69,74,79	0
2	CS	A	900	1/1	0.11	-1.16	52,52,52,52	1

## 6.5 Other polymers

There are no such residues in this entry.