



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 28, 2014 – 12:34 AM GMT

PDB ID : 2OX4  
Title : Crystal structure of putative dehydratase from Zymomonas mobilis ZM4  
Authors : Patskovsky, Y.; Toro, R.; Sauder, J.M.; Freeman, J.C.; Bain, K.; Gheyi, T.; Wasserman, S.R.; Smith, D.; Gerlt, J.; Burley, S.K.; Almo, S.C.; New York SGX Research Center for Structural Genomics (NYSGXRC)  
Deposited on : 2007-02-19  
Resolution : 1.80 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.15 2013  
Xtriage (Phenix) : dev-1323  
EDS : stable22639  
Percentile statistics : 21963  
Refmac : 5.8.0049  
CCP4 : 6.3.0 (Settle)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable22683

# 1 Overall quality at a glance

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	66092	3513 (1.80-1.80)
Clashscore	79885	4461 (1.80-1.80)
Ramachandran outliers	78287	4404 (1.80-1.80)
Sidechain outliers	78261	4403 (1.80-1.80)
RSRZ outliers	66119	3515 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	403	
1	B	403	
1	C	403	
1	D	403	
1	E	403	
1	F	403	
1	G	403	
1	H	403	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
4	GOL	A	3414	-	X

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Geometry	Electron density
4	GOL	B	3402	-	X
4	GOL	C	3403	-	X
4	GOL	D	3413	-	X
4	GOL	E	3407	-	X
4	GOL	G	3412	-	X
4	GOL	H	3410	-	X

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 28439 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Putative mandelate racemase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	393	Total	C	N	O	S	0	9	0
			3124	2014	523	582	5			
1	B	393	Total	C	N	O	S	0	11	0
			3141	2027	528	581	5			
1	C	397	Total	C	N	O	S	0	12	0
			3181	2054	538	584	5			
1	D	397	Total	C	N	O	S	0	11	0
			3170	2044	535	586	5			
1	E	393	Total	C	N	O	S	0	12	0
			3150	2032	530	583	5			
1	F	393	Total	C	N	O	S	0	10	0
			3135	2022	527	581	5			
1	G	393	Total	C	N	O	S	0	12	0
			3150	2034	525	586	5			
1	H	393	Total	C	N	O	S	0	10	0
			3132	2023	525	579	5			

There are 88 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	MET	-	EXPRESSION TAG	UNP Q5NN22
A	0	SER	-	EXPRESSION TAG	UNP Q5NN22
A	1	LEU	-	EXPRESSION TAG	UNP Q5NN22
A	394	GLU	-	EXPRESSION TAG	UNP Q5NN22
A	395	GLY	-	EXPRESSION TAG	UNP Q5NN22
A	396	HIS	-	EXPRESSION TAG	UNP Q5NN22
A	397	HIS	-	EXPRESSION TAG	UNP Q5NN22
A	398	HIS	-	EXPRESSION TAG	UNP Q5NN22
A	399	HIS	-	EXPRESSION TAG	UNP Q5NN22
A	400	HIS	-	EXPRESSION TAG	UNP Q5NN22
A	401	HIS	-	EXPRESSION TAG	UNP Q5NN22
B	-1	MET	-	EXPRESSION TAG	UNP Q5NN22
B	0	SER	-	EXPRESSION TAG	UNP Q5NN22

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	1	LEU	-	EXPRESSION TAG	UNP Q5NN22
B	394	GLU	-	EXPRESSION TAG	UNP Q5NN22
B	395	GLY	-	EXPRESSION TAG	UNP Q5NN22
B	396	HIS	-	EXPRESSION TAG	UNP Q5NN22
B	397	HIS	-	EXPRESSION TAG	UNP Q5NN22
B	398	HIS	-	EXPRESSION TAG	UNP Q5NN22
B	399	HIS	-	EXPRESSION TAG	UNP Q5NN22
B	400	HIS	-	EXPRESSION TAG	UNP Q5NN22
B	401	HIS	-	EXPRESSION TAG	UNP Q5NN22
C	-1	MET	-	EXPRESSION TAG	UNP Q5NN22
C	0	SER	-	EXPRESSION TAG	UNP Q5NN22
C	1	LEU	-	EXPRESSION TAG	UNP Q5NN22
C	394	GLU	-	EXPRESSION TAG	UNP Q5NN22
C	395	GLY	-	EXPRESSION TAG	UNP Q5NN22
C	396	HIS	-	EXPRESSION TAG	UNP Q5NN22
C	397	HIS	-	EXPRESSION TAG	UNP Q5NN22
C	398	HIS	-	EXPRESSION TAG	UNP Q5NN22
C	399	HIS	-	EXPRESSION TAG	UNP Q5NN22
C	400	HIS	-	EXPRESSION TAG	UNP Q5NN22
C	401	HIS	-	EXPRESSION TAG	UNP Q5NN22
D	-1	MET	-	EXPRESSION TAG	UNP Q5NN22
D	0	SER	-	EXPRESSION TAG	UNP Q5NN22
D	1	LEU	-	EXPRESSION TAG	UNP Q5NN22
D	394	GLU	-	EXPRESSION TAG	UNP Q5NN22
D	395	GLY	-	EXPRESSION TAG	UNP Q5NN22
D	396	HIS	-	EXPRESSION TAG	UNP Q5NN22
D	397	HIS	-	EXPRESSION TAG	UNP Q5NN22
D	398	HIS	-	EXPRESSION TAG	UNP Q5NN22
D	399	HIS	-	EXPRESSION TAG	UNP Q5NN22
D	400	HIS	-	EXPRESSION TAG	UNP Q5NN22
D	401	HIS	-	EXPRESSION TAG	UNP Q5NN22
E	-1	MET	-	EXPRESSION TAG	UNP Q5NN22
E	0	SER	-	EXPRESSION TAG	UNP Q5NN22
E	1	LEU	-	EXPRESSION TAG	UNP Q5NN22
E	394	GLU	-	EXPRESSION TAG	UNP Q5NN22
E	395	GLY	-	EXPRESSION TAG	UNP Q5NN22
E	396	HIS	-	EXPRESSION TAG	UNP Q5NN22
E	397	HIS	-	EXPRESSION TAG	UNP Q5NN22
E	398	HIS	-	EXPRESSION TAG	UNP Q5NN22
E	399	HIS	-	EXPRESSION TAG	UNP Q5NN22
E	400	HIS	-	EXPRESSION TAG	UNP Q5NN22
E	401	HIS	-	EXPRESSION TAG	UNP Q5NN22

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
F	-1	MET	-	EXPRESSION TAG	UNP Q5NN22
F	0	SER	-	EXPRESSION TAG	UNP Q5NN22
F	1	LEU	-	EXPRESSION TAG	UNP Q5NN22
F	394	GLU	-	EXPRESSION TAG	UNP Q5NN22
F	395	GLY	-	EXPRESSION TAG	UNP Q5NN22
F	396	HIS	-	EXPRESSION TAG	UNP Q5NN22
F	397	HIS	-	EXPRESSION TAG	UNP Q5NN22
F	398	HIS	-	EXPRESSION TAG	UNP Q5NN22
F	399	HIS	-	EXPRESSION TAG	UNP Q5NN22
F	400	HIS	-	EXPRESSION TAG	UNP Q5NN22
F	401	HIS	-	EXPRESSION TAG	UNP Q5NN22
G	-1	MET	-	EXPRESSION TAG	UNP Q5NN22
G	0	SER	-	EXPRESSION TAG	UNP Q5NN22
G	1	LEU	-	EXPRESSION TAG	UNP Q5NN22
G	394	GLU	-	EXPRESSION TAG	UNP Q5NN22
G	395	GLY	-	EXPRESSION TAG	UNP Q5NN22
G	396	HIS	-	EXPRESSION TAG	UNP Q5NN22
G	397	HIS	-	EXPRESSION TAG	UNP Q5NN22
G	398	HIS	-	EXPRESSION TAG	UNP Q5NN22
G	399	HIS	-	EXPRESSION TAG	UNP Q5NN22
G	400	HIS	-	EXPRESSION TAG	UNP Q5NN22
G	401	HIS	-	EXPRESSION TAG	UNP Q5NN22
H	-1	MET	-	EXPRESSION TAG	UNP Q5NN22
H	0	SER	-	EXPRESSION TAG	UNP Q5NN22
H	1	LEU	-	EXPRESSION TAG	UNP Q5NN22
H	394	GLU	-	EXPRESSION TAG	UNP Q5NN22
H	395	GLY	-	EXPRESSION TAG	UNP Q5NN22
H	396	HIS	-	EXPRESSION TAG	UNP Q5NN22
H	397	HIS	-	EXPRESSION TAG	UNP Q5NN22
H	398	HIS	-	EXPRESSION TAG	UNP Q5NN22
H	399	HIS	-	EXPRESSION TAG	UNP Q5NN22
H	400	HIS	-	EXPRESSION TAG	UNP Q5NN22
H	401	HIS	-	EXPRESSION TAG	UNP Q5NN22

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	G	1	Total Mg 1 1	0	0
2	D	1	Total Mg 1 1	0	0
2	E	1	Total Mg 1 1	0	0

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	H	1	Total 1	Mg 1	0	0
2	B	1	Total 1	Mg 1	0	0
2	C	1	Total 1	Mg 1	0	0
2	A	1	Total 1	Mg 1	0	0
2	F	1	Total 1	Mg 1	0	0

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	G	1	Total 1	Cl 1	0	0
3	B	1	Total 1	Cl 1	0	0
3	D	1	Total 1	Cl 1	0	0
3	F	1	Total 1	Cl 1	0	0

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 6 3 3	0	0
4	A	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	D	1	Total C O 6 3 3	0	0
4	D	1	Total C O 6 3 3	0	0
4	E	1	Total C O 6 3 3	0	0
4	F	1	Total C O 6 3 3	0	0
4	F	1	Total C O 6 3 3	0	0
4	G	1	Total C O 6 3 3	0	0
4	G	1	Total C O 6 3 3	0	0
4	G	1	Total C O 6 3 3	0	0
4	H	1	Total C O 6 3 3	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	384	Total O 384 384	0	0
5	B	400	Total O 400 400	0	0
5	C	387	Total O 387 387	0	0
5	D	397	Total O 397 397	0	0
5	E	413	Total O 413 413	0	0
5	F	394	Total O 394 394	0	0

*Continued on next page...*




*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	G	392	Total 392	O 392	0	0
5	H	393	Total 393	O 393	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Putative mandelate racemase



- Molecule 1: Putative mandelate racemase



- Molecule 1: Putative mandelate racemase



- Molecule 1: Putative mandelate racemase




- Molecule 1: Putative mandelate racemase





- Molecule 1: Putative mandelate racemase

Chain F:



- Molecule 1: Putative mandelate racemase

Chain G:



- Molecule 1: Putative mandelate racemase

Chain H:



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	190.18Å 190.41Å 85.92Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 1.80 34.21 – 1.80	Depositor EDS
% Data completeness (in resolution range)	99.6 (20.00-1.80) 99.6 (34.21-1.80)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	0.07	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.73 (at 1.79Å)	Xtriage
Refinement program	REFMAC 5.3.0028	Depositor
R, $R_{free}$	0.144 , 0.186 0.144 , 0.185	Depositor DCC
$R_{free}$ test set	8765 reflections (3.14%)	DCC
Wilson B-factor (Å <sup>2</sup> )	15.6	Xtriage
Anisotropy	0.104	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.38 , 45.2	EDS
Estimated twinning fraction	0.003 for k,h,-l	Xtriage
L-test for twinning	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	2 of 287916 reflections (0.001%)	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	28439	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	18.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.97% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, MG, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.47	0/3219	0.58	0/4354
1	B	0.50	0/3242	0.59	0/4382
1	C	0.47	0/3284	0.57	0/4436
1	D	0.49	0/3273	0.58	0/4423
1	E	0.52	0/3255	0.59	0/4401
1	F	0.49	0/3233	0.58	0/4371
1	G	0.50	0/3245	0.59	1/4389 (0.0%)
1	H	0.48	0/3230	0.57	0/4367
All	All	0.49	0/25981	0.58	1/35123 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	3
1	C	0	1
1	D	0	1
1	F	0	2
1	G	0	2
1	H	0	1
All	All	0	11

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	G	138	GLU	N-CA-C	-5.03	97.43	111.00

There are no chirality outliers.

All (11) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	135	TRP	Peptide
1	B	137	LYS	Peptide
1	B	346	LEU	Peptide
1	B	391	GLU	Peptide
1	C	135	TRP	Peptide
1	D	391	GLU	Peptide
1	F	135	TRP	Peptide
1	F	391	GLU	Peptide
1	G	137	LYS	Peptide
1	G	138	GLU	Peptide
1	H	135	TRP	Peptide

## 5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3124	0	3137	24	0
1	B	3141	0	3169	39	0
1	C	3181	0	3209	24	0
1	D	3170	0	3184	23	0
1	E	3150	0	3170	23	0
1	F	3135	0	3156	26	0
1	G	3150	0	3170	20	0
1	H	3132	0	3161	22	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
2	E	1	0	0	0	0
2	F	1	0	0	0	0
2	G	1	0	0	0	0
2	H	1	0	0	0	0
3	B	1	0	0	0	0
3	D	1	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	F	1	0	0	0	0
3	G	1	0	0	0	0
4	A	12	0	16	0	0
4	B	6	0	8	0	0
4	C	12	0	16	1	0
4	D	12	0	16	1	0
4	E	6	0	8	0	0
4	F	12	0	16	0	0
4	G	18	0	24	2	0
4	H	6	0	8	0	0
5	A	384	0	0	0	0
5	B	400	0	0	1	0
5	C	387	0	0	1	0
5	D	397	0	0	1	0
5	E	413	0	0	2	0
5	F	394	0	0	3	0
5	G	392	0	0	0	0
5	H	393	0	0	0	0
All	All	28439	0	25468	142	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 3.

All (142) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:304[B]:MET:CE	1:C:304[B]:MET:HG3	1.82	1.09
1:B:307[B]:ILE:CD1	1:C:304[B]:MET:HE1	1.93	0.97
1:A:307[B]:ILE:CD1	1:H:304[B]:MET:HE1	1.96	0.95
1:C:299:LYS:HE2	4:C:3403:GOL:H31	1.48	0.95
1:B:304[B]:MET:HE1	1:C:304[B]:MET:HG3	1.46	0.94
1:B:304[B]:MET:HE2	1:C:304[B]:MET:HG3	1.52	0.92
1:B:137:LYS:HB2	1:B:347:LEU:HD23	1.51	0.90
1:B:304[B]:MET:HE3	1:C:307[B]:ILE:HD11	1.54	0.89
1:A:304[B]:MET:HE1	1:H:307[B]:ILE:CD1	2.04	0.87
1:A:307[B]:ILE:HD12	1:H:304[B]:MET:HE1	1.56	0.86
1:B:304[B]:MET:HE3	1:C:307[B]:ILE:CD1	2.06	0.85
1:B:307[B]:ILE:HD11	1:C:304[B]:MET:HE1	1.58	0.85
1:D:270:ARG:HD2	1:G:307[A]:ILE:HD11	1.58	0.85
1:A:307[B]:ILE:CD1	1:H:304[B]:MET:CE	2.59	0.80
1:E:307[B]:ILE:HD11	1:F:304[B]:MET:CE	2.12	0.80
1:A:270:ARG:HD2	1:H:307[A]:ILE:HD11	1.64	0.79
1:A:307[A]:ILE:HD11	1:H:270:ARG:HD2	1.63	0.79

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:E:270:ARG:HD2	1:F:307[A]:ILE:HD11	1.64	0.79
1:B:307[B]:ILE:CD1	1:C:304[B]:MET:CE	2.61	0.78
1:B:307[B]:ILE:HD11	1:C:304[B]:MET:CE	2.14	0.78
1:B:270:ARG:HD2	1:C:307[A]:ILE:HD11	1.67	0.76
1:A:307[B]:ILE:HD11	1:H:304[B]:MET:CE	2.16	0.76
1:B:304[B]:MET:CE	1:C:307[B]:ILE:CD1	2.64	0.75
1:E:307[A]:ILE:HD11	1:F:270:ARG:HD2	1.67	0.74
1:E:304[B]:MET:CE	1:F:307[B]:ILE:HD11	2.19	0.73
1:E:307[B]:ILE:HD11	1:F:304[B]:MET:HE3	1.70	0.73
1:D:4:THR:O	1:D:392:ALA:HB2	1.87	0.73
1:B:136:GLY:HA2	1:B:343:GLN:NE2	2.05	0.72
1:A:304[B]:MET:CE	1:H:307[B]:ILE:CD1	2.67	0.72
1:B:307[A]:ILE:HD11	1:C:270:ARG:HD2	1.71	0.72
1:D:304[B]:MET:HE1	1:G:307[B]:ILE:CD1	2.21	0.71
1:B:307[B]:ILE:HD13	1:C:304[B]:MET:HE1	1.72	0.70
1:B:137:LYS:HG3	1:B:137:LYS:O	1.92	0.69
1:A:304[B]:MET:HE1	1:H:307[B]:ILE:HD11	1.75	0.69
1:A:15:PRO:HD2	1:A:349:GLU:HG2	1.74	0.69
1:A:304[B]:MET:CE	1:H:307[B]:ILE:HD11	2.23	0.68
1:E:304[B]:MET:HE3	1:F:307[B]:ILE:HD11	1.75	0.68
1:B:137:LYS:O	1:B:137:LYS:CG	2.39	0.66
1:A:304[B]:MET:HE1	1:H:307[B]:ILE:HD12	1.75	0.66
1:B:137:LYS:HB2	1:B:347:LEU:CD2	2.24	0.66
1:E:307[B]:ILE:CD1	1:F:304[B]:MET:CE	2.73	0.66
1:B:19:GLN:NE2	1:B:350:TYR:OH	2.30	0.65
1:D:307[B]:ILE:HD11	1:G:274:LEU:HD22	1.79	0.65
1:B:61:ILE:HG21	1:B:392:ALA:HA	1.79	0.64
1:B:304[B]:MET:HE1	1:C:307[B]:ILE:HD12	1.78	0.64
1:A:307[B]:ILE:HD11	1:H:304[B]:MET:HE3	1.79	0.63
1:F:304[B]:MET:HE2	5:F:3563:HOH:O	1.98	0.62
1:D:304[B]:MET:HE1	1:G:307[B]:ILE:HD11	1.80	0.62
1:B:304[B]:MET:CE	1:C:307[B]:ILE:HD12	2.29	0.62
1:E:307[B]:ILE:CD1	1:F:304[B]:MET:HE1	2.30	0.61
1:E:144:ARG:NH2	1:E:146[B]:GLU:OE1	2.32	0.61
1:G:137:LYS:HB3	1:G:137:LYS:HZ2	1.66	0.61
1:F:304[B]:MET:CE	5:F:3563:HOH:O	2.47	0.61
1:E:304[B]:MET:CE	1:F:307[B]:ILE:CD1	2.80	0.60
1:E:307[B]:ILE:HD11	1:F:304[B]:MET:HE1	1.82	0.59
1:B:234:ASN:ND2	5:B:3737:HOH:O	2.37	0.57
1:D:304[B]:MET:CE	1:G:307[B]:ILE:CD1	2.84	0.56
1:E:304[B]:MET:HE2	5:E:3576:HOH:O	2.06	0.55
1:E:304[B]:MET:HE1	1:F:307[B]:ILE:HD11	1.88	0.55

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:136:GLY:HA2	1:B:343:GLN:HE21	1.71	0.54
1:E:304[B]:MET:CE	5:E:3576:HOH:O	2.55	0.54
1:F:176[B]:ARG:NH2	5:F:3575:HOH:O	2.34	0.53
1:D:304[B]:MET:CE	1:G:307[B]:ILE:HD11	2.39	0.53
1:C:228[B]:LYS:HG3	5:C:3552:HOH:O	2.10	0.52
1:B:5:LYS:HG3	1:B:391:GLU:HG2	1.92	0.51
1:C:389:SER:HB3	1:C:397:HIS:HB2	1.92	0.51
1:E:304[B]:MET:HE1	1:F:307[B]:ILE:CD1	2.39	0.51
1:D:398:HIS:CD2	1:D:398:HIS:N	2.79	0.51
1:D:23:LEU:HD12	1:D:381:LEU:HD21	1.92	0.51
1:E:270:ARG:CD	1:F:307[A]:ILE:HD11	2.37	0.50
1:A:270:ARG:CD	1:H:307[A]:ILE:HD11	2.39	0.50
1:B:304[B]:MET:HE2	1:C:304[B]:MET:CG	2.34	0.49
1:D:389:SER:HB3	1:D:397:HIS:HB3	1.94	0.49
1:D:234:ASN:ND2	5:D:3805:HOH:O	2.45	0.49
1:D:139:ARG:HH22	4:D:3413:GOL:C1	2.26	0.49
1:B:220:LEU:HD23	1:B:220:LEU:C	2.34	0.48
1:E:307[A]:ILE:HD11	1:F:270:ARG:CD	2.41	0.48
1:C:40[A]:ILE:HD12	1:C:49:ALA:HB2	1.95	0.48
1:A:304[B]:MET:HE3	1:H:307[B]:ILE:HD11	1.96	0.48
1:G:35[B]:LEU:CD1	1:G:376:ASP:HA	2.43	0.48
1:G:180:PHE:H	4:G:3412:GOL:H2	1.78	0.48
1:C:220:LEU:HD23	1:C:220:LEU:C	2.34	0.48
1:B:270:ARG:CD	1:C:307[A]:ILE:HD11	2.39	0.47
1:G:179:VAL:HA	4:G:3412:GOL:H2	1.96	0.47
1:A:91[A]:SER:OG	1:A:291:THR:HG22	2.14	0.47
1:B:346:LEU:HD23	1:B:359:GLN:CD	2.35	0.47
1:A:119:LYS:HG2	1:A:331:ILE:HG12	1.98	0.46
1:F:304[B]:MET:HE2	1:F:304[B]:MET:HB2	1.55	0.46
1:D:270:ARG:CD	1:G:307[A]:ILE:HD11	2.37	0.46
1:A:304[B]:MET:HB2	1:A:304[B]:MET:HE2	1.66	0.46
1:G:40[A]:ILE:HD12	1:G:49:ALA:HB2	1.98	0.46
1:B:307[A]:ILE:HD11	1:C:270:ARG:CD	2.44	0.45
1:F:110:LEU:HD22	1:F:114[B]:LYS:HD2	1.98	0.45
1:B:342:HIS:N	1:B:342:HIS:CD2	2.84	0.44
1:D:304[B]:MET:HE1	1:G:307[B]:ILE:HD13	1.96	0.44
1:B:220:LEU:CD2	1:B:224:ILE:HD12	2.48	0.44
1:H:286:GLN:HA	1:H:313:GLN:O	2.18	0.44
1:G:346:LEU:CD2	1:G:357:ASN:HD21	2.31	0.44
1:G:14:ARG:HA	1:G:15:PRO:HD3	1.89	0.44
1:G:35[B]:LEU:HD12	1:G:376:ASP:HA	1.98	0.44
1:F:200:ILE:O	1:F:204:VAL:HG22	2.18	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:G:138:GLU:O	1:G:138:GLU:CG	2.66	0.44
1:B:137:LYS:CB	1:B:347:LEU:HD23	2.37	0.43
1:A:343:GLN:HA	1:A:346:LEU:HD13	2.00	0.43
1:A:286:GLN:HA	1:A:313:GLN:O	2.19	0.43
1:B:342:HIS:CD2	1:B:342:HIS:H	2.37	0.43
1:D:40[A]:ILE:HD12	1:D:49:ALA:HB2	2.01	0.43
1:B:11:VAL:HB	1:B:21:PRO:HD2	2.00	0.43
1:D:54:LYS:HD3	1:D:388:VAL:HG11	2.01	0.42
1:E:304[B]:MET:HB2	1:E:304[B]:MET:HE2	1.45	0.42
1:B:169:ALA:O	1:B:176[A]:ARG:HD2	2.19	0.42
1:E:349:GLU:HG2	1:E:349:GLU:H	1.69	0.42
1:E:110:LEU:HD11	1:F:108:LEU:HD21	2.01	0.42
1:A:307[A]:ILE:HD11	1:H:270:ARG:CD	2.41	0.42
1:F:5:LYS:HG3	1:F:391:GLU:HG2	2.01	0.42
1:A:146:GLU:CD	1:A:146:GLU:H	2.22	0.42
1:F:23:LEU:HD12	1:F:381:LEU:HD21	2.00	0.42
1:C:286:GLN:HA	1:C:313:GLN:O	2.20	0.41
1:B:220:LEU:HD23	1:B:224:ILE:HD12	2.02	0.41
1:H:129:SER:HB3	1:H:342:HIS:HA	2.02	0.41
1:B:14:ARG:HA	1:B:15:PRO:HD3	1.92	0.41
1:E:59:LEU:HB3	1:E:74:LYS:HE2	2.01	0.41
1:B:228:LYS:NZ	1:H:258[B]:ASP:O	2.54	0.41
1:F:91[A]:SER:OG	1:F:291:THR:HG22	2.21	0.41
1:E:286:GLN:HA	1:E:313:GLN:O	2.20	0.41
1:D:131:LEU:HD11	1:D:163:VAL:HB	2.02	0.41
1:H:137:LYS:HB2	1:H:137:LYS:HE3	1.66	0.41
1:D:108:LEU:HD21	1:G:110:LEU:HD11	2.03	0.41
1:A:304[B]:MET:HG3	1:H:304[B]:MET:HE1	2.03	0.40
1:G:169:ALA:O	1:G:176:ARG:HD2	2.22	0.40
1:F:286:GLN:HA	1:F:313:GLN:O	2.22	0.40
1:D:118:GLY:O	1:D:332:ALA:HA	2.20	0.40
1:D:286:GLN:HA	1:D:313:GLN:O	2.21	0.40
1:D:347:LEU:HA	1:D:348:PRO:HD3	1.95	0.40
1:F:118:GLY:O	1:F:332:ALA:HA	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	399/403 (99%)	379 (95%)	19 (5%)	1 (0%)	50	31
1	B	402/403 (100%)	381 (95%)	19 (5%)	2 (0%)	38	19
1	C	405/403 (100%)	386 (95%)	18 (4%)	1 (0%)	56	38
1	D	404/403 (100%)	390 (96%)	13 (3%)	1 (0%)	56	38
1	E	403/403 (100%)	385 (96%)	17 (4%)	1 (0%)	56	38
1	F	401/403 (100%)	384 (96%)	16 (4%)	1 (0%)	56	38
1	G	403/403 (100%)	386 (96%)	16 (4%)	1 (0%)	56	38
1	H	401/403 (100%)	384 (96%)	15 (4%)	2 (0%)	38	19
All	All	3218/3224 (100%)	3075 (96%)	133 (4%)	10 (0%)	50	31

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	344	LYS
1	C	136	GLY
1	D	264	GLY
1	E	264	GLY
1	H	136	GLY
1	A	264	GLY
1	G	264	GLY
1	H	264	GLY
1	B	264	GLY
1	F	136	GLY

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	329/329 (100%)	323 (98%)	6 (2%)	71	58
1	B	331/329 (101%)	327 (99%)	4 (1%)	82	74
1	C	335/329 (102%)	326 (97%)	9 (3%)	57	39
1	D	334/329 (102%)	326 (98%)	8 (2%)	61	44
1	E	332/329 (101%)	325 (98%)	7 (2%)	66	51
1	F	330/329 (100%)	323 (98%)	7 (2%)	66	51
1	G	332/329 (101%)	325 (98%)	7 (2%)	66	51
1	H	330/329 (100%)	323 (98%)	7 (2%)	66	51
All	All	2653/2632 (101%)	2598 (98%)	55 (2%)	66	51

All (55) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	137	LYS
1	A	140	LYS
1	A	144	ARG
1	A	220	LEU
1	A	231	GLU
1	A	365	TYR
1	B	108	LEU
1	B	137	LYS
1	B	342	HIS
1	B	365	TYR
1	C	138	GLU
1	C	176[A]	ARG
1	C	176[B]	ARG
1	C	191	LYS
1	C	313	GLN
1	C	343	GLN
1	C	344	LYS
1	C	365	TYR
1	C	381	LEU
1	D	1	LEU
1	D	191	LYS
1	D	220	LEU
1	D	313	GLN
1	D	343	GLN
1	D	351	GLU
1	D	365	TYR
1	D	398	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	E	109	ASN
1	E	131	LEU
1	E	137	LYS
1	E	191	LYS
1	E	313	GLN
1	E	343	GLN
1	E	365	TYR
1	F	131	LEU
1	F	137	LYS
1	F	191	LYS
1	F	313	GLN
1	F	351	GLU
1	F	365	TYR
1	F	380	LYS
1	G	108	LEU
1	G	137	LYS
1	G	140	LYS
1	G	313	GLN
1	G	344	LYS
1	G	365	TYR
1	G	379	GLU
1	H	109	ASN
1	H	137	LYS
1	H	191	LYS
1	H	313	GLN
1	H	365	TYR
1	H	379	GLU
1	H	391	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (28) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	214	ASN
1	A	234	ASN
1	B	19	GLN
1	B	120	ASN
1	B	173	ASN
1	B	342	HIS
1	B	343	GLN
1	C	120	ASN
1	C	214	ASN
1	C	234	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	109	ASN
1	D	120	ASN
1	D	214	ASN
1	D	234	ASN
1	D	398	HIS
1	E	120	ASN
1	E	214	ASN
1	E	234	ASN
1	F	109	ASN
1	F	214	ASN
1	F	234	ASN
1	F	343	GLN
1	G	214	ASN
1	G	234	ASN
1	H	173	ASN
1	H	214	ASN
1	H	234	ASN
1	H	343	GLN

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 26 ligands modelled in this entry, 12 are monoatomic - leaving 14 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected

value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	GOL	A	3401	-	5,5,5	0.33	0	5,5,5	0.29	0
4	GOL	A	3414	-	5,5,5	0.32	0	5,5,5	0.49	0
4	GOL	B	3402	-	5,5,5	0.34	0	5,5,5	0.37	0
4	GOL	C	3403	-	5,5,5	0.38	0	5,5,5	0.27	0
4	GOL	C	3404	-	5,5,5	0.43	0	5,5,5	0.32	0
4	GOL	D	3406	-	5,5,5	0.35	0	5,5,5	0.36	0
4	GOL	D	3413	-	5,5,5	0.34	0	5,5,5	0.59	0
4	GOL	E	3407	-	5,5,5	0.37	0	5,5,5	0.53	0
4	GOL	F	3409	-	5,5,5	0.32	0	5,5,5	0.63	0
4	GOL	F	3411	-	5,5,5	0.35	0	5,5,5	0.44	0
4	GOL	G	3405	-	5,5,5	0.34	0	5,5,5	0.50	0
4	GOL	G	3408	-	5,5,5	0.32	0	5,5,5	0.38	0
4	GOL	G	3412	-	5,5,5	0.41	0	5,5,5	0.72	0
4	GOL	H	3410	-	5,5,5	0.32	0	5,5,5	0.36	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	A	3401	-	-	0/4/4/4	0/0/0/0
4	GOL	A	3414	-	-	0/4/4/4	0/0/0/0
4	GOL	B	3402	-	-	0/4/4/4	0/0/0/0
4	GOL	C	3403	-	-	0/4/4/4	0/0/0/0
4	GOL	C	3404	-	-	0/4/4/4	0/0/0/0
4	GOL	D	3406	-	-	0/4/4/4	0/0/0/0
4	GOL	D	3413	-	-	0/4/4/4	0/0/0/0
4	GOL	E	3407	-	-	0/4/4/4	0/0/0/0
4	GOL	F	3409	-	-	0/4/4/4	0/0/0/0
4	GOL	F	3411	-	-	0/4/4/4	0/0/0/0
4	GOL	G	3405	-	-	0/4/4/4	0/0/0/0
4	GOL	G	3408	-	-	0/4/4/4	0/0/0/0
4	GOL	G	3412	-	-	0/4/4/4	0/0/0/0
4	GOL	H	3410	-	-	0/4/4/4	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.



## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	393/403 (97%)	-0.43	7 (1%) 65 60	8, 15, 38, 71	0
1	B	393/403 (97%)	-0.51	8 (2%) 62 56	7, 14, 40, 70	0
1	C	397/403 (98%)	-0.41	7 (1%) 65 60	8, 14, 35, 74	0
1	D	397/403 (98%)	-0.46	7 (1%) 65 60	7, 14, 37, 73	0
1	E	393/403 (97%)	-0.56	4 (1%) 79 76	6, 12, 32, 68	0
1	F	393/403 (97%)	-0.51	3 (0%) 83 81	7, 14, 32, 58	0
1	G	393/403 (97%)	-0.58	5 (1%) 74 70	7, 13, 40, 65	0
1	H	393/403 (97%)	-0.53	5 (1%) 74 70	7, 13, 32, 65	0
All	All	3152/3224 (97%)	-0.50	46 (1%) 72 66	6, 14, 36, 74	0

All (46) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	346	LEU	5.4
1	C	398	HIS	5.1
1	D	397	HIS	5.1
1	B	392	ALA	5.0
1	B	346	LEU	4.9
1	D	398	HIS	4.7
1	A	392	ALA	4.5
1	B	345	THR	4.1
1	C	396	HIS	4.0
1	D	396	HIS	4.0
1	B	347	LEU	4.0
1	G	346	LEU	3.6
1	C	397	HIS	3.5
1	F	392	ALA	3.5
1	E	138	GLU	3.2
1	A	382	TYR	3.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	347	LEU	3.1
1	H	392	ALA	3.1
1	D	392	ALA	3.0
1	H	137	LYS	2.8
1	F	382	TYR	2.8
1	E	392	ALA	2.8
1	C	392	ALA	2.7
1	E	137	LYS	2.7
1	H	382	TYR	2.7
1	B	0	SER	2.6
1	G	345	THR	2.6
1	F	346	LEU	2.6
1	A	380	LYS	2.5
1	A	345	THR	2.5
1	D	395	GLY	2.4
1	G	382	TYR	2.4
1	H	136	GLY	2.4
1	B	138	GLU	2.3
1	C	137	LYS	2.3
1	H	346	LEU	2.3
1	B	137	LYS	2.3
1	B	382	TYR	2.3
1	C	138	GLU	2.2
1	D	382	TYR	2.2
1	E	346	LEU	2.2
1	G	0	SER	2.1
1	A	138	GLU	2.1
1	D	137	LYS	2.0
1	G	380	LYS	2.0
1	C	31	GLY	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
4	GOL	G	3412	6/6	0.17	15.45	23,30,34,42	0
4	GOL	H	3410	6/6	0.13	12.05	19,24,26,31	0
4	GOL	A	3414	6/6	0.21	6.73	27,45,48,50	0
4	GOL	C	3403	6/6	0.23	5.64	29,33,60,62	0
4	GOL	B	3402	6/6	0.10	5.02	21,29,31,34	0
4	GOL	E	3407	6/6	0.13	3.80	21,25,28,30	0
4	GOL	D	3413	6/6	0.19	3.55	37,38,50,55	0
4	GOL	G	3408	6/6	0.20	1.78	29,38,41,49	0
4	GOL	G	3405	6/6	0.09	1.77	20,25,33,35	0
4	GOL	D	3406	6/6	0.10	1.28	14,20,25,25	0
2	MG	C	402	1/1	0.09	1.25	8,8,8,8	0
4	GOL	F	3411	6/6	0.19	1.13	22,35,46,51	0
4	GOL	C	3404	6/6	0.08	1.06	14,19,25,25	0
2	MG	G	502	1/1	0.08	1.01	8,8,8,8	0
4	GOL	F	3409	6/6	0.08	0.95	18,22,25,33	0
4	GOL	A	3401	6/6	0.10	0.75	16,18,24,24	0
2	MG	H	402	1/1	0.09	0.66	8,8,8,8	0
2	MG	E	402	1/1	0.09	0.16	6,6,6,6	0
2	MG	F	402	1/1	0.07	-0.32	8,8,8,8	0
3	CL	D	501	1/1	0.05	-0.56	12,12,12,12	0
3	CL	B	501	1/1	0.06	-1.02	12,12,12,12	0
2	MG	D	402	1/1	0.06	-1.15	8,8,8,8	0
2	MG	A	402	1/1	0.06	-1.15	10,10,10,10	0
3	CL	G	501	1/1	0.04	-1.50	12,12,12,12	0
3	CL	F	501	1/1	0.03	-2.20	11,11,11,11	0
2	MG	B	502	1/1	0.04	-2.24	9,9,9,9	0

## 6.5 Other polymers ⓘ

There are no such residues in this entry.