



# Full wwPDB X-ray Structure Validation Report

Feb 28, 2014 – 05:52 PM GMT

PDB ID : 3P2K  
Title : Structure of an antibiotic related Methyltransferase  
Authors : Sivaraman, J.; Husain, N.  
Deposited on : 2010-10-02  
Resolution : 2.70 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.15 2013  
Xtriage (Phenix) : dev-1323  
EDS : stable22639  
Percentile statistics : 21963  
Refmac : 5.8.0049  
CCP4 : 6.3.0 (Settle)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable22683

# 1 Overall quality at a glance

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	66092	1557 (2.70-2.70)
Clashscore	79885	1939 (2.70-2.70)
Ramachandran outliers	78287	1905 (2.70-2.70)
Sidechain outliers	78261	1905 (2.70-2.70)
RSRZ outliers	66119	1559 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	225	
1	B	225	
1	C	225	
1	D	225	

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6461 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 16S rRNA methylase.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
1	A	197	Total	C	N	O	0	0	0
			1571	1019	263	289			
1	B	197	Total	C	N	O	0	0	0
			1571	1019	263	289			
1	C	197	Total	C	N	O	0	0	0
			1571	1019	263	289			
1	D	197	Total	C	N	O	0	0	0
			1566	1015	262	289			

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	220	HIS	-	EXPRESSION TAG	UNP A8C927
A	221	HIS	-	EXPRESSION TAG	UNP A8C927
A	222	HIS	-	EXPRESSION TAG	UNP A8C927
A	223	HIS	-	EXPRESSION TAG	UNP A8C927
A	224	HIS	-	EXPRESSION TAG	UNP A8C927
A	225	HIS	-	EXPRESSION TAG	UNP A8C927
B	220	HIS	-	EXPRESSION TAG	UNP A8C927
B	221	HIS	-	EXPRESSION TAG	UNP A8C927
B	222	HIS	-	EXPRESSION TAG	UNP A8C927
B	223	HIS	-	EXPRESSION TAG	UNP A8C927
B	224	HIS	-	EXPRESSION TAG	UNP A8C927
B	225	HIS	-	EXPRESSION TAG	UNP A8C927
C	220	HIS	-	EXPRESSION TAG	UNP A8C927
C	221	HIS	-	EXPRESSION TAG	UNP A8C927
C	222	HIS	-	EXPRESSION TAG	UNP A8C927
C	223	HIS	-	EXPRESSION TAG	UNP A8C927
C	224	HIS	-	EXPRESSION TAG	UNP A8C927
C	225	HIS	-	EXPRESSION TAG	UNP A8C927
D	220	HIS	-	EXPRESSION TAG	UNP A8C927
D	221	HIS	-	EXPRESSION TAG	UNP A8C927
D	222	HIS	-	EXPRESSION TAG	UNP A8C927

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	223	HIS	-	EXPRESSION TAG	UNP A8C927
D	224	HIS	-	EXPRESSION TAG	UNP A8C927
D	225	HIS	-	EXPRESSION TAG	UNP A8C927

- Molecule 2 is S-ADENOSYLMETHIONINE (three-letter code: SAM) (formula:  $C_{15}H_{22}N_6O_5S$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			27	15	6	5	1		
2	B	1	Total	C	N	O	S	0	0
			27	15	6	5	1		
2	C	1	Total	C	N	O	S	0	0
			27	15	6	5	1		
2	D	1	Total	C	N	O	S	0	0
			27	15	6	5	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	23	Total	O	0	0
			23	23		
3	B	20	Total	O	0	0
			20	20		
3	C	16	Total	O	0	0
			16	16		
3	D	15	Total	O	0	0
			15	15		





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	75.78Å 64.42Å 104.05Å 90.00° 100.08° 90.00°	Depositor
Resolution (Å)	50.00 – 2.70 48.76 – 2.70	Depositor EDS
% Data completeness (in resolution range)	97.0 (50.00-2.70) 97.0 (48.76-2.70)	Depositor EDS
$R_{merge}$	0.13	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.95 (at 2.69Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, $R_{free}$	0.252 , 0.284 0.248 , 0.281	Depositor DCC
$R_{free}$ test set	2679 reflections (11.18%)	DCC
Wilson B-factor (Å <sup>2</sup> )	42.8	Xtriage
Anisotropy	0.180	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 27.2	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle  L  \rangle = 0.44$ , $\langle L^2 \rangle = 0.27$	Xtriage
Outliers	0 of 26812 reflections	Xtriage
$F_o, F_c$ correlation	0.87	EDS
Total number of atoms	6461	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	59.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 15.90% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SAM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.51	0/1602	0.67	0/2157
1	B	0.53	0/1602	0.66	0/2157
1	C	0.51	0/1602	0.65	0/2157
1	D	0.40	0/1597	0.55	0/2151
All	All	0.49	0/6403	0.64	0/8622

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1571	0	0	18	0
1	B	1571	0	0	16	0
1	C	1571	0	0	9	0
1	D	1566	0	0	12	0
2	A	27	0	22	4	0
2	B	27	0	22	5	0
2	C	27	0	22	2	0
2	D	27	0	22	7	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	23	0	0	1	0
3	B	20	0	0	4	0
3	C	16	0	0	1	0
3	D	15	0	0	1	0
All	All	6461	0	88	57	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 9.

All (57) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:2:LEU:N	3:A:247:HOH:O	2.16	0.76
1:B:33:THR:O	2:B:6735:SAM:HA	1.91	0.71
1:C:211:ARG:NH2	3:C:236:HOH:O	2.25	0.69
1:D:107:TRP:CD1	2:D:6735:SAM:H5'1	2.30	0.66
1:B:107:TRP:CD1	1:B:107:TRP:C	2.69	0.65
1:C:104:LEU:O	2:C:6735:SAM:N	2.31	0.63
1:D:107:TRP:NE1	2:D:6735:SAM:H5'1	2.14	0.63
1:B:199:LYS:CE	3:B:243:HOH:O	2.48	0.61
1:A:191:LYS:NZ	1:D:88:GLU:OE2	2.35	0.59
1:B:89:SER:O	1:B:89:SER:OG	2.18	0.59
1:C:107:TRP:C	1:C:107:TRP:CD1	2.76	0.58
1:D:97:ILE:N	1:D:128:LEU:O	2.37	0.57
1:A:13:SER:OG	1:A:16:GLU:CG	2.54	0.56
1:C:197:TRP:O	1:C:201:LEU:CD2	2.55	0.54
1:A:26:ARG:NH2	1:A:100:SER:OG	2.41	0.53
1:D:98:ALA:N	1:D:128:LEU:O	2.42	0.53
1:C:87:ALA:O	1:C:90:LEU:CD2	2.57	0.53
1:D:41:LYS:CD	3:D:238:HOH:O	2.57	0.52
1:C:107:TRP:CE2	2:C:6735:SAM:H5'1	2.46	0.51
1:C:26:ARG:NH2	1:C:100:SER:OG	2.46	0.49
1:A:107:TRP:CE3	2:A:6735:SAM:HE2	2.48	0.48
1:B:87:ALA:N	2:B:6735:SAM:N1	2.62	0.47
1:A:105:PHE:N	1:A:138:VAL:O	2.47	0.47
1:B:89:SER:CB	3:B:242:HOH:O	2.64	0.46
1:A:185:LEU:N	1:A:209:PHE:O	2.48	0.46
1:D:118:ASN:O	1:D:122:LEU:CB	2.63	0.46
1:B:185:LEU:N	1:B:209:PHE:O	2.49	0.46
1:D:38:ASN:ND2	2:D:6735:SAM:O	2.49	0.46
1:A:107:TRP:C	1:A:107:TRP:CD1	2.88	0.45
1:B:96:ASN:N	1:B:127:ASP:O	2.50	0.45
1:A:203:PHE:O	2:D:6735:SAM:H2'	2.16	0.45

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:64:ILE:O	1:C:67:LYS:N	2.50	0.45
1:A:136:GLU:O	1:A:137:PHE:CD1	2.70	0.45
1:C:110:LEU:O	1:C:111:LEU:C	2.55	0.45
1:A:21:ILE:CD1	1:A:97:ILE:CD1	2.95	0.45
1:B:107:TRP:CE3	2:B:6735:SAM:HE3	2.52	0.44
1:B:107:TRP:CE2	2:B:6735:SAM:H5'1	2.52	0.44
1:D:203:PHE:N	1:D:203:PHE:CD1	2.86	0.43
1:D:87:ALA:N	2:D:6735:SAM:N1	2.66	0.43
1:B:6:GLY:O	1:B:65:SER:OG	2.35	0.43
1:A:90:LEU:CD2	1:A:90:LEU:N	2.82	0.43
2:A:6735:SAM:H4'	2:A:6735:SAM:HG2	1.48	0.43
1:A:93:GLU:N	1:A:93:GLU:OE1	2.52	0.42
1:B:194:ASN:ND2	3:B:244:HOH:O	2.52	0.42
1:A:57:VAL:CG1	1:A:60:ASN:ND2	2.83	0.42
2:D:6735:SAM:H4'	2:D:6735:SAM:HG1	1.54	0.42
1:B:39:ILE:O	1:B:40:TYR:C	2.58	0.42
1:A:201:LEU:CD2	1:A:201:LEU:N	2.83	0.42
2:B:6735:SAM:HB2	3:B:227:HOH:O	2.20	0.42
1:B:104:LEU:O	1:B:105:PHE:C	2.58	0.41
1:B:51:TYR:N	1:B:79:ASN:O	2.52	0.41
1:A:55:ASP:OD2	2:A:6735:SAM:O2'	2.39	0.41
1:B:136:GLU:OE1	1:B:211:ARG:NE	2.54	0.41
1:D:107:TRP:C	1:D:107:TRP:CD1	2.94	0.41
1:A:136:GLU:C	1:A:137:PHE:CD1	2.95	0.41
1:D:88:GLU:OE1	2:D:6735:SAM:N6	2.48	0.40
1:A:107:TRP:CE3	2:A:6735:SAM:CE	3.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	193/225 (86%)	178 (92%)	14 (7%)	1 (0%)	38	70
1	B	193/225 (86%)	184 (95%)	7 (4%)	2 (1%)	22	51

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	193/225 (86%)	176 (91%)	14 (7%)	3 (2%)	14	35
1	D	193/225 (86%)	176 (91%)	13 (7%)	4 (2%)	11	27
All	All	772/900 (86%)	714 (92%)	48 (6%)	10 (1%)	18	43

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	131	LYS
1	B	132	GLU
1	D	46	ASP
1	D	130	LYS
1	B	131	LYS
1	C	132	GLU
1	C	206	LYS
1	D	117	PRO
1	C	133	ALA
1	D	133	ALA

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	170/199 (85%)	152 (89%)	18 (11%)	10	22
1	B	170/199 (85%)	149 (88%)	21 (12%)	7	16
1	C	170/199 (85%)	156 (92%)	14 (8%)	17	36
1	D	169/199 (85%)	155 (92%)	14 (8%)	16	35
All	All	679/796 (85%)	612 (90%)	67 (10%)	11	26

All (67) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	16	GLU
1	A	39	ILE
1	A	42	LEU
1	A	58	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	73	SER
1	A	90	LEU
1	A	97	ILE
1	A	102	SER
1	A	107	TRP
1	A	112	GLU
1	A	122	LEU
1	A	127	ASP
1	A	141	TYR
1	A	172	LEU
1	A	183	LYS
1	A	196	LEU
1	A	201	LEU
1	A	205	ARG
1	B	11	ASP
1	B	15	ASP
1	B	16	GLU
1	B	25	ASP
1	B	39	ILE
1	B	42	LEU
1	B	71	LYS
1	B	73	SER
1	B	77	LEU
1	B	97	ILE
1	B	107	TRP
1	B	122	LEU
1	B	123	SER
1	B	127	ASP
1	B	141	TYR
1	B	172	LEU
1	B	175	SER
1	B	183	LYS
1	B	196	LEU
1	B	201	LEU
1	B	205	ARG
1	C	9	THR
1	C	11	ASP
1	C	39	ILE
1	C	42	LEU
1	C	44	ILE
1	C	48	ASN
1	C	73	SER

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	77	LEU
1	C	95	LYS
1	C	107	TRP
1	C	122	LEU
1	C	127	ASP
1	C	196	LEU
1	C	205	ARG
1	D	10	VAL
1	D	15	ASP
1	D	48	ASN
1	D	49	THR
1	D	74	LYS
1	D	77	LEU
1	D	105	PHE
1	D	107	TRP
1	D	120	ASP
1	D	127	ASP
1	D	141	TYR
1	D	181	ASP
1	D	196	LEU
1	D	211	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	SAM	A	6735	-	26,29,29	1.15	2 (7%)	38,42,42	2.82	13 (34%)
2	SAM	B	6735	-	26,29,29	1.15	3 (11%)	38,42,42	2.97	12 (31%)
2	SAM	C	6735	-	26,29,29	1.12	2 (7%)	38,42,42	2.86	11 (28%)
2	SAM	D	6735	-	26,29,29	1.11	2 (7%)	38,42,42	2.73	9 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SAM	A	6735	-	-	0/13/33/33	0/1/3/3
2	SAM	B	6735	-	-	0/13/33/33	0/1/3/3
2	SAM	C	6735	-	-	0/13/33/33	0/1/3/3
2	SAM	D	6735	-	-	0/13/33/33	0/1/3/3

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	6735	SAM	C2-N3	3.42	1.38	1.32
2	D	6735	SAM	C2-N3	3.36	1.38	1.32
2	A	6735	SAM	C2-N3	3.34	1.38	1.32
2	B	6735	SAM	C2-N3	3.14	1.38	1.32
2	B	6735	SAM	C2-N1	3.07	1.39	1.33
2	D	6735	SAM	C2-N1	2.72	1.39	1.33
2	C	6735	SAM	C2-N1	2.55	1.38	1.33
2	A	6735	SAM	C2-N1	2.28	1.38	1.33
2	B	6735	SAM	C2'-C1'	-2.20	1.50	1.53

All (45) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	6735	SAM	N3-C2-N1	-13.28	117.61	128.71

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	6735	SAM	N3-C2-N1	-11.21	119.33	128.71
2	B	6735	SAM	O4'-C1'-N9	10.66	118.36	108.44
2	C	6735	SAM	N3-C2-N1	-10.12	120.25	128.71
2	A	6735	SAM	N3-C2-N1	-9.68	120.62	128.71
2	A	6735	SAM	CB-CA-C	-8.96	97.92	111.44
2	C	6735	SAM	CB-CA-C	-8.92	97.97	111.44
2	C	6735	SAM	C5'-C4'-C3'	-5.77	102.77	116.32
2	C	6735	SAM	O4'-C1'-N9	5.11	113.19	108.44
2	A	6735	SAM	O4'-C1'-N9	4.27	112.42	108.44
2	C	6735	SAM	N3-C4-N9	3.80	132.28	125.43
2	D	6735	SAM	C8-N9-C4	3.79	109.79	106.90
2	B	6735	SAM	N3-C4-N9	3.65	132.02	125.43
2	A	6735	SAM	C5'-SD-CG	-3.62	91.83	102.90
2	D	6735	SAM	C1'-N9-C4	-3.45	120.67	126.64
2	A	6735	SAM	CG-CB-CA	3.43	117.27	112.22
2	B	6735	SAM	C5'-C4'-C3'	-3.36	108.43	116.32
2	D	6735	SAM	N3-C4-N9	3.22	131.25	125.43
2	B	6735	SAM	O2'-C2'-C1'	-3.15	101.70	111.23
2	A	6735	SAM	N3-C4-N9	3.07	130.97	125.43
2	D	6735	SAM	CB-CG-SD	3.06	119.14	112.49
2	A	6735	SAM	C4'-O4'-C1'	-3.02	106.47	109.75
2	A	6735	SAM	C1'-N9-C4	-3.01	121.44	126.64
2	D	6735	SAM	CB-CA-C	-2.81	107.20	111.44
2	A	6735	SAM	CB-CG-SD	-2.80	106.41	112.49
2	C	6735	SAM	O3'-C3'-C4'	-2.77	102.91	111.08
2	D	6735	SAM	N7-C8-N9	-2.60	107.02	114.36
2	C	6735	SAM	C5-C4-N3	-2.57	120.10	125.70
2	B	6735	SAM	C5-C4-N3	-2.55	120.15	125.70
2	A	6735	SAM	C4-C5-N7	-2.53	107.35	109.52
2	B	6735	SAM	C5'-SD-CG	-2.47	95.34	102.90
2	B	6735	SAM	CG-CB-CA	2.46	115.84	112.22
2	A	6735	SAM	C5'-C4'-C3'	-2.39	110.72	116.32
2	B	6735	SAM	CB-CA-C	-2.36	107.88	111.44
2	D	6735	SAM	O4'-C4'-C3'	2.28	109.79	105.17
2	A	6735	SAM	N7-C8-N9	-2.25	108.00	114.36
2	B	6735	SAM	C2-N3-C4	2.24	120.38	114.01
2	B	6735	SAM	C4-C5-N7	-2.16	107.67	109.52
2	C	6735	SAM	C2-N3-C4	2.15	120.12	114.01
2	D	6735	SAM	C5'-SD-CG	-2.14	96.37	102.90
2	C	6735	SAM	CG-CB-CA	2.09	115.29	112.22
2	B	6735	SAM	CB-CG-SD	-2.06	108.01	112.49
2	A	6735	SAM	C5-C4-N3	-2.04	121.26	125.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	6735	SAM	C5'-SD-CG	-2.02	96.73	102.90
2	C	6735	SAM	N7-C8-N9	-2.01	108.68	114.36

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.



## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	197/225 (87%)	0.11	4 (2%) 62 68	20, 43, 63, 71	0
1	B	197/225 (87%)	0.32	9 (4%) 31 35	16, 41, 64, 81	0
1	C	197/225 (87%)	0.20	6 (3%) 48 54	18, 48, 70, 83	0
1	D	197/225 (87%)	1.59	61 (30%) 1 1	47, 108, 135, 142	0
All	All	788/900 (87%)	0.56	80 (10%) 7 7	16, 50, 125, 142	0

All (80) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	22	GLY	9.2
1	D	50	PHE	9.0
1	D	131	LYS	8.4
1	D	212	VAL	7.9
1	D	177	PHE	7.2
1	D	215	HIS	7.2
1	D	216	VAL	6.9
1	D	175	SER	6.5
1	D	98	ALA	6.2
1	D	161	ALA	5.5
1	D	135	PHE	5.4
1	D	101	ILE	5.2
1	D	136	GLU	5.1
1	D	164	LEU	5.1
1	D	52	ILE	4.9
1	D	137	PHE	4.4
1	D	68	ILE	4.3
1	D	132	GLU	4.1
1	D	141	TYR	3.9
1	D	119	ARG	3.8
1	D	104	LEU	3.8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	176	GLY	3.7
1	B	141	TYR	3.6
1	B	74	LYS	3.6
1	C	141	TYR	3.6
1	D	166	GLU	3.5
1	D	129	ALA	3.5
1	D	125	VAL	3.4
1	D	97	ILE	3.4
1	D	115	ILE	3.4
1	B	182	VAL	3.4
1	D	140	THR	3.3
1	D	23	GLN	3.3
1	D	51	TYR	3.3
1	D	54	ILE	3.3
1	D	29	ILE	3.2
1	B	137	PHE	3.2
1	D	210	PHE	3.2
1	D	69	ILE	3.0
1	D	126	ALA	3.0
1	D	192	GLN	3.0
1	D	80	VAL	2.9
1	A	141	TYR	2.9
1	A	74	LYS	2.9
1	D	26	ARG	2.8
1	C	210	PHE	2.8
1	B	216	VAL	2.7
1	C	101	ILE	2.7
1	D	203	PHE	2.6
1	D	193	PHE	2.6
1	D	188	GLU	2.6
1	D	128	LEU	2.6
1	A	170	ALA	2.6
1	D	17	LEU	2.5
1	D	134	HIS	2.5
1	B	172	LEU	2.5
1	B	183	LYS	2.5
1	D	27	VAL	2.4
1	D	83	VAL	2.4
1	A	164	LEU	2.3
1	D	94	LEU	2.3
1	D	53	GLY	2.3
1	C	21	ILE	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	67	LYS	2.2
1	C	122	LEU	2.2
1	D	190	VAL	2.1
1	D	205	ARG	2.1
1	B	175	SER	2.1
1	D	133	ALA	2.1
1	B	73	SER	2.1
1	C	121	ILE	2.1
1	D	209	PHE	2.1
1	D	117	PRO	2.1
1	D	160	LYS	2.1
1	D	211	ARG	2.1
1	D	118	ASN	2.1
1	D	21	ILE	2.0
1	D	123	SER	2.0
1	D	20	ILE	2.0
1	D	32	GLY	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	SAM	C	6735	27/27	0.14	-0.83	13,17,22,28	0
2	SAM	D	6735	27/27	0.12	-1.36	27,45,49,50	0
2	SAM	B	6735	27/27	0.11	-1.46	11,17,25,29	0
2	SAM	A	6735	27/27	0.11	-1.90	12,18,21,28	0

## 6.5 Other polymers ⓘ

There are no such residues in this entry.