



Full wwPDB X-ray Structure Validation Report

Mar 1, 2014 – 02:05 AM GMT

PDB ID : 1PH6
Title : Crystal Structure of THE OXYTRICHA NOVA TELOMERE END-BINDING PROTEIN COMPLEXED WITH NONCOGNATE SSDNA GGGGTTTTGTGG
Authors : Theobald, D.L.; Schultz, S.C.
Deposited on : 2003-05-29
Resolution : 2.10 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.15 2013
Xtriage (Phenix)	:	dev-1323
EDS	:	stable22639
Percentile statistics	:	21963
Refmac	:	5.8.0049
CCP4	:	6.3.0 (Settle)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP)	:	stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	3012 (2.10-2.10)
Clashscore	79885	3649 (2.10-2.10)
Ramachandran outliers	78287	3610 (2.10-2.10)
Sidechain outliers	78261	3611 (2.10-2.10)
RSRZ outliers	66119	3013 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	G	13	
1	H	13	
2	D	11	
3	A	461	
4	B	217	

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 6448 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a DNA chain called 5'-D(*GP*GP*GP*GP*TP*TP*TP*TP*GP*GP*GP*GP*T)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	G	12	Total	C	N	O	P	0	0	0
			253	120	48	74	11			
1	H	12	Total	C	N	O	P	0	0	0
			253	120	48	74	11			

- Molecule 2 is a DNA chain called 5'-D(*GP*GP*GP*GP*TP*TP*TP*TP*GP*TP*GP*G)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	11	Total	C	N	O	P	0	0	0
			229	110	40	69	10			

- Molecule 3 is a protein called Telomere-binding protein alpha subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	A	452	Total	C	N	O	S	0	0	0
			3665	2333	628	702	2			

- Molecule 4 is a protein called Telomere-binding protein beta subunit.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	B	217	Total	C	N	O	S	0	0	0
			1740	1117	295	327	1			

- Molecule 5 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	5	Total	Na	0	0
			5	5		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	230	Total 230	O 230	0	0
6	B	45	Total 45	O 45	0	0
6	D	18	Total 18	O 18	0	0
6	G	5	Total 5	O 5	0	0
6	H	5	Total 5	O 5	0	0



4 Data and refinement statistics

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, α , β , γ	93.47Å 93.47Å 423.94Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	29.90 – 2.10 29.90 – 2.00	Depositor EDS
% Data completeness (in resolution range)	92.5 (29.90-2.10) 90.8 (29.90-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.56 (at 2.00Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.242 , 0.276 0.246 , 0.278	Depositor DCC
R_{free} test set	5996 reflections (9.91%)	DCC
Wilson B-factor (Å ²)	27.6	Xtriage
Anisotropy	0.302	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 33.3	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	1 of 68597 reflections (0.001%)	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	6448	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.71% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	G	0.54	0/284	0.73	0/440
1	H	0.45	0/284	0.65	0/440
2	D	0.73	0/256	0.83	0/396
3	A	0.55	0/3736	0.73	3/5050 (0.1%)
4	B	0.40	0/1779	0.54	0/2402
All	All	0.52	0/6339	0.68	3/8728 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	86	LYS	N-CA-C	-6.82	92.58	111.00
3	A	406	LYS	N-CA-C	5.60	126.11	111.00
3	A	266	ARG	NE-CZ-NH2	-5.23	117.69	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	G	253	0	138	7	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	H	253	0	138	1	0
2	D	229	0	128	8	0
3	A	3665	0	3664	64	0
4	B	1740	0	1726	47	0
5	A	5	0	0	0	0
6	A	230	0	0	1	0
6	B	45	0	0	1	0
6	D	18	0	0	0	0
6	G	5	0	0	0	0
6	H	5	0	0	0	0
All	All	6448	0	5794	123	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 10.

All (123) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
4:B:80:ILE:HD12	4:B:218:ILE:HD11	1.52	0.91
4:B:10:GLN:HE21	4:B:12:SER:H	1.19	0.91
1:G:11:DG:H2''	1:G:12:DG:H5'	1.53	0.89
2:D:6:DT:H2''	2:D:7:DT:H5''	1.57	0.85
2:D:6:DT:H2''	2:D:7:DT:C5'	2.17	0.75
2:D:8:DT:H2''	2:D:9:DG:H5'	1.68	0.74
3:A:226:VAL:HG13	3:A:273:ILE:HB	1.71	0.73
4:B:125:LEU:HD12	4:B:125:LEU:H	1.52	0.73
4:B:40:LYS:HD3	4:B:128:ARG:NH2	2.03	0.71
4:B:40:LYS:HD3	4:B:128:ARG:HH21	1.56	0.70
3:A:400:LEU:HD13	3:A:450:ASN:HA	1.74	0.69
4:B:62:TYR:HB3	4:B:212:THR:HG21	1.77	0.66
4:B:10:GLN:HE21	4:B:12:SER:N	1.94	0.66
4:B:132:THR:HG22	4:B:133:ARG:O	1.95	0.66
4:B:48:PRO:O	4:B:215:ILE:HG21	1.97	0.65
3:A:389:GLY:HA3	3:A:407:GLY:HA3	1.76	0.65
3:A:345:LEU:HD12	3:A:346:PRO:HD2	1.78	0.65
3:A:285:LYS:HB3	3:A:331:ASN:HD21	1.61	0.65
3:A:71:ARG:HH21	3:A:103:TYR:HE2	1.45	0.64
3:A:399:SER:O	3:A:401:LYS:N	2.29	0.64
2:D:12:DG:H2'	2:D:12:DG:N3	2.12	0.64
3:A:46:LEU:HD23	3:A:127:LEU:HG	1.81	0.63
3:A:399:SER:C	3:A:401:LYS:H	2.00	0.62
3:A:155:SER:H	3:A:158:GLN:NE2	1.97	0.61
4:B:28:PHE:O	4:B:31:VAL:HG12	2.00	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:G:6:DT:H2''	1:G:8:DT:O4	2.03	0.59
3:A:423:GLN:HG3	6:A:707:HOH:O	2.03	0.59
3:A:76:LEU:HD23	3:A:76:LEU:N	2.18	0.58
3:A:401:LYS:O	3:A:406:LYS:HB2	2.03	0.58
4:B:215:ILE:O	4:B:218:ILE:HG22	2.04	0.57
4:B:126:GLN:HE21	4:B:128:ARG:HD3	1.68	0.57
4:B:195:SER:HB3	6:B:256:HOH:O	2.03	0.57
3:A:71:ARG:NE	3:A:73:ILE:HD11	2.21	0.56
3:A:67:THR:HG21	3:A:73:ILE:HD12	1.88	0.56
4:B:10:GLN:NE2	4:B:12:SER:H	1.98	0.55
3:A:339:ASP:OD1	3:A:341:LYS:HG2	2.07	0.55
3:A:281:THR:HB	4:B:10:GLN:HE22	1.72	0.54
3:A:387:VAL:HG12	3:A:400:LEU:HD12	1.89	0.54
2:D:6:DT:C2'	2:D:7:DT:H5''	2.32	0.54
3:A:86:LYS:N	3:A:96:ASP:HB2	2.22	0.54
4:B:81:VAL:HG23	4:B:222:GLU:OE1	2.08	0.54
4:B:80:ILE:CD1	4:B:218:ILE:HD11	2.33	0.53
3:A:285:LYS:CB	3:A:331:ASN:HD21	2.22	0.53
3:A:336:THR:HG22	3:A:493:LEU:HD12	1.91	0.53
1:H:4:DG:H1'	1:H:5:DT:H5'	1.90	0.52
3:A:400:LEU:HD11	3:A:409:ASN:OD1	2.08	0.52
1:G:6:DT:H2''	1:G:8:DT:C4	2.45	0.51
3:A:479:VAL:HG12	3:A:488:ILE:HD13	1.93	0.51
4:B:57:PHE:CD2	4:B:136:VAL:HG23	2.46	0.51
4:B:44:LYS:HG2	4:B:45:GLU:HG3	1.93	0.50
3:A:155:SER:H	3:A:158:GLN:HE21	1.59	0.50
3:A:306:ALA:O	3:A:310:ARG:HB2	2.12	0.50
4:B:129:LEU:O	4:B:130:ASN:CB	2.61	0.49
4:B:125:LEU:N	4:B:125:LEU:HD12	2.26	0.49
3:A:400:LEU:C	3:A:406:LYS:H	2.14	0.49
3:A:61:ALA:HB2	3:A:76:LEU:HB3	1.95	0.48
3:A:391:ASP:CG	3:A:394:THR:HG22	2.35	0.47
4:B:47:TYR:CD1	4:B:48:PRO:HA	2.49	0.47
3:A:85:LEU:C	3:A:86:LYS:O	2.49	0.47
4:B:92:ASN:HD22	4:B:92:ASN:C	2.18	0.47
3:A:399:SER:C	3:A:401:LYS:N	2.67	0.47
4:B:81:VAL:O	4:B:81:VAL:HG12	2.15	0.47
3:A:414:GLN:OE1	4:B:170:VAL:HG23	2.15	0.47
4:B:44:LYS:HE3	4:B:45:GLU:OE2	2.14	0.47
3:A:458:ARG:O	3:A:462:GLU:HG3	2.15	0.46
4:B:87:VAL:CG1	4:B:128:ARG:HG3	2.45	0.46
3:A:149:PHE:CZ	3:A:171:PRO:HG3	2.51	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
4:B:87:VAL:CG1	4:B:124:ASN:HB2	2.45	0.46
3:A:85:LEU:HG	3:A:86:LYS:O	2.15	0.46
3:A:391:ASP:HB3	3:A:394:THR:HG22	1.98	0.46
3:A:432:LEU:HB2	3:A:487:LEU:HD23	1.98	0.45
1:G:9:DG:N3	1:G:9:DG:H2'	2.30	0.45
3:A:200:PHE:CZ	3:A:205:VAL:HG11	2.51	0.45
3:A:450:ASN:OD1	3:A:452:HIS:HB2	2.16	0.45
3:A:79:VAL:HG13	3:A:84:TYR:HB3	1.98	0.45
4:B:90:ILE:HG23	4:B:118:VAL:HG13	1.98	0.45
3:A:215:ASN:HA	3:A:251:GLN:HG3	1.99	0.45
4:B:62:TYR:HB3	4:B:212:THR:CG2	2.45	0.45
3:A:400:LEU:HA	3:A:400:LEU:HD23	1.64	0.44
3:A:351:GLN:O	3:A:355:HIS:HB2	2.16	0.44
3:A:61:ALA:CB	3:A:76:LEU:HB3	2.48	0.44
3:A:400:LEU:CD1	3:A:450:ASN:HA	2.44	0.44
2:D:8:DT:H2''	2:D:9:DG:C5'	2.44	0.44
2:D:6:DT:O2	2:D:8:DT:H73	2.18	0.44
4:B:42:TYR:CE1	4:B:85:ASP:HA	2.53	0.44
3:A:71:ARG:HE	3:A:73:ILE:HD11	1.81	0.44
4:B:206:LYS:O	4:B:206:LYS:HG3	2.18	0.43
3:A:422:THR:HB	3:A:425:ASN:HD21	1.83	0.43
3:A:79:VAL:CG1	3:A:80:ASP:N	2.81	0.43
4:B:129:LEU:O	4:B:130:ASN:HB2	2.18	0.43
1:G:4:DG:OP1	3:A:105:LYS:NZ	2.50	0.43
4:B:122:LYS:HA	4:B:123:PRO:HD3	1.82	0.43
4:B:41:CYS:HB2	4:B:53:THR:O	2.18	0.43
3:A:85:LEU:HA	3:A:96:ASP:H	1.84	0.43
1:G:4:DG:H1'	1:G:5:DT:H5'	2.00	0.43
3:A:379:GLU:HA	3:A:380:PRO:C	2.39	0.43
3:A:230:ILE:HD13	3:A:245:LEU:CD2	2.49	0.43
4:B:55:GLY:O	4:B:132:THR:HG23	2.18	0.43
4:B:98:ARG:HG3	4:B:115:ARG:HD2	2.01	0.42
3:A:418:LYS:HD3	4:B:156:LEU:HD21	2.00	0.42
1:G:11:DG:C2'	1:G:12:DG:H5'	2.34	0.42
3:A:387:VAL:HG12	3:A:400:LEU:CD1	2.49	0.42
4:B:132:THR:HG22	4:B:133:ARG:N	2.35	0.42
3:A:434:TYR:HB3	3:A:436:GLN:OE1	2.20	0.42
3:A:121:ARG:O	3:A:146:TRP:HA	2.20	0.42
4:B:17:LEU:HD11	4:B:35:LEU:HB3	2.01	0.42
4:B:216:ALA:O	4:B:220:VAL:HG23	2.19	0.42
4:B:87:VAL:HG11	4:B:128:ARG:HG3	2.02	0.41
4:B:212:THR:HG22	4:B:213:LEU:N	2.34	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
4:B:55:GLY:HA2	4:B:132:THR:HG21	2.03	0.41
3:A:48:SER:C	3:A:50:GLN:H	2.23	0.41
4:B:132:THR:CG2	4:B:133:ARG:N	2.84	0.41
3:A:348:THR:CG2	3:A:353:LEU:HD13	2.51	0.41
3:A:285:LYS:HD3	3:A:331:ASN:ND2	2.35	0.41
2:D:6:DT:H2''	2:D:7:DT:H5'	1.99	0.41
3:A:400:LEU:HD13	3:A:450:ASN:CA	2.45	0.41
3:A:366:GLN:HB3	3:A:369:PHE:CZ	2.56	0.41
4:B:214:LYS:HB2	4:B:217:ASP:OD2	2.20	0.41
4:B:86:LYS:NZ	4:B:125:LEU:HD23	2.36	0.40
3:A:320:GLU:O	3:A:324:LEU:HG	2.21	0.40
3:A:444:PHE:O	3:A:445:ASN:HB2	2.21	0.40
3:A:73:ILE:HG22	3:A:74:CYS:N	2.36	0.40
3:A:149:PHE:CE2	3:A:171:PRO:HG3	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	A	450/461 (98%)	429 (95%)	16 (4%)	5 (1%)	21	13
4	B	215/217 (99%)	194 (90%)	18 (8%)	3 (1%)	16	9
All	All	665/678 (98%)	623 (94%)	34 (5%)	8 (1%)	19	11

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	A	93	ASP
3	A	406	LYS
4	B	130	ASN
4	B	126	GLN
4	B	210	THR
3	A	400	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	A	49	ALA
3	A	68	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	A	406/409 (99%)	400 (98%)	6 (2%)	76	81
4	B	190/190 (100%)	186 (98%)	4 (2%)	66	70
All	All	596/599 (100%)	586 (98%)	10 (2%)	73	78

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	A	76	LEU
3	A	226	VAL
3	A	239	TYR
3	A	309	LEU
3	A	353	LEU
3	A	493	LEU
4	B	66	GLU
4	B	92	ASN
4	B	125	LEU
4	B	215	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
3	A	158	GLN
3	A	161	ASN
3	A	198	GLN
3	A	327	ASN
3	A	331	ASN
3	A	372	GLN
4	B	10	GLN
4	B	92	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	B	126	GLN
4	B	149	GLN
4	B	221	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 5 ligands modelled in this entry, 5 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å²)	Q<0.9	
1	G	12/13 (92%)	0.17	0	100	100	32, 42, 50, 53	0
1	H	12/13 (92%)	0.05	0	100	100	40, 45, 52, 56	0
2	D	11/11 (100%)	-0.31	0	100	100	23, 31, 47, 51	0
3	A	452/461 (98%)	0.05	15 (3%)	44	49	16, 27, 54, 69	0
4	B	217/217 (100%)	0.74	27 (12%)	5	5	20, 46, 74, 89	0
All	All	704/715 (98%)	0.26	42 (5%)	18	24	16, 32, 67, 89	0

All (42) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	A	406	LYS	9.9
4	B	127	GLU	9.8
3	A	407	GLY	6.8
4	B	8	PRO	5.8
4	B	126	GLN	5.5
4	B	78	VAL	5.4
4	B	129	LEU	5.3
4	B	196	LYS	5.1
4	B	130	ASN	4.5
4	B	73	ALA	4.5
3	A	87	GLN	4.4
3	A	400	LEU	4.4
4	B	9	GLN	4.2
4	B	194	ALA	4.0
4	B	219	PHE	3.9
3	A	93	ASP	3.8
4	B	215	ILE	3.7
3	A	70	GLU	3.7
3	A	401	LYS	3.5
4	B	195	SER	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	B	223	LYS	3.3
3	A	71	ARG	3.3
4	B	77	ASN	3.2
4	B	218	ILE	3.1
3	A	94	ALA	2.9
4	B	179	ALA	2.8
4	B	25	GLU	2.6
3	A	69	GLN	2.5
4	B	125	LEU	2.4
4	B	197	GLY	2.4
3	A	362	GLU	2.4
4	B	128	ARG	2.3
4	B	224	GLY	2.3
4	B	213	LEU	2.3
3	A	153	LYS	2.3
3	A	344	ALA	2.3
3	A	183	LYS	2.3
3	A	76	LEU	2.2
4	B	65	LYS	2.2
4	B	74	LYS	2.2
4	B	122	LYS	2.1
4	B	79	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
5	NA	A	500	1/1	0.63	-	85,85,85,85	0
5	NA	A	499	1/1	0.38	-	85,85,85,85	0
5	NA	A	496	1/1	1.16	-	99,99,99,99	0
5	NA	A	498	1/1	1.87	-	94,94,94,94	0
5	NA	A	497	1/1	0.60	-	101,101,101,101	0

6.5 Other polymers ⓘ

There are no such residues in this entry.