



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 28, 2014 – 01:48 PM GMT

PDB ID : 2PJ0  
Title : CRYSTAL STRUCTURE OF ACTIVATED PORCINE PANCREATIC CARBOXYPEPTIDASE B [((R)-1-Benzoyloxycarbonylamino-2-methyl-propyl)-hydroxy-phosphinoyloxy]-(3-guanidino-phenyl)-aceticacid COMPLEX  
Authors : Adler, M.; Whitlow, M.  
Deposited on : 2007-04-15  
Resolution : 1.65 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.15 2013  
Xtriage (Phenix) : dev-1323  
EDS : stable22639  
Percentile statistics : 21963  
Refmac : 5.8.0049  
CCP4 : 6.3.0 (Settle)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable22683

# 1 Overall quality at a glance

The reported resolution of this entry is 1.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	66092	1404 (1.68-1.64)
Clashscore	79885	1001 (1.66-1.66)
Ramachandran outliers	78287	1581 (1.68-1.64)
Sidechain outliers	78261	1580 (1.68-1.64)
RSRZ outliers	66119	1404 (1.68-1.64)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	306	
1	B	306	
1	C	306	

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 7904 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Carboxypeptidase B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	304	Total	C	N	O	S	0	0	0
			2436	1560	397	467	12			
1	B	304	Total	C	N	O	S	0	0	0
			2436	1560	397	467	12			
1	C	304	Total	C	N	O	S	0	0	0
			2436	1560	397	467	12			

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Zn	0	0
			1	1		
2	A	1	Total	Zn	0	0
			1	1		
2	C	1	Total	Zn	0	0
			1	1		

- Molecule 3 is (5R,6S,8S)-8-(3-{[AMINO(IMINO)METHYL]AMINO}PHENYL)-6-HYDROXY-5-ISOPROPYL-3-OXO-1-PHENYL-2,7-DIOXA-4-AZA-6-PHOSPHANONAN-9-OIACACID 6-OXIDE (three-letter code: 922) (formula: C<sub>21</sub>H<sub>27</sub>N<sub>4</sub>O<sub>7</sub>P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			33	21	4	7	1		
3	B	1	Total	C	N	O	P	0	0
			33	21	4	7	1		
3	C	1	Total	C	N	O	P	0	0
			33	21	4	7	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	198	Total	O	0	0
			198	198		
4	B	186	Total	O	0	0
			186	186		
4	C	110	Total	O	0	0
			110	110		



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	66.58Å 101.80Å 136.09Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 1.65 38.76 – 1.65	Depositor EDS
% Data completeness (in resolution range)	77.2 (20.00-1.65) 78.9 (38.76-1.65)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.06	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.03 (at 1.65Å)	Xtriage
Refinement program	CNX 2005	Depositor
R, $R_{free}$	0.210 , 0.231 0.210 , 0.231	Depositor DCC
$R_{free}$ test set	3492 reflections (4.13%)	DCC
Wilson B-factor (Å <sup>2</sup> )	20.5	Xtriage
Anisotropy	0.450	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 34.3	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	1 of 88109 reflections (0.001%)	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	7904	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	23.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.16% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, 922

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.27	0/2505	0.46	0/3408
1	B	0.27	0/2505	0.46	0/3408
1	C	0.25	0/2505	0.44	0/3408
All	All	0.26	0/7515	0.45	0/10224

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2436	0	2317	29	0
1	B	2436	0	2317	23	0
1	C	2436	0	2317	40	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
3	A	33	0	24	0	0
3	B	33	0	24	0	0
3	C	33	0	24	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	198	0	0	0	0
4	B	186	0	0	1	0
4	C	110	0	0	2	0
All	All	7904	0	7023	92	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 6.

All (92) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:198:TYR:O	1:B:199:SER:HB2	1.78	0.83
1:A:215:ASN:HD22	1:A:215:ASN:H	1.33	0.74
1:A:247:ILE:HG23	1:A:248:TYR:H	1.55	0.72
1:B:247:ILE:HG23	1:B:248:TYR:H	1.59	0.67
1:C:247:ILE:HG23	1:C:248:TYR:H	1.59	0.67
1:A:102:LYS:HE2	1:A:305:LEU:HD22	1.78	0.66
1:A:247:ILE:HG23	1:A:248:TYR:N	2.13	0.64
1:C:11:LYS:HD2	1:C:283:GLU:OE2	1.98	0.64
1:C:300:VAL:O	1:C:304:VAL:HG23	2.01	0.61
1:B:215:ASN:HD22	1:B:215:ASN:H	1.46	0.61
1:B:272:ARG:HH11	1:B:285:GLN:HE21	1.50	0.60
1:B:198:TYR:O	1:B:199:SER:CB	2.50	0.59
1:A:215:ASN:HD22	1:A:215:ASN:N	1.97	0.59
1:B:247:ILE:HG23	1:B:248:TYR:N	2.18	0.58
1:C:10:GLU:O	1:C:11:LYS:HD3	2.03	0.58
1:C:58:ASN:N	1:C:58:ASN:HD22	2.02	0.56
1:A:9:TYR:CE2	1:A:84:ARG:HD3	2.40	0.56
1:A:233:LEU:HD13	1:A:295:LEU:HD11	1.88	0.56
1:C:247:ILE:HG13	1:C:248:TYR:CD2	2.42	0.55
1:C:198:TYR:O	1:C:199:SER:CB	2.56	0.54
1:C:247:ILE:HG23	1:C:248:TYR:N	2.22	0.54
1:B:177:LYS:HD3	4:B:667:HOH:O	2.08	0.54
1:A:198:TYR:O	1:A:199:SER:CB	2.56	0.53
1:B:215:ASN:HD22	1:B:215:ASN:N	2.05	0.53
1:C:9:TYR:CZ	1:C:84:ARG:HB2	2.43	0.53
1:A:272:ARG:HH11	1:A:285:GLN:HE21	1.55	0.53
1:B:54:LYS:HG3	1:B:90:TYR:OH	2.09	0.52
1:C:145:ARG:HD2	1:C:156:ALA:HB2	1.92	0.52
1:C:171:GLU:O	1:C:177:LYS:HE2	2.10	0.52
1:C:111:LEU:HD22	1:C:179:LEU:HD12	1.91	0.52
1:C:201:MET:HG2	1:C:239:THR:OG1	2.10	0.51
1:A:215:ASN:ND2	1:A:215:ASN:H	2.03	0.51

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:247:ILE:CG2	1:A:248:TYR:H	2.23	0.50
1:C:56:GLY:O	1:C:59:LYS:HG3	2.12	0.49
1:B:64:MET:HA	1:B:193:LEU:O	2.12	0.49
1:A:247:ILE:HG13	1:A:248:TYR:CD2	2.47	0.49
1:B:272:ARG:HH11	1:B:285:GLN:NE2	2.11	0.48
1:A:103:LEU:HD23	1:A:305:LEU:HG	1.94	0.48
1:C:273:ASP:OD1	1:C:276:ARG:HB2	2.14	0.48
1:C:57:PRO:O	1:C:58:ASN:HB2	2.14	0.48
1:B:9:TYR:CE2	1:B:84:ARG:HD3	2.49	0.48
1:B:228:LYS:HE3	1:B:228:LYS:HB3	1.50	0.48
1:B:40:THR:O	1:B:174:LYS:HE2	2.14	0.47
1:B:215:ASN:H	1:B:215:ASN:ND2	2.12	0.47
1:C:305:LEU:O	1:C:308:LEU:HG	2.13	0.47
1:C:40:THR:O	1:C:174:LYS:HE3	2.15	0.47
1:C:9:TYR:CE1	1:C:84:ARG:HB2	2.50	0.47
1:B:204:TYR:HB2	1:B:205:PRO:CD	2.45	0.46
1:C:174:LYS:HG3	4:C:620:HOH:O	2.14	0.46
1:C:274:LYS:HD3	4:C:679:HOH:O	2.13	0.46
1:C:29:ASN:N	1:C:30:PRO:HD3	2.29	0.46
1:A:272:ARG:HH11	1:A:285:GLN:NE2	2.12	0.46
1:C:81:TRP:CH2	1:C:287:GLN:HB2	2.51	0.46
1:C:160:PRO:HA	1:C:165:TYR:CG	2.51	0.46
1:A:198:TYR:O	1:A:199:SER:HB2	2.15	0.46
1:A:179:LEU:HD23	1:A:179:LEU:C	2.35	0.46
1:C:41:THR:HG21	1:C:113:ILE:HB	1.98	0.45
1:A:41:THR:HG21	1:A:113:ILE:HB	1.98	0.45
1:C:238:TYR:OH	1:C:271:LEU:HA	2.17	0.44
1:B:247:ILE:CG2	1:B:248:TYR:H	2.29	0.44
1:C:179:LEU:HD23	1:C:179:LEU:C	2.37	0.44
1:C:119:THR:HA	1:C:123:ASN:O	2.18	0.44
1:C:89:THR:CG2	1:C:93:GLU:HB3	2.48	0.44
1:C:24:GLN:N	1:C:24:GLN:OE1	2.51	0.44
1:B:238:TYR:OH	1:B:271:LEU:HA	2.18	0.44
1:A:64:MET:HA	1:A:193:LEU:O	2.18	0.44
1:C:287:GLN:O	1:C:291:GLU:HG3	2.18	0.43
1:A:204:TYR:O	1:A:242:PRO:HA	2.18	0.43
1:C:230:LEU:C	1:C:230:LEU:HD23	2.39	0.43
1:A:247:ILE:CG2	1:A:248:TYR:N	2.80	0.43
1:B:272:ARG:HA	1:B:273:ASP:HA	1.82	0.43
1:C:64:MET:HA	1:C:193:LEU:O	2.19	0.43
1:A:215:ASN:ND2	1:A:215:ASN:N	2.65	0.43
1:A:204:TYR:HB2	1:A:205:PRO:CD	2.49	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:224:LYS:O	1:B:227:VAL:HG22	2.18	0.43
1:B:151:TRP:CH2	1:B:169:ALA:HA	2.54	0.43
1:A:300:VAL:O	1:A:304:VAL:HG23	2.19	0.42
1:B:160:PRO:HA	1:B:165:TYR:CG	2.54	0.42
1:C:205:PRO:HA	1:C:206:TYR:HA	1.80	0.42
1:C:228:LYS:O	1:C:232:THR:HG23	2.20	0.41
1:A:119:THR:HA	1:A:123:ASN:O	2.20	0.41
1:C:24:GLN:O	1:C:28:GLU:HG3	2.20	0.41
1:B:287:GLN:HE21	1:B:287:GLN:HB3	1.67	0.41
1:A:305:LEU:HD23	1:A:308:LEU:HD11	2.03	0.41
1:C:12:TYR:CD2	1:C:283:GLU:HG2	2.55	0.41
1:A:165:TYR:CE2	1:A:167:GLY:HA2	2.56	0.41
1:A:224:LYS:O	1:A:227:VAL:HG22	2.20	0.41
1:C:187:LEU:HD23	1:C:187:LEU:HA	1.95	0.41
1:A:42:PHE:CD2	1:A:131:SER:HA	2.56	0.40
1:C:85:GLU:O	1:C:89:THR:HB	2.21	0.40
1:A:179:LEU:CD2	1:A:183:ILE:HD12	2.51	0.40
1:C:89:THR:HG22	1:C:96:MET:HB3	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	302/306 (99%)	291 (96%)	10 (3%)	1 (0%)	50	24
1	B	302/306 (99%)	294 (97%)	7 (2%)	1 (0%)	50	24
1	C	302/306 (99%)	295 (98%)	6 (2%)	1 (0%)	50	24
All	All	906/918 (99%)	880 (97%)	23 (2%)	3 (0%)	50	24

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	199	SER

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	199	SER
1	C	199	SER

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	257/259 (99%)	251 (98%)	6 (2%)	63	33
1	B	257/259 (99%)	248 (96%)	9 (4%)	48	16
1	C	257/259 (99%)	249 (97%)	8 (3%)	52	19
All	All	771/777 (99%)	748 (97%)	23 (3%)	53	21

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	68	PHE
1	A	152	CYS
1	A	215	ASN
1	A	276	ARG
1	A	287	GLN
1	A	291	GLU
1	B	68	PHE
1	B	152	CYS
1	B	199	SER
1	B	214	GLU
1	B	215	ASN
1	B	228	LYS
1	B	248	TYR
1	B	276	ARG
1	B	287	GLN
1	C	24	GLN
1	C	58	ASN
1	C	68	PHE
1	C	105	PHE
1	C	152	CYS
1	C	214	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	222	LEU
1	C	287	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	46	ASN
1	A	95	HIS
1	A	185	ASN
1	A	215	ASN
1	A	285	GLN
1	A	287	GLN
1	B	46	ASN
1	B	215	ASN
1	B	285	GLN
1	B	287	GLN
1	B	307	HIS
1	C	46	ASN
1	C	58	ASN
1	C	185	ASN
1	C	285	GLN
1	C	287	GLN

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 6 ligands modelled in this entry, 3 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	922	A	401	-	34,34,34	1.70	5 (14%)	47,47,47	1.36	7 (14%)
3	922	B	501	-	34,34,34	1.72	5 (14%)	47,47,47	1.37	8 (17%)
3	922	C	601	-	34,34,34	1.72	5 (14%)	47,47,47	1.39	7 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	922	A	401	-	-	0/36/36/36	0/2/2/2
3	922	B	501	-	-	0/36/36/36	0/2/2/2
3	922	C	601	-	-	0/36/36/36	0/2/2/2

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	401	922	P24-O35	-4.96	1.48	1.56
3	B	501	922	P24-O35	-4.67	1.48	1.56
3	C	601	922	P24-O35	-4.63	1.48	1.56
3	B	501	922	C33-C36	-4.25	1.40	1.50
3	C	601	922	C33-C36	-4.14	1.40	1.50
3	A	401	922	C33-C36	-3.85	1.41	1.50
3	B	501	922	C7-N9	-3.10	1.35	1.41
3	C	601	922	C7-N9	-2.93	1.36	1.41
3	A	401	922	C7-N9	-2.86	1.36	1.41
3	A	401	922	C4-C3	2.32	1.43	1.39
3	C	601	922	C3-C1	2.28	1.55	1.51
3	B	501	922	C4-C3	2.26	1.42	1.39
3	C	601	922	C4-C3	2.19	1.42	1.39
3	A	401	922	C3-C1	2.16	1.55	1.51
3	B	501	922	C3-C1	2.01	1.55	1.51

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	601	922	O23-P24-O34	-3.61	108.70	115.04
3	A	401	922	O23-P24-O34	-3.57	108.76	115.04
3	B	501	922	O32-C33-C36	3.57	118.37	109.38
3	C	601	922	O32-C33-C36	3.42	117.98	109.38
3	A	401	922	O14-C2-C1	-3.31	116.33	121.92
3	C	601	922	O35-P24-O34	3.24	118.48	110.45
3	C	601	922	O14-C2-C1	-3.24	116.45	121.92
3	B	501	922	O35-P24-O34	3.21	118.40	110.45
3	A	401	922	O32-C33-C36	3.17	117.36	109.38
3	A	401	922	O13-C2-C1	3.10	117.45	113.04
3	B	501	922	O14-C2-C1	-3.08	116.72	121.92
3	A	401	922	O35-P24-O34	3.08	118.07	110.45
3	C	601	922	O13-C2-C1	3.06	117.38	113.04
3	B	501	922	O13-C2-C1	3.01	117.32	113.04
3	B	501	922	O23-P24-O34	-3.00	109.76	115.04
3	C	601	922	P24-O23-C1	-2.86	116.85	123.23
3	A	401	922	P24-O23-C1	-2.79	117.00	123.23
3	B	501	922	P24-O23-C1	-2.74	117.11	123.23
3	C	601	922	C7-N9-C10	-2.34	122.92	128.35
3	B	501	922	C7-N9-C10	-2.29	123.04	128.35
3	B	501	922	O32-C30-N29	2.19	115.81	110.57
3	A	401	922	C7-N9-C10	-2.16	123.33	128.35

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	304/306 (99%)	-0.14	4 (1%) 74 76	13, 19, 28, 44	0
1	B	304/306 (99%)	-0.04	6 (1%) 62 63	14, 20, 29, 51	0
1	C	304/306 (99%)	0.26	13 (4%) 34 33	17, 27, 47, 67	0
All	All	912/918 (99%)	0.03	23 (2%) 54 56	13, 21, 40, 67	0

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	308	LEU	10.0
1	C	102	LYS	5.0
1	C	276	ARG	4.4
1	C	57	PRO	4.0
1	C	88	LEU	3.7
1	B	308	LEU	3.5
1	C	305	LEU	2.9
1	A	6	GLY	2.8
1	C	277	TYR	2.5
1	C	233	LEU	2.5
1	A	297	ILE	2.5
1	C	87	VAL	2.5
1	C	306	GLY	2.3
1	A	295	LEU	2.2
1	B	108	LEU	2.2
1	A	308	LEU	2.2
1	C	56	GLY	2.2
1	B	111	LEU	2.1
1	B	107	VAL	2.1
1	B	57	PRO	2.0
1	C	237	LYS	2.0
1	B	305	LEU	2.0
1	C	89	THR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	922	A	401	33/33	0.10	-	14,17,57,58	0
2	ZN	C	600	1/1	0.03	-	18,18,18,18	0
2	ZN	B	500	1/1	0.05	-	16,16,16,16	0
2	ZN	A	400	1/1	0.07	-	17,17,17,17	0
3	922	B	501	33/33	0.10	-	14,18,54,55	0
3	922	C	601	33/33	0.12	-	18,20,59,59	0

## 6.5 Other polymers ⓘ

There are no such residues in this entry.