



Full wwPDB X-ray Structure Validation Report

Feb 27, 2014 – 12:55 PM GMT

PDB ID : 1PPA
Title : THE CRYSTAL STRUCTURE OF A LYSINE 49 PHOSPHOLIPASE
A2 FROM THE VENOM OF THE COTTONMOUTH SNAKE AT 2.0
ANGSTROMS RESOLUTION
Authors : Holland, D.R.; Clancy, L.L.; Muchmore, S.W.; Rydel, T.J.; Einspahr, H.M.;
Finzel, B.C.; Heinrikson, R.L.; Watenpaugh, K.D.
Deposited on : 1991-10-29
Resolution : 2.00 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 21963
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.00 Å.


Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	79885	6188 (2.00-2.00)
Ramachandran outliers	78287	6102 (2.00-2.00)
Sidechain outliers	78261	6100 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	121	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
2	ANL	A	134	X	-

2 Entry composition i


There are 3 unique types of molecules in this entry. The entry contains 1127 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PHOSPHOLIPASE A2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	121	969	604	169	180	16	0	1	0

- Molecule 2 is ANILINE (three-letter code: ANL) (formula: C₆H₇N).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	N		
2	A	1	7	6	1	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
3	A	151	151	151	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: PHOSPHOLIPASE A2

Chain A: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	71.53Å 71.53Å 57.59Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	10.00 – 2.00	Depositor
% Data completeness (in resolution range)	(Not available) (10.00-2.00)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CEDAR	Depositor
R, R_{free}	0.157 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	1127	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ANL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.10	2/993 (0.2%)	2.12	39/1327 (2.9%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	6

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	77	TRP	NE1-CE2	-5.87	1.29	1.37
1	A	44	CYS	CB-SG	5.68	1.91	1.82

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	72	ARG	NE-CZ-NH2	-13.16	113.72	120.30
1	A	34	ARG	NE-CZ-NH1	11.84	126.22	120.30
1	A	107	ARG	NE-CZ-NH1	11.53	126.07	120.30
1	A	42	ASP	CB-CG-OD2	9.98	127.28	118.30
1	A	107	ARG	NE-CZ-NH2	-9.85	115.38	120.30
1	A	72	ARG	NE-CZ-NH1	9.71	125.15	120.30
1	A	43	ARG	NE-CZ-NH1	-8.55	116.02	120.30
1	A	34	ARG	NE-CZ-NH2	-8.18	116.21	120.30
1	A	5	LEU	CB-CG-CD1	7.95	124.51	111.00
1	A	117	TYR	CB-CG-CD1	-7.51	116.49	121.00
1	A	1	SER	N-CA-CB	-7.48	99.28	110.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	86	GLU	CA-CB-CG	-7.30	97.34	113.40
1	A	43	ARG	CG-CD-NE	-7.26	96.56	111.80
1	A	34	ARG	CD-NE-CZ	6.98	133.37	123.60
1	A	120	TYR	CB-CG-CD2	-6.87	116.88	121.00
1	A	97	GLU	OE1-CD-OE2	-6.58	115.41	123.30
1	A	25	TYR	CB-CG-CD2	-6.39	117.17	121.00
1	A	22	TYR	CB-CG-CD2	-6.25	117.25	121.00
1	A	3	LEU	CB-CG-CD1	-6.08	100.66	111.00
1	A	71	ASP	N-CA-CB	-5.97	99.85	110.60
1	A	75	TYR	CG-CD1-CE1	-5.96	116.53	121.30
1	A	117	TYR	CB-CA-C	-5.82	98.75	110.40
1	A	52	TYR	CB-CG-CD2	-5.77	117.54	121.00
1	A	72	ARG	CG-CD-NE	-5.70	99.84	111.80
1	A	22	TYR	CB-CA-C	-5.67	99.05	110.40
1	A	86	GLU	N-CA-CB	-5.52	100.66	110.60
1	A	125	LYS	CB-CA-C	-5.52	99.37	110.40
1	A	52	TYR	CB-CA-C	-5.38	99.64	110.40
1	A	111	ASP	CB-CG-OD1	5.37	123.13	118.30
1	A	4	GLU	N-CA-CB	5.35	120.23	110.60
1	A	117	TYR	O-C-N	5.27	131.13	122.70
1	A	29	CYS	CB-CA-C	-5.24	99.91	110.40
1	A	120	TYR	CG-CD1-CE1	-5.23	117.12	121.30
1	A	78	LYS	N-CA-CB	-5.17	101.29	110.60
1	A	52	TYR	CG-CD1-CE1	-5.15	117.18	121.30
1	A	36	GLN	N-CA-CB	-5.12	101.39	110.60
1	A	67	ASN	N-CA-CB	-5.06	101.49	110.60
1	A	43	ARG	NE-CZ-NH2	5.03	122.82	120.30
1	A	90	PRO	N-CD-CG	-5.01	95.68	103.20

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	107	ARG	Sidechain
1	A	34	ARG	Sidechain
1	A	43	ARG	Sidechain
1	A	52	TYR	Sidechain
1	A	67	ASN	Sidechain
1	A	72	ARG	Sidechain

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	969	0	951	44	3
2	A	7	0	7	3	0
3	A	151	0	0	17	4
All	All	1127	0	958	46	4

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 24.

All (46) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:34:ARG:HB3	3:A:319:HOH:O	1.29	1.27
1:A:81:ALA:HB1	3:A:267:HOH:O	1.34	1.26
1:A:34:ARG:CB	3:A:319:HOH:O	1.95	1.01
2:A:134:ANL:H2	3:A:224:HOH:O	1.61	0.99
1:A:55:LEU:HB3	3:A:329:HOH:O	1.60	0.99
1:A:81:ALA:CB	3:A:267:HOH:O	1.97	0.98
1:A:89:ASN:HB2	3:A:211:HOH:O	1.71	0.90
1:A:115:LYS:O	1:A:118:LYS:HB3	1.79	0.82
1:A:55:LEU:CB	3:A:329:HOH:O	2.21	0.78
1:A:117:TYR:O	1:A:120:TYR:HB2	1.89	0.72
1:A:124:LEU:HD23	1:A:124:LEU:N	2.03	0.72
1:A:27:CYS:SG	1:A:38:LYS:HD3	2.31	0.71
1:A:114:ASN:C	1:A:114:ASN:OD1	2.31	0.69
1:A:93:LYS:NZ	3:A:258:HOH:O	2.24	0.68
1:A:67:ASN:HA	3:A:339:HOH:O	1.94	0.67
1:A:34:ARG:HH11	1:A:130:PRO:HB2	1.64	0.63
1:A:114:ASN:OD1	1:A:116:LYS:HG2	1.98	0.61
1:A:120:TYR:CE1	1:A:124:LEU:HD12	2.40	0.57
1:A:68:HIS:N	3:A:339:HOH:O	2.23	0.55
1:A:115:LYS:O	1:A:118:LYS:CB	2.55	0.54
1:A:88:LYS:HD3	3:A:325:HOH:O	2.07	0.53
1:A:118:LYS:O	1:A:118:LYS:HG2	2.09	0.53
1:A:118:LYS:CG	1:A:118:LYS:O	2.58	0.51
1:A:34:ARG:HD2	1:A:35:GLY:H	1.77	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:90:PRO:HG2	3:A:218:HOH:O	2.12	0.49
1:A:68:HIS:HA	1:A:95:MET:SD	2.52	0.49
1:A:120:TYR:CZ	1:A:124:LEU:HB2	2.47	0.49
1:A:112:THR:O	1:A:113:TYR:C	2.49	0.47
1:A:52:TYR:HA	1:A:55:LEU:HD22	1.97	0.47
1:A:29:CYS:HA	1:A:45:CYS:HB3	1.97	0.47
1:A:13:THR:OG1	1:A:16:LYS:HB2	2.14	0.46
1:A:131:ASP:OD1	1:A:131:ASP:N	2.48	0.45
1:A:80:LYS:O	3:A:286:HOH:O	2.21	0.44
2:A:134:ANL:C2	3:A:224:HOH:O	2.41	0.44
1:A:36:GLN:HA	1:A:37:PRO:HD3	1.59	0.44
1:A:33:HIS:N	1:A:33:HIS:CD2	2.85	0.44
1:A:88:LYS:HE3	3:A:279:HOH:O	2.19	0.42
1:A:34:ARG:HB2	3:A:319:HOH:O	1.91	0.42
1:A:33:HIS:H	1:A:33:HIS:CD2	2.38	0.42
1:A:132:THR:HG23	1:A:133:CYS:OXT	2.20	0.41
1:A:29:CYS:O	2:A:134:ANL:C1	2.69	0.41
1:A:52:TYR:CZ	1:A:68:HIS:HB2	2.55	0.41
1:A:104:ILE:HD13	1:A:104:ILE:HG21	1.75	0.41
1:A:34:ARG:HH11	1:A:130:PRO:CB	2.31	0.41
1:A:88:LYS:HG2	1:A:88:LYS:H	1.78	0.41
1:A:89:ASN:C	1:A:89:ASN:OD1	2.60	0.40

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
3:A:203:HOH:O	3:A:351:HOH:O[3_545]	1.64	0.56
1:A:72:ARG:NH2	3:A:263:HOH:O[8_665]	2.02	0.18
1:A:17:ASN:OD1	3:A:304:HOH:O[8_665]	2.10	0.10
1:A:89:ASN:OD1	3:A:230:HOH:O[4_554]	2.19	0.01

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	120/121 (99%)	116 (97%)	4 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	109/108 (101%)	104 (95%)	5 (5%)	37	30

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	31	TRP
1	A	34	ARG
1	A	55	LEU
1	A	115	LYS
1	A	132	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	11	GLN
1	A	36	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	ANL	A	134	-	7,7,7	5.21	6 (85%)	8,8,8	8.42	6 (75%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ANL	A	134	-	-	0/0/0/0	0/1/1/1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	134	ANL	C3-C2	6.65	1.54	1.39
2	A	134	ANL	C5-C6	6.38	1.53	1.39
2	A	134	ANL	C2-C1	5.51	1.53	1.39
2	A	134	ANL	C4-C3	5.05	1.52	1.37
2	A	134	ANL	C6-C1	4.98	1.51	1.39
2	A	134	ANL	C5-C4	4.89	1.52	1.37

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	134	ANL	C2-C1-N	-20.03	78.83	120.90
2	A	134	ANL	C4-C5-C6	-6.85	108.76	120.17
2	A	134	ANL	C3-C2-C1	-5.45	105.89	119.88

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	134	ANL	C4-C3-C2	-5.35	111.25	120.17
2	A	134	ANL	C5-C6-C1	-5.33	106.19	119.88
2	A	134	ANL	C6-C1-C2	-5.23	109.05	118.20

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.