



Full wwPDB X-ray Structure Validation Report

Feb 28, 2014 – 02:26 AM GMT

PDB ID : 2Q04
Title : Crystal structure of acetoin utilization protein (ZP_00540088.1) from *Exiguobacterium sibiricum* 255-15 at 2.33 Å resolution
Authors : Joint Center for Structural Genomics (JCSG)
Deposited on : 2007-05-18
Resolution : 2.33 Å (reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.15 2013
Xtriage (Phenix)	:	dev-1323
EDS	:	stable22639
Percentile statistics	:	21963
Refmac	:	5.8.0049
CCP4	:	6.3.0 (Settle)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP)	:	stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.33 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	4049 (2.38-2.30)
Clashscore	79885	1094 (2.36-2.32)
Ramachandran outliers	78287	1080 (2.36-2.32)
Sidechain outliers	78261	1081 (2.36-2.32)
RSRZ outliers	66119	4050 (2.38-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	211	
1	B	211	
1	C	211	
1	D	211	
1	E	211	
1	F	211	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
2	CA	F	211	-	X
3	EDO	A	213	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Geometry	Electron density
3	EDO	A	214	-	X
3	EDO	D	213	-	X
4	ACY	F	213	-	X

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 10133 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Acetoin utilization protein.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	211	Total	C	N	O	S	Se	0	2	0
			1691	1092	284	307	1	7			
1	B	207	Total	C	N	O	S	Se	0	2	0
			1645	1058	282	298	1	6			
1	C	208	Total	C	N	O	S	Se	0	2	0
			1608	1030	272	297	1	8			
1	D	210	Total	C	N	O	S	Se	0	1	0
			1678	1083	280	306	1	8			
1	E	210	Total	C	N	O	S	Se	0	0	0
			1660	1072	277	302	1	8			
1	F	204	Total	C	N	O	S	Se	0	1	0
			1560	997	267	288	1	7			

There are 54 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	GLY	-	LEADER SEQUENCE	UNP Q41BL0
A	1	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
A	120	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
A	125	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
A	155	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
A	158	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
A	159	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
A	183	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
A	208	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
B	0	GLY	-	LEADER SEQUENCE	UNP Q41BL0
B	1	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
B	120	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
B	125	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
B	155	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
B	158	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
B	159	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
B	183	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	208	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
C	0	GLY	-	LEADER SEQUENCE	UNP Q41BL0
C	1	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
C	120	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
C	125	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
C	155	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
C	158	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
C	159	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
C	183	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
C	208	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
D	0	GLY	-	LEADER SEQUENCE	UNP Q41BL0
D	1	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
D	120	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
D	125	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
D	155	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
D	158	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
D	159	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
D	183	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
D	208	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
E	0	GLY	-	LEADER SEQUENCE	UNP Q41BL0
E	1	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
E	120	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
E	125	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
E	155	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
E	158	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
E	159	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
E	183	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
E	208	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
F	0	GLY	-	LEADER SEQUENCE	UNP Q41BL0
F	1	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
F	120	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
F	125	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
F	155	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
F	158	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
F	159	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
F	183	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0
F	208	MSE	MET	MODIFIED RESIDUE	UNP Q41BL0

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
-----	-------	----------	-------	---------	---------

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	D	1	Total Ca 1 1	0	0
2	E	1	Total Ca 1 1	0	0
2	B	1	Total Ca 1 1	0	0
2	C	1	Total Ca 1 1	0	0
2	A	2	Total Ca 2 2	0	0
2	F	1	Total Ca 1 1	0	0

- Molecule 3 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	D	1	Total	C	O	0	0
			4	2	2		
3	F	1	Total	C	O	0	0
			4	2	2		
3	D	1	Total	C	O	0	0
			4	2	2		

- Molecule 4 is ACETIC ACID (three-letter code: ACY) (formula: C₂H₄O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		
4	E	1	Total	C	O	0	0
			4	2	2		
4	F	1	Total	C	O	0	0
			4	2	2		
4	E	1	Total	C	O	0	0
			4	2	2		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	57	Total	O	0	0
			57	57		
5	B	45	Total	O	0	0
			45	45		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	C	23	Total 23	O 23	0	0
5	D	57	Total 57	O 57	0	0
5	E	40	Total 40	O 40	0	0
5	F	18	Total 18	O 18	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Acetoin utilization protein

Chain A: 




- Molecule 1: Acetoin utilization protein

Chain B: 



- Molecule 1: Acetoin utilization protein

Chain C: 




- Molecule 1: Acetoin utilization protein

Chain D: 




- Molecule 1: Acetoin utilization protein

Chain E: 



- Molecule 1: Acetoin utilization protein

Chain F: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	70.87Å 128.58Å 108.43Å 90.00° 108.43° 90.00°	Depositor
Resolution (Å)	29.34 – 2.33 29.33 – 2.33	Depositor EDS
% Data completeness (in resolution range)	93.7 (29.34-2.33) 93.7 (29.33-2.33)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.06 (at 2.34Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.229 , 0.260 0.236 , 0.268	Depositor DCC
R_{free} test set	3696 reflections (5.28%)	DCC
Wilson B-factor (Å ²)	43.1	Xtriage
Anisotropy	0.091	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 71.7	EDS
Estimated twinning fraction	0.017 for h,-k,-h-l	Xtriage
L-test for twinning	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	0 of 73722 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	10133	wwPDB-VP
Average B, all atoms (Å ²)	58.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 46.81 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 1.0849e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA, ACY, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.60	0/1734	0.42	0/2344
1	B	0.61	0/1689	0.42	0/2286
1	C	0.53	0/1650	0.42	0/2235
1	D	0.74	1/1718 (0.1%)	0.44	0/2319
1	E	0.65	0/1698	0.44	0/2298
1	F	0.54	0/1598	0.43	0/2168
All	All	0.62	1/10087 (0.0%)	0.43	0/13650

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	158	MSE	SE-CE	5.33	2.26	1.95

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1691	0	1622	15	0
1	B	1645	0	1586	12	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	1608	0	1486	14	0
1	D	1678	0	1633	18	0
1	E	1660	0	1597	15	0
1	F	1560	0	1440	11	0
2	A	2	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
2	E	1	0	0	0	0
2	F	1	0	0	0	0
3	A	12	0	18	1	0
3	C	4	0	6	1	0
3	D	8	0	12	0	0
3	F	4	0	6	0	0
4	A	4	0	3	1	0
4	E	8	0	6	2	0
4	F	4	0	3	0	0
5	A	57	0	0	0	0
5	B	45	0	0	0	0
5	C	23	0	0	0	0
5	D	57	0	0	1	0
5	E	40	0	0	1	0
5	F	18	0	0	0	0
All	All	10133	0	9418	79	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 4.

All (79) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:D:125:MSE:SE	1:D:125:MSE:CE	2.15	1.44
1:D:158:MSE:SE	1:D:158:MSE:CE	2.26	1.33
1:E:155:MSE:SE	1:E:183:MSE:HE1	2.20	0.92
1:B:157:LYS:NZ	1:F:150:ASP:OD2	2.12	0.82
1:A:178:PRO:HG2	1:D:149:TRP:CH2	2.22	0.75
1:C:65:ALA:HB2	1:C:115:LEU:HD11	1.70	0.72
1:E:146:LEU:HD21	1:E:154:ILE:HD12	1.74	0.69
1:B:181:CYS:SG	1:B:183:MSE:HE3	2.32	0.68
1:E:117:GLU:OE2	1:E:161:HIS:NE2	2.27	0.67
1:E:128:TYR:OH	4:E:212:ACY:H3	1.97	0.65
1:C:159:MSE:HG3	1:C:183:MSE:HE1	1.78	0.64
1:C:125:MSE:HA	1:C:125:MSE:HE2	1.85	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:106:PHE:HB3	1:B:111:ILE:HD12	1.86	0.57
1:F:155:MSE:HE1	1:F:181:CYS:SG	2.45	0.56
1:C:20:ILE:HG23	1:C:115:LEU:HD12	1.88	0.55
1:F:20:ILE:CD1	1:F:114:LYS:HB3	2.37	0.55
1:B:117:GLU:OE2	1:B:161[B]:HIS:NE2	2.42	0.53
1:A:13:THR:OG1	1:A:16:GLY:N	2.41	0.53
1:D:173:GLU:O	1:D:176:SER:OG	2.26	0.52
1:E:85:THR:HG21	5:E:233:HOH:O	2.09	0.52
1:C:166:PHE:HA	1:C:183:MSE:HG2	1.93	0.51
1:C:35:ASP:CG	1:C:36:PRO:CA	2.81	0.49
1:E:20:ILE:HD13	1:E:114:LYS:HB3	1.94	0.49
1:D:4:LYS:NZ	1:D:60:GLY:O	2.30	0.49
1:C:168:PRO:HB3	1:D:147:SER:HA	1.94	0.49
1:D:106:PHE:HB3	1:D:111:ILE:HD12	1.94	0.48
1:A:84:GLU:O	1:B:204:ARG:NH2	2.47	0.48
1:C:35:ASP:CB	1:C:36:PRO:CA	2.92	0.47
1:D:202:ARG:HG3	1:D:203:LEU:HG	1.97	0.47
1:B:156:GLU:HA	1:B:183:MSE:HE1	1.97	0.46
1:A:100:ILE:HG23	1:A:100:ILE:O	2.15	0.46
1:C:78:LEU:N	1:C:78:LEU:HD23	2.30	0.46
1:F:155:MSE:CE	1:F:181:CYS:SG	3.04	0.46
1:A:136:TYR:C	1:A:136:TYR:CD1	2.90	0.46
1:D:61:ARG:CZ	1:D:125:MSE:HE3	2.47	0.45
1:D:4:LYS:HB3	1:D:23:PRO:CG	2.46	0.45
1:A:48:HIS:CG	4:A:216:ACY:H3	2.51	0.45
1:F:78:LEU:N	1:F:78:LEU:HD23	2.31	0.45
1:F:63:ILE:HD12	1:F:63:ILE:N	2.32	0.45
1:C:106:PHE:HB3	1:C:111:ILE:HD12	1.98	0.45
1:A:20:ILE:HG22	1:A:118:VAL:HG21	1.99	0.45
1:C:155:MSE:SE	1:C:183:MSE:HE1	2.67	0.44
1:D:63:ILE:N	1:D:63:ILE:HD12	2.32	0.44
1:C:206:ARG:HB3	3:C:212:EDO:H12	1.99	0.44
1:C:20:ILE:CG2	1:C:115:LEU:HD12	2.47	0.44
1:D:78:LEU:N	1:D:78:LEU:HD23	2.33	0.44
1:A:106:PHE:HB3	1:A:111:ILE:HD12	1.98	0.44
1:B:146:LEU:HD21	1:B:154:ILE:HD12	1.99	0.44
1:F:43:GLN:O	1:F:47:GLN:N	2.46	0.44
1:B:63:ILE:HD12	1:B:63:ILE:N	2.34	0.43
1:A:148:VAL:HG23	5:D:235:HOH:O	2.18	0.43
1:A:78:LEU:HD23	1:A:78:LEU:N	2.33	0.43
1:D:100:ILE:HG23	1:D:100:ILE:O	2.19	0.43
1:E:78:LEU:HD23	1:E:78:LEU:N	2.34	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:D:164:LEU:HD12	1:D:185:ARG:HB2	2.00	0.43
1:F:204:ARG:O	1:F:205:ARG:C	2.57	0.42
1:B:26:SER:OG	1:B:52:VAL:HG13	2.19	0.42
1:E:106:PHE:HB3	1:E:111:ILE:HD12	2.02	0.42
1:E:63:ILE:N	1:E:63:ILE:HD12	2.34	0.42
1:D:20:ILE:HD13	1:D:114:LYS:HB3	2.01	0.42
1:E:128:TYR:CZ	4:E:212:ACY:H3	2.54	0.42
1:B:95:LEU:O	1:B:130:ILE:HA	2.19	0.42
1:A:151:TYR:OH	3:A:214:EDO:C1	2.68	0.42
1:A:20:ILE:HD13	1:A:114:LYS:HB3	2.02	0.42
1:E:155:MSE:SE	1:E:183:MSE:CE	3.08	0.41
1:D:149:TRP:O	1:D:153:LYS:HG3	2.20	0.41
1:D:4:LYS:HB3	1:D:23:PRO:HG2	2.02	0.41
1:B:78:LEU:HD23	1:B:78:LEU:N	2.35	0.41
1:A:178:PRO:HG2	1:D:149:TRP:CZ2	2.52	0.41
1:F:116:LEU:O	1:F:120:MSE:HG2	2.21	0.41
1:E:34:LEU:HD12	1:E:71:ILE:HB	2.01	0.41
1:F:13:THR:OG1	1:F:14:SER:N	2.53	0.41
1:E:115:LEU:HA	1:E:115:LEU:HD12	1.94	0.41
1:A:63:ILE:HD12	1:A:63:ILE:N	2.34	0.41
1:E:41:PHE:CZ	1:E:99:ALA:HB1	2.55	0.41
1:C:59:GLU:N	1:C:59:GLU:OE1	2.50	0.41
1:A:90:ASN:HB2	1:B:87:SER:O	2.21	0.40
1:E:28:ILE:O	1:E:31:THR:OG1	2.36	0.40
1:F:129:LEU:C	1:F:129:LEU:HD23	2.42	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	211/211 (100%)	206 (98%)	5 (2%)	0	100	100
1	B	207/211 (98%)	201 (97%)	4 (2%)	2 (1%)	22	23
1	C	208/211 (99%)	196 (94%)	10 (5%)	2 (1%)	22	23

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	D	209/211 (99%)	202 (97%)	7 (3%)	0	100	100
1	E	208/211 (99%)	205 (99%)	3 (1%)	0	100	100
1	F	203/211 (96%)	198 (98%)	5 (2%)	0	100	100
All	All	1246/1266 (98%)	1208 (97%)	34 (3%)	4 (0%)	50	60

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	207	PHE
1	C	35	ASP
1	C	36	PRO
1	B	205	ARG

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	172/170 (101%)	171 (99%)	1 (1%)	92	97
1	B	167/170 (98%)	167 (100%)	0	100	100
1	C	154/170 (91%)	151 (98%)	3 (2%)	69	83
1	D	173/170 (102%)	172 (99%)	1 (1%)	92	97
1	E	169/170 (99%)	167 (99%)	2 (1%)	82	91
1	F	150/170 (88%)	146 (97%)	4 (3%)	57	72
All	All	985/1020 (97%)	974 (99%)	11 (1%)	84	92

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	136	TYR
1	C	31	THR
1	C	152	ARG
1	C	204	ARG
1	D	115	LEU
1	E	109	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	115	LEU
1	F	13	THR
1	F	20	ILE
1	F	155	MSE
1	F	204	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	110	GLN
1	C	160	ASN
1	D	160	ASN
1	E	160	ASN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 18 ligands modelled in this entry, 7 are monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	EDO	A	213	-	3,3,3	0.60	0	2,2,2	0.31	0
3	EDO	A	214	-	3,3,3	0.53	0	2,2,2	0.30	0
3	EDO	A	215	-	3,3,3	0.71	0	2,2,2	0.25	0
4	ACY	A	216	-	3,3,3	0.68	0	3,3,3	0.66	0
3	EDO	C	212	-	3,3,3	0.61	0	2,2,2	0.22	0
3	EDO	D	212	-	3,3,3	0.49	0	2,2,2	0.29	0
3	EDO	D	213	-	3,3,3	0.60	0	2,2,2	0.40	0
4	ACY	E	212	-	3,3,3	0.58	0	3,3,3	0.92	0
4	ACY	E	213	2	3,3,3	0.81	0	3,3,3	0.55	0
3	EDO	F	212	-	3,3,3	0.56	0	2,2,2	0.35	0
4	ACY	F	213	-	3,3,3	0.58	0	3,3,3	0.73	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	A	213	-	-	0/1/1/1	0/0/0/0
3	EDO	A	214	-	-	0/1/1/1	0/0/0/0
3	EDO	A	215	-	-	0/1/1/1	0/0/0/0
4	ACY	A	216	-	-	0/0/0/0	0/0/0/0
3	EDO	C	212	-	-	0/1/1/1	0/0/0/0
3	EDO	D	212	-	-	0/1/1/1	0/0/0/0
3	EDO	D	213	-	-	0/1/1/1	0/0/0/0
4	ACY	E	212	-	-	0/0/0/0	0/0/0/0
4	ACY	E	213	2	-	0/0/0/0	0/0/0/0
3	EDO	F	212	-	-	0/1/1/1	0/0/0/0
4	ACY	F	213	-	-	0/0/0/0	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	211/211 (100%)	0.43	18 (8%)	11 17	52, 57, 67, 82	0
1	B	207/211 (98%)	0.44	14 (6%)	17 25	51, 57, 69, 77	0
1	C	208/211 (98%)	0.77	23 (11%)	6 10	50, 57, 69, 83	0
1	D	210/211 (99%)	0.34	8 (3%)	38 50	47, 57, 72, 90	0
1	E	210/211 (99%)	0.20	6 (2%)	49 61	48, 57, 69, 85	0
1	F	204/211 (96%)	0.88	34 (16%)	2 4	51, 57, 64, 85	0
All	All	1250/1266 (98%)	0.51	103 (8%)	12 19	47, 57, 69, 90	0

All (103) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	207	PHE	6.9
1	D	209	TYR	6.1
1	C	41	PHE	5.7
1	C	40	ALA	5.5
1	A	1	MSE	5.2
1	F	69	ASN	5.2
1	E	44	PRO	5.2
1	F	41	PHE	4.9
1	F	42	ARG	4.9
1	C	209	TYR	4.8
1	B	2	PHE	4.6
1	F	70	ASP	4.6
1	F	104	ALA	4.5
1	F	27	GLN	4.5
1	F	18	VAL	4.4
1	F	15	LEU	4.4
1	F	17	PRO	4.3
1	A	210	ASP	4.3
1	F	43	GLN	4.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	42	ARG	4.2
1	B	146	LEU	3.9
1	C	34	LEU	3.8
1	F	40	ALA	3.8
1	F	56	ALA	3.8
1	F	16	GLY	3.7
1	C	44	PRO	3.7
1	C	69	ASN	3.7
1	A	143	GLY	3.7
1	F	6	PHE	3.7
1	C	39	THR	3.6
1	C	45	ALA	3.6
1	C	70	ASP	3.6
1	B	89	GLY	3.4
1	B	205	ARG	3.4
1	B	83	TYR	3.4
1	A	154	ILE	3.3
1	B	145	GLY	3.3
1	A	39	THR	3.2
1	C	127	HIS	3.2
1	F	26	SER	3.1
1	E	39	THR	3.1
1	F	103	ALA	3.0
1	B	143	GLY	3.0
1	F	31	THR	2.9
1	D	97	LEU	2.9
1	B	144	SER	2.9
1	A	83	TYR	2.9
1	A	0	GLY	2.9
1	C	107	ARG	2.8
1	D	36	PRO	2.8
1	A	16	GLY	2.8
1	F	143	GLY	2.8
1	A	146	LEU	2.8
1	C	189	HIS	2.8
1	A	150	ASP	2.8
1	F	97	LEU	2.8
1	D	41	PHE	2.7
1	C	132	THR	2.7
1	C	104	ALA	2.7
1	F	50	ALA	2.7
1	F	46	GLU	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	190	VAL	2.6
1	F	106	PHE	2.6
1	C	28	ILE	2.6
1	E	130	ILE	2.6
1	C	149	TRP	2.6
1	A	44	PRO	2.6
1	C	49	GLU	2.6
1	B	200	ALA	2.6
1	F	28	ILE	2.5
1	F	25	THR	2.5
1	A	43	GLN	2.5
1	A	149	TRP	2.5
1	C	56	ALA	2.5
1	D	206	ARG	2.5
1	F	63	ILE	2.4
1	E	97	LEU	2.4
1	F	36	PRO	2.4
1	F	45	ALA	2.4
1	A	2	PHE	2.4
1	C	31	THR	2.3
1	F	8	HIS	2.3
1	C	108	GLY	2.3
1	F	44	PRO	2.3
1	D	75	VAL	2.2
1	B	207	PHE	2.2
1	A	141	LEU	2.2
1	F	57	LEU	2.2
1	B	194	VAL	2.2
1	F	5	GLN	2.2
1	A	97	LEU	2.2
1	B	27	GLN	2.2
1	F	124	ALA	2.1
1	B	90	ASN	2.1
1	F	100	ILE	2.1
1	E	42	ARG	2.1
1	C	57	LEU	2.1
1	B	206	ARG	2.1
1	F	48	HIS	2.1
1	A	144	SER	2.1
1	C	25	THR	2.0
1	D	143	GLY	2.0
1	E	131	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	ACY	F	213	4/4	0.38	14.53	88,88,88,89	0
3	EDO	A	213	4/4	0.26	5.88	82,83,83,83	0
3	EDO	D	213	4/4	0.22	5.84	44,45,49,53	0
3	EDO	A	214	4/4	0.37	5.00	76,79,80,81	0
2	CA	F	211	1/1	0.31	2.57	68,68,68,68	0
4	ACY	E	213	4/4	0.25	1.36	56,56,57,58	0
4	ACY	A	216	4/4	0.23	1.23	79,79,80,80	0
4	ACY	E	212	4/4	0.18	1.22	48,49,49,50	0
2	CA	E	211	1/1	0.19	1.05	51,51,51,51	0
3	EDO	C	212	4/4	0.16	0.55	62,65,67,68	0
2	CA	C	211	1/1	0.22	0.19	73,73,73,73	0
2	CA	A	211	1/1	0.16	-0.42	48,48,48,48	0
3	EDO	D	212	4/4	0.14	-0.66	37,40,43,48	0
2	CA	D	211	1/1	0.13	-1.17	39,39,39,39	0
2	CA	A	212	1/1	0.09	-1.68	68,68,68,68	0
3	EDO	A	215	4/4	0.11	-1.86	38,48,48,55	0
2	CA	B	211	1/1	0.12	-1.92	48,48,48,48	0
3	EDO	F	212	4/4	0.07	-5.04	69,71,73,75	0

6.5 Other polymers ⓘ

There are no such residues in this entry.