



wwPDB X-ray Structure Validation Summary Report

Feb 28, 2014 – 10:33 PM GMT

PDB ID : 3Q08
Title : Crystal Structure of Chlorite Dismutase from D. Aromatica at pH 6.5
Authors : Goblirsch, B.R.; Wilmot, C.M.
Deposited on : 2010-12-15
Resolution : 3.05 Å(reported)

This is a wwPDB validation summary report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 3.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.









Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	2079 (3.12-3.00)
Clashscore	79885	2629 (3.12-3.00)
Ramachandran outliers	78287	2536 (3.12-3.00)
Sidechain outliers	78261	2539 (3.12-3.00)
RSRZ outliers	66119	2081 (3.12-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	248	
1	B	248	
1	C	248	
1	D	248	
1	E	248	
1	F	248	
1	G	248	
1	H	248	
1	I	248	
1	J	248	
1	K	248	
1	L	248	
1	M	248	
1	N	248	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	O	248	
1	P	248	
1	Q	248	
1	R	248	
1	S	248	
1	T	248	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
2	HEM	G	1000	-	X
3	NO2	B	2000	-	X
3	NO2	K	2000	-	X
3	NO2	M	2000	-	X
3	NO2	R	2000	-	X
4	MES	A	2001	-	X
4	MES	B	2001	-	X
4	MES	E	2001	-	X
4	MES	F	2001	-	X
4	MES	G	2001	-	X
4	MES	H	2001	-	X
4	MES	M	2001	-	X
4	MES	N	2001	-	X
4	MES	O	2001	-	X
4	MES	P	2001	-	X
4	MES	Q	2001	-	X
4	MES	S	2001	-	X
4	MES	T	2001	-	X
5	CA	M	1001	-	X

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 39760 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Chlorite dismutase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	241	Total	C	N	O	S	0	0	0
			1928	1239	325	359	5			
1	B	241	Total	C	N	O	S	0	0	0
			1928	1239	325	359	5			
1	C	241	Total	C	N	O	S	0	0	0
			1928	1239	325	359	5			
1	D	241	Total	C	N	O	S	0	0	0
			1928	1239	325	359	5			
1	E	241	Total	C	N	O	S	0	0	0
			1928	1239	325	359	5			
1	F	241	Total	C	N	O	S	0	0	0
			1928	1239	325	359	5			
1	G	241	Total	C	N	O	S	0	0	0
			1928	1239	325	359	5			
1	H	241	Total	C	N	O	S	0	0	0
			1928	1239	325	359	5			
1	I	241	Total	C	N	O	S	0	0	0
			1928	1239	325	359	5			
1	J	241	Total	C	N	O	S	0	0	0
			1928	1239	325	359	5			
1	K	241	Total	C	N	O	S	0	0	0
			1928	1239	325	359	5			
1	L	241	Total	C	N	O	S	0	0	0
			1928	1239	325	359	5			
1	M	241	Total	C	N	O	S	0	0	0
			1928	1239	325	359	5			
1	N	241	Total	C	N	O	S	0	0	0
			1928	1239	325	359	5			
1	O	241	Total	C	N	O	S	0	0	0
			1928	1239	325	359	5			
1	P	241	Total	C	N	O	S	0	0	0
			1928	1239	325	359	5			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	Q	241	Total	C	N	O	S	0	0	0
			1928	1239	325	359	5			
1	R	241	Total	C	N	O	S	0	0	0
			1928	1239	325	359	5			
1	S	241	Total	C	N	O	S	0	0	0
			1928	1239	325	359	5			
1	T	241	Total	C	N	O	S	0	0	0
			1928	1239	325	359	5			

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	C	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	D	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	E	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	F	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	G	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	H	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	I	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	J	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	K	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	L	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	M	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	N	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	O	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	P	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	Q	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	R	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	S	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	T	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 3 is NITRITE ION (three-letter code: NO2) (formula: NO₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	N	O	0	0
			3	1	2		
3	B	1	Total	N	O	0	0
			3	1	2		
3	C	1	Total	N	O	0	0
			3	1	2		
3	D	1	Total	N	O	0	0
			3	1	2		
3	E	1	Total	N	O	0	0
			3	1	2		
3	F	1	Total	N	O	0	0
			3	1	2		
3	G	1	Total	N	O	0	0
			3	1	2		
3	H	1	Total	N	O	0	0
			3	1	2		
3	I	1	Total	N	O	0	0
			3	1	2		
3	J	1	Total	N	O	0	0
			3	1	2		
3	K	1	Total	N	O	0	0
			3	1	2		
3	L	1	Total	N	O	0	0
			3	1	2		
3	M	1	Total	N	O	0	0
			3	1	2		
3	N	1	Total	N	O	0	0
			3	1	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	O	1	Total	N	O	0	0
			3	1	2		
3	P	1	Total	N	O	0	0
			3	1	2		
3	Q	1	Total	N	O	0	0
			3	1	2		
3	R	1	Total	N	O	0	0
			3	1	2		
3	S	1	Total	N	O	0	0
			3	1	2		
3	T	1	Total	N	O	0	0
			3	1	2		

- Molecule 4 is 2-(N-MORPHOLINO)-ETHANESULFONICACID (three-letter code: MES) (formula: C₆H₁₃NO₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
4	B	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
4	C	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
4	D	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
4	E	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	F	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
4	G	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
4	H	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
4	I	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
4	J	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
4	K	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
4	L	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
4	M	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
4	N	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
4	O	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
4	P	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
4	Q	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
4	R	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
4	S	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
4	T	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

- Molecule 5 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	P	1	Total	Ca	0	0
			1	1		
5	G	1	Total	Ca	0	0
			1	1		
5	J	1	Total	Ca	0	0
			1	1		
5	Q	1	Total	Ca	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	D	1	Total 1	Ca 1	0	0
5	K	1	Total 1	Ca 1	0	0
5	E	1	Total 1	Ca 1	0	0
5	H	1	Total 1	Ca 1	0	0
5	B	1	Total 1	Ca 1	0	0
5	I	1	Total 1	Ca 1	0	0
5	C	1	Total 1	Ca 1	0	0
5	A	1	Total 1	Ca 1	0	0
5	T	1	Total 1	Ca 1	0	0
5	N	1	Total 1	Ca 1	0	0
5	O	1	Total 1	Ca 1	0	0
5	R	1	Total 1	Ca 1	0	0
5	L	1	Total 1	Ca 1	0	0
5	S	1	Total 1	Ca 1	0	0
5	F	1	Total 1	Ca 1	0	0
5	M	1	Total 1	Ca 1	0	0

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total 1	O 1	0	0
6	B	1	Total 1	O 1	0	0
6	C	1	Total 1	O 1	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	D	1	Total 1	O 1	0	0
6	E	1	Total 1	O 1	0	0
6	F	1	Total 1	O 1	0	0
6	G	1	Total 1	O 1	0	0
6	H	1	Total 1	O 1	0	0
6	I	1	Total 1	O 1	0	0
6	J	1	Total 1	O 1	0	0
6	K	1	Total 1	O 1	0	0
6	L	1	Total 1	O 1	0	0
6	M	1	Total 1	O 1	0	0
6	N	1	Total 1	O 1	0	0
6	O	1	Total 1	O 1	0	0
6	P	1	Total 1	O 1	0	0
6	Q	1	Total 1	O 1	0	0
6	R	1	Total 1	O 1	0	0
6	S	1	Total 1	O 1	0	0
6	T	1	Total 1	O 1	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Chlorite dismutase

Chain A: 




- Molecule 1: Chlorite dismutase

Chain B: 




- Molecule 1: Chlorite dismutase

Chain C: 



- Molecule 1: Chlorite dismutase

Chain D: 




- Molecule 1: Chlorite dismutase

Chain E: 




- Molecule 1: Chlorite dismutase

Chain F:



- Molecule 1: Chlorite dismutase

Chain G:




- Molecule 1: Chlorite dismutase

Chain H:




- Molecule 1: Chlorite dismutase

Chain I:



- Molecule 1: Chlorite dismutase

Chain J:




- Molecule 1: Chlorite dismutase

Chain K:




- Molecule 1: Chlorite dismutase

Chain L:



- Molecule 1: Chlorite dismutase

Chain M:




- Molecule 1: Chlorite dismutase

Chain N:




- Molecule 1: Chlorite dismutase

Chain O:




- Molecule 1: Chlorite dismutase

Chain P:




- Molecule 1: Chlorite dismutase

Chain Q:




- Molecule 1: Chlorite dismutase

Chain R:



- Molecule 1: Chlorite dismutase

Chain S:



- Molecule 1: Chlorite dismutase

Chain T:



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	122.70Å 202.85Å 247.10Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.91 – 3.05 46.91 – 3.04	Depositor EDS
% Data completeness (in resolution range)	99.3 (46.91-3.05) 98.0 (46.91-3.04)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.65 (at 3.06Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.178 , 0.221 0.175 , 0.215	Depositor DCC
R_{free} test set	5833 reflections (5.27%)	DCC
Wilson B-factor (Å ²)	35.9	Xtriage
Anisotropy	0.015	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , -10.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	1 of 116412 reflections (0.001%)	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	39760	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.38% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, CA, MES, NO2

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.90	3/1973 (0.2%)	0.91	3/2676 (0.1%)
1	B	0.91	2/1973 (0.1%)	0.89	2/2676 (0.1%)
1	C	0.88	0/1973	0.87	2/2676 (0.1%)
1	D	0.86	1/1973 (0.1%)	0.87	0/2676
1	E	0.90	0/1973	0.90	1/2676 (0.0%)
1	F	0.75	0/1973	0.82	1/2676 (0.0%)
1	G	0.81	0/1973	0.83	2/2676 (0.1%)
1	H	0.83	0/1973	0.87	3/2676 (0.1%)
1	I	0.85	1/1973 (0.1%)	0.88	0/2676
1	J	0.77	0/1973	0.84	0/2676
1	K	0.81	0/1973	0.83	0/2676
1	L	0.80	1/1973 (0.1%)	0.84	0/2676
1	M	0.83	1/1973 (0.1%)	0.88	1/2676 (0.0%)
1	N	0.79	0/1973	0.84	1/2676 (0.0%)
1	O	0.76	0/1973	0.80	2/2676 (0.1%)
1	P	0.68	1/1973 (0.1%)	0.74	0/2676
1	Q	0.75	0/1973	0.78	2/2676 (0.1%)
1	R	0.68	0/1973	0.76	0/2676
1	S	0.66	0/1973	0.71	0/2676
1	T	0.65	0/1973	0.75	0/2676
All	All	0.80	10/39460 (0.0%)	0.83	20/53520 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1
1	H	0	1
1	L	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
1	M	0	2
1	O	0	1
All	All	0	6

The worst 5 of 10 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	161	GLU	CG-CD	5.94	1.60	1.51
1	I	162	GLU	CG-CD	5.87	1.60	1.51
1	M	162	GLU	CG-CD	5.81	1.60	1.51
1	L	161	GLU	CG-CD	5.74	1.60	1.51
1	A	53	GLU	CG-CD	5.39	1.60	1.51

The worst 5 of 20 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	Q	131	LEU	CA-CB-CG	6.75	130.81	115.30
1	E	122	ASP	CB-CG-OD1	6.39	124.05	118.30
1	A	30	ARG	NE-CZ-NH2	-5.90	117.35	120.30
1	N	204	ASP	CB-CG-OD2	-5.73	113.14	118.30
1	H	142	ARG	NE-CZ-NH1	-5.63	117.48	120.30

There are no chirality outliers.

5 of 6 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	133	SER	Peptide
1	H	138	GLY	Peptide
1	L	138	GLY	Peptide
1	M	133	SER	Peptide
1	M	138	GLY	Peptide

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1928	0	0	14	0
1	B	1928	0	0	19	0
1	C	1928	0	0	13	0
1	D	1928	0	0	12	0
1	E	1928	0	0	9	0
1	F	1928	0	0	11	0
1	G	1928	0	0	11	0
1	H	1928	0	0	9	0
1	I	1928	0	0	11	0
1	J	1928	0	0	21	0
1	K	1928	0	0	11	0
1	L	1928	0	0	13	0
1	M	1928	0	0	17	0
1	N	1928	0	0	10	0
1	O	1928	0	0	12	0
1	P	1928	0	0	12	0
1	Q	1928	0	0	15	0
1	R	1928	0	0	14	0
1	S	1928	0	0	13	0
1	T	1928	0	0	11	0
2	A	43	0	0	4	0
2	B	43	0	0	3	0
2	C	43	0	0	3	0
2	D	43	0	0	3	0
2	E	43	0	0	2	0
2	F	43	0	0	5	0
2	G	43	0	0	3	0
2	H	43	0	0	4	0
2	I	43	0	0	2	0
2	J	43	0	0	5	0
2	K	43	0	0	3	0
2	L	43	0	0	4	0
2	M	43	0	0	4	0
2	N	43	0	0	3	0
2	O	43	0	0	4	0
2	P	43	0	0	4	0
2	Q	43	0	0	4	0
2	R	43	0	0	4	0
2	S	43	0	0	5	0
2	T	43	0	0	4	0
3	A	3	0	0	1	0
3	B	3	0	0	0	0
3	C	3	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	D	3	0	0	0	0
3	E	3	0	0	0	0
3	F	3	0	0	0	0
3	G	3	0	0	0	0
3	H	3	0	0	1	0
3	I	3	0	0	1	0
3	J	3	0	0	1	0
3	K	3	0	0	0	0
3	L	3	0	0	0	0
3	M	3	0	0	1	0
3	N	3	0	0	0	0
3	O	3	0	0	0	0
3	P	3	0	0	1	0
3	Q	3	0	0	0	0
3	R	3	0	0	0	0
3	S	3	0	0	0	0
3	T	3	0	0	0	0
4	A	12	0	0	0	0
4	B	12	0	0	0	0
4	C	12	0	0	0	0
4	D	12	0	0	0	0
4	E	12	0	0	0	0
4	F	12	0	0	0	0
4	G	12	0	0	0	0
4	H	12	0	0	0	0
4	I	12	0	0	0	0
4	J	12	0	0	0	0
4	K	12	0	0	0	0
4	L	12	0	0	0	0
4	M	12	0	0	0	0
4	N	12	0	0	0	0
4	O	12	0	0	0	0
4	P	12	0	0	0	0
4	Q	12	0	0	0	0
4	R	12	0	0	0	0
4	S	12	0	0	0	0
4	T	12	0	0	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
5	D	1	0	0	0	0
5	E	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	F	1	0	0	0	0
5	G	1	0	0	0	0
5	H	1	0	0	0	0
5	I	1	0	0	0	0
5	J	1	0	0	0	0
5	K	1	0	0	0	0
5	L	1	0	0	0	0
5	M	1	0	0	0	0
5	N	1	0	0	0	0
5	O	1	0	0	0	0
5	P	1	0	0	0	0
5	Q	1	0	0	0	0
5	R	1	0	0	0	0
5	S	1	0	0	0	0
5	T	1	0	0	0	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
6	C	1	0	0	1	0
6	D	1	0	0	0	0
6	E	1	0	0	0	0
6	F	1	0	0	0	0
6	G	1	0	0	0	0
6	H	1	0	0	1	0
6	I	1	0	0	0	0
6	J	1	0	0	0	0
6	K	1	0	0	0	0
6	L	1	0	0	1	0
6	M	1	0	0	0	0
6	N	1	0	0	0	0
6	O	1	0	0	0	0
6	P	1	0	0	0	0
6	Q	1	0	0	0	0
6	R	1	0	0	0	0
6	S	1	0	0	0	0
6	T	1	0	0	0	0
All	All	39760	0	0	248	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 6.

The worst 5 of 248 close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:D:196:PHE:CZ	2:D:1000:HEM:O2D	1.77	1.37
1:K:196:PHE:CZ	2:K:1000:HEM:O2D	1.80	1.35
1:C:196:PHE:CZ	2:C:1000:HEM:O2D	1.89	1.25
1:H:196:PHE:CZ	2:H:1000:HEM:O2D	1.90	1.25
1:F:196:PHE:CZ	2:F:1000:HEM:O2D	1.94	1.21

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	239/248 (96%)	230 (96%)	7 (3%)	2 (1%)	27	74
1	B	239/248 (96%)	229 (96%)	7 (3%)	3 (1%)	18	60
1	C	239/248 (96%)	228 (95%)	8 (3%)	3 (1%)	18	60
1	D	239/248 (96%)	233 (98%)	5 (2%)	1 (0%)	43	85
1	E	239/248 (96%)	229 (96%)	8 (3%)	2 (1%)	27	74
1	F	239/248 (96%)	227 (95%)	10 (4%)	2 (1%)	27	74
1	G	239/248 (96%)	232 (97%)	6 (2%)	1 (0%)	43	85
1	H	239/248 (96%)	226 (95%)	11 (5%)	2 (1%)	27	74
1	I	239/248 (96%)	225 (94%)	12 (5%)	2 (1%)	27	74
1	J	239/248 (96%)	226 (95%)	11 (5%)	2 (1%)	27	74
1	K	239/248 (96%)	230 (96%)	8 (3%)	1 (0%)	43	85
1	L	239/248 (96%)	231 (97%)	6 (2%)	2 (1%)	27	74
1	M	239/248 (96%)	228 (95%)	8 (3%)	3 (1%)	18	60
1	N	239/248 (96%)	227 (95%)	11 (5%)	1 (0%)	43	85
1	O	239/248 (96%)	227 (95%)	11 (5%)	1 (0%)	43	85
1	P	239/248 (96%)	225 (94%)	13 (5%)	1 (0%)	43	85
1	Q	239/248 (96%)	223 (93%)	11 (5%)	5 (2%)	11	46
1	R	239/248 (96%)	226 (95%)	12 (5%)	1 (0%)	43	85

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	S	239/248 (96%)	225 (94%)	11 (5%)	3 (1%)	18 60
1	T	239/248 (96%)	228 (95%)	10 (4%)	1 (0%)	43 85
All	All	4780/4960 (96%)	4555 (95%)	186 (4%)	39 (1%)	27 74

5 of 39 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	39	ALA
1	C	39	ALA
1	E	38	VAL
1	E	39	ALA
1	F	38	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	212/219 (97%)	198 (93%)	14 (7%)	24 63
1	B	212/219 (97%)	198 (93%)	14 (7%)	24 63
1	C	212/219 (97%)	198 (93%)	14 (7%)	24 63
1	D	212/219 (97%)	200 (94%)	12 (6%)	29 70
1	E	212/219 (97%)	197 (93%)	15 (7%)	21 60
1	F	212/219 (97%)	196 (92%)	16 (8%)	19 57
1	G	212/219 (97%)	200 (94%)	12 (6%)	29 70
1	H	212/219 (97%)	199 (94%)	13 (6%)	26 67
1	I	212/219 (97%)	200 (94%)	12 (6%)	29 70
1	J	212/219 (97%)	195 (92%)	17 (8%)	17 54
1	K	212/219 (97%)	200 (94%)	12 (6%)	29 70
1	L	212/219 (97%)	196 (92%)	16 (8%)	19 57
1	M	212/219 (97%)	199 (94%)	13 (6%)	26 67
1	N	212/219 (97%)	198 (93%)	14 (7%)	24 63
1	O	212/219 (97%)	201 (95%)	11 (5%)	32 74

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	P	212/219 (97%)	199 (94%)	13 (6%)	26	67
1	Q	212/219 (97%)	195 (92%)	17 (8%)	17	54
1	R	212/219 (97%)	201 (95%)	11 (5%)	32	74
1	S	212/219 (97%)	200 (94%)	12 (6%)	29	70
1	T	212/219 (97%)	199 (94%)	13 (6%)	26	67
All	All	4240/4380 (97%)	3969 (94%)	271 (6%)	25	65

5 of 271 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	J	11	ARG
1	L	16	THR
1	S	99	VAL
1	J	92	ARG
1	J	235	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 80 ligands modelled in this entry, 20 are monoatomic - leaving 60 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link

column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	HEM	A	1000	1,3	49,50,50	2.77	14 (28%)	46,82,82	1.89	9 (19%)
3	NO2	A	2000	2	2,2,2	1.49	0	1,1,1	0.68	0
4	MES	A	2001	-	12,12,12	2.15	1 (8%)	16,16,16	2.76	6 (37%)
2	HEM	B	1000	1,3	49,50,50	3.09	14 (28%)	46,82,82	1.91	10 (21%)
3	NO2	B	2000	2	2,2,2	1.71	0	1,1,1	0.51	0
4	MES	B	2001	-	12,12,12	2.08	5 (41%)	16,16,16	2.74	8 (50%)
2	HEM	C	1000	1,3	49,50,50	2.96	14 (28%)	46,82,82	1.76	9 (19%)
3	NO2	C	2000	2	2,2,2	1.57	0	1,1,1	0.64	0
4	MES	C	2001	-	12,12,12	2.01	1 (8%)	16,16,16	2.38	6 (37%)
2	HEM	D	1000	1,3	49,50,50	2.89	16 (32%)	46,82,82	1.79	10 (21%)
3	NO2	D	2000	2	2,2,2	1.57	0	1,1,1	0.65	0
4	MES	D	2001	-	12,12,12	2.03	1 (8%)	16,16,16	2.77	7 (43%)
2	HEM	E	1000	1,3	49,50,50	2.67	11 (22%)	46,82,82	1.90	10 (21%)
3	NO2	E	2000	2	2,2,2	1.52	0	1,1,1	0.74	0
4	MES	E	2001	-	12,12,12	2.06	1 (8%)	16,16,16	2.69	9 (56%)
2	HEM	F	1000	1,3	49,50,50	2.77	14 (28%)	46,82,82	1.86	7 (15%)
3	NO2	F	2000	2	2,2,2	1.62	0	1,1,1	0.34	0
4	MES	F	2001	-	12,12,12	2.19	3 (25%)	16,16,16	3.04	9 (56%)
2	HEM	G	1000	1,3	49,50,50	2.23	14 (28%)	46,82,82	1.94	9 (19%)
3	NO2	G	2000	2	2,2,2	1.53	0	1,1,1	0.71	0
4	MES	G	2001	-	12,12,12	2.08	3 (25%)	16,16,16	2.37	8 (50%)
2	HEM	H	1000	1,3	49,50,50	2.78	13 (26%)	46,82,82	1.81	12 (26%)
3	NO2	H	2000	2	2,2,2	1.58	0	1,1,1	0.56	0
4	MES	H	2001	-	12,12,12	2.30	1 (8%)	16,16,16	2.81	8 (50%)
2	HEM	I	1000	1,3	49,50,50	2.35	15 (30%)	46,82,82	1.96	8 (17%)
3	NO2	I	2000	2	2,2,2	1.51	0	1,1,1	0.88	0
4	MES	I	2001	-	12,12,12	2.14	1 (8%)	16,16,16	2.81	6 (37%)
2	HEM	J	1000	1,3	49,50,50	3.08	15 (30%)	46,82,82	2.10	9 (19%)
3	NO2	J	2000	2	2,2,2	1.62	0	1,1,1	0.52	0
4	MES	J	2001	-	12,12,12	2.16	1 (8%)	16,16,16	2.71	9 (56%)
2	HEM	K	1000	1,3	49,50,50	2.64	15 (30%)	46,82,82	1.78	11 (23%)
3	NO2	K	2000	2	2,2,2	1.58	0	1,1,1	0.86	0
4	MES	K	2001	-	12,12,12	2.12	1 (8%)	16,16,16	2.91	8 (50%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	HEM	L	1000	1,3	49,50,50	2.61	11 (22%)	46,82,82	2.04	10 (21%)
3	NO2	L	2000	2	2,2,2	1.64	0	1,1,1	0.58	0
4	MES	L	2001	-	12,12,12	2.15	2 (16%)	16,16,16	2.72	7 (43%)
2	HEM	M	1000	1,3	49,50,50	2.43	12 (24%)	46,82,82	2.41	11 (23%)
3	NO2	M	2000	2	2,2,2	1.71	0	1,1,1	0.38	0
4	MES	M	2001	-	12,12,12	2.23	4 (33%)	16,16,16	3.01	8 (50%)
2	HEM	N	1000	1,3	49,50,50	2.85	17 (34%)	46,82,82	1.71	10 (21%)
3	NO2	N	2000	2	2,2,2	1.69	0	1,1,1	0.63	0
4	MES	N	2001	-	12,12,12	1.81	2 (16%)	16,16,16	2.74	8 (50%)
2	HEM	O	1000	1,3	49,50,50	2.44	12 (24%)	46,82,82	1.76	5 (10%)
3	NO2	O	2000	2	2,2,2	1.56	0	1,1,1	0.72	0
4	MES	O	2001	-	12,12,12	2.02	1 (8%)	16,16,16	2.33	5 (31%)
2	HEM	P	1000	1,3	49,50,50	2.39	15 (30%)	46,82,82	1.73	6 (13%)
3	NO2	P	2000	2	2,2,2	1.73	0	1,1,1	0.25	0
4	MES	P	2001	-	12,12,12	2.14	1 (8%)	16,16,16	2.48	6 (37%)
2	HEM	Q	1000	1,3	49,50,50	2.85	17 (34%)	46,82,82	2.13	12 (26%)
3	NO2	Q	2000	2	2,2,2	1.69	0	1,1,1	0.55	0
4	MES	Q	2001	-	12,12,12	2.08	4 (33%)	16,16,16	2.58	7 (43%)
2	HEM	R	1000	1,3	49,50,50	2.52	15 (30%)	46,82,82	1.92	9 (19%)
3	NO2	R	2000	2	2,2,2	1.74	0	1,1,1	0.22	0
4	MES	R	2001	-	12,12,12	2.05	2 (16%)	16,16,16	2.73	8 (50%)
2	HEM	S	1000	1,3	49,50,50	2.74	15 (30%)	46,82,82	1.95	8 (17%)
3	NO2	S	2000	2	2,2,2	1.64	0	1,1,1	0.48	0
4	MES	S	2001	-	12,12,12	2.04	1 (8%)	16,16,16	2.37	8 (50%)
2	HEM	T	1000	1,3	49,50,50	2.45	16 (32%)	46,82,82	2.04	11 (23%)
3	NO2	T	2000	2	2,2,2	1.65	0	1,1,1	0.70	0
4	MES	T	2001	-	12,12,12	2.12	1 (8%)	16,16,16	2.48	5 (31%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	1000	1,3	-	0/14/114/114	0/0/8/8
3	NO2	A	2000	2	-	0/0/0/0	0/0/0/0
4	MES	A	2001	-	-	0/6/14/14	1/1/1/1
2	HEM	B	1000	1,3	-	0/14/114/114	0/0/8/8

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NO2	B	2000	2	-	0/0/0/0	0/0/0/0
4	MES	B	2001	-	-	0/6/14/14	1/1/1/1
2	HEM	C	1000	1,3	-	0/14/114/114	0/0/8/8
3	NO2	C	2000	2	-	0/0/0/0	0/0/0/0
4	MES	C	2001	-	-	0/6/14/14	1/1/1/1
2	HEM	D	1000	1,3	-	0/14/114/114	0/0/8/8
3	NO2	D	2000	2	-	0/0/0/0	0/0/0/0
4	MES	D	2001	-	-	0/6/14/14	1/1/1/1
2	HEM	E	1000	1,3	-	0/14/114/114	0/0/8/8
3	NO2	E	2000	2	-	0/0/0/0	0/0/0/0
4	MES	E	2001	-	-	0/6/14/14	1/1/1/1
2	HEM	F	1000	1,3	-	0/14/114/114	0/0/8/8
3	NO2	F	2000	2	-	0/0/0/0	0/0/0/0
4	MES	F	2001	-	-	0/6/14/14	0/1/1/1
2	HEM	G	1000	1,3	-	0/14/114/114	0/0/8/8
3	NO2	G	2000	2	-	0/0/0/0	0/0/0/0
4	MES	G	2001	-	-	0/6/14/14	1/1/1/1
2	HEM	H	1000	1,3	-	0/14/114/114	0/0/8/8
3	NO2	H	2000	2	-	0/0/0/0	0/0/0/0
4	MES	H	2001	-	-	0/6/14/14	1/1/1/1
2	HEM	I	1000	1,3	-	0/14/114/114	0/0/8/8
3	NO2	I	2000	2	-	0/0/0/0	0/0/0/0
4	MES	I	2001	-	-	0/6/14/14	1/1/1/1
2	HEM	J	1000	1,3	-	0/14/114/114	0/0/8/8
3	NO2	J	2000	2	-	0/0/0/0	0/0/0/0
4	MES	J	2001	-	-	0/6/14/14	1/1/1/1
2	HEM	K	1000	1,3	-	0/14/114/114	0/0/8/8
3	NO2	K	2000	2	-	0/0/0/0	0/0/0/0
4	MES	K	2001	-	-	0/6/14/14	1/1/1/1
2	HEM	L	1000	1,3	-	0/14/114/114	0/0/8/8
3	NO2	L	2000	2	-	0/0/0/0	0/0/0/0
4	MES	L	2001	-	-	0/6/14/14	1/1/1/1
2	HEM	M	1000	1,3	-	0/14/114/114	0/0/8/8
3	NO2	M	2000	2	-	0/0/0/0	0/0/0/0
4	MES	M	2001	-	-	0/6/14/14	0/1/1/1
2	HEM	N	1000	1,3	-	0/14/114/114	0/0/8/8
3	NO2	N	2000	2	-	0/0/0/0	0/0/0/0
4	MES	N	2001	-	-	0/6/14/14	1/1/1/1
2	HEM	O	1000	1,3	-	0/14/114/114	0/0/8/8
3	NO2	O	2000	2	-	0/0/0/0	0/0/0/0
4	MES	O	2001	-	-	0/6/14/14	1/1/1/1
2	HEM	P	1000	1,3	-	0/14/114/114	0/0/8/8

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NO2	P	2000	2	-	0/0/0/0	0/0/0/0
4	MES	P	2001	-	-	0/6/14/14	1/1/1/1
2	HEM	Q	1000	1,3	-	0/14/114/114	0/0/8/8
3	NO2	Q	2000	2	-	0/0/0/0	0/0/0/0
4	MES	Q	2001	-	-	0/6/14/14	1/1/1/1
2	HEM	R	1000	1,3	-	0/14/114/114	0/0/8/8
3	NO2	R	2000	2	-	0/0/0/0	0/0/0/0
4	MES	R	2001	-	-	0/6/14/14	1/1/1/1
2	HEM	S	1000	1,3	-	0/14/114/114	0/0/8/8
3	NO2	S	2000	2	-	0/0/0/0	0/0/0/0
4	MES	S	2001	-	-	0/6/14/14	1/1/1/1
2	HEM	T	1000	1,3	-	0/14/114/114	0/0/8/8
3	NO2	T	2000	2	-	0/0/0/0	0/0/0/0
4	MES	T	2001	-	-	0/6/14/14	1/1/1/1

The worst 5 of 322 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1000	HEM	C2B-C1B	14.45	1.48	1.44
2	J	1000	HEM	C2B-C1B	12.98	1.47	1.44
2	F	1000	HEM	C2B-C1B	11.52	1.47	1.44
2	H	1000	HEM	C2B-C1B	11.47	1.47	1.44
2	L	1000	HEM	C2B-C1B	11.07	1.47	1.44

The worst 5 of 332 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	M	1000	HEM	C3B-C4B-NB	-9.27	107.37	114.00
2	T	1000	HEM	C3B-C4B-NB	-8.10	108.20	114.00
2	G	1000	HEM	C3B-C4B-NB	-7.79	108.43	114.00
4	F	2001	MES	C5-N4-C3	7.35	124.33	109.75
2	Q	1000	HEM	C3B-C4B-NB	-7.34	108.75	114.00

There are no chirality outliers.

There are no torsion outliers.

5 of 18 ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	L	2001	MES	C2-C3-C5-C6-N4-O1
4	Q	2001	MES	C2-C3-C5-C6-N4-O1
4	O	2001	MES	C2-C3-C5-C6-N4-O1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	S	2001	MES	C2-C3-C5-C6-N4-O1
4	G	2001	MES	C2-C3-C5-C6-N4-O1

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	241/248 (97%)	-0.55	0 100 100	6, 18, 44, 57	0
1	B	241/248 (97%)	-0.52	0 100 100	8, 18, 42, 63	0
1	C	241/248 (97%)	-0.48	0 100 100	6, 18, 45, 64	0
1	D	241/248 (97%)	-0.51	0 100 100	9, 21, 47, 71	0
1	E	241/248 (97%)	-0.55	0 100 100	4, 15, 39, 57	0
1	F	241/248 (97%)	-0.37	0 100 100	13, 36, 68, 94	0
1	G	241/248 (97%)	-0.51	0 100 100	12, 26, 51, 80	0
1	H	241/248 (97%)	-0.51	0 100 100	8, 21, 47, 68	0
1	I	241/248 (97%)	-0.45	0 100 100	8, 21, 54, 71	0
1	J	241/248 (97%)	-0.49	0 100 100	12, 27, 64, 83	0
1	K	241/248 (97%)	-0.47	0 100 100	11, 26, 56, 78	0
1	L	241/248 (97%)	-0.49	0 100 100	11, 23, 52, 72	0
1	M	241/248 (97%)	-0.47	0 100 100	10, 23, 50, 74	0
1	N	241/248 (97%)	-0.40	0 100 100	14, 28, 62, 74	0
1	O	241/248 (97%)	-0.42	0 100 100	14, 31, 61, 84	0
1	P	241/248 (97%)	-0.28	0 100 100	30, 52, 92, 117	0
1	Q	241/248 (97%)	-0.39	0 100 100	17, 43, 87, 107	0
1	R	241/248 (97%)	-0.28	0 100 100	20, 44, 88, 110	0
1	S	241/248 (97%)	-0.26	0 100 100	30, 57, 98, 118	0
1	T	241/248 (97%)	-0.30	0 100 100	27, 53, 98, 121	0
All	All	4820/4960 (97%)	-0.43	0 93 100	4, 29, 74, 121	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	MES	M	2001	12/12	0.67	8.94	56,60,62,62	0
4	MES	Q	2001	12/12	0.53	7.96	68,71,72,73	0
5	CA	M	1001	1/1	0.18	7.06	21,21,21,21	0
4	MES	B	2001	12/12	0.56	6.51	52,55,57,57	0
4	MES	F	2001	12/12	0.57	6.44	72,76,77,78	0
4	MES	N	2001	12/12	0.28	5.98	60,65,67,67	0
4	MES	G	2001	12/12	0.27	5.64	60,62,65,66	0
4	MES	T	2001	12/12	0.56	5.33	80,83,85,85	0
3	NO2	B	2000	3/3	0.30	5.27	26,26,28,30	0
3	NO2	R	2000	3/3	0.33	4.93	36,36,37,37	0
4	MES	A	2001	12/12	0.24	3.48	47,51,52,53	0
4	MES	O	2001	12/12	0.23	2.97	64,66,68,68	0
3	NO2	M	2000	3/3	0.27	2.90	24,24,25,28	0
4	MES	P	2001	12/12	0.33	2.80	76,79,82,82	0
2	HEM	G	1000	43/43	0.18	2.76	14,19,27,32	0
4	MES	S	2001	12/12	0.29	2.75	88,91,93,94	0
4	MES	H	2001	12/12	0.22	2.50	49,51,52,53	0
3	NO2	K	2000	3/3	0.20	2.07	26,26,26,27	0
4	MES	E	2001	12/12	0.19	2.07	47,48,49,50	0
3	NO2	A	2000	3/3	0.18	1.99	20,20,21,22	0
4	MES	K	2001	12/12	0.22	1.82	54,56,58,59	0
2	HEM	A	1000	43/43	0.19	1.71	8,13,20,30	0
2	HEM	D	1000	43/43	0.20	1.64	10,16,25,30	0
2	HEM	E	1000	43/43	0.17	1.54	5,10,17,22	0
2	HEM	K	1000	43/43	0.20	1.52	13,17,25,30	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	HEM	I	1000	43/43	0.19	1.47	8,12,20,27	0
2	HEM	M	1000	43/43	0.21	1.40	11,16,23,28	0
2	HEM	B	1000	43/43	0.21	1.37	10,13,21,25	0
4	MES	C	2001	12/12	0.18	1.32	49,51,52,53	0
2	HEM	J	1000	43/43	0.19	1.21	12,16,24,32	0
2	HEM	O	1000	43/43	0.18	1.19	19,23,32,37	0
4	MES	I	2001	12/12	0.18	1.14	50,52,54,54	0
2	HEM	L	1000	43/43	0.18	1.12	11,15,23,27	0
4	MES	L	2001	12/12	0.19	0.94	52,54,56,57	0
4	MES	R	2001	12/12	0.21	0.88	65,67,68,68	0
2	HEM	H	1000	43/43	0.17	0.88	8,12,20,25	0
4	MES	D	2001	12/12	0.19	0.79	54,56,58,59	0
2	HEM	R	1000	43/43	0.21	0.75	20,26,31,44	0
2	HEM	F	1000	43/43	0.24	0.69	20,28,37,42	0
2	HEM	C	1000	43/43	0.16	0.60	8,11,20,26	0
2	HEM	Q	1000	43/43	0.17	0.58	22,24,30,34	0
3	NO2	T	2000	3/3	0.23	0.53	45,45,46,47	0
5	CA	O	1001	1/1	0.14	0.36	21,21,21,21	0
5	CA	K	1001	1/1	0.16	0.25	20,20,20,20	0
3	NO2	I	2000	3/3	0.16	0.25	21,21,21,21	0
2	HEM	P	1000	43/43	0.18	0.21	32,35,43,47	0
3	NO2	P	2000	3/3	0.17	0.20	45,45,45,45	0
2	HEM	N	1000	43/43	0.16	0.12	16,23,29,39	0
5	CA	T	1001	1/1	0.16	0.08	44,44,44,44	0
2	HEM	S	1000	43/43	0.20	0.03	36,43,52,59	0
2	HEM	T	1000	43/43	0.19	-0.02	30,36,43,50	0
5	CA	A	1001	1/1	0.12	-0.09	16,16,16,16	0
5	CA	B	1001	1/1	0.13	-0.17	14,14,14,14	0
4	MES	J	2001	12/12	0.14	-0.17	54,56,58,58	0
5	CA	S	1001	1/1	0.16	-0.27	50,50,50,50	0
5	CA	G	1001	1/1	0.12	-0.27	18,18,18,18	0
5	CA	R	1001	1/1	0.15	-0.35	39,39,39,39	0
5	CA	L	1001	1/1	0.13	-0.39	20,20,20,20	0
3	NO2	O	2000	3/3	0.11	-0.43	32,32,32,32	0
3	NO2	G	2000	3/3	0.13	-0.44	28,28,28,28	0
5	CA	Q	1001	1/1	0.13	-0.75	36,36,36,36	0
3	NO2	J	2000	3/3	0.12	-0.79	25,25,26,26	0
3	NO2	F	2000	3/3	0.14	-0.79	35,35,36,36	0
5	CA	F	1001	1/1	0.12	-0.89	25,25,25,25	0
3	NO2	Q	2000	3/3	0.13	-0.95	37,37,38,38	0
5	CA	J	1001	1/1	0.13	-1.14	26,26,26,26	0
3	NO2	C	2000	3/3	0.10	-1.29	21,21,21,22	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	NO2	L	2000	3/3	0.10	-1.30	24,24,24,25	0
5	CA	H	1001	1/1	0.10	-1.37	17,17,17,17	0
5	CA	N	1001	1/1	0.12	-1.48	28,28,28,28	0
3	NO2	D	2000	3/3	0.11	-1.48	24,24,24,25	0
5	CA	C	1001	1/1	0.09	-1.59	17,17,17,17	0
5	CA	P	1001	1/1	0.09	-1.62	44,44,44,44	0
5	CA	D	1001	1/1	0.09	-2.39	19,19,19,19	0
3	NO2	E	2000	3/3	0.10	-2.47	15,15,15,16	0
5	CA	I	1001	1/1	0.07	-2.62	18,18,18,18	0
3	NO2	N	2000	3/3	0.10	-2.78	32,32,33,33	0
3	NO2	S	2000	3/3	0.10	-2.93	52,52,52,52	0
3	NO2	H	2000	3/3	0.08	-3.41	21,21,21,21	0
5	CA	E	1001	1/1	0.09	-3.67	12,12,12,12	0

6.5 Other polymers ⓘ

There are no such residues in this entry.