



# Full wwPDB X-ray Structure Validation Report

Feb 26, 2014 – 06:19 PM GMT

PDB ID : 1Q13  
Title : Crystal structure of rabbit 20alpha hydroxysteroid dehydrogenase in ternary complex with NADP and testosterone  
Authors : Couture, J.-F.; Cantin, L.; Legrand, P.; Luu-The, V.; Labrie, F.; Breton, R.  
Deposited on : 2003-07-18  
Resolution : 2.08 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.15 2013  
Xtriage (Phenix) : dev-1323  
EDS : stable22639  
Percentile statistics : 21963  
Refmac : 5.8.0049  
CCP4 : 6.3.0 (Settle)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable22683

# 1 Overall quality at a glance

The reported resolution of this entry is 2.08 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	66092	3396 (2.10-2.06)
Clashscore	79885	4085 (2.10-2.06)
Ramachandran outliers	78287	4045 (2.10-2.06)
Sidechain outliers	78261	4046 (2.10-2.06)
RSRZ outliers	66119	3397 (2.10-2.06)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	323	
1	B	323	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
4	TES	A	501	-	X

## 2 Entry composition


There are 5 unique types of molecules in this entry. The entry contains 5625 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Prostaglandin-E2 9-reductase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	322	Total	C	N	O	S	0	0	0
			2579	1662	435	472	10			
1	B	317	Total	C	N	O	S	0	0	0
			2532	1632	428	462	10			

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDEPHOSPHATE (three-letter code: NAP) (formula: C<sub>21</sub>H<sub>28</sub>N<sub>7</sub>O<sub>17</sub>P<sub>3</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
3	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 4 is TESTOSTERONE (three-letter code: TES) (formula:  $C_{19}H_{28}O_2$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			21	19	2		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	201	Total 201	O 201	0	0
5	B	191	Total 191	O 191	0	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Prostaglandin-E2 9-reductase

Chain A:



#### • Molecule 1: Prostaglandin-E2 9-reductase

Chain B:



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	57.21Å 84.05Å 66.25Å 90.00° 91.17° 90.00°	Depositor
Resolution (Å)	20.00 – 2.08 19.72 – 2.08	Depositor EDS
% Data completeness (in resolution range)	93.5 (20.00-2.08) 90.2 (19.72-2.08)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.45 (at 2.09Å)	Xtriage
Refinement program	REFMAC 5.1.24	Depositor
R, $R_{free}$	0.226 , 0.280 0.221 , 0.251	Depositor DCC
$R_{free}$ test set	1754 reflections (5.27%)	DCC
Wilson B-factor (Å <sup>2</sup> )	19.5	Xtriage
Anisotropy	0.693	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 16.1	EDS
Estimated twinning fraction	0.177 for h,-k,-l	Xtriage
L-test for twinning	$\langle  L  \rangle = 0.45$ , $\langle L^2 \rangle = 0.28$	Xtriage
Outliers	0 of 35075 reflections	Xtriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	5625	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	15.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.10% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAP, TES, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	1.22	15/2642 (0.6%)	1.06	9/3575 (0.3%)
1	B	1.08	9/2592 (0.3%)	1.02	10/3504 (0.3%)
All	All	1.16	24/5234 (0.5%)	1.04	19/7079 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	1
All	All	0	3

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	322	GLU	CD-OE2	13.60	1.40	1.25
1	B	59	LYS	CD-CE	11.55	1.80	1.51
1	A	192	GLU	CD-OE2	11.10	1.37	1.25
1	A	24	TYR	CE1-CZ	10.56	1.52	1.38
1	A	24	TYR	CG-CD2	9.66	1.51	1.39
1	A	58	GLU	CD-OE2	8.84	1.35	1.25
1	B	67	SER	CB-OG	7.59	1.52	1.42
1	B	59	LYS	CE-NZ	7.54	1.67	1.49
1	B	320	SER	CB-OG	7.45	1.51	1.42
1	B	193	CYS	CB-SG	7.24	1.94	1.82
1	A	322	GLU	CD-OE1	6.79	1.33	1.25
1	A	67	SER	CB-OG	6.78	1.51	1.42
1	A	253	ALA	CA-CB	6.70	1.66	1.52
1	A	283	VAL	CB-CG2	6.54	1.66	1.52

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	253	ALA	CA-CB	6.43	1.66	1.52
1	B	180	PRO	N-CD	5.81	1.55	1.47
1	A	266	VAL	CB-CG1	-5.77	1.40	1.52
1	A	93	GLU	CD-OE1	5.76	1.31	1.25
1	A	178	ASN	CB-CG	5.51	1.63	1.51
1	A	193	CYS	CB-SG	5.23	1.91	1.82
1	A	71	ASP	C-N	5.19	1.42	1.33
1	B	286	PHE	CE1-CZ	5.15	1.47	1.37
1	B	100	GLU	CG-CD	5.04	1.59	1.51
1	A	278	LYS	CE-NZ	5.03	1.61	1.49

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	229	ASP	CB-CG-OD2	7.11	124.70	118.30
1	B	71	ASP	CB-CG-OD2	7.10	124.69	118.30
1	A	134	HIS	CA-C-N	-6.77	102.67	116.20
1	B	238	ASP	CB-CG-OD2	6.66	124.30	118.30
1	A	78	ASP	CB-CG-OD2	6.53	124.17	118.30
1	B	156	ASP	CB-CG-OD2	6.49	124.14	118.30
1	A	238	ASP	CB-CG-OD2	6.43	124.08	118.30
1	A	140	ASP	CB-CG-OD2	6.15	123.84	118.30
1	B	96	ARG	NE-CZ-NH1	-6.13	117.23	120.30
1	A	43	ASP	CB-CG-OD2	6.00	123.70	118.30
1	B	132	ASP	CB-CG-OD2	5.98	123.68	118.30
1	B	101	ASP	CB-CG-OD2	5.70	123.43	118.30
1	A	73	THR	OG1-CB-CG2	-5.56	97.22	110.00
1	B	126	VAL	CB-CA-C	-5.41	101.13	111.40
1	A	132	ASP	CB-CG-OD2	5.40	123.16	118.30
1	B	143	ASP	CB-CG-OD2	5.17	122.95	118.30
1	B	171	ARG	NE-CZ-NH2	5.07	122.83	120.30
1	A	2	ASP	CB-CG-OD2	5.06	122.85	118.30
1	B	171	ARG	NE-CZ-NH1	-5.04	117.78	120.30

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	133	GLU	Peptide
1	A	134	HIS	Mainchain
1	B	224	GLU	Peptide

## 5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2579	0	2587	172	8
1	B	2532	0	2549	160	2
2	A	5	0	0	0	0
3	A	48	0	25	3	0
3	B	48	0	25	4	0
4	A	21	0	28	7	0
5	A	201	0	0	22	1
5	B	191	0	0	30	3
All	All	5625	0	5214	332	10

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 32.

All (332) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:59:LYS:CD	1:B:59:LYS:CE	1.80	1.56
1:B:59:LYS:NZ	1:B:59:LYS:CE	1.67	1.53
1:A:275:LYS:HE3	1:A:275:LYS:N	1.20	1.41
1:B:223:ARG:HD3	5:B:586:HOH:O	1.30	1.24
1:A:230:GLN:NE2	5:A:654:HOH:O	1.57	1.24
1:A:172:GLN:OE1	5:A:689:HOH:O	1.55	1.22
1:A:226:GLU:O	1:A:230:GLN:HG2	1.48	1.14
1:A:126:VAL:HG13	1:B:302:ASN:OD1	1.48	1.13
1:A:274:GLU:HB3	1:A:275:LYS:HE2	1.18	1.12
1:A:275:LYS:CE	1:A:275:LYS:H	1.63	1.11
1:A:227:TRP:HA	1:A:230:GLN:HG3	1.30	1.11
1:A:275:LYS:CE	1:A:275:LYS:N	2.16	1.09
1:A:63:LEU:HD22	5:A:793:HOH:O	1.54	1.05
1:B:133:GLU:HB3	1:B:136:LYS:HB2	1.07	1.04
3:A:401:NAP:O2N	5:A:602:HOH:O	1.77	1.03
1:B:133:GLU:CB	1:B:136:LYS:HB2	1.88	1.02
1:A:226:GLU:O	1:A:230:GLN:CG	2.08	1.01
1:B:291:GLU:OE2	1:B:291:GLU:N	1.92	1.00
1:A:2:ASP:N	5:A:744:HOH:O	1.94	0.99

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:169:ASN:H	1:B:172:GLN:HE21	1.02	0.99
1:B:107:GLN:HG2	5:B:554:HOH:O	1.63	0.98
1:A:224:GLU:O	1:A:228:VAL:HG11	1.64	0.96
1:A:227:TRP:CA	1:A:230:GLN:HG3	1.95	0.96
1:B:131:THR:HG22	1:B:137:ALA:HA	1.49	0.95
1:A:134:HIS:CG	1:A:135:GLY:H	1.84	0.95
1:B:133:GLU:HA	1:B:133:GLU:OE2	1.65	0.93
1:A:225:PRO:HB2	1:A:226:GLU:OE1	1.68	0.93
1:B:18:VAL:HG11	5:B:570:HOH:O	1.70	0.92
1:A:262:GLN:HE22	1:A:288:LEU:H	1.10	0.91
1:A:278:LYS:NZ	5:A:742:HOH:O	2.04	0.89
1:B:258:ARG:HE	1:B:262:GLN:HE21	1.11	0.89
1:A:134:HIS:O	1:A:136:LYS:N	2.04	0.89
1:B:169:ASN:H	1:B:172:GLN:NE2	1.69	0.89
1:B:262:GLN:HE22	1:B:288:LEU:H	1.15	0.88
1:B:133:GLU:HB3	1:B:136:LYS:CB	2.01	0.88
1:A:274:GLU:HB3	1:A:275:LYS:CE	2.03	0.88
1:A:225:PRO:CB	1:A:226:GLU:OE1	2.21	0.87
1:A:275:LYS:HE3	1:A:275:LYS:CA	2.03	0.86
1:A:134:HIS:CG	1:A:135:GLY:N	2.43	0.85
1:A:258:ARG:HE	1:A:262:GLN:HE21	1.22	0.85
1:B:132:ASP:O	1:B:134:HIS:N	2.11	0.84
1:B:123:LYS:HG3	1:B:138:ILE:HG22	1.59	0.84
1:B:133:GLU:O	1:B:134:HIS:C	2.15	0.84
1:A:224:GLU:O	1:A:228:VAL:CG1	2.25	0.84
1:B:287:GLN:CD	5:B:556:HOH:O	2.16	0.83
1:A:24:TYR:CZ	4:A:501:TES:C6	2.62	0.83
1:B:149:GLU:HG3	1:B:179:LYS:HZ3	1.43	0.83
1:A:223:ARG:O	1:A:229:ASP:HB2	1.78	0.82
1:A:226:GLU:OE1	1:A:226:GLU:N	2.13	0.82
1:B:59:LYS:CG	1:B:59:LYS:CE	2.58	0.81
1:B:149:GLU:HG3	1:B:179:LYS:NZ	1.95	0.81
1:A:24:TYR:CZ	4:A:501:TES:H62	2.16	0.81
1:A:169:ASN:H	1:A:172:GLN:HE21	1.30	0.78
1:A:126:VAL:CG1	1:B:302:ASN:OD1	2.30	0.78
1:A:225:PRO:O	1:A:227:TRP:N	2.18	0.77
1:A:8:VAL:HG22	1:A:18:VAL:HG12	1.65	0.77
1:A:149:GLU:OE1	1:A:179:LYS:NZ	2.18	0.76
1:A:103:LEU:HD21	1:A:111:VAL:HG13	1.67	0.76
1:A:274:GLU:CB	1:A:275:LYS:HE2	2.09	0.76
1:B:94:LEU:HD12	5:B:539:HOH:O	1.86	0.76
1:B:149:GLU:CG	1:B:179:LYS:NZ	2.49	0.75

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:136:LYS:HG2	1:A:137:ALA:O	1.87	0.74
1:B:240:LEU:HD21	1:B:295:VAL:CG1	2.18	0.73
1:A:156:ASP:OD1	1:A:184:TYR:OH	2.07	0.73
1:B:149:GLU:CG	1:B:179:LYS:HZ1	2.01	0.73
1:A:174:GLU:O	1:A:178:ASN:HB2	1.89	0.73
1:B:123:LYS:HE2	1:B:140:ASP:OD1	1.89	0.73
1:B:94:LEU:HB3	5:B:501:HOH:O	1.87	0.73
1:A:171:ARG:HD3	5:A:786:HOH:O	1.88	0.72
1:B:131:THR:HG22	1:B:137:ALA:CA	2.19	0.72
1:A:225:PRO:CA	1:A:226:GLU:OE1	2.38	0.72
1:B:270:LYS:O	3:B:402:NAP:H8A	1.90	0.71
1:B:240:LEU:HD21	1:B:295:VAL:HG12	1.70	0.71
1:A:279:GLU:HA	1:A:282:GLN:HE21	1.55	0.71
1:B:6:GLN:NE2	5:B:570:HOH:O	2.23	0.71
1:A:169:ASN:H	1:A:172:GLN:NE2	1.89	0.71
1:A:270:LYS:O	3:A:401:NAP:H8A	1.91	0.70
1:A:6:GLN:HE21	1:A:18:VAL:HG21	1.55	0.70
1:B:98:SER:HA	5:B:510:HOH:O	1.91	0.70
1:B:63:LEU:HD12	1:B:66:ARG:NH2	2.07	0.70
1:A:227:TRP:HA	1:A:230:GLN:CG	2.16	0.70
1:B:141:THR:HG23	5:B:504:HOH:O	1.92	0.69
1:B:247:LYS:CE	5:B:562:HOH:O	2.40	0.69
1:A:149:GLU:CG	1:A:179:LYS:HE3	2.22	0.69
1:B:171:ARG:HG2	1:B:171:ARG:NH1	2.05	0.69
1:A:24:TYR:CE2	4:A:501:TES:H62	2.28	0.69
1:B:123:LYS:HE3	1:B:139:PHE:O	1.93	0.69
1:A:226:GLU:O	1:A:230:GLN:HG3	1.92	0.68
1:A:225:PRO:C	1:A:226:GLU:OE1	2.32	0.68
1:A:222:HIS:CE1	5:A:602:HOH:O	2.46	0.67
1:A:230:GLN:CD	5:A:654:HOH:O	2.07	0.67
1:B:223:ARG:CD	5:B:586:HOH:O	2.08	0.67
1:A:194:HIS:HD2	1:A:196:TYR:H	1.43	0.67
1:A:234:VAL:HB	1:A:237:GLU:OE2	1.95	0.66
1:A:148:TRP:CG	1:A:176:ILE:HD13	2.31	0.66
1:B:171:ARG:HH11	1:B:171:ARG:HG2	1.59	0.66
1:A:59:LYS:HE3	1:A:105:ASN:ND2	2.09	0.66
1:B:169:ASN:N	1:B:172:GLN:HE21	1.85	0.65
1:A:260:GLN:OE1	1:A:260:GLN:HA	1.96	0.65
1:A:27:GLU:O	5:A:784:HOH:O	2.13	0.65
1:B:195:PRO:HD2	1:B:235:LEU:HD11	1.77	0.65
1:A:192:GLU:OE2	1:A:194:HIS:HE1	1.79	0.65
1:A:132:ASP:C	1:A:134:HIS:N	2.50	0.65

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:194:HIS:HD2	1:B:196:TYR:H	1.46	0.64
1:A:133:GLU:O	1:A:134:HIS:HB2	1.97	0.64
1:A:24:TYR:CZ	4:A:501:TES:H61	2.32	0.64
1:A:99:LEU:HB2	1:A:114:TYR:CE2	2.33	0.63
1:B:314:HIS:ND1	1:B:315:PRO:HD2	2.13	0.63
1:B:258:ARG:HE	1:B:262:GLN:NE2	1.92	0.63
1:A:149:GLU:HG2	1:A:179:LYS:HE3	1.81	0.63
1:B:91:ARG:HG3	5:B:539:HOH:O	1.98	0.62
1:B:123:LYS:HG3	1:B:138:ILE:CG2	2.29	0.62
1:A:222:HIS:HE1	5:A:602:HOH:O	1.80	0.61
1:B:43:ASP:CG	5:B:467:HOH:O	2.38	0.61
1:A:81:TYR:OH	1:A:106:LEU:HD21	2.01	0.61
1:B:265:ILE:O	5:B:564:HOH:O	2.16	0.61
1:B:6:GLN:HE21	1:B:18:VAL:HG21	1.66	0.61
1:B:143:ASP:OD2	1:B:145:CYS:HB2	2.01	0.60
1:A:240:LEU:HD21	1:A:295:VAL:CG1	2.31	0.60
1:B:194:HIS:HD2	1:B:196:TYR:N	2.00	0.60
1:B:247:LYS:HE2	5:B:562:HOH:O	2.02	0.59
1:B:24:TYR:CG	1:B:25:ALA:N	2.70	0.59
1:A:275:LYS:HE3	1:A:275:LYS:H	0.76	0.59
1:B:260:GLN:OE1	1:B:260:GLN:HA	2.03	0.59
1:A:81:TYR:HE2	1:A:106:LEU:HD11	1.68	0.59
1:B:58:GLU:HG3	5:B:526:HOH:O	2.02	0.58
1:A:81:TYR:CZ	1:A:106:LEU:HD21	2.38	0.58
1:B:131:THR:HG22	1:B:136:LYS:C	2.24	0.58
1:B:199:GLN:HA	1:B:199:GLN:HE21	1.69	0.58
1:A:81:TYR:CE2	1:A:106:LEU:HD11	2.38	0.57
1:B:169:ASN:OD1	1:B:172:GLN:HG3	2.04	0.57
1:B:59:LYS:HD2	5:B:415:HOH:O	2.04	0.57
1:B:131:THR:HG22	1:B:136:LYS:O	2.04	0.57
1:A:117:HIS:O	1:A:166:SER:HB3	2.04	0.57
1:B:145:CYS:HB3	1:B:179:LYS:HD2	1.86	0.57
1:A:58:GLU:HG2	1:A:81:TYR:OH	2.03	0.57
1:B:56:LYS:HA	5:B:434:HOH:O	2.05	0.57
1:A:132:ASP:OD2	1:A:134:HIS:O	2.22	0.56
1:A:87:CYS:HB3	1:A:120:THR:O	2.04	0.56
1:A:188:CYS:HA	1:A:212:VAL:O	2.05	0.56
1:B:291:GLU:H	1:B:291:GLU:CD	1.97	0.56
1:B:242:GLY:O	1:B:246:LYS:HD2	2.07	0.55
1:A:234:VAL:CB	1:A:237:GLU:OE2	2.55	0.55
1:B:133:GLU:O	1:B:135:GLY:N	2.39	0.54
1:B:133:GLU:CA	1:B:133:GLU:OE2	2.47	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:237:GLU:OE2	5:B:542:HOH:O	2.18	0.54
1:A:273:THR:O	1:A:274:GLU:C	2.45	0.54
1:B:183:LYS:HG2	1:B:184:TYR:CD2	2.43	0.54
1:B:86:TRP:CG	1:B:87:CYS:N	2.76	0.53
1:A:11:SER:HB3	5:A:799:HOH:O	2.07	0.53
1:B:274:GLU:HA	1:B:277:ILE:HD12	1.88	0.53
1:A:227:TRP:C	1:A:230:GLN:HG3	2.29	0.53
1:A:148:TRP:CD2	1:A:176:ILE:HD13	2.43	0.53
1:B:195:PRO:O	1:B:300:ASN:N	2.40	0.53
1:A:149:GLU:OE1	1:A:179:LYS:CE	2.57	0.53
1:A:312:ILE:HD13	1:A:317:TYR:CE1	2.44	0.53
1:B:234:VAL:HB	1:B:237:GLU:HG3	1.91	0.52
1:B:207:LYS:HG2	5:B:544:HOH:O	2.09	0.52
1:B:120:THR:HB	1:B:314:HIS:CD2	2.44	0.52
1:B:132:ASP:C	1:B:134:HIS:N	2.63	0.52
1:B:192:GLU:OE2	1:B:194:HIS:HE1	1.92	0.52
1:B:254:LEU:HD21	1:B:279:GLU:O	2.10	0.52
1:B:122:LEU:HD11	1:B:310:PHE:CE2	2.45	0.52
1:A:124:PRO:HG3	5:A:650:HOH:O	2.09	0.52
1:A:8:VAL:HG23	1:A:16:ILE:HG23	1.91	0.51
1:B:62:GLY:O	1:B:66:ARG:HG3	2.10	0.51
1:A:155:LYS:HD3	1:A:184:TYR:CD2	2.46	0.51
1:B:247:LYS:NZ	5:B:562:HOH:O	2.30	0.51
1:B:122:LEU:HD11	1:B:310:PHE:HE2	1.75	0.51
1:B:104:LYS:NZ	5:B:512:HOH:O	1.83	0.51
1:B:190:GLN:OE1	3:B:402:NAP:H2N	2.10	0.51
1:B:148:TRP:CZ2	1:B:163:ILE:HD12	2.46	0.51
1:A:226:GLU:C	1:A:230:GLN:CG	2.78	0.50
1:A:81:TYR:CE2	1:A:106:LEU:CD1	2.94	0.50
1:A:312:ILE:CD1	1:A:317:TYR:CZ	2.94	0.50
1:A:270:LYS:HD3	1:A:270:LYS:C	2.32	0.50
1:B:171:ARG:HH11	1:B:171:ARG:CG	2.24	0.50
1:A:169:ASN:OD1	1:A:172:GLN:HG3	2.10	0.50
1:B:130:PRO:O	1:B:137:ALA:HA	2.11	0.50
1:B:262:GLN:HE22	1:B:288:LEU:N	1.97	0.50
1:A:240:LEU:HD21	1:A:295:VAL:HG12	1.93	0.50
1:A:225:PRO:HD3	4:A:501:TES:H162	1.93	0.50
1:B:131:THR:CG2	1:B:137:ALA:HA	2.33	0.50
1:A:126:VAL:O	1:A:126:VAL:CG1	2.58	0.50
1:A:174:GLU:HA	1:A:174:GLU:OE2	2.12	0.50
1:A:151:MET:O	1:A:154:CYS:HB2	2.12	0.50
1:B:195:PRO:HD2	1:B:235:LEU:CD1	2.42	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:165:VAL:HB	1:A:168:PHE:CE1	2.47	0.49
1:A:51:SER:O	1:A:84:LYS:NZ	2.43	0.49
1:B:63:LEU:CD1	1:B:66:ARG:NH2	2.76	0.49
1:A:87:CYS:HA	1:A:90:HIS:CD2	2.47	0.49
1:B:87:CYS:HB3	1:B:120:THR:O	2.13	0.49
1:B:193:CYS:HB3	1:B:215:ALA:HB1	1.93	0.49
1:B:258:ARG:NE	1:B:262:GLN:HE21	1.94	0.49
1:A:91:ARG:HH22	1:A:123:LYS:HZ2	1.59	0.48
1:B:188:CYS:HA	1:B:212:VAL:O	2.13	0.48
1:B:172:GLN:O	1:B:175:MET:HB2	2.13	0.48
1:A:155:LYS:HE2	5:A:636:HOH:O	2.13	0.48
1:A:309:ASP:O	1:A:312:ILE:HG12	2.12	0.48
1:B:301:ARG:HB3	1:B:301:ARG:HE	1.32	0.48
1:B:68:LYS:HA	1:B:68:LYS:HD2	1.58	0.48
1:B:149:GLU:HA	1:B:152:GLU:OE1	2.13	0.48
1:B:270:LYS:C	1:B:270:LYS:HD3	2.34	0.48
1:A:190:GLN:OE1	3:A:401:NAP:H2N	2.14	0.47
1:A:303:PHE:C	1:A:303:PHE:CD2	2.87	0.47
1:B:237:GLU:CD	5:B:542:HOH:O	2.53	0.47
1:A:164:GLY:C	1:A:165:VAL:HG13	2.34	0.47
1:A:110:TYR:CD1	1:A:161:LYS:HG2	2.49	0.47
5:A:793:HOH:O	1:B:312:ILE:HG22	2.14	0.47
1:A:130:PRO:O	1:A:137:ALA:HA	2.15	0.47
1:A:63:LEU:HD12	1:A:66:ARG:NH2	2.29	0.47
1:A:250:GLN:NE2	5:A:756:HOH:O	2.47	0.47
1:B:75:LYS:HB2	1:B:75:LYS:HE3	1.61	0.47
1:A:194:HIS:HD2	1:A:196:TYR:N	2.11	0.47
1:A:182:LEU:HD21	1:A:185:LYS:HG2	1.97	0.47
1:A:306:VAL:HG12	1:A:306:VAL:O	2.13	0.47
1:A:132:ASP:O	1:A:134:HIS:N	2.47	0.46
1:A:119:PRO:HB2	1:A:144:ILE:HD11	1.97	0.46
1:A:301:ARG:HD2	5:A:700:HOH:O	2.15	0.46
1:A:250:GLN:NE2	1:A:250:GLN:HA	2.29	0.46
1:A:24:TYR:CE1	4:A:501:TES:H61	2.50	0.46
1:A:196:TYR:CD1	1:A:301:ARG:HD3	2.50	0.46
1:A:194:HIS:CD2	1:A:196:TYR:HB2	2.50	0.46
1:B:214:VAL:HA	1:B:266:VAL:O	2.16	0.46
1:B:130:PRO:C	1:B:131:THR:HG23	2.36	0.46
1:B:225:PRO:HD2	5:B:514:HOH:O	2.15	0.46
1:B:193:CYS:HB3	1:B:215:ALA:CB	2.46	0.45
1:B:179:LYS:HA	1:B:180:PRO:HD2	1.78	0.45
1:A:63:LEU:CD1	1:A:66:ARG:NH2	2.79	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:81:TYR:CZ	1:B:106:LEU:HD21	2.51	0.45
3:B:402:NAP:H3D	3:B:402:NAP:O2N	2.16	0.45
1:A:48:HIS:HA	1:A:80:PHE:O	2.17	0.45
1:B:172:GLN:HE22	1:B:318:PRO:HB3	1.82	0.45
1:A:130:PRO:HD3	5:A:647:HOH:O	2.16	0.45
1:B:123:LYS:HG2	1:B:139:PHE:O	2.16	0.45
1:A:7:ARG:HD3	1:A:17:PRO:HD3	1.99	0.45
1:B:171:ARG:NH1	1:B:171:ARG:CG	2.74	0.45
1:A:177:LEU:HD23	1:A:177:LEU:HA	1.78	0.45
1:B:35:MET:HB2	1:B:60:GLU:HB3	1.98	0.45
1:B:217:SER:HA	3:B:402:NAP:O1A	2.17	0.45
1:B:167:ASN:ND2	5:B:409:HOH:O	2.50	0.45
1:A:224:GLU:C	1:A:228:VAL:HG13	2.37	0.44
1:A:8:VAL:HG23	1:A:16:ILE:CG2	2.48	0.44
1:A:86:TRP:CG	1:A:87:CYS:N	2.85	0.44
1:B:67:SER:OG	5:B:411:HOH:O	2.15	0.44
1:A:224:GLU:O	1:A:228:VAL:HG13	2.12	0.44
1:B:43:ASP:OD1	1:B:68:LYS:CE	2.66	0.44
1:A:166:SER:O	1:A:167:ASN:HB2	2.17	0.44
1:B:17:PRO:HB2	1:B:48:HIS:HB2	1.99	0.44
1:A:11:SER:CB	5:A:799:HOH:O	2.66	0.44
1:A:72:GLY:O	1:A:73:THR:C	2.54	0.44
1:B:66:ARG:NE	1:B:107:GLN:HB2	2.33	0.44
1:B:131:THR:HG22	1:B:137:ALA:N	2.32	0.43
1:A:111:VAL:O	1:A:160:ALA:HA	2.17	0.43
1:B:87:CYS:HA	1:B:90:HIS:CD2	2.53	0.43
1:A:225:PRO:O	1:A:226:GLU:C	2.55	0.43
1:B:130:PRO:O	1:B:131:THR:HG23	2.17	0.43
1:B:247:LYS:HD3	1:B:248:HIS:NE2	2.33	0.43
1:B:296:ILE:O	1:B:299:LEU:HB2	2.18	0.43
1:B:51:SER:OG	1:B:52:ALA:N	2.49	0.43
1:A:240:LEU:HD21	1:A:295:VAL:HG13	2.00	0.43
1:B:149:GLU:CD	1:B:179:LYS:HZ1	2.22	0.43
1:A:149:GLU:HG3	1:A:179:LYS:HE3	2.01	0.43
1:A:159:LEU:HA	1:A:159:LEU:HD23	1.76	0.43
1:B:245:ALA:HB3	1:B:246:LYS:HE3	2.01	0.43
1:A:228:VAL:HG22	1:A:229:ASP:N	2.34	0.43
1:B:94:LEU:CD1	5:B:539:HOH:O	2.55	0.43
1:A:123:LYS:HE2	1:A:140:ASP:OD1	2.19	0.43
1:A:193:CYS:HB3	1:A:215:ALA:HB1	2.01	0.43
1:B:103:LEU:HD21	1:B:111:VAL:HG13	2.01	0.43
1:B:169:ASN:HD21	1:B:171:ARG:NH2	2.17	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:192:GLU:N	1:B:216:TYR:CE2	2.87	0.42
1:A:292:ASP:O	1:A:296:ILE:HG13	2.19	0.42
1:A:257:LEU:HA	1:A:257:LEU:HD23	1.86	0.42
1:B:91:ARG:HB2	1:B:94:LEU:HG	2.01	0.42
1:B:314:HIS:ND1	1:B:315:PRO:CD	2.82	0.42
1:B:199:GLN:CA	1:B:199:GLN:HE21	2.31	0.42
1:A:193:CYS:O	1:A:218:ALA:HA	2.18	0.42
1:A:192:GLU:HG3	1:A:217:SER:HB2	2.02	0.42
1:A:258:ARG:HB2	1:A:283:VAL:HG23	2.00	0.42
1:B:194:HIS:HB2	1:B:195:PRO:CD	2.48	0.42
1:B:251:THR:HG21	1:B:279:GLU:OE2	2.19	0.42
1:A:201:LYS:O	1:A:202:LEU:C	2.56	0.42
1:A:130:PRO:HG3	5:A:647:HOH:O	2.19	0.42
1:B:223:ARG:NE	5:B:586:HOH:O	2.43	0.42
1:B:133:GLU:CB	1:B:136:LYS:CB	2.78	0.42
1:A:198:ASN:O	1:A:199:GLN:HB2	2.19	0.42
1:A:203:LEU:HD11	1:A:207:LYS:HE3	2.00	0.42
1:B:244:LEU:O	1:B:245:ALA:C	2.58	0.42
1:A:155:LYS:HD3	1:A:184:TYR:CE2	2.55	0.42
1:A:57:ASN:OD1	1:A:57:ASN:C	2.58	0.42
1:A:190:GLN:HA	1:A:214:VAL:O	2.20	0.41
1:A:262:GLN:HE22	1:A:288:LEU:N	1.94	0.41
1:A:194:HIS:HB2	1:A:195:PRO:CD	2.49	0.41
1:B:81:TYR:OH	1:B:106:LEU:HD21	2.19	0.41
1:B:131:THR:CB	1:B:136:LYS:O	2.68	0.41
1:A:248:HIS:O	1:A:250:GLN:HG2	2.21	0.41
1:B:223:ARG:NH1	1:B:233:PRO:O	2.54	0.41
1:A:133:GLU:CD	1:A:133:GLU:H	2.23	0.41
1:A:91:ARG:HH21	1:A:140:ASP:CG	2.24	0.41
1:B:123:LYS:HA	1:B:124:PRO:HD3	1.82	0.41
1:A:193:CYS:HB3	1:A:215:ALA:CB	2.50	0.41
1:B:194:HIS:CD2	1:B:196:TYR:H	2.31	0.41
1:A:250:GLN:HE21	1:A:250:GLN:HA	1.85	0.41
1:A:115:ILE:HD13	1:A:115:ILE:HG21	1.89	0.41
1:B:270:LYS:HE2	1:B:272:PHE:CD1	2.56	0.41
1:B:43:ASP:OD1	5:B:467:HOH:O	2.22	0.41
1:A:130:PRO:CG	5:A:647:HOH:O	2.68	0.41
1:B:251:THR:HB	1:B:252:PRO:HD2	2.03	0.41
1:A:91:ARG:HH22	1:A:123:LYS:NZ	2.18	0.41
1:A:248:HIS:NE2	1:A:292:ASP:OD2	2.41	0.41
1:B:111:VAL:O	1:B:160:ALA:HA	2.21	0.41
1:B:27:GLU:OE2	5:B:575:HOH:O	2.22	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:99:LEU:HB2	1:B:114:TYR:CE2	2.55	0.41
1:A:214:VAL:HA	1:A:266:VAL:O	2.21	0.41
1:B:292:ASP:O	1:B:296:ILE:HG13	2.21	0.41
1:A:63:LEU:HD12	1:A:63:LEU:HA	1.79	0.40
1:B:41:ALA:HA	1:B:277:ILE:HG21	2.03	0.40
1:B:41:ALA:O	1:B:46:PHE:HB2	2.21	0.40
1:A:312:ILE:HD13	1:A:312:ILE:HA	1.89	0.40
1:A:24:TYR:OH	4:A:501:TES:H71	2.21	0.40
5:A:793:HOH:O	1:B:312:ILE:CG2	2.69	0.40
1:A:251:THR:HG21	1:A:279:GLU:OE1	2.21	0.40
1:B:178:ASN:HD22	1:B:178:ASN:HA	1.63	0.40
1:A:68:LYS:HD3	1:A:68:LYS:HA	1.66	0.40
1:A:226:GLU:CD	1:A:226:GLU:N	2.73	0.40
1:B:130:PRO:O	1:B:131:THR:CG2	2.69	0.40
1:A:314:HIS:HA	1:A:315:PRO:HD2	1.93	0.40
1:A:226:GLU:C	1:A:230:GLN:HG3	2.40	0.40
1:B:149:GLU:OE2	1:B:179:LYS:NZ	2.54	0.40
1:A:69:ILE:HD13	1:A:69:ILE:HG21	1.93	0.40
1:B:96:ARG:HB3	1:B:97:PRO:HD3	2.03	0.40

All (10) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:91:ARG:NH1	1:A:237:GLU:OE1[2_656]	1.56	0.64
1:A:91:ARG:NH1	1:A:237:GLU:CD[2_656]	1.73	0.47
1:A:153:LYS:NZ	1:A:230:GLN:OE1[2_656]	1.90	0.30
1:B:237:GLU:CG	5:B:584:HOH:O[2_655]	1.93	0.27
1:A:230:GLN:OE1	5:A:694:HOH:O[2_646]	2.08	0.12
1:A:91:ARG:CZ	1:A:237:GLU:OE1[2_656]	2.09	0.11
1:B:237:GLU:CD	5:B:584:HOH:O[2_655]	2.11	0.09
1:A:153:LYS:CD	1:A:230:GLN:OE1[2_656]	2.13	0.07
1:A:153:LYS:NZ	1:A:230:GLN:CD[2_656]	2.15	0.05
1:A:275:LYS:CG	5:B:592:HOH:O[2_645]	2.19	0.01

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone

conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	320/323 (99%)	303 (95%)	14 (4%)	3 (1%)	25	16
1	B	313/323 (97%)	290 (93%)	18 (6%)	5 (2%)	14	6
All	All	633/646 (98%)	593 (94%)	32 (5%)	8 (1%)	18	10

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	135	GLY
1	A	226	GLU
1	B	133	GLU
1	B	134	HIS
1	A	133	GLU
1	B	27	GLU
1	B	132	ASP
1	B	302	ASN

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	280/281 (100%)	265 (95%)	15 (5%)	31	26
1	B	275/281 (98%)	257 (94%)	18 (6%)	24	19
All	All	555/562 (99%)	522 (94%)	33 (6%)	28	22

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	VAL
1	A	67	SER
1	A	87	CYS
1	A	132	ASP
1	A	144	ILE
1	A	176	ILE
1	A	185	LYS
1	A	199	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	228	VAL
1	A	230	GLN
1	A	252	PRO
1	A	275	LYS
1	A	294	LYS
1	A	301	ARG
1	A	309	ASP
1	B	63	LEU
1	B	75	LYS
1	B	94	LEU
1	B	96	ARG
1	B	104	LYS
1	B	126	VAL
1	B	133	GLU
1	B	134	HIS
1	B	136	LYS
1	B	141	THR
1	B	144	ILE
1	B	199	GLN
1	B	237	GLU
1	B	246	LYS
1	B	290	SER
1	B	294	LYS
1	B	301	ARG
1	B	304	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	6	GLN
1	A	105	ASN
1	A	167	ASN
1	A	172	GLN
1	A	194	HIS
1	A	199	GLN
1	A	222	HIS
1	A	230	GLN
1	A	250	GLN
1	A	262	GLN
1	A	282	GLN
1	B	6	GLN
1	B	105	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	134	HIS
1	B	167	ASN
1	B	172	GLN
1	B	178	ASN
1	B	194	HIS
1	B	199	GLN
1	B	262	GLN

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
3	NAP	A	401	-	52,52,52	1.60	9 (17%)	80,80,80	2.06	17 (21%)
4	TES	A	501	-	24,24,24	1.05	1 (4%)	39,39,39	2.07	11 (28%)
2	SO4	A	601	-	4,4,4	0.32	0	6,6,6	0.60	0
3	NAP	B	402	-	52,52,52	1.46	4 (7%)	80,80,80	2.19	23 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAP	A	401	-	-	0/35/67/67	0/3/5/5
4	TES	A	501	-	-	0/0/58/58	0/0/4/4
2	SO4	A	601	-	-	0/0/0/0	0/0/0/0
3	NAP	B	402	-	-	0/35/67/67	0/3/5/5

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	402	NAP	O7N-C7N	6.82	1.40	1.24
3	A	401	NAP	O7N-C7N	6.73	1.40	1.24
4	A	501	TES	C7-C6	3.36	1.60	1.52
3	A	401	NAP	C2A-N1A	3.28	1.40	1.33
3	A	401	NAP	C2A-N3A	3.28	1.38	1.32
3	B	402	NAP	C2A-N3A	2.84	1.37	1.32
3	A	401	NAP	O2B-C2B	-2.52	1.36	1.44
3	B	402	NAP	P2B-O2B	2.49	1.67	1.59
3	A	401	NAP	PN-O1N	2.42	1.54	1.48
3	A	401	NAP	O2D-C2D	-2.41	1.37	1.43
3	A	401	NAP	C8A-N9A	2.38	1.40	1.36
3	A	401	NAP	C4A-N3A	2.33	1.39	1.35
3	A	401	NAP	P2B-O2B	2.15	1.66	1.59
3	B	402	NAP	C2D-C1D	2.04	1.56	1.53

All (51) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	401	NAP	N3A-C2A-N1A	-12.05	118.64	128.71
3	B	402	NAP	N3A-C2A-N1A	-10.93	119.57	128.71
3	B	402	NAP	O4D-C1D-N1N	7.39	115.51	107.95
4	A	501	TES	C1-C10-C9	5.70	116.19	108.60
3	A	401	NAP	O4B-C1B-N9A	4.50	112.63	108.44
4	A	501	TES	C16-C17-C13	-4.33	101.17	104.59
3	A	401	NAP	C3N-C7N-N7N	4.24	122.60	117.77
4	A	501	TES	C19-C10-C9	-4.14	106.36	111.69
3	A	401	NAP	O7N-C7N-C3N	-3.99	115.08	119.58
3	B	402	NAP	N3A-C4A-N9A	3.86	132.41	125.43
3	B	402	NAP	C3N-C7N-N7N	3.86	122.16	117.77
3	B	402	NAP	C4A-C5A-N7A	-3.74	106.32	109.52
3	A	401	NAP	O4D-C1D-N1N	3.72	111.76	107.95

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	501	TES	C7-C8-C9	3.56	114.83	110.47
4	A	501	TES	C6-C5-C4	-3.51	116.53	120.93
3	B	402	NAP	O3B-C3B-C4B	-3.37	101.14	111.08
4	A	501	TES	C6-C5-C10	3.21	120.29	116.69
3	B	402	NAP	P2B-O2B-C2B	3.21	128.70	121.96
3	B	402	NAP	O7N-C7N-C3N	-3.18	115.99	119.58
3	B	402	NAP	O2D-C2D-C1D	-2.97	102.24	111.23
3	A	401	NAP	N3A-C4A-N9A	2.88	130.63	125.43
4	A	501	TES	C12-C13-C17	2.85	119.13	115.34
3	B	402	NAP	N7A-C8A-N9A	-2.73	106.64	114.36
3	B	402	NAP	C8A-N9A-C4A	2.63	108.91	106.90
3	A	401	NAP	C2A-N1A-C6A	2.63	123.52	118.77
3	B	402	NAP	C4D-O4D-C1D	2.61	112.58	109.75
3	B	402	NAP	C6N-N1N-C2N	-2.60	119.10	122.04
3	A	401	NAP	O3X-P2B-O2X	2.59	117.71	107.61
3	A	401	NAP	N7A-C8A-N9A	-2.54	107.19	114.36
4	A	501	TES	C11-C12-C13	-2.48	108.32	112.83
3	B	402	NAP	O2N-PN-O3	-2.42	102.25	108.79
3	B	402	NAP	C2N-C3N-C4N	2.42	121.06	118.31
3	A	401	NAP	O2D-C2D-C3D	-2.42	103.96	111.83
3	B	402	NAP	C5A-C4A-N3A	-2.42	120.44	125.70
3	A	401	NAP	O2A-PA-O3	2.39	116.46	105.14
3	A	401	NAP	C2D-C1D-N1N	-2.38	109.83	113.86
3	B	402	NAP	C8A-N7A-C5A	2.37	110.94	103.58
3	B	402	NAP	C2A-N3A-C4A	2.36	120.74	114.01
3	B	402	NAP	C5B-C4B-C3B	-2.24	106.23	115.21
3	A	401	NAP	C2N-C3N-C4N	2.23	120.83	118.31
3	B	402	NAP	C2D-C1D-N1N	-2.18	110.17	113.86
4	A	501	TES	C5-C4-C3	-2.17	121.09	123.77
3	A	401	NAP	C8A-N9A-C4A	2.14	108.53	106.90
3	B	402	NAP	O3-PN-O5D	2.14	109.94	101.36
3	B	402	NAP	O2X-P2B-O2B	-2.11	101.00	107.09
4	A	501	TES	C11-C9-C8	-2.08	108.73	111.73
3	B	402	NAP	C2B-C3B-C4B	2.07	106.85	101.94
3	A	401	NAP	O4D-C4D-C5D	2.02	116.58	109.36
3	A	401	NAP	O2B-P2B-O1X	2.02	112.44	106.79
3	A	401	NAP	C4D-O4D-C1D	2.01	111.94	109.75
4	A	501	TES	C6-C7-C8	2.01	115.07	111.71

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	322/323 (99%)	0.43	7 (2%) 59 63	8, 14, 27, 38	0
1	B	317/323 (98%)	0.34	10 (3%) 45 50	5, 13, 24, 37	0
All	All	639/646 (98%)	0.38	17 (2%) 50 56	5, 13, 26, 38	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	135	GLY	8.5
1	A	134	HIS	8.2
1	A	133	GLU	4.6
1	B	225	PRO	4.4
1	B	132	ASP	3.7
1	A	175	MET	3.7
1	B	134	HIS	3.4
1	B	133	GLU	3.2
1	B	128	ILE	3.0
1	A	135	GLY	2.8
1	B	126	VAL	2.5
1	A	202	LEU	2.3
1	B	144	ILE	2.3
1	A	308	ALA	2.3
1	B	137	ALA	2.2
1	A	230	GLN	2.2
1	B	231	SER	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

### 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
4	TES	A	501	21/21	0.24	2.97	43,49,51,52	0
2	SO4	A	601	5/5	0.19	1.87	60,62,65,66	0
3	NAP	B	402	48/48	0.13	0.26	4,12,14,18	0
3	NAP	A	401	48/48	0.14	0.19	3,12,15,17	0

### 6.5 Other polymers ⓘ

There are no such residues in this entry.