



Full wwPDB X-ray Structure Validation Report

(i)

Feb 28, 2014 – 07:02 PM GMT

PDB ID : 1Q3H

Title : mouse CFTR NBD1 with AMP.PNP

Authors : Lewis, H.A.; Buchanan, S.G.; Burley, S.K.; Conners, K.; Dickey, M.; Dorwart, M.; Fowler, R.; Gao, X.; Guggino, W.B.; Hendrickson, W.A.

Deposited on : 2003-07-29

Resolution : 2.50 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467

Mogul : 1.15 2013

Xtriage (Phenix) : dev-1323

EDS : stable22639

Percentile statistics : 21963

Refmac : 5.8.0049

CCP4 : 6.3.0 (Settle)

Ideal geometry (proteins) : Engh & Huber (2001)


Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)

Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance (i)


The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	2784 (2.50-2.50)
Clashscore	79885	3562 (2.50-2.50)
Ramachandran outliers	78287	3480 (2.50-2.50)
Sidechain outliers	78261	3482 (2.50-2.50)
RSRZ outliers	66119	2785 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.



The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
2	MG	B	674	-	X

2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 8667 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cystic fibrosis transmembrane conductance regulator.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
1	A	265	Total	C 2088	N 1331	O 345	S 399	13	0	1	0
1	B	267	Total	C 2102	N 1340	O 347	S 402	13	0	1	0
1	C	266	Total	C 2095	N 1335	O 346	S 401	13	0	1	0
1	D	264	Total	C 2082	N 1328	O 344	S 397	13	0	1	0


There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	388	SER	-	CLONING ARTIFACT	UNP P26361
B	388	SER	-	CLONING ARTIFACT	UNP P26361
C	388	SER	-	CLONING ARTIFACT	UNP P26361
D	388	SER	-	CLONING ARTIFACT	UNP P26361

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	1	Total Mg 1 1	0	0
2	A	1	Total Mg 1 1	0	0
2	D	1	Total Mg 1 1	0	0
2	C	1	Total Mg 1 1	0	0

- Molecule 3 is PHOSPHOAMINOPHOSPHONICACID-ADENYLATE ESTER (three-letter code: ANP) (formula: C₁₀H₁₇N₆O₁₂P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total C N O P					0	0
			31	10	6	12	3		
3	B	1	Total C N O P					0	0
			31	10	6	12	3		
3	C	1	Total C N O P					0	0
			31	10	6	12	3		
3	D	1	Total C N O P					0	0
			31	10	6	12	3		

- Molecule 4 is ACETIC ACID (three-letter code: ACY) (formula: C₂H₄O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0

- Molecule 5 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	39	Total O 39 39	0	0
5	B	42	Total O 42 42	0	0
5	C	43	Total O 43 43	0	0
5	D	32	Total O 32 32	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Cystic fibrosis transmembrane conductance regulator

Chain A:




- Molecule 1: Cystic fibrosis transmembrane conductance regulator

Chain B:



- Molecule 1: Cystic fibrosis transmembrane conductance regulator


Chain C:



- Molecule 1: Cystic fibrosis transmembrane conductance regulator

Chain D:





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 4 21 2	Depositor
Cell constants a, b, c, α , β , γ	171.68Å 171.68Å 109.59Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	33.00 – 2.50 121.40 – 2.18	Depositor EDS
% Data completeness (in resolution range)	(Not available) (33.00-2.50) 99.4 (121.40-2.18)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
$< I/\sigma(I) >$ ¹	1.59 (at 2.18Å)	Xtriage
Refinement program	CNS	Depositor
R , R_{free}	0.216 , 0.257 0.218 , 0.256	Depositor DCC
R_{free} test set	2851 reflections (5.00%)	DCC
Wilson B-factor (Å ²)	36.9	Xtriage
Anisotropy	0.092	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 21.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$< L > = 0.49$, $< L^2 > = 0.33$	Xtriage
Outliers	0 of 85485 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	8667	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.84% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: ACY, ANP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.40	0/2128	0.50	0/2862
1	B	0.39	0/2142	0.51	0/2882
1	C	0.39	0/2135	0.50	0/2872
1	D	0.38	0/2122	0.50	0/2854
All	All	0.39	0/8527	0.50	0/11470

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2088	0	2088	29	0
1	B	2102	0	2104	31	0
1	C	2095	0	2095	31	0
1	D	2082	0	2083	34	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	31	0	13	0	0
3	B	31	0	13	1	0
3	C	31	0	13	0	0
3	D	31	0	13	0	0
4	A	4	0	3	0	0
4	B	4	0	3	0	0
4	C	4	0	3	0	0
4	D	4	0	3	0	0
5	A	39	0	0	1	0
5	B	42	0	0	0	0
5	C	43	0	0	2	0
5	D	32	0	0	2	0
All	All	8667	0	8434	124	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 7.

All (124) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:436:VAL:HB	1:C:438:ASN:HD21	1.32	0.92
1:D:669:PHE:O	1:D:670:SER:HB3	1.83	0.78
1:C:440:VAL:HG11	1:C:475:LEU:HD21	1.68	0.76
1:D:436:VAL:HB	1:D:438:ASN:HD21	1.51	0.76
1:C:657:ARG:HD3	5:C:73:HOH:O	1.88	0.72
1:C:389:THR:HG21	1:C:597:ASN:O	1.90	0.71
1:D:487:ARG:HH21	1:D:487:ARG:HG3	1.60	0.65
1:C:398:THR:HB	1:C:479:GLU:HB2	1.78	0.65
1:C:397:VAL:HG11	1:C:470:LEU:HD21	1.79	0.65
1:D:448:ILE:HD13	1:D:615:LYS:HD3	1.80	0.63
1:C:456:ILE:HD13	1:C:467:LEU:HD23	1.81	0.63
1:A:490:PHE:CE2	1:A:492:SER:HB3	2.33	0.63
1:B:515:TYR:O	1:B:519:SER:HB2	2.00	0.62
1:A:440:VAL:HG11	1:A:475:LEU:HD21	1.81	0.61
1:C:402:GLU:HG3	1:C:476:GLU:CD	2.21	0.61
1:B:482:ILE:HD11	1:B:484:HIS:CD2	2.36	0.61
1:C:436:VAL:CB	1:C:438:ASN:HD21	2.11	0.61
1:C:404:GLY:O	1:C:407:GLU:HG2	2.00	0.60
1:A:474:GLU:HG3	1:B:435:LEU:HD11	1.84	0.60
1:A:436:VAL:HB	1:A:438:ASN:OD1	2.01	0.59
1:C:490:PHE:CE2	1:C:492:SER:HB3	2.37	0.59
1:D:440:VAL:HG11	1:D:475:LEU:HD21	1.84	0.58
5:A:104:HOH:O	1:B:621:GLN:HG2	2.04	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:456:ILE:HD13	1:A:467:LEU:HD23	1.87	0.56
1:C:436:VAL:HB	1:C:438:ASN:ND2	2.13	0.56
1:D:390:THR:CG2	1:D:391:GLY:N	2.68	0.56
1:D:390:THR:HG22	1:D:391:GLY:N	2.23	0.54
1:D:580:VAL:HG22	5:D:56:HOH:O	2.09	0.53
1:A:558:LEU:HD22	1:A:562:VAL:HG23	1.91	0.53
1:A:498[B]:MET:HE1	1:A:499:PRO:O	2.09	0.53
1:D:669:PHE:O	1:D:670:SER:CB	2.57	0.52
1:B:401:TRP:CE2	1:B:433:LEU:HD13	2.45	0.52
1:B:490:PHE:CE2	1:B:492:SER:HB3	2.45	0.51
1:A:640:PHE:CZ	1:A:644:LEU:HD13	2.45	0.51
1:A:581:PHE:HE2	1:A:652:GLN:HE22	1.58	0.51
1:D:482:ILE:C	1:D:482:ILE:HD13	2.30	0.51
1:C:617:LEU:HD13	1:C:619:LEU:HD13	1.92	0.51
1:A:654:THR:O	1:A:658:ARG:HG3	2.11	0.51
1:D:436:VAL:HB	1:D:438:ASN:ND2	2.23	0.51
1:B:638:PRO:O	1:B:642:SER:HB3	2.10	0.51
1:B:448:ILE:HD11	1:B:454:LEU:HG	1.92	0.50
1:B:461:GLY:O	3:B:202:ANP:O3'	2.29	0.50
1:A:498[B]:MET:HG2	1:A:508:PHE:CD1	2.46	0.50
1:A:448:ILE:HD11	1:A:454:LEU:HG	1.94	0.50
1:A:397:VAL:HG11	1:A:470:LEU:HD21	1.93	0.50
1:C:440:VAL:CG1	1:C:475:LEU:HD21	2.40	0.49
1:D:442:LYS:HG2	1:D:443:ASN:ND2	2.26	0.49
1:B:395:GLU:HB2	1:B:481:ILE:CG2	2.43	0.49
1:B:507:ILE:HD13	1:B:512:TYR:HD1	1.78	0.49
1:B:476:GLU:H	1:B:476:GLU:CD	2.15	0.49
1:B:487:ARG:CZ	1:B:487:ARG:HB2	2.43	0.49
1:D:487:ARG:HG3	1:D:487:ARG:NH2	2.28	0.48
1:A:544:GLY:O	1:A:553:ARG:HD3	2.14	0.48
1:C:507:ILE:HD13	1:C:517:TYR:CD1	2.49	0.48
1:A:660:SER:O	1:A:664:GLU:HG3	2.14	0.48
1:C:527:GLN:O	1:C:531:THR:HG22	2.15	0.47
1:D:496:TRP:HH2	1:D:508:PHE:CE2	2.32	0.47
1:A:436:VAL:O	1:A:436:VAL:HG12	2.14	0.47
1:D:527:GLN:HE22	1:D:530:ILE:HD11	1.80	0.47
1:B:470:LEU:HD12	1:B:475:LEU:O	2.14	0.47
1:B:436:VAL:HB	1:B:438:ASN:HD21	1.80	0.46
1:B:507:ILE:CG2	1:B:507:ILE:O	2.63	0.46
1:A:459:SER:HB3	1:A:663:THR:HA	1.98	0.46
1:D:390:THR:HG22	1:D:391:GLY:H	1.80	0.46
1:A:530:ILE:O	1:A:536:GLN:HA	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:D:448:ILE:CD1	1:D:615:LYS:HD3	2.46	0.46
1:C:507:ILE:O	1:C:507:ILE:HG23	2.16	0.46
1:B:544:GLY:O	1:B:553:ARG:HD3	2.16	0.46
1:B:481:ILE:HD12	1:B:482:ILE:H	1.80	0.45
1:A:507:ILE:HG23	1:A:507:ILE:O	2.16	0.45
1:D:611:ARG:HA	1:D:630:PHE:CD1	2.51	0.45
1:D:391:GLY:HA3	1:D:448:ILE:O	2.17	0.45
1:A:498[B]:MET:SD	1:A:499:PRO:O	2.75	0.45
1:C:514:GLU:HG3	1:C:518:LYS:HD2	1.99	0.45
1:C:640:PHE:CZ	1:C:644:LEU:HD13	2.51	0.45
1:C:516:ARG:O	1:C:520:VAL:HG23	2.17	0.45
1:D:399:ALA:O	1:D:440:VAL:HG12	2.17	0.44
1:A:507:ILE:HD13	1:A:517:TYR:CD1	2.52	0.44
1:B:435:LEU:HA	1:B:435:LEU:HD12	1.90	0.44
1:A:498[B]:MET:HE2	1:A:508:PHE:HE1	1.82	0.44
1:B:476:GLU:N	1:B:476:GLU:CD	2.71	0.44
1:A:498[B]:MET:CE	1:A:508:PHE:HE1	2.31	0.44
1:D:527:GLN:NE2	1:D:530:ILE:HD11	2.32	0.44
1:A:431:SER:O	1:A:435:LEU:HD13	2.18	0.44
1:D:390:THR:HG23	1:D:450:LYS:HB2	2.00	0.43
1:D:494:PHE:CE2	1:D:496:TRP:HB3	2.53	0.43
1:C:448:ILE:HD11	1:C:454:LEU:HG	1.99	0.43
1:C:666:LEU:HD12	1:C:666:LEU:HA	1.86	0.43
1:C:617:LEU:CD1	1:C:619:LEU:HD13	2.48	0.43
1:B:487:ARG:NH2	1:B:567:ASP:OD2	2.51	0.43
1:A:507:ILE:HD11	1:A:563:TYR:CZ	2.53	0.43
1:A:655:GLU:O	1:A:659:SER:HB2	2.19	0.43
1:B:454:LEU:HD23	1:B:615:LYS:O	2.19	0.43
1:B:524:CYS:O	1:B:555:ARG:HD2	2.18	0.43
1:D:406:GLY:O	1:D:410:GLU:HB2	2.19	0.43
1:D:397:VAL:HG11	1:D:470:LEU:HD21	2.01	0.42
1:D:395:GLU:O	1:D:396:ASN:C	2.57	0.42
1:C:404:GLY:C	1:C:407:GLU:HG2	2.39	0.42
1:C:430:PHE:N	5:C:79:HOH:O	2.52	0.42
1:B:507:ILE:CD1	1:B:512:TYR:HD1	2.33	0.42
1:D:517:TYR:HE2	1:D:537:ASP:OD2	2.02	0.42
1:D:544:GLY:O	1:D:553:ARG:HD3	2.20	0.42
1:C:530:ILE:O	1:C:536:GLN:HA	2.19	0.42
1:C:501:THR:HA	1:C:539:THR:O	2.20	0.42
1:C:402:GLU:HG3	1:C:476:GLU:OE1	2.19	0.42
1:D:470:LEU:HD12	1:D:475:LEU:O	2.20	0.42
1:C:400:PHE:HA	1:C:439:PRO:HA	2.02	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:558:LEU:HD22	1:B:562:VAL:HG23	2.03	0.41
1:D:400:PHE:HA	1:D:439:PRO:HA	2.01	0.41
1:B:639:ASP:HB3	1:B:669:PHE:CZ	2.55	0.41
1:B:507:ILE:HD13	1:B:512:TYR:CD1	2.56	0.41
1:C:454:LEU:HD22	1:C:455:ALA:N	2.36	0.41
1:D:501:THR:HA	1:D:539:THR:O	2.21	0.41
1:B:507:ILE:HG23	1:B:507:ILE:O	2.21	0.41
1:D:573:SER:N	1:D:574:PRO:CD	2.83	0.41
1:C:507:ILE:CD1	1:C:517:TYR:CD1	3.04	0.41
1:D:580:VAL:CG2	5:D:56:HOH:O	2.69	0.41
1:B:632:GLU:O	1:B:636:LEU:HB2	2.21	0.41
1:B:389:THR:N	1:B:567:ASP:OD1	2.54	0.41
1:A:510:VAL:HG12	1:A:511:SER:N	2.35	0.40
1:B:503:LYS:HE3	1:B:517:TYR:CE2	2.56	0.40
1:D:590:CYS:O	1:D:595:MET:HG3	2.22	0.40
1:A:498[B]:MET:HE2	1:A:498[B]:MET:HB2	1.85	0.40
1:A:498[B]:MET:HG3	1:A:505:ASN:OD1	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	262/286 (92%)	255 (97%)	7 (3%)	0	100 100
1	B	264/286 (92%)	256 (97%)	8 (3%)	0	100 100
1	C	263/286 (92%)	256 (97%)	7 (3%)	0	100 100
1	D	261/286 (91%)	251 (96%)	8 (3%)	2 (1%)	27 46
All	All	1050/1144 (92%)	1018 (97%)	30 (3%)	2 (0%)	56 79

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	396	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	508	PHE

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	232/252 (92%)	211 (91%)	21 (9%)	14 24
1	B	234/252 (93%)	213 (91%)	21 (9%)	14 25
1	C	233/252 (92%)	215 (92%)	18 (8%)	18 33
1	D	231/252 (92%)	216 (94%)	15 (6%)	24 42
All	All	930/1008 (92%)	855 (92%)	75 (8%)	17 30

All (75) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	431	SER
1	A	442	LYS
1	A	454	LEU
1	A	460	THR
1	A	482	ILE
1	A	487	ARG
1	A	488	VAL
1	A	503	LYS
1	A	507	ILE
1	A	548	LEU
1	A	558	LEU
1	A	571	LEU
1	A	580	VAL
1	A	617	LEU
1	A	619	LEU
1	A	623	SER
1	A	631	SER
1	A	644	LEU
1	A	648	ASP
1	A	659	SER
1	A	666	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	408	LEU
1	B	449	GLU
1	B	450	LYS
1	B	454	LEU
1	B	476	GLU
1	B	482	ILE
1	B	487	ARG
1	B	488	VAL
1	B	507	ILE
1	B	548	LEU
1	B	558	LEU
1	B	571	LEU
1	B	580	VAL
1	B	617	LEU
1	B	619	LEU
1	B	642	SER
1	B	645	MET
1	B	648	ASP
1	B	666	LEU
1	B	668	ARG
1	B	670	SER
1	C	407	GLU
1	C	431	SER
1	C	454	LEU
1	C	468	LEU
1	C	487	ARG
1	C	507	ILE
1	C	514	GLU
1	C	546	VAL
1	C	548	LEU
1	C	558	LEU
1	C	571	LEU
1	C	617	LEU
1	C	619	LEU
1	C	644	LEU
1	C	645	MET
1	C	657	ARG
1	C	664	GLU
1	C	666	LEU
1	D	390	THR
1	D	408	LEU
1	D	454	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	460	THR
1	D	468	LEU
1	D	482	ILE
1	D	548	LEU
1	D	558	LEU
1	D	571	LEU
1	D	611	ARG
1	D	617	LEU
1	D	619	LEU
1	D	621	GLN
1	D	644	LEU
1	D	666	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	443	ASN
1	A	538	ASN
1	A	652	GLN
1	B	396	ASN
1	B	438	ASN
1	B	443	ASN
1	B	621	GLN
1	C	438	ASN
1	D	438	ASN
1	D	443	ASN
1	D	527	GLN
1	D	634	GLN

5.3.3 RNA (i)

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no carbohydrates in this entry.

5.6 Ligand geometry (i)

Of 12 ligands modelled in this entry, 4 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	ANP	A	201	2	33,33,33	4.17	11 (33%)	51,52,52	2.12	14 (27%)
4	ACY	A	301	-	3,3,3	0.97	0	3,3,3	1.41	0
3	ANP	B	202	2	33,33,33	4.23	11 (33%)	51,52,52	2.20	11 (21%)
4	ACY	B	302	-	3,3,3	0.98	0	3,3,3	1.46	0
3	ANP	C	203	2	33,33,33	4.32	11 (33%)	51,52,52	2.17	15 (29%)
4	ACY	C	303	-	3,3,3	0.88	0	3,3,3	1.42	0
3	ANP	D	204	2	33,33,33	4.24	12 (36%)	51,52,52	2.06	12 (23%)
4	ACY	D	304	-	3,3,3	1.00	0	3,3,3	1.42	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ANP	A	201	2	-	0/18/38/38	0/1/3/3
4	ACY	A	301	-	-	0/0/0/0	0/0/0/0
3	ANP	B	202	2	-	0/18/38/38	0/1/3/3
4	ACY	B	302	-	-	0/0/0/0	0/0/0/0
3	ANP	C	203	2	-	0/18/38/38	0/1/3/3
4	ACY	C	303	-	-	0/0/0/0	0/0/0/0
3	ANP	D	204	2	-	0/18/38/38	0/1/3/3
4	ACY	D	304	-	-	0/0/0/0	0/0/0/0

All (45) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	202	ANP	PB-N3B	12.19	1.74	1.64
3	C	203	ANP	PB-N3B	11.79	1.74	1.64
3	C	203	ANP	PG-O1G	11.15	1.60	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	204	ANP	PG-O1G	11.04	1.59	1.46
3	D	204	ANP	PB-N3B	10.70	1.73	1.64
3	A	201	ANP	PB-N3B	10.70	1.73	1.64
3	A	201	ANP	PB-O1B	10.42	1.59	1.46
3	A	201	ANP	PG-O1G	10.34	1.59	1.46
3	C	203	ANP	PG-N3B	10.25	1.73	1.64
3	D	204	ANP	PB-O1B	10.07	1.58	1.46
3	B	202	ANP	PB-O1B	10.06	1.58	1.46
3	B	202	ANP	PG-O1G	9.90	1.58	1.46
3	D	204	ANP	PG-N3B	9.84	1.72	1.64
3	A	201	ANP	PG-N3B	9.62	1.72	1.64
3	B	202	ANP	PG-N3B	9.15	1.72	1.64
3	C	203	ANP	PB-O1B	8.85	1.57	1.46
3	C	203	ANP	C4-N3	6.13	1.45	1.35
3	C	203	ANP	O2'-C2'	6.07	1.57	1.43
3	D	204	ANP	O2'-C2'	6.01	1.57	1.43
3	B	202	ANP	C4-N3	5.98	1.44	1.35
3	A	201	ANP	O2'-C2'	5.63	1.56	1.43
3	B	202	ANP	O2'-C2'	5.58	1.56	1.43
3	D	204	ANP	C4-N3	5.50	1.44	1.35
3	A	201	ANP	C5'-C4'	-5.43	1.34	1.51
3	D	204	ANP	C5'-C4'	-5.20	1.34	1.51
3	C	203	ANP	C5'-C4'	-5.20	1.34	1.51
3	A	201	ANP	C4-N3	5.03	1.43	1.35
3	B	202	ANP	C5'-C4'	-4.80	1.36	1.51
3	D	204	ANP	C2-N1	4.31	1.42	1.33
3	C	203	ANP	C2-N1	4.30	1.42	1.33
3	A	201	ANP	C2-N1	4.24	1.42	1.33
3	B	202	ANP	C2-N1	4.21	1.42	1.33
3	C	203	ANP	C8-N9	3.36	1.41	1.36
3	B	202	ANP	C8-N9	3.09	1.41	1.36
3	A	201	ANP	C8-N9	3.01	1.41	1.36
3	D	204	ANP	C8-N9	2.87	1.40	1.36
3	B	202	ANP	O5'-C5'	2.80	1.56	1.44
3	D	204	ANP	C3'-C4'	2.52	1.60	1.53
3	C	203	ANP	C2-N3	2.37	1.36	1.32
3	D	204	ANP	O3'-C3'	-2.29	1.37	1.43
3	A	201	ANP	C3'-C4'	2.25	1.59	1.53
3	B	202	ANP	C2-N3	2.24	1.36	1.32
3	C	203	ANP	O3'-C3'	-2.18	1.37	1.43
3	A	201	ANP	O3'-C3'	-2.07	1.38	1.43
3	D	204	ANP	C2-N3	2.05	1.36	1.32

All (52) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	203	ANP	C8-N9-C4	-8.32	100.55	106.90
3	B	202	ANP	C8-N9-C4	-7.87	100.89	106.90
3	A	201	ANP	C8-N9-C4	-7.06	101.51	106.90
3	D	204	ANP	C8-N9-C4	-6.84	101.68	106.90
3	B	202	ANP	PB-N3B-PG	-5.70	120.48	130.07
3	B	202	ANP	O3'-C3'-C4'	5.62	127.64	111.08
3	D	204	ANP	PB-N3B-PG	-5.51	120.80	130.07
3	A	201	ANP	PB-N3B-PG	-5.48	120.85	130.07
3	D	204	ANP	O3'-C3'-C4'	5.35	126.83	111.08
3	C	203	ANP	O3'-C3'-C4'	5.31	126.72	111.08
3	C	203	ANP	C4-C5-N7	4.48	113.36	109.52
3	A	201	ANP	O3'-C3'-C4'	4.47	124.26	111.08
3	A	201	ANP	C4-C5-N7	4.23	113.15	109.52
3	D	204	ANP	C4-C5-N7	4.20	113.12	109.52
3	B	202	ANP	C4-C5-N7	4.10	113.03	109.52
3	A	201	ANP	C3'-C2'-C1'	3.88	106.99	100.91
3	B	202	ANP	O4'-C4'-C5'	-3.80	95.79	109.36
3	B	202	ANP	C3'-C2'-C1'	3.75	106.78	100.91
3	C	203	ANP	PB-N3B-PG	-3.69	123.86	130.07
3	D	204	ANP	C3'-C2'-C1'	3.69	106.68	100.91
3	C	203	ANP	O4'-C4'-C5'	-3.66	96.28	109.36
3	C	203	ANP	C3'-C2'-C1'	3.60	106.55	100.91
3	A	201	ANP	O4'-C4'-C5'	-3.47	96.97	109.36
3	C	203	ANP	O4'-C4'-C3'	-3.42	98.23	105.17
3	D	204	ANP	O4'-C4'-C5'	-3.42	97.14	109.36
3	A	201	ANP	O4'-C4'-C3'	-3.40	98.27	105.17
3	D	204	ANP	O4'-C4'-C3'	-3.37	98.35	105.17
3	B	202	ANP	O4'-C4'-C3'	-2.89	99.31	105.17
3	D	204	ANP	PA-O3A-PB	-2.77	122.34	131.81
3	A	201	ANP	O2'-C2'-C3'	-2.74	102.92	111.83
3	C	203	ANP	O2'-C2'-C3'	-2.72	102.99	111.83
3	B	202	ANP	O2B-PB-N3B	2.72	113.98	106.61
3	B	202	ANP	O2'-C2'-C3'	-2.60	103.37	111.83
3	B	202	ANP	C1'-N9-C4	2.52	130.98	126.64
3	C	203	ANP	O2B-PB-N3B	2.51	113.44	106.61
3	A	201	ANP	C2'-C3'-C4'	-2.47	97.72	102.65
3	A	201	ANP	O3'-C3'-C2'	2.44	119.78	111.83
3	C	203	ANP	C1'-N9-C4	2.41	130.80	126.64
3	C	203	ANP	O1G-PG-N3B	-2.39	108.22	111.83
3	D	204	ANP	O3G-PG-O1G	-2.38	107.49	113.60
3	A	201	ANP	O2B-PB-N3B	2.33	112.93	106.61
3	B	202	ANP	O2G-PG-O1G	-2.33	107.63	113.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	201	ANP	O5'-C5'-C4'	-2.29	100.54	108.94
3	C	203	ANP	C2'-C3'-C4'	-2.28	98.11	102.65
3	A	201	ANP	O4'-C1'-C2'	-2.26	103.31	106.77
3	C	203	ANP	O1B-PB-N3B	-2.25	108.43	111.83
3	D	204	ANP	O2'-C2'-C3'	-2.24	104.55	111.83
3	C	203	ANP	PA-O3A-PB	-2.20	124.30	131.81
3	D	204	ANP	C2'-C3'-C4'	-2.16	98.36	102.65
3	A	201	ANP	O3G-PG-O1G	-2.10	108.22	113.60
3	C	203	ANP	O4'-C1'-C2'	-2.08	103.59	106.77
3	D	204	ANP	O3'-C3'-C2'	2.05	118.50	111.83

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	265/286 (92%)	-0.33	0 (100%) 100	16, 33, 56, 71	0
1	B	267/286 (93%)	-0.31	1 (0%) 90 92	17, 33, 55, 66	0
1	C	266/286 (93%)	-0.30	2 (0%) 83 84	17, 31, 54, 68	0
1	D	264/286 (92%)	-0.24	9 (3%) 43 44	17, 36, 64, 78	0
All	All	1062/1144 (92%)	-0.29	12 (1%) 77 79	16, 33, 58, 78	0

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	670	SER	4.5
1	B	670	SER	3.9
1	C	670	SER	3.8
1	D	401	TRP	3.1
1	D	408	LEU	2.6
1	D	508	PHE	2.5
1	D	407	GLU	2.4
1	D	410	GLU	2.4
1	C	476	GLU	2.3
1	D	409	LEU	2.2
1	D	430	PHE	2.1
1	D	411	LYS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no carbohydrates in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	MG	B	674	1/1	0.15	2.63	31,31,31,31	0
4	ACY	C	303	4/4	0.15	1.91	29,31,31,35	0
3	ANP	A	201	31/31	0.21	1.66	38,58,70,70	0
4	ACY	A	301	4/4	0.15	1.63	30,31,32,33	0
4	ACY	B	302	4/4	0.13	1.61	35,37,37,38	0
3	ANP	B	202	31/31	0.19	0.77	28,50,61,62	0
3	ANP	C	203	31/31	0.20	0.68	36,52,63,64	0
4	ACY	D	304	4/4	0.13	0.56	36,36,37,38	0
3	ANP	D	204	31/31	0.23	0.53	39,66,81,81	0
2	MG	A	674	1/1	0.12	0.03	37,37,37,37	0
2	MG	D	674	1/1	0.09	-2.07	43,43,43,43	0
2	MG	C	674	1/1	0.06	-10.00	31,31,31,31	0

6.5 Other polymers (i)

There are no such residues in this entry.