



wwPDB X-ray Structure Validation Summary Report

Feb 27, 2014 – 04:52 AM GMT

PDB ID : 2Q3S
Title : Ensemble refinement of the protein crystal structure of gene product from Arabidopsis thaliana At5g06450
Authors : Levin, E.J.; Kondrashov, D.A.; Wesenberg, G.E.; Phillips Jr., G.N.; Center for Eukaryotic Structural Genomics (CESG)
Deposited on : 2007-05-30
Resolution : 2.10 Å(reported)

This is a wwPDB validation summary report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	3012 (2.10-2.10)
Clashscore	79885	3649 (2.10-2.10)
Ramachandran outliers	78287	3610 (2.10-2.10)
Sidechain outliers	78261	3611 (2.10-2.10)
RSRZ outliers	66119	3013 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	1-A	206	
1	1-B	206	
1	1-C	206	
1	1-D	206	
1	1-E	206	
1	1-F	206	
1	2-A	206	
1	2-B	206	
1	2-C	206	
1	2-D	206	
1	2-E	206	
1	2-F	206	
1	3-A	206	
1	3-B	206	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	3-C	206	
1	3-D	206	
1	3-E	206	
1	3-F	206	
1	4-A	206	
1	4-B	206	
1	4-C	206	
1	4-D	206	
1	4-E	206	
1	4-F	206	
1	5-A	206	
1	5-B	206	
1	5-C	206	
1	5-D	206	
1	5-E	206	
1	5-F	206	
1	6-A	206	
1	6-B	206	
1	6-C	206	
1	6-D	206	
1	6-E	206	
1	6-F	206	
1	7-A	206	
1	7-B	206	
1	7-C	206	
1	7-D	206	
1	7-E	206	
1	7-F	206	
1	8-A	206	
1	8-B	206	
1	8-C	206	
1	8-D	206	
1	8-E	206	
1	8-F	206	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 81528 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein At5g06450.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	1-A	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	1-B	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	1-C	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	1-D	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	1-E	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	1-F	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	2-A	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	2-B	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	2-C	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	2-D	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	2-E	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	2-F	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	3-A	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	3-B	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	3-C	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	3-D	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	3-E	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	3-F	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	4-A	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	4-B	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	4-C	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	4-D	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	4-E	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	4-F	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	5-A	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	5-B	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	5-C	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	5-D	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	5-E	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	5-F	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	6-A	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	6-B	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	6-C	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	6-D	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	6-E	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	6-F	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	7-A	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	7-B	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	7-C	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	7-D	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	7-E	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	7-F	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	8-A	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	8-B	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	8-C	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	8-D	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	8-E	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			
1	8-F	200	Total	C	N	O	S	Se	0	0	0
			1591	1020	266	303	1	1			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	SER	-	EXPRESSION TAG	UNP Q9FNG3
A	11	MSE	MET	MODIFIED RESIDUE	UNP Q9FNG3
B	1	SER	-	EXPRESSION TAG	UNP Q9FNG3
B	11	MSE	MET	MODIFIED RESIDUE	UNP Q9FNG3
C	1	SER	-	EXPRESSION TAG	UNP Q9FNG3
C	11	MSE	MET	MODIFIED RESIDUE	UNP Q9FNG3
D	1	SER	-	EXPRESSION TAG	UNP Q9FNG3
D	11	MSE	MET	MODIFIED RESIDUE	UNP Q9FNG3
E	1	SER	-	EXPRESSION TAG	UNP Q9FNG3
E	11	MSE	MET	MODIFIED RESIDUE	UNP Q9FNG3
F	1	SER	-	EXPRESSION TAG	UNP Q9FNG3
F	11	MSE	MET	MODIFIED RESIDUE	UNP Q9FNG3

- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	1-A	121	Total O 121 121	0	0
2	1-B	115	Total O 115 115	0	0
2	1-C	103	Total O 103 103	0	0
2	1-D	96	Total O 96 96	0	0
2	1-E	99	Total O 99 99	0	0
2	1-F	111	Total O 111 111	0	0
2	2-A	120	Total O 120 120	0	0
2	2-B	118	Total O 118 118	0	0
2	2-C	104	Total O 104 104	0	0
2	2-D	96	Total O 96 96	0	0
2	2-E	97	Total O 97 97	0	0
2	2-F	110	Total O 110 110	0	0
2	3-A	117	Total O 117 117	0	0
2	3-B	120	Total O 120 120	0	0
2	3-C	103	Total O 103 103	0	0
2	3-D	92	Total O 92 92	0	0
2	3-E	104	Total O 104 104	0	0
2	3-F	109	Total O 109 109	0	0
2	4-A	118	Total O 118 118	0	0
2	4-B	125	Total O 125 125	0	0
2	4-C	97	Total O 97 97	0	0
2	4-D	97	Total O 97 97	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	4-E	97	Total 97	O 97	0	0
2	4-F	111	Total 111	O 111	0	0
2	5-A	118	Total 118	O 118	0	0
2	5-B	118	Total 118	O 118	0	0
2	5-C	101	Total 101	O 101	0	0
2	5-D	93	Total 93	O 93	0	0
2	5-E	102	Total 102	O 102	0	0
2	5-F	113	Total 113	O 113	0	0
2	6-A	117	Total 117	O 117	0	0
2	6-B	117	Total 117	O 117	0	0
2	6-C	98	Total 98	O 98	0	0
2	6-D	99	Total 99	O 99	0	0
2	6-E	104	Total 104	O 104	0	0
2	6-F	110	Total 110	O 110	0	0
2	7-A	120	Total 120	O 120	0	0
2	7-B	120	Total 120	O 120	0	0
2	7-C	100	Total 100	O 100	0	0
2	7-D	95	Total 95	O 95	0	0
2	7-E	102	Total 102	O 102	0	0
2	7-F	108	Total 108	O 108	0	0
2	8-A	117	Total 117	O 117	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	8-B	123	Total 123	O 123	0	0
2	8-C	101	Total 101	O 101	0	0
2	8-D	97	Total 97	O 97	0	0
2	8-E	98	Total 98	O 98	0	0
2	8-F	109	Total 109	O 109	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Protein At5g06450

Chain 1-A: 




• Molecule 1: Protein At5g06450

Chain 1-B: 




• Molecule 1: Protein At5g06450

Chain 1-C: 




- Molecule 1: Protein At5g06450

Chain 1-D:




- Molecule 1: Protein At5g06450

Chain 1-E:




- Molecule 1: Protein At5g06450

Chain 1-F:




- Molecule 1: Protein At5g06450


Chain 2-A:




- Molecule 1: Protein At5g06450

Chain 2-B: 

- Molecule 1: Protein At5g06450

Chain 2-C: 

- Molecule 1: Protein At5g06450


Chain 2-D: 

- Molecule 1: Protein At5g06450

Chain 2-E: 


- Molecule 1: Protein At5g06450

Chain 2-F:




- Molecule 1: Protein At5g06450

Chain 3-A:




- Molecule 1: Protein At5g06450


Chain 3-B:



- Molecule 1: Protein At5g06450


Chain 3-C:






• Molecule 1: Protein At5g06450

Chain 3-D:




• Molecule 1: Protein At5g06450

Chain 3-E:




• Molecule 1: Protein At5g06450


Chain 3-F:



• Molecule 1: Protein At5g06450


Chain 4-A:






• Molecule 1: Protein At5g06450

Chain 4-B:



• Molecule 1: Protein At5g06450

Chain 4-C:




• Molecule 1: Protein At5g06450

Chain 4-D:



• Molecule 1: Protein At5g06450


Chain 4-E:






• Molecule 1: Protein At5g06450

Chain 4-F:




• Molecule 1: Protein At5g06450

Chain 5-A:




• Molecule 1: Protein At5g06450


Chain 5-B:



• Molecule 1: Protein At5g06450


Chain 5-C:






• Molecule 1: Protein At5g06450

Chain 5-D:




• Molecule 1: Protein At5g06450

Chain 5-E:




• Molecule 1: Protein At5g06450


Chain 5-F:



• Molecule 1: Protein At5g06450


Chain 6-A:






• Molecule 1: Protein At5g06450

Chain 6-B:




• Molecule 1: Protein At5g06450

Chain 6-C:




• Molecule 1: Protein At5g06450

Chain 6-D:



• Molecule 1: Protein At5g06450

Chain 6-E:






• Molecule 1: Protein At5g06450

Chain 6-F:





• Molecule 1: Protein At5g06450

Chain 7-A:



• Molecule 1: Protein At5g06450


Chain 7-B:



• Molecule 1: Protein At5g06450


Chain 7-C:






• Molecule 1: Protein At5g06450

Chain 7-D:




• Molecule 1: Protein At5g06450

Chain 7-E:




• Molecule 1: Protein At5g06450


Chain 7-F:



• Molecule 1: Protein At5g06450


Chain 8-A:






• Molecule 1: Protein At5g06450

Chain 8-B:




• Molecule 1: Protein At5g06450

Chain 8-C:




• Molecule 1: Protein At5g06450

Chain 8-D:




• Molecule 1: Protein At5g06450

Chain 8-E:



• Molecule 1: Protein At5g06450

Chain 8-F:



4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	120.83Å 120.83Å 185.22Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	34.88 – 2.10 34.92 – 2.10	Depositor EDS
% Data completeness (in resolution range)	99.8 (34.88-2.10) 100.0 (34.92-2.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	6.02 (at 2.10Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.155 , 0.221 0.164 , 0.227	Depositor DCC
R_{free} test set	4592 reflections (5.27%)	DCC
Wilson B-factor (Å ²)	28.9	Xtriage
Anisotropy	0.053	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 39.8	EDS
Estimated twinning fraction	0.017 for -h,-k,l	Xtriage
L-test for twinning	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	1 of 91679 reflections (0.001%)	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	81528	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.88% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	1-A	0.86	0/1623	0.84	0/2196
1	1-B	0.86	0/1623	0.90	0/2196
1	1-C	0.88	2/1623 (0.1%)	0.87	3/2196 (0.1%)
1	1-D	0.82	0/1623	0.87	1/2196 (0.0%)
1	1-E	0.75	0/1623	0.82	2/2196 (0.1%)
1	1-F	0.81	0/1623	0.87	2/2196 (0.1%)
1	2-A	0.86	2/1623 (0.1%)	0.88	2/2196 (0.1%)
1	2-B	0.81	0/1623	0.87	1/2196 (0.0%)
1	2-C	0.84	0/1623	0.88	0/2196
1	2-D	0.78	0/1623	0.84	2/2196 (0.1%)
1	2-E	0.77	0/1623	0.81	1/2196 (0.0%)
1	2-F	0.80	0/1623	0.87	3/2196 (0.1%)
1	3-A	0.88	0/1623	0.87	0/2196
1	3-B	0.85	0/1623	0.83	1/2196 (0.0%)
1	3-C	0.83	1/1623 (0.1%)	0.85	1/2196 (0.0%)
1	3-D	0.82	0/1623	0.87	0/2196
1	3-E	0.75	0/1623	0.86	1/2196 (0.0%)
1	3-F	0.82	1/1623 (0.1%)	0.85	1/2196 (0.0%)
1	4-A	0.87	0/1623	0.82	0/2196
1	4-B	0.86	0/1623	0.86	2/2196 (0.1%)
1	4-C	0.83	0/1623	0.88	0/2196
1	4-D	0.81	0/1623	0.85	2/2196 (0.1%)
1	4-E	0.74	0/1623	0.78	0/2196
1	4-F	0.81	0/1623	0.87	1/2196 (0.0%)
1	5-A	0.97	1/1623 (0.1%)	0.94	2/2196 (0.1%)
1	5-B	0.93	1/1623 (0.1%)	0.95	2/2196 (0.1%)
1	5-C	0.91	1/1623 (0.1%)	0.90	1/2196 (0.0%)
1	5-D	0.86	0/1623	0.91	1/2196 (0.0%)
1	5-E	0.86	2/1623 (0.1%)	0.92	2/2196 (0.1%)
1	5-F	0.86	0/1623	0.90	2/2196 (0.1%)
1	6-A	0.95	2/1623 (0.1%)	0.90	1/2196 (0.0%)
1	6-B	0.96	2/1623 (0.1%)	0.95	1/2196 (0.0%)
1	6-C	0.90	1/1623 (0.1%)	0.89	2/2196 (0.1%)
1	6-D	0.89	0/1623	0.94	1/2196 (0.0%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	6-E	0.83	0/1623	0.90	2/2196 (0.1%)
1	6-F	0.88	0/1623	0.90	2/2196 (0.1%)
1	7-A	0.95	0/1623	0.92	3/2196 (0.1%)
1	7-B	0.96	0/1623	1.04	6/2196 (0.3%)
1	7-C	0.92	1/1623 (0.1%)	0.94	3/2196 (0.1%)
1	7-D	0.86	0/1623	0.90	2/2196 (0.1%)
1	7-E	0.83	0/1623	0.89	0/2196
1	7-F	0.87	0/1623	0.92	2/2196 (0.1%)
1	8-A	0.94	0/1623	0.96	2/2196 (0.1%)
1	8-B	0.92	0/1623	0.96	1/2196 (0.0%)
1	8-C	0.93	0/1623	0.96	5/2196 (0.2%)
1	8-D	0.88	0/1623	0.90	2/2196 (0.1%)
1	8-E	0.82	0/1623	0.91	3/2196 (0.1%)
1	8-F	0.86	0/1623	0.94	2/2196 (0.1%)
All	All	0.86	17/77904 (0.0%)	0.89	76/105408 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	1-D	0	1
1	2-C	0	1
1	2-D	0	1
1	5-D	0	1
1	5-E	0	1
1	6-B	0	2
1	6-D	0	1
1	8-B	0	1
1	8-E	0	1
All	All	0	10

The worst 5 of 17 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	5-A	134	ALA	CA-CB	6.64	1.66	1.52
1	5-E	192	GLU	CB-CG	6.39	1.64	1.52
1	3-C	84	CYS	CB-SG	6.38	1.93	1.82
1	6-A	178	GLU	CB-CG	6.14	1.63	1.52
1	1-C	192	GLU	CG-CD	6.04	1.61	1.51

The worst 5 of 76 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	7-B	102	ARG	NE-CZ-NH2	14.03	127.32	120.30
1	7-B	102	ARG	NE-CZ-NH1	-12.34	114.13	120.30
1	8-C	81	ARG	NE-CZ-NH1	7.89	124.25	120.30
1	6-E	73	LEU	CA-CB-CG	7.62	132.84	115.30
1	8-C	81	ARG	NE-CZ-NH2	-7.44	116.58	120.30

There are no chirality outliers.

5 of 10 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	1-D	33	TYR	Sidechain
1	2-C	33	TYR	Sidechain
1	2-D	33	TYR	Sidechain
1	5-D	152	PHE	Sidechain
1	5-E	33	TYR	Sidechain

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1-A	1591	0	1575	115	0
1	1-B	1591	0	1575	122	0
1	1-C	1591	0	1575	120	0
1	1-D	1591	0	1575	125	0
1	1-E	1591	0	1575	96	0
1	1-F	1591	0	1575	101	0
1	2-A	1591	0	1575	171	0
1	2-B	1591	0	1575	123	0
1	2-C	1591	0	1575	132	1
1	2-D	1591	0	1575	123	0
1	2-E	1591	0	1575	110	0
1	2-F	1591	0	1575	116	0
1	3-A	1591	0	1575	119	0
1	3-B	1591	0	1575	97	1

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	3-C	1591	0	1575	115	0
1	3-D	1591	0	1575	112	0
1	3-E	1591	0	1575	123	0
1	3-F	1591	0	1575	144	0
1	4-A	1591	0	1575	92	0
1	4-B	1591	0	1575	95	0
1	4-C	1591	0	1575	165	0
1	4-D	1591	0	1575	137	0
1	4-E	1591	0	1575	99	0
1	4-F	1591	0	1575	157	0
1	5-A	1591	0	1575	111	0
1	5-B	1591	0	1575	104	0
1	5-C	1591	0	1575	131	0
1	5-D	1591	0	1575	105	0
1	5-E	1591	0	1575	159	0
1	5-F	1591	0	1575	116	0
1	6-A	1591	0	1575	114	0
1	6-B	1591	0	1575	118	0
1	6-C	1591	0	1575	114	0
1	6-D	1591	0	1575	128	0
1	6-E	1591	0	1575	92	0
1	6-F	1591	0	1575	95	0
1	7-A	1591	0	1575	123	0
1	7-B	1591	0	1575	170	0
1	7-C	1591	0	1575	134	0
1	7-D	1591	0	1575	142	0
1	7-E	1591	0	1575	134	0
1	7-F	1591	0	1575	155	0
1	8-A	1591	0	1575	187	0
1	8-B	1591	0	1575	130	0
1	8-C	1591	0	1575	123	0
1	8-D	1591	0	1575	86	0
1	8-E	1591	0	1575	136	0
1	8-F	1591	0	1575	138	1
2	1-A	121	0	0	22	0
2	1-B	115	0	0	12	0
2	1-C	103	0	0	19	0
2	1-D	96	0	0	12	0
2	1-E	99	0	0	11	0
2	1-F	111	0	0	17	0
2	2-A	120	0	0	28	0
2	2-B	118	0	0	15	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	2-C	104	0	0	17	0
2	2-D	96	0	0	7	0
2	2-E	97	0	0	9	0
2	2-F	110	0	0	19	0
2	3-A	117	0	0	23	0
2	3-B	120	0	0	9	0
2	3-C	103	0	0	14	0
2	3-D	92	0	0	7	0
2	3-E	104	0	0	12	0
2	3-F	109	0	0	15	1
2	4-A	118	0	0	16	0
2	4-B	125	0	0	13	0
2	4-C	97	0	0	18	0
2	4-D	97	0	0	15	0
2	4-E	97	0	0	6	0
2	4-F	111	0	0	15	0
2	5-A	118	0	0	23	0
2	5-B	118	0	0	6	0
2	5-C	101	0	0	11	0
2	5-D	93	0	0	9	0
2	5-E	102	0	0	26	0
2	5-F	113	0	0	16	0
2	6-A	117	0	0	11	0
2	6-B	117	0	0	11	0
2	6-C	98	0	0	16	0
2	6-D	99	0	0	16	0
2	6-E	104	0	0	11	0
2	6-F	110	0	0	12	0
2	7-A	120	0	0	24	0
2	7-B	120	0	0	24	0
2	7-C	100	0	0	11	0
2	7-D	95	0	0	10	0
2	7-E	102	0	0	15	0
2	7-F	108	0	0	19	0
2	8-A	117	0	0	33	0
2	8-B	123	0	0	36	1
2	8-C	101	0	0	11	0
2	8-D	97	0	0	5	0
2	8-E	98	0	0	29	0
2	8-F	109	0	0	8	0
All	All	81528	0	75600	5480	3

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including

hydrogens) of the entry. The overall clashscore for this entry is 36.

The worst 5 of 5480 close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:192:GLU:OE1	2:A:316:HOH:O	1.57	1.21
1:D:106:SER:OG	2:D:244:HOH:O	1.54	1.21
1:B:81:ARG:HA	2:B:288:HOH:O	1.36	1.18
1:D:12:THR:HG23	2:D:264:HOH:O	1.44	1.18
1:C:157:GLU:HB2	2:C:214:HOH:O	1.41	1.17

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:205:ASP:O	2:F:315:HOH:O[5.665]	2.14	0.06
1:F:29:ASP:OD1	2:B:286:HOH:O[5.565]	2.15	0.05
1:C:3:SER:OG	1:C:27:SER:OG[6.554]	2.17	0.03

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	1-A	196/206 (95%)	178 (91%)	14 (7%)	4 (2%)	11	5
1	1-B	196/206 (95%)	178 (91%)	15 (8%)	3 (2%)	15	8
1	1-C	196/206 (95%)	173 (88%)	21 (11%)	2 (1%)	22	14
1	1-D	196/206 (95%)	173 (88%)	21 (11%)	2 (1%)	22	14
1	1-E	196/206 (95%)	178 (91%)	15 (8%)	3 (2%)	15	8
1	1-F	196/206 (95%)	173 (88%)	17 (9%)	6 (3%)	7	2
1	2-A	196/206 (95%)	170 (87%)	20 (10%)	6 (3%)	7	2
1	2-B	196/206 (95%)	179 (91%)	10 (5%)	7 (4%)	5	1
1	2-C	196/206 (95%)	183 (93%)	13 (7%)	0	100	100
1	2-D	196/206 (95%)	171 (87%)	19 (10%)	6 (3%)	7	2
1	2-E	196/206 (95%)	174 (89%)	21 (11%)	1 (0%)	38	33

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	2-F	196/206 (95%)	183 (93%)	11 (6%)	2 (1%)	22	14
1	3-A	196/206 (95%)	182 (93%)	10 (5%)	4 (2%)	11	5
1	3-B	196/206 (95%)	185 (94%)	10 (5%)	1 (0%)	38	33
1	3-C	196/206 (95%)	181 (92%)	13 (7%)	2 (1%)	22	14
1	3-D	196/206 (95%)	169 (86%)	23 (12%)	4 (2%)	11	5
1	3-E	196/206 (95%)	172 (88%)	20 (10%)	4 (2%)	11	5
1	3-F	196/206 (95%)	177 (90%)	15 (8%)	4 (2%)	11	5
1	4-A	196/206 (95%)	180 (92%)	10 (5%)	6 (3%)	7	2
1	4-B	196/206 (95%)	176 (90%)	18 (9%)	2 (1%)	22	14
1	4-C	196/206 (95%)	171 (87%)	22 (11%)	3 (2%)	15	8
1	4-D	196/206 (95%)	173 (88%)	19 (10%)	4 (2%)	11	5
1	4-E	196/206 (95%)	184 (94%)	9 (5%)	3 (2%)	15	8
1	4-F	196/206 (95%)	172 (88%)	21 (11%)	3 (2%)	15	8
1	5-A	196/206 (95%)	181 (92%)	11 (6%)	4 (2%)	11	5
1	5-B	196/206 (95%)	174 (89%)	17 (9%)	5 (3%)	8	2
1	5-C	196/206 (95%)	188 (96%)	6 (3%)	2 (1%)	22	14
1	5-D	196/206 (95%)	175 (89%)	17 (9%)	4 (2%)	11	5
1	5-E	196/206 (95%)	171 (87%)	22 (11%)	3 (2%)	15	8
1	5-F	196/206 (95%)	181 (92%)	14 (7%)	1 (0%)	38	33
1	6-A	196/206 (95%)	168 (86%)	22 (11%)	6 (3%)	7	2
1	6-B	196/206 (95%)	176 (90%)	16 (8%)	4 (2%)	11	5
1	6-C	196/206 (95%)	178 (91%)	18 (9%)	0	100	100
1	6-D	196/206 (95%)	179 (91%)	14 (7%)	3 (2%)	15	8
1	6-E	196/206 (95%)	177 (90%)	15 (8%)	4 (2%)	11	5
1	6-F	196/206 (95%)	180 (92%)	13 (7%)	3 (2%)	15	8
1	7-A	196/206 (95%)	179 (91%)	13 (7%)	4 (2%)	11	5
1	7-B	196/206 (95%)	179 (91%)	15 (8%)	2 (1%)	22	14
1	7-C	196/206 (95%)	184 (94%)	9 (5%)	3 (2%)	15	8
1	7-D	196/206 (95%)	174 (89%)	17 (9%)	5 (3%)	8	2
1	7-E	196/206 (95%)	176 (90%)	17 (9%)	3 (2%)	15	8
1	7-F	196/206 (95%)	176 (90%)	19 (10%)	1 (0%)	38	33

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	8-A	196/206 (95%)	167 (85%)	17 (9%)	12 (6%)	2	0
1	8-B	196/206 (95%)	180 (92%)	15 (8%)	1 (0%)	38	33
1	8-C	196/206 (95%)	179 (91%)	15 (8%)	2 (1%)	22	14
1	8-D	196/206 (95%)	181 (92%)	10 (5%)	5 (3%)	8	2
1	8-E	196/206 (95%)	170 (87%)	20 (10%)	6 (3%)	7	2
1	8-F	196/206 (95%)	170 (87%)	20 (10%)	6 (3%)	7	2
All	All	9408/9888 (95%)	8478 (90%)	759 (8%)	171 (2%)	13	5

5 of 171 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	1-A	148	LEU
1	1-B	47	ARG
1	1-D	47	ARG
1	1-E	67	LYS
1	1-F	11	MSE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	1-A	173/178 (97%)	168 (97%)	5 (3%)	55	57
1	1-B	173/178 (97%)	158 (91%)	15 (9%)	15	10
1	1-C	173/178 (97%)	165 (95%)	8 (5%)	37	34
1	1-D	173/178 (97%)	165 (95%)	8 (5%)	37	34
1	1-E	173/178 (97%)	162 (94%)	11 (6%)	25	20
1	1-F	173/178 (97%)	166 (96%)	7 (4%)	42	41
1	2-A	173/178 (97%)	157 (91%)	16 (9%)	13	8
1	2-B	173/178 (97%)	157 (91%)	16 (9%)	13	8
1	2-C	173/178 (97%)	165 (95%)	8 (5%)	37	34
1	2-D	173/178 (97%)	163 (94%)	10 (6%)	28	23
1	2-E	173/178 (97%)	165 (95%)	8 (5%)	37	34

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	2-F	173/178 (97%)	168 (97%)	5 (3%)	55	57
1	3-A	173/178 (97%)	162 (94%)	11 (6%)	25	20
1	3-B	173/178 (97%)	163 (94%)	10 (6%)	28	23
1	3-C	173/178 (97%)	164 (95%)	9 (5%)	32	29
1	3-D	173/178 (97%)	163 (94%)	10 (6%)	28	23
1	3-E	173/178 (97%)	167 (96%)	6 (4%)	48	48
1	3-F	173/178 (97%)	167 (96%)	6 (4%)	48	48
1	4-A	173/178 (97%)	165 (95%)	8 (5%)	37	34
1	4-B	173/178 (97%)	163 (94%)	10 (6%)	28	23
1	4-C	173/178 (97%)	160 (92%)	13 (8%)	19	14
1	4-D	173/178 (97%)	162 (94%)	11 (6%)	25	20
1	4-E	173/178 (97%)	167 (96%)	6 (4%)	48	48
1	4-F	173/178 (97%)	159 (92%)	14 (8%)	17	12
1	5-A	173/178 (97%)	168 (97%)	5 (3%)	55	57
1	5-B	173/178 (97%)	158 (91%)	15 (9%)	15	10
1	5-C	173/178 (97%)	160 (92%)	13 (8%)	19	14
1	5-D	173/178 (97%)	165 (95%)	8 (5%)	37	34
1	5-E	173/178 (97%)	166 (96%)	7 (4%)	42	41
1	5-F	173/178 (97%)	165 (95%)	8 (5%)	37	34
1	6-A	173/178 (97%)	166 (96%)	7 (4%)	42	41
1	6-B	173/178 (97%)	161 (93%)	12 (7%)	22	17
1	6-C	173/178 (97%)	158 (91%)	15 (9%)	15	10
1	6-D	173/178 (97%)	165 (95%)	8 (5%)	37	34
1	6-E	173/178 (97%)	159 (92%)	14 (8%)	17	12
1	6-F	173/178 (97%)	164 (95%)	9 (5%)	32	29
1	7-A	173/178 (97%)	161 (93%)	12 (7%)	22	17
1	7-B	173/178 (97%)	162 (94%)	11 (6%)	25	20
1	7-C	173/178 (97%)	161 (93%)	12 (7%)	22	17
1	7-D	173/178 (97%)	159 (92%)	14 (8%)	17	12
1	7-E	173/178 (97%)	165 (95%)	8 (5%)	37	34
1	7-F	173/178 (97%)	159 (92%)	14 (8%)	17	12

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	8-A	173/178 (97%)	162 (94%)	11 (6%)	25	20
1	8-B	173/178 (97%)	155 (90%)	18 (10%)	10	6
1	8-C	173/178 (97%)	163 (94%)	10 (6%)	28	23
1	8-D	173/178 (97%)	166 (96%)	7 (4%)	42	41
1	8-E	173/178 (97%)	161 (93%)	12 (7%)	22	17
1	8-F	173/178 (97%)	160 (92%)	13 (8%)	19	14
All	All	8304/8544 (97%)	7810 (94%)	494 (6%)	28	23

5 of 494 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	4-F	92	PRO
1	5-E	96	ASN
1	8-C	81	ARG
1	4-F	182	PRO
1	5-B	178	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 191 such sidechains are listed below:

Mol	Chain	Res	Type
1	4-C	46	ASN
1	4-F	198	ASN
1	8-B	136	ASN
1	4-C	133	ASN
1	4-E	94	HIS

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	1-A	200/206 (97%)	-0.34	7 (3%) 42 46	8, 20, 39, 73	200 (100%)
1	1-B	200/206 (97%)	-0.10	10 (5%) 28 30	9, 19, 41, 64	200 (100%)
1	1-C	200/206 (97%)	-0.25	4 (2%) 62 67	10, 20, 41, 67	200 (100%)
1	1-D	200/206 (97%)	-0.33	6 (3%) 48 53	10, 23, 42, 58	200 (100%)
1	1-E	200/206 (97%)	-0.14	6 (3%) 48 53	12, 25, 43, 63	200 (100%)
1	1-F	200/206 (97%)	-0.24	7 (3%) 42 46	12, 23, 44, 57	200 (100%)
1	2-A	200/206 (97%)	-0.34	7 (3%) 42 46	8, 20, 39, 73	200 (100%)
1	2-B	200/206 (97%)	-0.10	10 (5%) 28 30	9, 19, 41, 64	200 (100%)
1	2-C	200/206 (97%)	-0.25	4 (2%) 62 67	10, 20, 41, 67	200 (100%)
1	2-D	200/206 (97%)	-0.33	6 (3%) 48 53	10, 23, 42, 58	200 (100%)
1	2-E	200/206 (97%)	-0.14	6 (3%) 48 53	12, 25, 43, 63	200 (100%)
1	2-F	200/206 (97%)	-0.24	7 (3%) 42 46	12, 23, 44, 57	200 (100%)
1	3-A	200/206 (97%)	-0.34	7 (3%) 42 46	8, 20, 39, 73	200 (100%)
1	3-B	200/206 (97%)	-0.10	10 (5%) 28 30	9, 19, 41, 64	200 (100%)
1	3-C	200/206 (97%)	-0.25	4 (2%) 62 67	10, 20, 41, 67	200 (100%)
1	3-D	200/206 (97%)	-0.33	6 (3%) 48 53	10, 23, 42, 58	200 (100%)
1	3-E	200/206 (97%)	-0.14	6 (3%) 48 53	12, 25, 43, 63	200 (100%)
1	3-F	200/206 (97%)	-0.24	7 (3%) 42 46	12, 23, 44, 57	200 (100%)
1	4-A	200/206 (97%)	-0.34	7 (3%) 42 46	8, 20, 39, 73	200 (100%)
1	4-B	200/206 (97%)	-0.10	10 (5%) 28 30	9, 19, 41, 64	200 (100%)
1	4-C	200/206 (97%)	-0.25	4 (2%) 62 67	10, 20, 41, 67	200 (100%)
1	4-D	200/206 (97%)	-0.33	6 (3%) 48 53	10, 23, 42, 58	200 (100%)
1	4-E	200/206 (97%)	-0.14	6 (3%) 48 53	12, 25, 43, 63	200 (100%)
1	4-F	200/206 (97%)	-0.24	7 (3%) 42 46	12, 23, 44, 57	200 (100%)

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	5-A	200/206 (97%)	-0.34	7 (3%) 42 46	8, 20, 39, 73	200 (100%)
1	5-B	200/206 (97%)	-0.10	10 (5%) 28 30	9, 19, 41, 64	200 (100%)
1	5-C	200/206 (97%)	-0.25	4 (2%) 62 67	10, 20, 41, 67	200 (100%)
1	5-D	200/206 (97%)	-0.33	6 (3%) 48 53	10, 23, 42, 58	200 (100%)
1	5-E	200/206 (97%)	-0.14	6 (3%) 48 53	12, 25, 43, 63	200 (100%)
1	5-F	200/206 (97%)	-0.24	7 (3%) 42 46	12, 23, 44, 57	200 (100%)
1	6-A	200/206 (97%)	-0.34	7 (3%) 42 46	8, 20, 39, 73	200 (100%)
1	6-B	200/206 (97%)	-0.10	10 (5%) 28 30	9, 19, 41, 64	200 (100%)
1	6-C	200/206 (97%)	-0.25	4 (2%) 62 67	10, 20, 41, 67	200 (100%)
1	6-D	200/206 (97%)	-0.33	6 (3%) 48 53	10, 23, 42, 58	200 (100%)
1	6-E	200/206 (97%)	-0.14	6 (3%) 48 53	12, 25, 43, 63	200 (100%)
1	6-F	200/206 (97%)	-0.24	7 (3%) 42 46	12, 23, 44, 57	200 (100%)
1	7-A	200/206 (97%)	-0.34	7 (3%) 42 46	8, 20, 39, 73	200 (100%)
1	7-B	200/206 (97%)	-0.10	10 (5%) 28 30	9, 19, 41, 64	200 (100%)
1	7-C	200/206 (97%)	-0.25	4 (2%) 62 67	10, 20, 41, 67	200 (100%)
1	7-D	200/206 (97%)	-0.33	6 (3%) 48 53	10, 23, 42, 58	200 (100%)
1	7-E	200/206 (97%)	-0.14	6 (3%) 48 53	12, 25, 43, 63	200 (100%)
1	7-F	200/206 (97%)	-0.24	7 (3%) 42 46	12, 23, 44, 57	200 (100%)
1	8-A	200/206 (97%)	-0.34	7 (3%) 42 46	8, 20, 39, 73	200 (100%)
1	8-B	200/206 (97%)	-0.10	10 (5%) 28 30	9, 19, 41, 64	200 (100%)
1	8-C	200/206 (97%)	-0.25	4 (2%) 62 67	10, 20, 41, 67	200 (100%)
1	8-D	200/206 (97%)	-0.33	6 (3%) 48 53	10, 23, 42, 58	200 (100%)
1	8-E	200/206 (97%)	-0.14	6 (3%) 48 53	12, 25, 43, 63	200 (100%)
1	8-F	200/206 (97%)	-0.24	7 (3%) 42 46	12, 23, 44, 57	200 (100%)
All	All	9600/9888 (97%)	-0.23	320 (3%) 41 49	8, 22, 42, 73	9600 (100%)

The worst 5 of 320 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	1-E	1	SER	9.4
1	2-E	1	SER	9.4
1	3-E	1	SER	9.4
1	4-E	1	SER	9.4
1	5-E	1	SER	9.4

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

There are no ligands in this entry.

6.5 Other polymers ⓘ

There are no such residues in this entry.