



# Full wwPDB X-ray Structure Validation Report

Apr 4, 2014 – 12:42 PM BST

PDB ID : 2Q4D  
Title : Ensemble refinement of the crystal structure of a lysine decarboxylase-like protein from Arabidopsis thaliana gene At5g11950  
Authors : Levin, E.J.; Kondrashov, D.A.; Wesenberg, G.E.; Phillips Jr., G.N.; Center for Eukaryotic Structural Genomics (CESG)  
Deposited on : 2007-05-31  
Resolution : 2.15 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.16 November 2013  
Xtriage (Phenix) : dev-1323  
EDS : stable23015  
Percentile statistics : 21963  
Refmac : 5.8.0049  
CCP4 : 6.3.0 (Settle)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable23015

# 1 Overall quality at a glance

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



















Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	66092	1094 (2.18-2.14)
Ramachandran outliers	78287	1272 (2.18-2.14)
Sidechain outliers	78261	1272 (2.18-2.14)
RSRZ outliers	66119	1094 (2.18-2.14)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	1-A	216	
1	1-B	216	
1	10-A	216	
1	10-B	216	
1	11-A	216	
1	11-B	216	
1	12-A	216	
1	12-B	216	
1	13-A	216	
1	13-B	216	
1	14-A	216	
1	14-B	216	
1	15-A	216	
1	15-B	216	
1	16-A	216	
1	16-B	216	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	2-A	216	
1	2-B	216	
1	3-A	216	
1	3-B	216	
1	4-A	216	
1	4-B	216	
1	5-A	216	
1	5-B	216	
1	6-A	216	
1	6-B	216	
1	7-A	216	
1	7-B	216	
1	8-A	216	
1	8-B	216	
1	9-A	216	
1	9-B	216	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
2	NO3	10-A	600	-	X
2	NO3	11-A	600	-	X
2	NO3	12-A	600	-	X
2	NO3	13-A	600	-	X
2	NO3	14-A	600	-	X
2	NO3	15-A	600	-	X
2	NO3	16-A	600	-	X
3	EDO	10-A	701	-	X
3	EDO	10-B	993	-	X
3	EDO	11-A	701	-	X
3	EDO	11-B	993	-	X
3	EDO	12-A	701	-	X
3	EDO	12-B	993	-	X
3	EDO	13-A	701	-	X
3	EDO	13-B	993	-	X
3	EDO	14-A	701	-	X
3	EDO	14-B	993	-	X
3	EDO	15-A	701	-	X
3	EDO	15-B	993	-	X
3	EDO	16-A	701	-	X
3	EDO	16-B	993	-	X

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 50160 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lysine decarboxylase-like protein At5g11950.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	1-A	184	Total	C	N	O	S	Se	0	0	0
			1411	896	243	262	2	8			
1	2-A	184	Total	C	N	O	S	Se	0	0	0
			1411	896	243	262	2	8			
1	3-A	184	Total	C	N	O	S	Se	0	0	0
			1411	896	243	262	2	8			
1	4-A	184	Total	C	N	O	S	Se	0	0	0
			1411	896	243	262	2	8			
1	5-A	184	Total	C	N	O	S	Se	0	0	0
			1411	896	243	262	2	8			
1	6-A	184	Total	C	N	O	S	Se	0	0	0
			1411	896	243	262	2	8			
1	7-A	184	Total	C	N	O	S	Se	0	0	0
			1411	896	243	262	2	8			
1	8-A	184	Total	C	N	O	S	Se	0	0	0
			1411	896	243	262	2	8			
1	9-A	184	Total	C	N	O	S	Se	0	0	0
			1411	896	243	262	2	8			
1	10-A	184	Total	C	N	O	S	Se	0	0	0
			1411	896	243	262	2	8			
1	11-A	184	Total	C	N	O	S	Se	0	0	0
			1411	896	243	262	2	8			
1	12-A	184	Total	C	N	O	S	Se	0	0	0
			1411	896	243	262	2	8			
1	13-A	184	Total	C	N	O	S	Se	0	0	0
			1411	896	243	262	2	8			
1	14-A	184	Total	C	N	O	S	Se	0	0	0
			1411	896	243	262	2	8			
1	15-A	184	Total	C	N	O	S	Se	0	0	0
			1411	896	243	262	2	8			
1	16-A	184	Total	C	N	O	S	Se	0	0	0
			1411	896	243	262	2	8			

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	1-B	181	Total	C	N	O	S	Se	0	0	0
			1385	882	236	257	2	8			
1	2-B	181	Total	C	N	O	S	Se	0	0	0
			1385	882	236	257	2	8			
1	3-B	181	Total	C	N	O	S	Se	0	0	0
			1385	882	236	257	2	8			
1	4-B	181	Total	C	N	O	S	Se	0	0	0
			1385	882	236	257	2	8			
1	5-B	181	Total	C	N	O	S	Se	0	0	0
			1385	882	236	257	2	8			
1	6-B	181	Total	C	N	O	S	Se	0	0	0
			1385	882	236	257	2	8			
1	7-B	181	Total	C	N	O	S	Se	0	0	0
			1385	882	236	257	2	8			
1	8-B	181	Total	C	N	O	S	Se	0	0	0
			1385	882	236	257	2	8			
1	9-B	181	Total	C	N	O	S	Se	0	0	0
			1385	882	236	257	2	8			
1	10-B	181	Total	C	N	O	S	Se	0	0	0
			1385	882	236	257	2	8			
1	11-B	181	Total	C	N	O	S	Se	0	0	0
			1385	882	236	257	2	8			
1	12-B	181	Total	C	N	O	S	Se	0	0	0
			1385	882	236	257	2	8			
1	13-B	181	Total	C	N	O	S	Se	0	0	0
			1385	882	236	257	2	8			
1	14-B	181	Total	C	N	O	S	Se	0	0	0
			1385	882	236	257	2	8			
1	15-B	181	Total	C	N	O	S	Se	0	0	0
			1385	882	236	257	2	8			
1	16-B	181	Total	C	N	O	S	Se	0	0	0
			1385	882	236	257	2	8			

There are 20 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	SER	-	EXPRESSION TAG	UNP Q84MC2
A	54	MSE	MET	MODIFIED RESIDUE	UNP Q84MC2
A	77	MSE	MET	MODIFIED RESIDUE	UNP Q84MC2
A	95	MSE	MET	MODIFIED RESIDUE	UNP Q84MC2
A	102	MSE	MET	MODIFIED RESIDUE	UNP Q84MC2
A	119	MSE	MET	MODIFIED RESIDUE	UNP Q84MC2
A	125	MSE	MET	MODIFIED RESIDUE	UNP Q84MC2

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	181	MSE	MET	MODIFIED RESIDUE	UNP Q84MC2
A	184	MSE	MET	MODIFIED RESIDUE	UNP Q84MC2
A	192	MSE	MET	MODIFIED RESIDUE	UNP Q84MC2
B	1	SER	-	EXPRESSION TAG	UNP Q84MC2
B	54	MSE	MET	MODIFIED RESIDUE	UNP Q84MC2
B	77	MSE	MET	MODIFIED RESIDUE	UNP Q84MC2
B	95	MSE	MET	MODIFIED RESIDUE	UNP Q84MC2
B	102	MSE	MET	MODIFIED RESIDUE	UNP Q84MC2
B	119	MSE	MET	MODIFIED RESIDUE	UNP Q84MC2
B	125	MSE	MET	MODIFIED RESIDUE	UNP Q84MC2
B	181	MSE	MET	MODIFIED RESIDUE	UNP Q84MC2
B	184	MSE	MET	MODIFIED RESIDUE	UNP Q84MC2
B	192	MSE	MET	MODIFIED RESIDUE	UNP Q84MC2

- Molecule 2 is NITRATE ION (three-letter code: NO3) (formula: NO<sub>3</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	1-A	1	Total	N	O	0	0
			4	1	3		
2	2-A	1	Total	N	O	0	0
			4	1	3		
2	3-A	1	Total	N	O	0	0
			4	1	3		
2	4-A	1	Total	N	O	0	0
			4	1	3		
2	5-A	1	Total	N	O	0	0
			4	1	3		

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	6-A	1	Total	N	O	0	0
			4	1	3		
2	7-A	1	Total	N	O	0	0
			4	1	3		
2	8-A	1	Total	N	O	0	0
			4	1	3		
2	9-A	1	Total	N	O	0	0
			4	1	3		
2	10-A	1	Total	N	O	0	0
			4	1	3		
2	11-A	1	Total	N	O	0	0
			4	1	3		
2	12-A	1	Total	N	O	0	0
			4	1	3		
2	13-A	1	Total	N	O	0	0
			4	1	3		
2	14-A	1	Total	N	O	0	0
			4	1	3		
2	15-A	1	Total	N	O	0	0
			4	1	3		
2	16-A	1	Total	N	O	0	0
			4	1	3		

- Molecule 3 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	1-A	1	Total C O 4 2 2	0	0
3	2-A	1	Total C O 4 2 2	0	0
3	3-A	1	Total C O 4 2 2	0	0
3	4-A	1	Total C O 4 2 2	0	0
3	5-A	1	Total C O 4 2 2	0	0
3	6-A	1	Total C O 4 2 2	0	0
3	7-A	1	Total C O 4 2 2	0	0
3	8-A	1	Total C O 4 2 2	0	0
3	9-A	1	Total C O 4 2 2	0	0
3	10-A	1	Total C O 4 2 2	0	0
3	11-A	1	Total C O 4 2 2	0	0
3	12-A	1	Total C O 4 2 2	0	0
3	13-A	1	Total C O 4 2 2	0	0
3	14-A	1	Total C O 4 2 2	0	0
3	15-A	1	Total C O 4 2 2	0	0
3	16-A	1	Total C O 4 2 2	0	0
3	1-A	1	Total C O 4 2 2	0	0
3	2-A	1	Total C O 4 2 2	0	0
3	3-A	1	Total C O 4 2 2	0	0
3	4-A	1	Total C O 4 2 2	0	0
3	5-A	1	Total C O 4 2 2	0	0
3	6-A	1	Total C O 4 2 2	0	0

Continued on next page...



*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	7-A	1	Total 4	C 2	O 2	0	0
3	8-A	1	Total 4	C 2	O 2	0	0
3	9-A	1	Total 4	C 2	O 2	0	0
3	10-A	1	Total 4	C 2	O 2	0	0
3	11-A	1	Total 4	C 2	O 2	0	0
3	12-A	1	Total 4	C 2	O 2	0	0
3	13-A	1	Total 4	C 2	O 2	0	0
3	14-A	1	Total 4	C 2	O 2	0	0
3	15-A	1	Total 4	C 2	O 2	0	0
3	16-A	1	Total 4	C 2	O 2	0	0
3	1-B	1	Total 4	C 2	O 2	0	0
3	2-B	1	Total 4	C 2	O 2	0	0
3	3-B	1	Total 4	C 2	O 2	0	0
3	4-B	1	Total 4	C 2	O 2	0	0
3	5-B	1	Total 4	C 2	O 2	0	0
3	6-B	1	Total 4	C 2	O 2	0	0
3	7-B	1	Total 4	C 2	O 2	0	0
3	8-B	1	Total 4	C 2	O 2	0	0
3	9-B	1	Total 4	C 2	O 2	0	0
3	10-B	1	Total 4	C 2	O 2	0	0
3	11-B	1	Total 4	C 2	O 2	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	12-B	1	Total 4	C 2	O 2	0	0
3	13-B	1	Total 4	C 2	O 2	0	0
3	14-B	1	Total 4	C 2	O 2	0	0
3	15-B	1	Total 4	C 2	O 2	0	0
3	16-B	1	Total 4	C 2	O 2	0	0
3	1-B	1	Total 4	C 2	O 2	0	0
3	2-B	1	Total 4	C 2	O 2	0	0
3	3-B	1	Total 4	C 2	O 2	0	0
3	4-B	1	Total 4	C 2	O 2	0	0
3	5-B	1	Total 4	C 2	O 2	0	0
3	6-B	1	Total 4	C 2	O 2	0	0
3	7-B	1	Total 4	C 2	O 2	0	0
3	8-B	1	Total 4	C 2	O 2	0	0
3	9-B	1	Total 4	C 2	O 2	0	0
3	10-B	1	Total 4	C 2	O 2	0	0
3	11-B	1	Total 4	C 2	O 2	0	0
3	12-B	1	Total 4	C 2	O 2	0	0
3	13-B	1	Total 4	C 2	O 2	0	0
3	14-B	1	Total 4	C 2	O 2	0	0
3	15-B	1	Total 4	C 2	O 2	0	0
3	16-B	1	Total 4	C 2	O 2	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	1-A	155	Total O 155 155	0	0
4	2-A	155	Total O 155 155	0	0
4	3-A	157	Total O 157 157	0	0
4	4-A	155	Total O 155 155	0	0
4	5-A	162	Total O 162 162	0	0
4	6-A	153	Total O 153 153	0	0
4	7-A	159	Total O 159 159	0	0
4	8-A	158	Total O 158 158	0	0
4	9-A	162	Total O 162 162	0	0
4	10-A	151	Total O 151 151	0	0
4	11-A	151	Total O 151 151	0	0
4	12-A	152	Total O 152 152	0	0
4	13-A	155	Total O 155 155	0	0
4	14-A	154	Total O 154 154	0	0
4	15-A	155	Total O 155 155	0	0
4	16-A	158	Total O 158 158	0	0
4	1-B	164	Total O 164 164	0	0
4	2-B	164	Total O 164 164	0	0
4	3-B	162	Total O 162 162	0	0
4	4-B	164	Total O 164 164	0	0
4	5-B	157	Total O 157 157	0	0

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	6-B	166	Total 166	O 166	0	0
4	7-B	160	Total 160	O 160	0	0
4	8-B	161	Total 161	O 161	0	0
4	9-B	157	Total 157	O 157	0	0
4	10-B	168	Total 168	O 168	0	0
4	11-B	168	Total 168	O 168	0	0
4	12-B	167	Total 167	O 167	0	0
4	13-B	164	Total 164	O 164	0	0
4	14-B	165	Total 165	O 165	0	0
4	15-B	164	Total 164	O 164	0	0
4	16-B	161	Total 161	O 161	0	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Lysine decarboxylase-like protein At5g11950

Chain 1-A: 




- Molecule 1: Lysine decarboxylase-like protein At5g11950

Chain 1-B: 




- Molecule 1: Lysine decarboxylase-like protein At5g11950

Chain 2-A: 




- Molecule 1: Lysine decarboxylase-like protein At5g11950

Chain 2-B: 




- Molecule 1: Lysine decarboxylase-like protein At5g11950

Chain 3-A: 




- Molecule 1: Lysine decarboxylase-like protein At5g11950

Chain 3-B: 




- Molecule 1: Lysine decarboxylase-like protein At5g11950

Chain 4-A: 




- Molecule 1: Lysine decarboxylase-like protein At5g11950

Chain 4-B: 




- Molecule 1: Lysine decarboxylase-like protein At5g11950

Chain 5-A: 




- Molecule 1: Lysine decarboxylase-like protein At5g11950

Chain 5-B: 




- Molecule 1: Lysine decarboxylase-like protein At5g11950

Chain 6-A: 




- Molecule 1: Lysine decarboxylase-like protein At5g11950

Chain 6-B: 




- Molecule 1: Lysine decarboxylase-like protein At5g11950

Chain 7-A: 




- Molecule 1: Lysine decarboxylase-like protein At5g11950

Chain 7-B: 




- Molecule 1: Lysine decarboxylase-like protein At5g11950

Chain 8-A: 




- Molecule 1: Lysine decarboxylase-like protein At5g11950

Chain 8-B:




- Molecule 1: Lysine decarboxylase-like protein At5g11950

Chain 9-A: 




- Molecule 1: Lysine decarboxylase-like protein At5g11950

Chain 9-B:



- Molecule 1: Lysine decarboxylase-like protein At5g11950

Chain 10-A:




- Molecule 1: Lysine decarboxylase-like protein At5g11950

Chain 10-B:




- Molecule 1: Lysine decarboxylase-like protein At5g11950

Chain 11-A: 




- Molecule 1: Lysine decarboxylase-like protein At5g11950

Chain 11-B: 




- Molecule 1: Lysine decarboxylase-like protein At5g11950

Chain 12-A: 




- Molecule 1: Lysine decarboxylase-like protein At5g11950

Chain 12-B: 




- Molecule 1: Lysine decarboxylase-like protein At5g11950

Chain 13-A: 




- Molecule 1: Lysine decarboxylase-like protein At5g11950

Chain 13-B: 




- Molecule 1: Lysine decarboxylase-like protein At5g11950

Chain 14-A: 



- Molecule 1: Lysine decarboxylase-like protein At5g11950


Chain 14-B: 



- Molecule 1: Lysine decarboxylase-like protein At5g11950


Chain 15-A: 






• Molecule 1: Lysine decarboxylase-like protein At5g11950

Chain 15-B:



• Molecule 1: Lysine decarboxylase-like protein At5g11950

Chain 16-A:



• Molecule 1: Lysine decarboxylase-like protein At5g11950

Chain 16-B:



GLN

## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	121.59Å 80.43Å 50.71Å 90.00° 102.97° 90.00°	Depositor
Resolution (Å)	34.35 – 2.15 35.45 – 2.15	Depositor EDS
% Data completeness (in resolution range)	99.0 (34.35-2.15) 99.1 (35.45-2.15)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.59 (at 2.16Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.152 , 0.207 0.173 , 0.223	Depositor DCC
$R_{free}$ test set	1300 reflections (5.33%)	DCC
Wilson B-factor (Å <sup>2</sup> )	28.6	Xtriage
Anisotropy	0.071	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 57.4	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 25679 reflections	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	50160	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.75% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, NO3

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	1-A	0.34	0/1426	0.53	0/1905
1	1-B	0.34	0/1400	0.54	0/1871
1	2-A	0.33	0/1426	0.55	0/1905
1	2-B	0.34	0/1400	0.54	0/1871
1	3-A	0.34	0/1426	0.54	0/1905
1	3-B	0.34	0/1400	0.54	0/1871
1	4-A	0.33	0/1426	0.54	0/1905
1	4-B	0.34	0/1400	0.54	0/1871
1	5-A	0.35	0/1426	0.54	0/1905
1	5-B	0.34	0/1400	0.54	0/1871
1	6-A	0.34	0/1426	0.54	0/1905
1	6-B	0.34	0/1400	0.55	0/1871
1	7-A	0.34	0/1426	0.54	0/1905
1	7-B	0.35	0/1400	0.54	0/1871
1	8-A	0.34	0/1426	0.54	0/1905
1	8-B	0.35	0/1400	0.55	0/1871
1	9-A	0.35	0/1426	0.56	0/1905
1	9-B	0.34	0/1400	0.55	0/1871
1	10-A	0.35	0/1426	0.53	0/1905
1	10-B	0.34	0/1400	0.55	0/1871
1	11-A	0.34	0/1426	0.54	0/1905
1	11-B	0.34	0/1400	0.54	0/1871
1	12-A	0.33	0/1426	0.54	0/1905
1	12-B	0.34	0/1400	0.55	0/1871
1	13-A	0.38	0/1426	0.62	0/1905
1	13-B	0.38	0/1400	0.62	2/1871 (0.1%)
1	14-A	0.39	0/1426	0.59	0/1905
1	14-B	0.38	0/1400	0.63	1/1871 (0.1%)
1	15-A	0.38	0/1426	0.61	0/1905
1	15-B	0.37	0/1400	0.62	1/1871 (0.1%)
1	16-A	0.38	0/1426	0.61	0/1905
1	16-B	0.38	0/1400	0.60	0/1871

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
All	All	0.35	0/45216	0.56	4/60416 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	13-B	140	LEU	CA-CB-CG	6.08	129.29	115.30
1	15-B	140	LEU	CA-CB-CG	5.83	128.71	115.30
1	14-B	140	LEU	CA-CB-CG	5.44	127.81	115.30
1	13-B	60	ARG	NE-CZ-NH1	-5.01	117.80	120.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1-A	1411	0	1430	0	0
1	1-B	1385	0	1404	0	0
1	2-A	1411	0	1430	0	0
1	2-B	1385	0	1404	0	0
1	3-A	1411	0	1430	0	0
1	3-B	1385	0	1404	0	0
1	4-A	1411	0	1430	0	0
1	4-B	1385	0	1404	0	0
1	5-A	1411	0	1430	0	0
1	5-B	1385	0	1404	0	0
1	6-A	1411	0	1430	0	0
1	6-B	1385	0	1404	0	0
1	7-A	1411	0	1430	0	0
1	7-B	1385	0	1404	0	0
1	8-A	1411	0	1430	0	0
1	8-B	1385	0	1404	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	9-A	1411	0	1430	0	0
1	9-B	1385	0	1404	0	0
1	10-A	1411	0	1430	0	0
1	10-B	1385	0	1404	0	0
1	11-A	1411	0	1430	0	0
1	11-B	1385	0	1404	0	0
1	12-A	1411	0	1430	0	0
1	12-B	1385	0	1404	0	0
1	13-A	1411	0	1430	0	0
1	13-B	1385	0	1404	0	0
1	14-A	1411	0	1430	0	1
1	14-B	1385	0	1404	0	0
1	15-A	1411	0	1430	0	0
1	15-B	1385	0	1404	0	0
1	16-A	1411	0	1430	0	0
1	16-B	1385	0	1404	0	0
2	1-A	4	0	0	0	0
2	2-A	4	0	0	0	0
2	3-A	4	0	0	0	0
2	4-A	4	0	0	0	0
2	5-A	4	0	0	0	0
2	6-A	4	0	0	0	0
2	7-A	4	0	0	0	0
2	8-A	4	0	0	0	0
2	9-A	4	0	0	0	0
2	10-A	4	0	0	0	0
2	11-A	4	0	0	0	0
2	12-A	4	0	0	0	0
2	13-A	4	0	0	0	0
2	14-A	4	0	0	0	0
2	15-A	4	0	0	0	0
2	16-A	4	0	0	0	0
3	1-A	8	0	12	0	0
3	1-B	8	0	12	0	0
3	2-A	8	0	12	0	0
3	2-B	8	0	12	0	0
3	3-A	8	0	12	0	0
3	3-B	8	0	12	0	0
3	4-A	8	0	12	0	0
3	4-B	8	0	12	0	0
3	5-A	8	0	12	0	0
3	5-B	8	0	12	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	6-A	8	0	12	0	0
3	6-B	8	0	12	0	0
3	7-A	8	0	12	0	0
3	7-B	8	0	12	0	0
3	8-A	8	0	12	0	0
3	8-B	8	0	12	0	0
3	9-A	8	0	12	0	0
3	9-B	8	0	12	0	0
3	10-A	8	0	12	0	0
3	10-B	8	0	12	0	0
3	11-A	8	0	12	0	0
3	11-B	8	0	12	0	0
3	12-A	8	0	12	0	0
3	12-B	8	0	12	0	0
3	13-A	8	0	12	0	0
3	13-B	8	0	12	0	0
3	14-A	8	0	12	0	0
3	14-B	8	0	12	0	0
3	15-A	8	0	12	0	0
3	15-B	8	0	12	0	0
3	16-A	8	0	12	0	0
3	16-B	8	0	12	0	0
4	1-A	155	0	0	0	0
4	1-B	164	0	0	0	0
4	2-A	155	0	0	0	0
4	2-B	164	0	0	0	0
4	3-A	157	0	0	0	0
4	3-B	162	0	0	0	0
4	4-A	155	0	0	0	0
4	4-B	164	0	0	0	0
4	5-A	162	0	0	0	0
4	5-B	157	0	0	0	0
4	6-A	153	0	0	0	0
4	6-B	166	0	0	0	0
4	7-A	159	0	0	0	0
4	7-B	160	0	0	0	0
4	8-A	158	0	0	0	0
4	8-B	161	0	0	0	0
4	9-A	162	0	0	0	0
4	9-B	157	0	0	0	0
4	10-A	151	0	0	0	0
4	10-B	168	0	0	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	11-A	151	0	0	0	0
4	11-B	168	0	0	0	0
4	12-A	152	0	0	0	0
4	12-B	167	0	0	0	0
4	13-A	155	0	0	0	0
4	13-B	164	0	0	0	0
4	14-A	154	0	0	0	1
4	14-B	165	0	0	0	0
4	15-A	155	0	0	0	0
4	15-B	164	0	0	0	0
4	16-A	158	0	0	0	0
4	16-B	161	0	0	0	0
All	All	50160	0	45728	0	1

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. Clashscore could not be calculated for this entry.

There are no clashes within the asymmetric unit.

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:179:GLU:OE2	4:A:844:HOH:O[2_555]	2.13	0.07

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	1-A	182/216 (84%)	169 (93%)	12 (7%)	1 (0%)	38	31
1	1-B	179/216 (83%)	162 (90%)	17 (10%)	0	100	100
1	2-A	182/216 (84%)	168 (92%)	12 (7%)	2 (1%)	21	11
1	2-B	179/216 (83%)	175 (98%)	4 (2%)	0	100	100
1	3-A	182/216 (84%)	170 (93%)	11 (6%)	1 (0%)	38	31
1	3-B	179/216 (83%)	170 (95%)	9 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	4-A	182/216 (84%)	174 (96%)	8 (4%)	0	100	100
1	4-B	179/216 (83%)	170 (95%)	9 (5%)	0	100	100
1	5-A	182/216 (84%)	166 (91%)	16 (9%)	0	100	100
1	5-B	179/216 (83%)	166 (93%)	9 (5%)	4 (2%)	10	2
1	6-A	182/216 (84%)	171 (94%)	9 (5%)	2 (1%)	21	11
1	6-B	179/216 (83%)	169 (94%)	8 (4%)	2 (1%)	21	11
1	7-A	182/216 (84%)	167 (92%)	13 (7%)	2 (1%)	21	11
1	7-B	179/216 (83%)	168 (94%)	11 (6%)	0	100	100
1	8-A	182/216 (84%)	170 (93%)	11 (6%)	1 (0%)	38	31
1	8-B	179/216 (83%)	162 (90%)	16 (9%)	1 (1%)	33	25
1	9-A	182/216 (84%)	171 (94%)	9 (5%)	2 (1%)	21	11
1	9-B	179/216 (83%)	169 (94%)	10 (6%)	0	100	100
1	10-A	182/216 (84%)	167 (92%)	14 (8%)	1 (0%)	38	31
1	10-B	179/216 (83%)	161 (90%)	17 (10%)	1 (1%)	33	25
1	11-A	182/216 (84%)	169 (93%)	12 (7%)	1 (0%)	38	31
1	11-B	179/216 (83%)	160 (89%)	14 (8%)	5 (3%)	8	1
1	12-A	182/216 (84%)	173 (95%)	8 (4%)	1 (0%)	38	31
1	12-B	179/216 (83%)	157 (88%)	19 (11%)	3 (2%)	14	5
1	13-A	182/216 (84%)	163 (90%)	17 (9%)	2 (1%)	21	11
1	13-B	179/216 (83%)	158 (88%)	17 (10%)	4 (2%)	10	2
1	14-A	182/216 (84%)	165 (91%)	14 (8%)	3 (2%)	14	6
1	14-B	179/216 (83%)	157 (88%)	19 (11%)	3 (2%)	14	5
1	15-A	182/216 (84%)	177 (97%)	4 (2%)	1 (0%)	38	31
1	15-B	179/216 (83%)	174 (97%)	5 (3%)	0	100	100
1	16-A	182/216 (84%)	165 (91%)	11 (6%)	6 (3%)	6	1
1	16-B	179/216 (83%)	155 (87%)	21 (12%)	3 (2%)	14	5
All	All	5776/6912 (84%)	5338 (92%)	386 (7%)	52 (1%)	25	15

All (52) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	5-B	142	ASN
1	6-B	143	VAL

Continued on next page...



*Continued from previous page...*

Mol	Chain	Res	Type
1	8-B	143	VAL
1	11-B	46	TYR
1	14-A	148	ASN
1	5-B	148	ASN
1	11-B	105	GLU
1	11-B	106	ALA
1	13-A	46	TYR
1	13-B	24	GLU
1	13-B	81	ILE
1	13-B	167	ALA
1	15-A	16	CYS
1	16-A	6	ARG
1	16-A	123	LEU
1	16-A	171	VAL
1	16-B	170	ILE
1	3-A	94	ASP
1	6-A	6	ARG
1	7-A	6	ARG
1	7-A	48	GLY
1	11-B	48	GLY
1	12-B	16	CYS
1	12-B	167	ALA
1	14-A	140	LEU
1	14-B	142	ASN
1	16-A	122	LEU
1	16-B	116	TYR
1	2-A	6	ARG
1	2-A	74	LYS
1	5-B	22	HIS
1	5-B	25	VAL
1	6-B	113	PRO
1	16-A	99	LYS
1	16-B	141	LEU
1	6-A	22	HIS
1	11-B	84	GLU
1	12-B	96	HIS
1	13-B	132	GLY
1	9-A	96	HIS
1	9-A	132	GLY
1	10-A	112	LEU
1	14-B	118	THR
1	14-B	132	GLY

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	16-A	170	ILE
1	11-A	64	GLY
1	13-A	161	GLY
1	14-A	83	GLY
1	8-A	65	GLY
1	10-B	165	PRO
1	12-A	48	GLY
1	1-A	165	PRO

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	1-A	148/168 (88%)	145 (98%)	3 (2%)	68	74
1	1-B	145/168 (86%)	142 (98%)	3 (2%)	66	72
1	2-A	148/168 (88%)	144 (97%)	4 (3%)	57	60
1	2-B	145/168 (86%)	142 (98%)	3 (2%)	66	72
1	3-A	148/168 (88%)	144 (97%)	4 (3%)	57	60
1	3-B	145/168 (86%)	143 (99%)	2 (1%)	78	86
1	4-A	148/168 (88%)	146 (99%)	2 (1%)	78	86
1	4-B	145/168 (86%)	141 (97%)	4 (3%)	56	58
1	5-A	148/168 (88%)	145 (98%)	3 (2%)	68	74
1	5-B	145/168 (86%)	140 (97%)	5 (3%)	49	50
1	6-A	148/168 (88%)	144 (97%)	4 (3%)	57	60
1	6-B	145/168 (86%)	143 (99%)	2 (1%)	78	86
1	7-A	148/168 (88%)	144 (97%)	4 (3%)	57	60
1	7-B	145/168 (86%)	142 (98%)	3 (2%)	66	72
1	8-A	148/168 (88%)	146 (99%)	2 (1%)	78	86
1	8-B	145/168 (86%)	140 (97%)	5 (3%)	49	50
1	9-A	148/168 (88%)	143 (97%)	5 (3%)	49	50
1	9-B	145/168 (86%)	143 (99%)	2 (1%)	78	86

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	10-A	148/168 (88%)	141 (95%)	7 (5%)	36	33
1	10-B	145/168 (86%)	141 (97%)	4 (3%)	56	58
1	11-A	148/168 (88%)	147 (99%)	1 (1%)	91	96
1	11-B	145/168 (86%)	141 (97%)	4 (3%)	56	58
1	12-A	148/168 (88%)	144 (97%)	4 (3%)	57	60
1	12-B	145/168 (86%)	136 (94%)	9 (6%)	26	20
1	13-A	148/168 (88%)	145 (98%)	3 (2%)	68	74
1	13-B	145/168 (86%)	138 (95%)	7 (5%)	35	32
1	14-A	148/168 (88%)	139 (94%)	9 (6%)	26	21
1	14-B	145/168 (86%)	137 (94%)	8 (6%)	30	26
1	15-A	148/168 (88%)	146 (99%)	2 (1%)	78	86
1	15-B	145/168 (86%)	138 (95%)	7 (5%)	35	32
1	16-A	148/168 (88%)	145 (98%)	3 (2%)	68	74
1	16-B	145/168 (86%)	138 (95%)	7 (5%)	35	32
All	All	4688/5376 (87%)	4553 (97%)	135 (3%)	55	57

All (135) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	1-A	46	TYR
1	1-A	80	GLU
1	1-A	134	HIS
1	1-B	60	ARG
1	1-B	97	GLU
1	1-B	134	HIS
1	2-A	10	ARG
1	2-A	46	TYR
1	2-A	125	MSE
1	2-A	134	HIS
1	2-B	60	ARG
1	2-B	88	ASP
1	2-B	134	HIS
1	3-A	94	ASP
1	3-A	96	HIS
1	3-A	120	GLU
1	3-A	134	HIS
1	3-B	97	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	3-B	134	HIS
1	4-A	46	TYR
1	4-A	134	HIS
1	4-B	43	ASP
1	4-B	60	ARG
1	4-B	88	ASP
1	4-B	134	HIS
1	5-A	46	TYR
1	5-A	84	GLU
1	5-A	134	HIS
1	5-B	60	ARG
1	5-B	119	MSE
1	5-B	123	LEU
1	5-B	134	HIS
1	5-B	140	LEU
1	6-A	16	CYS
1	6-A	46	TYR
1	6-A	99	LYS
1	6-A	134	HIS
1	6-B	60	ARG
1	6-B	134	HIS
1	7-A	46	TYR
1	7-A	84	GLU
1	7-A	97	GLU
1	7-A	137	THR
1	7-B	16	CYS
1	7-B	60	ARG
1	7-B	134	HIS
1	8-A	46	TYR
1	8-A	134	HIS
1	8-B	28	ASP
1	8-B	46	TYR
1	8-B	51	VAL
1	8-B	60	ARG
1	8-B	134	HIS
1	9-A	46	TYR
1	9-A	84	GLU
1	9-A	119	MSE
1	9-A	120	GLU
1	9-A	134	HIS
1	9-B	134	HIS
1	9-B	155	ASP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	10-A	28	ASP
1	10-A	46	TYR
1	10-A	60	ARG
1	10-A	74	LYS
1	10-A	84	GLU
1	10-A	104	GLN
1	10-A	134	HIS
1	10-B	43	ASP
1	10-B	104	GLN
1	10-B	134	HIS
1	10-B	184	MSE
1	11-A	134	HIS
1	11-B	46	TYR
1	11-B	60	ARG
1	11-B	104	GLN
1	11-B	134	HIS
1	12-A	43	ASP
1	12-A	46	TYR
1	12-A	120	GLU
1	12-A	134	HIS
1	12-B	8	ARG
1	12-B	10	ARG
1	12-B	15	PHE
1	12-B	44	LEU
1	12-B	46	TYR
1	12-B	60	ARG
1	12-B	94	ASP
1	12-B	123	LEU
1	12-B	164	LYS
1	13-A	46	TYR
1	13-A	134	HIS
1	13-A	181	MSE
1	13-B	28	ASP
1	13-B	76	LEU
1	13-B	80	GLU
1	13-B	97	GLU
1	13-B	125	MSE
1	13-B	130	GLN
1	13-B	140	LEU
1	14-A	13	CYS
1	14-A	46	TYR
1	14-A	84	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	14-A	96	HIS
1	14-A	109	PHE
1	14-A	120	GLU
1	14-A	134	HIS
1	14-A	141	LEU
1	14-A	181	MSE
1	14-B	8	ARG
1	14-B	16	CYS
1	14-B	28	ASP
1	14-B	43	ASP
1	14-B	54	MSE
1	14-B	97	GLU
1	14-B	140	LEU
1	14-B	184	MSE
1	15-A	8	ARG
1	15-A	46	TYR
1	15-B	60	ARG
1	15-B	120	GLU
1	15-B	123	LEU
1	15-B	125	MSE
1	15-B	134	HIS
1	15-B	140	LEU
1	15-B	184	MSE
1	16-A	46	TYR
1	16-A	134	HIS
1	16-A	147	TYR
1	16-B	60	ARG
1	16-B	76	LEU
1	16-B	80	GLU
1	16-B	98	ARG
1	16-B	122	LEU
1	16-B	123	LEU
1	16-B	134	HIS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (107) such sidechains are listed below:

Mol	Chain	Res	Type
1	1-A	19	HIS
1	1-A	96	HIS
1	1-A	134	HIS
1	1-A	169	ASN
1	1-B	130	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	1-B	149	ASN
1	2-A	19	HIS
1	2-A	22	HIS
1	2-A	134	HIS
1	2-A	169	ASN
1	2-B	19	HIS
1	2-B	96	HIS
1	2-B	130	GLN
1	2-B	134	HIS
1	2-B	142	ASN
1	3-A	19	HIS
1	3-A	22	HIS
1	3-A	169	ASN
1	3-B	19	HIS
1	3-B	96	HIS
1	3-B	130	GLN
1	3-B	134	HIS
1	3-B	149	ASN
1	4-A	19	HIS
1	4-A	22	HIS
1	4-A	134	HIS
1	4-A	169	ASN
1	4-B	19	HIS
1	4-B	130	GLN
1	4-B	149	ASN
1	5-A	5	GLN
1	5-A	22	HIS
1	5-A	169	ASN
1	5-B	19	HIS
1	5-B	134	HIS
1	6-A	19	HIS
1	6-A	22	HIS
1	6-A	169	ASN
1	6-B	19	HIS
1	6-B	130	GLN
1	6-B	134	HIS
1	6-B	149	ASN
1	7-A	5	GLN
1	7-A	19	HIS
1	7-A	130	GLN
1	7-A	134	HIS
1	7-A	169	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	7-B	130	GLN
1	7-B	134	HIS
1	8-A	19	HIS
1	8-A	22	HIS
1	8-A	67	HIS
1	8-A	134	HIS
1	8-A	169	ASN
1	8-B	19	HIS
1	8-B	96	HIS
1	9-A	19	HIS
1	9-A	22	HIS
1	9-A	96	HIS
1	9-A	169	ASN
1	9-B	19	HIS
1	9-B	96	HIS
1	9-B	130	GLN
1	9-B	134	HIS
1	10-A	19	HIS
1	10-A	104	GLN
1	10-A	130	GLN
1	10-A	169	ASN
1	10-B	19	HIS
1	10-B	35	ASN
1	10-B	149	ASN
1	11-A	5	GLN
1	11-A	19	HIS
1	11-A	169	ASN
1	11-B	19	HIS
1	11-B	134	HIS
1	11-B	149	ASN
1	12-A	19	HIS
1	12-A	96	HIS
1	12-A	134	HIS
1	12-A	169	ASN
1	12-B	130	GLN
1	12-B	149	ASN
1	13-A	134	HIS
1	13-B	19	HIS
1	13-B	104	GLN
1	13-B	134	HIS
1	14-A	5	GLN
1	14-A	149	ASN

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	14-A	169	ASN
1	14-B	19	HIS
1	14-B	35	ASN
1	14-B	134	HIS
1	14-B	149	ASN
1	15-A	19	HIS
1	15-A	130	GLN
1	15-A	169	ASN
1	15-B	19	HIS
1	15-B	104	GLN
1	15-B	130	GLN
1	16-A	22	HIS
1	16-A	104	GLN
1	16-A	169	ASN
1	16-B	130	GLN
1	16-B	134	HIS
1	16-B	142	ASN
1	16-B	149	ASN

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

80 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected

value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	NO3	1-A	600	-	3,3,3	0.51	0	3,3,3	0.12	0
3	EDO	1-A	701	-	3,3,3	0.38	0	2,2,2	0.46	0
3	EDO	1-A	993	-	3,3,3	0.37	0	2,2,2	0.46	0
3	EDO	1-B	700	-	3,3,3	0.50	0	2,2,2	0.40	0
3	EDO	1-B	702	-	3,3,3	0.62	0	2,2,2	0.31	0
2	NO3	10-A	600	-	3,3,3	0.53	0	3,3,3	0.13	0
3	EDO	10-A	700	-	3,3,3	0.51	0	2,2,2	0.38	0
3	EDO	10-A	701	-	3,3,3	0.45	0	2,2,2	0.40	0
3	EDO	10-B	702	-	3,3,3	0.61	0	2,2,2	0.31	0
3	EDO	10-B	993	-	3,3,3	0.36	0	2,2,2	0.47	0
2	NO3	11-A	600	-	3,3,3	0.53	0	3,3,3	0.12	0
3	EDO	11-A	700	-	3,3,3	0.48	0	2,2,2	0.40	0
3	EDO	11-A	701	-	3,3,3	0.40	0	2,2,2	0.43	0
3	EDO	11-B	702	-	3,3,3	0.62	0	2,2,2	0.31	0
3	EDO	11-B	993	-	3,3,3	0.35	0	2,2,2	0.53	0
2	NO3	12-A	600	-	3,3,3	0.54	0	3,3,3	0.13	0
3	EDO	12-A	700	-	3,3,3	0.54	0	2,2,2	0.32	0
3	EDO	12-A	701	-	3,3,3	0.41	0	2,2,2	0.42	0
3	EDO	12-B	702	-	3,3,3	0.61	0	2,2,2	0.33	0
3	EDO	12-B	993	-	3,3,3	0.36	0	2,2,2	0.50	0
2	NO3	13-A	600	-	3,3,3	0.51	0	3,3,3	0.11	0
3	EDO	13-A	700	-	3,3,3	0.55	0	2,2,2	0.30	0
3	EDO	13-A	701	-	3,3,3	0.38	0	2,2,2	0.47	0
3	EDO	13-B	702	-	3,3,3	0.65	0	2,2,2	0.25	0
3	EDO	13-B	993	-	3,3,3	0.34	0	2,2,2	0.48	0
2	NO3	14-A	600	-	3,3,3	0.53	0	3,3,3	0.12	0
3	EDO	14-A	700	-	3,3,3	0.50	0	2,2,2	0.40	0
3	EDO	14-A	701	-	3,3,3	0.38	0	2,2,2	0.44	0
3	EDO	14-B	702	-	3,3,3	0.64	0	2,2,2	0.30	0
3	EDO	14-B	993	-	3,3,3	0.34	0	2,2,2	0.41	0
2	NO3	15-A	600	-	3,3,3	0.54	0	3,3,3	0.12	0
3	EDO	15-A	700	-	3,3,3	0.53	0	2,2,2	0.32	0
3	EDO	15-A	701	-	3,3,3	0.39	0	2,2,2	0.44	0
3	EDO	15-B	702	-	3,3,3	0.65	0	2,2,2	0.30	0
3	EDO	15-B	993	-	3,3,3	0.34	0	2,2,2	0.37	0
2	NO3	16-A	600	-	3,3,3	0.53	0	3,3,3	0.12	0
3	EDO	16-A	700	-	3,3,3	0.47	0	2,2,2	0.39	0
3	EDO	16-A	701	-	3,3,3	0.39	0	2,2,2	0.42	0
3	EDO	16-B	702	-	3,3,3	0.63	0	2,2,2	0.29	0
3	EDO	16-B	993	-	3,3,3	0.34	0	2,2,2	0.41	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	NO3	2-A	600	-	3,3,3	0.53	0	3,3,3	0.12	0
3	EDO	2-A	700	-	3,3,3	0.50	0	2,2,2	0.38	0
3	EDO	2-A	701	-	3,3,3	0.39	0	2,2,2	0.45	0
3	EDO	2-B	702	-	3,3,3	0.62	0	2,2,2	0.33	0
3	EDO	2-B	993	-	3,3,3	0.35	0	2,2,2	0.43	0
2	NO3	3-A	600	-	3,3,3	0.53	0	3,3,3	0.13	0
3	EDO	3-A	700	-	3,3,3	0.51	0	2,2,2	0.37	0
3	EDO	3-A	701	-	3,3,3	0.37	0	2,2,2	0.45	0
3	EDO	3-B	702	-	3,3,3	0.62	0	2,2,2	0.32	0
3	EDO	3-B	993	-	3,3,3	0.35	0	2,2,2	0.47	0
2	NO3	4-A	600	-	3,3,3	0.53	0	3,3,3	0.12	0
3	EDO	4-A	700	-	3,3,3	0.50	0	2,2,2	0.39	0
3	EDO	4-A	701	-	3,3,3	0.45	0	2,2,2	0.37	0
3	EDO	4-B	702	-	3,3,3	0.62	0	2,2,2	0.32	0
3	EDO	4-B	993	-	3,3,3	0.35	0	2,2,2	0.48	0
2	NO3	5-A	600	-	3,3,3	0.54	0	3,3,3	0.12	0
3	EDO	5-A	700	-	3,3,3	0.51	0	2,2,2	0.37	0
3	EDO	5-A	701	-	3,3,3	0.36	0	2,2,2	0.44	0
3	EDO	5-B	702	-	3,3,3	0.61	0	2,2,2	0.33	0
3	EDO	5-B	993	-	3,3,3	0.44	0	2,2,2	0.40	0
2	NO3	6-A	600	-	3,3,3	0.53	0	3,3,3	0.13	0
3	EDO	6-A	700	-	3,3,3	0.50	0	2,2,2	0.39	0
3	EDO	6-A	701	-	3,3,3	0.39	0	2,2,2	0.43	0
3	EDO	6-B	702	-	3,3,3	0.62	0	2,2,2	0.31	0
3	EDO	6-B	993	-	3,3,3	0.34	0	2,2,2	0.48	0
2	NO3	7-A	600	-	3,3,3	0.56	0	3,3,3	0.13	0
3	EDO	7-A	700	-	3,3,3	0.50	0	2,2,2	0.39	0
3	EDO	7-A	701	-	3,3,3	0.39	0	2,2,2	0.43	0
3	EDO	7-B	702	-	3,3,3	0.61	0	2,2,2	0.32	0
3	EDO	7-B	993	-	3,3,3	0.35	0	2,2,2	0.48	0
2	NO3	8-A	600	-	3,3,3	0.53	0	3,3,3	0.12	0
3	EDO	8-A	700	-	3,3,3	0.50	0	2,2,2	0.40	0
3	EDO	8-A	701	-	3,3,3	0.37	0	2,2,2	0.46	0
3	EDO	8-B	702	-	3,3,3	0.62	0	2,2,2	0.32	0
3	EDO	8-B	993	-	3,3,3	0.35	0	2,2,2	0.48	0
2	NO3	9-A	600	-	3,3,3	0.54	0	3,3,3	0.12	0
3	EDO	9-A	700	-	3,3,3	0.50	0	2,2,2	0.39	0
3	EDO	9-A	701	-	3,3,3	0.38	0	2,2,2	0.43	0
3	EDO	9-B	702	-	3,3,3	0.61	0	2,2,2	0.28	0
3	EDO	9-B	993	-	3,3,3	0.37	0	2,2,2	0.44	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical

component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NO3	1-A	600	-	-	0/0/0/0	0/0/0/0
3	EDO	1-A	701	-	-	0/1/1/1	0/0/0/0
3	EDO	1-A	993	-	-	0/1/1/1	0/0/0/0
3	EDO	1-B	700	-	-	0/1/1/1	0/0/0/0
3	EDO	1-B	702	-	-	0/1/1/1	0/0/0/0
2	NO3	10-A	600	-	-	0/0/0/0	0/0/0/0
3	EDO	10-A	700	-	-	0/1/1/1	0/0/0/0
3	EDO	10-A	701	-	-	0/1/1/1	0/0/0/0
3	EDO	10-B	702	-	-	0/1/1/1	0/0/0/0
3	EDO	10-B	993	-	-	0/1/1/1	0/0/0/0
2	NO3	11-A	600	-	-	0/0/0/0	0/0/0/0
3	EDO	11-A	700	-	-	0/1/1/1	0/0/0/0
3	EDO	11-A	701	-	-	0/1/1/1	0/0/0/0
3	EDO	11-B	702	-	-	0/1/1/1	0/0/0/0
3	EDO	11-B	993	-	-	0/1/1/1	0/0/0/0
2	NO3	12-A	600	-	-	0/0/0/0	0/0/0/0
3	EDO	12-A	700	-	-	0/1/1/1	0/0/0/0
3	EDO	12-A	701	-	-	0/1/1/1	0/0/0/0
3	EDO	12-B	702	-	-	0/1/1/1	0/0/0/0
3	EDO	12-B	993	-	-	0/1/1/1	0/0/0/0
2	NO3	13-A	600	-	-	0/0/0/0	0/0/0/0
3	EDO	13-A	700	-	-	0/1/1/1	0/0/0/0
3	EDO	13-A	701	-	-	0/1/1/1	0/0/0/0
3	EDO	13-B	702	-	-	0/1/1/1	0/0/0/0
3	EDO	13-B	993	-	-	0/1/1/1	0/0/0/0
2	NO3	14-A	600	-	-	0/0/0/0	0/0/0/0
3	EDO	14-A	700	-	-	0/1/1/1	0/0/0/0
3	EDO	14-A	701	-	-	0/1/1/1	0/0/0/0
3	EDO	14-B	702	-	-	0/1/1/1	0/0/0/0
3	EDO	14-B	993	-	-	0/1/1/1	0/0/0/0
2	NO3	15-A	600	-	-	0/0/0/0	0/0/0/0
3	EDO	15-A	700	-	-	0/1/1/1	0/0/0/0
3	EDO	15-A	701	-	-	0/1/1/1	0/0/0/0
3	EDO	15-B	702	-	-	0/1/1/1	0/0/0/0
3	EDO	15-B	993	-	-	0/1/1/1	0/0/0/0
2	NO3	16-A	600	-	-	0/0/0/0	0/0/0/0
3	EDO	16-A	700	-	-	0/1/1/1	0/0/0/0
3	EDO	16-A	701	-	-	0/1/1/1	0/0/0/0
3	EDO	16-B	702	-	-	0/1/1/1	0/0/0/0
3	EDO	16-B	993	-	-	0/1/1/1	0/0/0/0
2	NO3	2-A	600	-	-	0/0/0/0	0/0/0/0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	2-A	700	-	-	0/1/1/1	0/0/0/0
3	EDO	2-A	701	-	-	0/1/1/1	0/0/0/0
3	EDO	2-B	702	-	-	0/1/1/1	0/0/0/0
3	EDO	2-B	993	-	-	0/1/1/1	0/0/0/0
2	NO3	3-A	600	-	-	0/0/0/0	0/0/0/0
3	EDO	3-A	700	-	-	0/1/1/1	0/0/0/0
3	EDO	3-A	701	-	-	0/1/1/1	0/0/0/0
3	EDO	3-B	702	-	-	0/1/1/1	0/0/0/0
3	EDO	3-B	993	-	-	0/1/1/1	0/0/0/0
2	NO3	4-A	600	-	-	0/0/0/0	0/0/0/0
3	EDO	4-A	700	-	-	0/1/1/1	0/0/0/0
3	EDO	4-A	701	-	-	0/1/1/1	0/0/0/0
3	EDO	4-B	702	-	-	0/1/1/1	0/0/0/0
3	EDO	4-B	993	-	-	0/1/1/1	0/0/0/0
2	NO3	5-A	600	-	-	0/0/0/0	0/0/0/0
3	EDO	5-A	700	-	-	0/1/1/1	0/0/0/0
3	EDO	5-A	701	-	-	0/1/1/1	0/0/0/0
3	EDO	5-B	702	-	-	0/1/1/1	0/0/0/0
3	EDO	5-B	993	-	-	0/1/1/1	0/0/0/0
2	NO3	6-A	600	-	-	0/0/0/0	0/0/0/0
3	EDO	6-A	700	-	-	0/1/1/1	0/0/0/0
3	EDO	6-A	701	-	-	0/1/1/1	0/0/0/0
3	EDO	6-B	702	-	-	0/1/1/1	0/0/0/0
3	EDO	6-B	993	-	-	0/1/1/1	0/0/0/0
2	NO3	7-A	600	-	-	0/0/0/0	0/0/0/0
3	EDO	7-A	700	-	-	0/1/1/1	0/0/0/0
3	EDO	7-A	701	-	-	0/1/1/1	0/0/0/0
3	EDO	7-B	702	-	-	0/1/1/1	0/0/0/0
3	EDO	7-B	993	-	-	0/1/1/1	0/0/0/0
2	NO3	8-A	600	-	-	0/0/0/0	0/0/0/0
3	EDO	8-A	700	-	-	0/1/1/1	0/0/0/0
3	EDO	8-A	701	-	-	0/1/1/1	0/0/0/0
3	EDO	8-B	702	-	-	0/1/1/1	0/0/0/0
3	EDO	8-B	993	-	-	0/1/1/1	0/0/0/0
2	NO3	9-A	600	-	-	0/0/0/0	0/0/0/0
3	EDO	9-A	700	-	-	0/1/1/1	0/0/0/0
3	EDO	9-A	701	-	-	0/1/1/1	0/0/0/0
3	EDO	9-B	702	-	-	0/1/1/1	0/0/0/0
3	EDO	9-B	993	-	-	0/1/1/1	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	1-A	184/216 (85%)	-0.28	0 100 100	12, 23, 38, 71	184 (100%)
1	1-B	181/216 (83%)	-0.19	5 (2%) 50 55	12, 24, 35, 62	181 (100%)
1	2-A	184/216 (85%)	-0.28	0 100 100	12, 23, 38, 71	184 (100%)
1	2-B	181/216 (83%)	-0.19	5 (2%) 50 55	12, 24, 35, 62	181 (100%)
1	3-A	184/216 (85%)	-0.28	0 100 100	12, 23, 38, 71	184 (100%)
1	3-B	181/216 (83%)	-0.19	5 (2%) 50 55	12, 24, 35, 62	181 (100%)
1	4-A	184/216 (85%)	-0.28	0 100 100	12, 23, 38, 71	184 (100%)
1	4-B	181/216 (83%)	-0.19	5 (2%) 50 55	12, 24, 35, 62	181 (100%)
1	5-A	184/216 (85%)	-0.28	0 100 100	12, 23, 38, 71	184 (100%)
1	5-B	181/216 (83%)	-0.19	5 (2%) 50 55	12, 24, 35, 62	181 (100%)
1	6-A	184/216 (85%)	-0.28	0 100 100	12, 23, 38, 71	184 (100%)
1	6-B	181/216 (83%)	-0.19	5 (2%) 50 55	12, 24, 35, 62	181 (100%)
1	7-A	184/216 (85%)	-0.28	0 100 100	12, 23, 38, 71	184 (100%)
1	7-B	181/216 (83%)	-0.19	5 (2%) 50 55	12, 24, 35, 62	181 (100%)
1	8-A	184/216 (85%)	-0.28	0 100 100	12, 23, 38, 71	184 (100%)
1	8-B	181/216 (83%)	-0.19	5 (2%) 50 55	12, 24, 35, 62	181 (100%)
1	9-A	184/216 (85%)	-0.28	0 100 100	12, 23, 38, 71	184 (100%)
1	9-B	181/216 (83%)	-0.19	5 (2%) 50 55	12, 24, 35, 62	181 (100%)
1	10-A	184/216 (85%)	-0.28	0 100 100	12, 23, 38, 71	184 (100%)
1	10-B	181/216 (83%)	-0.19	5 (2%) 50 55	12, 24, 35, 62	181 (100%)
1	11-A	184/216 (85%)	-0.28	0 100 100	12, 23, 38, 71	184 (100%)
1	11-B	181/216 (83%)	-0.19	5 (2%) 50 55	12, 24, 35, 62	181 (100%)
1	12-A	184/216 (85%)	-0.28	0 100 100	12, 23, 38, 71	184 (100%)
1	12-B	181/216 (83%)	-0.19	5 (2%) 50 55	12, 24, 35, 62	181 (100%)

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	13-A	184/216 (85%)	-0.28	0 100 100	12, 23, 38, 71	184 (100%)
1	13-B	181/216 (83%)	-0.19	5 (2%) 50 55	12, 24, 35, 62	181 (100%)
1	14-A	184/216 (85%)	-0.28	0 100 100	12, 23, 38, 71	184 (100%)
1	14-B	181/216 (83%)	-0.19	5 (2%) 50 55	12, 24, 35, 62	181 (100%)
1	15-A	184/216 (85%)	-0.28	0 100 100	12, 23, 38, 71	184 (100%)
1	15-B	181/216 (83%)	-0.19	5 (2%) 50 55	12, 24, 35, 62	181 (100%)
1	16-A	184/216 (85%)	-0.28	0 100 100	12, 23, 38, 71	184 (100%)
1	16-B	181/216 (83%)	-0.19	5 (2%) 50 55	12, 24, 35, 62	181 (100%)
All	All	5840/6912 (84%)	-0.23	80 (1%) 70 77	12, 24, 36, 71	5840 (100%)

All (80) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	1-B	188	THR	3.6
1	2-B	188	THR	3.6
1	3-B	188	THR	3.6
1	4-B	188	THR	3.6
1	5-B	188	THR	3.6
1	6-B	188	THR	3.6
1	7-B	188	THR	3.6
1	8-B	188	THR	3.6
1	9-B	188	THR	3.6
1	10-B	188	THR	3.6
1	11-B	188	THR	3.6
1	12-B	188	THR	3.6
1	13-B	188	THR	3.6
1	14-B	188	THR	3.6
1	15-B	188	THR	3.6
1	16-B	188	THR	3.6
1	1-B	186	GLU	2.4
1	2-B	186	GLU	2.4
1	3-B	186	GLU	2.4
1	4-B	186	GLU	2.4
1	5-B	186	GLU	2.4
1	6-B	186	GLU	2.4
1	7-B	186	GLU	2.4
1	8-B	186	GLU	2.4
1	9-B	186	GLU	2.4
1	10-B	186	GLU	2.4

Continued on next page...



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	11-B	186	GLU	2.4
1	12-B	186	GLU	2.4
1	13-B	186	GLU	2.4
1	14-B	186	GLU	2.4
1	15-B	186	GLU	2.4
1	16-B	186	GLU	2.4
1	1-B	187	TYR	2.4
1	2-B	187	TYR	2.4
1	3-B	187	TYR	2.4
1	4-B	187	TYR	2.4
1	5-B	187	TYR	2.4
1	6-B	187	TYR	2.4
1	7-B	187	TYR	2.4
1	8-B	187	TYR	2.4
1	9-B	187	TYR	2.4
1	10-B	187	TYR	2.4
1	11-B	187	TYR	2.4
1	12-B	187	TYR	2.4
1	13-B	187	TYR	2.4
1	14-B	187	TYR	2.4
1	15-B	187	TYR	2.4
1	16-B	187	TYR	2.4
1	1-B	14	VAL	2.2
1	2-B	14	VAL	2.2
1	3-B	14	VAL	2.2
1	4-B	14	VAL	2.2
1	5-B	14	VAL	2.2
1	6-B	14	VAL	2.2
1	7-B	14	VAL	2.2
1	8-B	14	VAL	2.2
1	9-B	14	VAL	2.2
1	10-B	14	VAL	2.2
1	11-B	14	VAL	2.2
1	12-B	14	VAL	2.2
1	13-B	14	VAL	2.2
1	14-B	14	VAL	2.2
1	15-B	14	VAL	2.2
1	16-B	14	VAL	2.2
1	1-B	123	LEU	2.1
1	2-B	123	LEU	2.1
1	3-B	123	LEU	2.1
1	4-B	123	LEU	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	5-B	123	LEU	2.1
1	6-B	123	LEU	2.1
1	7-B	123	LEU	2.1
1	8-B	123	LEU	2.1
1	9-B	123	LEU	2.1
1	10-B	123	LEU	2.1
1	11-B	123	LEU	2.1
1	12-B	123	LEU	2.1
1	13-B	123	LEU	2.1
1	14-B	123	LEU	2.1
1	15-B	123	LEU	2.1
1	16-B	123	LEU	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	EDO	10-A	701	4/4	0.20	6.57	43,43,44,44	4
3	EDO	11-A	701	4/4	0.20	6.52	47,47,48,50	4
3	EDO	13-A	701	4/4	0.20	6.52	44,44,45,48	4
3	EDO	16-A	701	4/4	0.20	6.52	47,48,48,51	4
3	EDO	12-A	701	4/4	0.20	6.52	47,47,48,49	4
3	EDO	15-A	701	4/4	0.20	6.52	48,49,49,51	4
3	EDO	14-A	701	4/4	0.20	6.52	48,49,49,51	4
3	EDO	11-B	993	4/4	0.19	3.23	42,43,44,50	4
3	EDO	12-B	993	4/4	0.19	3.23	42,43,44,50	4

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
3	EDO	13-B	993	4/4	0.19	3.20	43,44,45,52	4
3	EDO	14-B	993	4/4	0.19	3.18	43,43,45,51	4
3	EDO	10-B	993	4/4	0.19	3.17	42,43,44,50	4
3	EDO	16-B	993	4/4	0.19	3.13	42,43,45,52	4
3	EDO	15-B	993	4/4	0.19	3.13	43,44,45,51	4
2	NO3	14-A	600	4/4	0.17	2.56	66,66,66,66	4
2	NO3	15-A	600	4/4	0.17	2.56	66,66,66,67	4
2	NO3	16-A	600	4/4	0.17	2.56	66,66,66,67	4
2	NO3	12-A	600	4/4	0.17	2.56	66,66,66,66	4
2	NO3	11-A	600	4/4	0.17	2.53	66,66,66,66	4
2	NO3	10-A	600	4/4	0.17	2.45	65,65,66,66	4
2	NO3	13-A	600	4/4	0.17	2.11	65,65,65,66	4
3	EDO	14-A	700	4/4	0.13	1.84	54,54,55,55	4
3	EDO	16-A	700	4/4	0.13	1.70	54,54,54,55	4
3	EDO	11-A	700	4/4	0.13	1.70	53,54,54,54	4
3	EDO	10-A	700	4/4	0.13	1.70	53,54,54,55	4
3	EDO	13-A	700	4/4	0.13	1.70	53,54,55,55	4
3	EDO	15-A	700	4/4	0.13	1.49	53,54,55,55	4
3	EDO	12-A	700	4/4	0.13	1.49	52,54,54,54	4
3	EDO	15-B	702	4/4	0.18	0.45	44,47,49,49	4
3	EDO	11-B	702	4/4	0.18	0.43	43,47,48,48	4
3	EDO	10-B	702	4/4	0.18	0.43	44,47,48,48	4
3	EDO	14-B	702	4/4	0.18	0.43	44,47,49,49	4
3	EDO	12-B	702	4/4	0.18	0.42	45,48,48,48	4
3	EDO	16-B	702	4/4	0.18	0.41	44,48,48,48	4
3	EDO	13-B	702	4/4	0.18	0.40	44,48,48,49	4
3	EDO	2-B	702	4/4	0.18	-	44,47,48,48	4
3	EDO	4-A	700	4/4	0.13	-	53,54,54,55	4
3	EDO	3-B	993	4/4	0.19	-	43,44,44,50	4
2	NO3	3-A	600	4/4	0.17	-	66,66,66,66	4
3	EDO	5-A	700	4/4	0.13	-	53,54,54,54	4
2	NO3	1-A	600	4/4	0.17	-	65,66,66,66	4
3	EDO	8-A	701	4/4	0.20	-	45,45,46,48	4
3	EDO	9-B	702	4/4	0.18	-	44,47,48,48	4
3	EDO	1-B	700	4/4	0.12	-	54,55,55,55	4
3	EDO	8-B	702	4/4	0.18	-	44,47,48,48	4
3	EDO	1-A	701	4/4	0.20	-	44,44,44,48	4
2	NO3	4-A	600	4/4	0.17	-	65,65,65,66	4
2	NO3	6-A	600	4/4	0.17	-	65,65,65,66	4
3	EDO	8-B	993	4/4	0.19	-	43,44,44,50	4
3	EDO	4-A	701	4/4	0.20	-	37,38,38,38	4
3	EDO	9-B	993	4/4	0.19	-	43,44,44,50	4

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
3	EDO	4-B	702	4/4	0.18	-	44,47,48,48	4
3	EDO	5-B	993	4/4	0.19	-	38,40,41,46	4
3	EDO	1-B	702	4/4	0.18	-	44,47,48,48	4
2	NO3	9-A	600	4/4	0.17	-	61,61,62,62	4
3	EDO	8-A	700	4/4	0.13	-	54,55,55,55	4
3	EDO	9-A	701	4/4	0.20	-	45,45,45,48	4
3	EDO	6-A	701	4/4	0.20	-	43,43,44,46	4
3	EDO	7-B	702	4/4	0.18	-	44,48,48,48	4
3	EDO	3-A	700	4/4	0.13	-	53,54,54,54	4
3	EDO	2-B	993	4/4	0.19	-	42,43,44,50	4
3	EDO	3-B	702	4/4	0.18	-	44,47,48,48	4
3	EDO	2-A	700	4/4	0.13	-	54,54,55,55	4
2	NO3	8-A	600	4/4	0.17	-	65,65,65,66	4
3	EDO	7-B	993	4/4	0.19	-	43,44,44,50	4
3	EDO	1-A	993	4/4	0.20	-	43,43,43,50	4
3	EDO	5-B	702	4/4	0.18	-	46,47,48,49	4
3	EDO	9-A	700	4/4	0.13	-	54,54,54,55	4
3	EDO	7-A	700	4/4	0.13	-	54,55,55,55	4
2	NO3	7-A	600	4/4	0.17	-	62,62,62,63	4
3	EDO	3-A	701	4/4	0.20	-	46,46,47,49	4
3	EDO	4-B	993	4/4	0.19	-	43,44,44,50	4
3	EDO	6-B	993	4/4	0.19	-	44,45,45,50	4
3	EDO	7-A	701	4/4	0.20	-	46,46,47,49	4
3	EDO	6-A	700	4/4	0.13	-	53,54,54,55	4
2	NO3	5-A	600	4/4	0.17	-	66,66,66,66	4
3	EDO	6-B	702	4/4	0.18	-	44,47,48,48	4
3	EDO	5-A	701	4/4	0.20	-	42,44,45,48	4
3	EDO	2-A	701	4/4	0.20	-	40,42,42,46	4
2	NO3	2-A	600	4/4	0.17	-	66,66,66,66	4

## 6.5 Other polymers ⓘ

There are no such residues in this entry.