



Full wwPDB X-ray Structure Validation Report

Feb 26, 2014 – 03:30 PM GMT

PDB ID : 2Q7O
Title : Structure of human purine nucleoside phosphorylase in complex with L-Immucillin-H
Authors : Rinaldo-Matthis, A.; Almo, S.C.; Schramm, V.L.
Deposited on : 2007-06-07
Resolution : 2.90 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	1053 (2.90-2.90)
Clashscore	79885	1326 (2.90-2.90)
Ramachandran outliers	78287	1290 (2.90-2.90)
Sidechain outliers	78261	1292 (2.90-2.90)
RSRZ outliers	66119	1054 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	E	289	

2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 2268 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Purine nucleoside phosphorylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	E	284	2223	1413	389	405	16	0	0	0

There is a discrepancy between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
E	51	SER	GLY	CONFLICT	UNP P00491

- Molecule 2 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	P		
2	E	1	5	4	1	0	0

- Molecule 3 is 1,4-DIDEOXY-4-AZA-1-(S)-(9-DEAZAHYPOXANTHIN-9-YL)-D-RIBITOL (three-letter code: IMH) (formula: C₁₁H₁₄N₄O₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
3	E	1	19	11	4	4	0	0

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
4	E	21	21	21	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Purine nucleoside phosphorylase

Chain E: 



4 Data and refinement statistics

Property	Value	Source
Space group	H 3 2	Depositor
Cell constants a, b, c, α , β , γ	143.46Å 143.46Å 166.25Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	34.54 – 2.90 34.54 – 2.90	Depositor EDS
% Data completeness (in resolution range)	99.9 (34.54-2.90) 99.9 (34.54-2.90)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.84 (at 2.90Å)	Xtriage
Refinement program	REFMAC 5.3.0034	Depositor
R, R_{free}	0.216 , 0.262 0.217 , 0.259	Depositor DCC
R_{free} test set	745 reflections (5.33%)	DCC
Wilson B-factor (Å ²)	77.0	Xtriage
Anisotropy	0.093	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 62.5	EDS
Estimated twinning fraction	0.020 for -2/3*h-1/3*k+2/3*l,-1/3*h-2/3*k-2/3*l,2/3*h-2/3*k+1/3*l 0.017 for -h,1/3*h-1/3*k+2/3*l,2/3*h+4/3*k+1/3*l 0.012 for -1/3*h+1/3*k-2/3*l,-k,-4/3*h-2/3*k+1/3*l	Xtriage
L-test for twinning	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 14728 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	2268	wwPDB-VP
Average B, all atoms (Å ²)	71.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.85% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: IMH, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	E	1.11	5/2274 (0.2%)	1.14	13/3076 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	E	0	14

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	147	LEU	CA-CB	-6.66	1.38	1.53
1	E	78	CYS	CB-SG	-6.44	1.71	1.82
1	E	91	TYR	N-CA	5.66	1.57	1.46
1	E	96	VAL	C-O	5.36	1.33	1.23
1	E	91	TYR	CD1-CE1	5.14	1.47	1.39

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	58	ARG	NE-CZ-NH1	8.67	124.64	120.30
1	E	58	ARG	NE-CZ-NH2	-7.68	116.46	120.30
1	E	158	ARG	NE-CZ-NH1	6.73	123.67	120.30
1	E	206	CYS	CA-CB-SG	-6.22	102.81	114.00
1	E	78	CYS	CA-CB-SG	-6.09	103.04	114.00
1	E	138	LEU	CB-CG-CD2	5.89	121.02	111.00
1	E	225	VAL	O-C-N	-5.48	113.94	122.70
1	E	3	ASN	N-CA-CB	5.42	120.35	110.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	226	ILE	C-N-CA	-5.30	108.44	121.70
1	E	175	LEU	CA-CB-CG	5.24	127.36	115.30
1	E	225	VAL	CB-CA-C	-5.22	101.48	111.40
1	E	131	LEU	CA-CB-CG	5.16	127.17	115.30
1	E	101	ARG	C-N-CA	-5.15	108.82	121.70

There are no chirality outliers.

All (14) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	E	1	MET	Peptide
1	E	173	ARG	Peptide
1	E	19	SER	Peptide
1	E	194	MET	Peptide
1	E	196	ALA	Peptide
1	E	197	GLY	Peptide
1	E	220	SER	Peptide
1	E	256	ASN	Peptide
1	E	257	HIS	Peptide
1	E	267	ALA	Peptide
1	E	270	LYS	Peptide
1	E	32	GLY	Peptide
1	E	34	GLY	Peptide
1	E	64	HIS	Peptide

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	2223	0	2201	203	0
2	E	5	0	0	6	0
3	E	19	0	13	0	0
4	E	21	0	0	10	0
All	All	2268	0	2214	203	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 46.

All (203) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:E:220:SER:HB3	2:E:290:PO4:O3	1.38	1.23
1:E:220:SER:HB3	2:E:290:PO4:P	1.91	1.10
1:E:256:ASN:HD22	1:E:258:GLU:CB	1.64	1.09
1:E:23:HIS:O	1:E:24:ARG:HD3	1.50	1.09
1:E:194:MET:HB2	1:E:222:VAL:HG21	1.32	1.08
1:E:256:ASN:ND2	1:E:258:GLU:HB2	1.72	1.03
1:E:256:ASN:HD22	1:E:258:GLU:HB2	0.86	1.02
1:E:58:ARG:HG3	1:E:58:ARG:HH11	1.25	0.99
1:E:35:LEU:HD11	1:E:38:LEU:HD22	1.44	0.95
1:E:31:CYS:SG	1:E:35:LEU:CD2	2.56	0.94
1:E:100:VAL:HG21	1:E:224:GLU:HB2	1.49	0.93
1:E:265:LYS:O	1:E:268:ALA:HB2	1.70	0.92
1:E:35:LEU:HD21	1:E:38:LEU:HD23	1.51	0.91
1:E:31:CYS:SG	1:E:35:LEU:HD23	2.12	0.90
1:E:283:PRO:O	1:E:284:LEU:HD22	1.76	0.86
1:E:172:GLN:HA	1:E:175:LEU:HD23	1.57	0.84
1:E:59:SER:HA	1:E:91:TYR:OH	1.78	0.83
1:E:23:HIS:HB3	4:E:307:HOH:O	1.79	0.83
1:E:35:LEU:O	1:E:35:LEU:HG	1.80	0.82
1:E:19:SER:O	1:E:20:HIS:ND1	2.12	0.82
1:E:222:VAL:HB	1:E:223:PRO:HD3	1.64	0.79
1:E:59:SER:HA	1:E:91:TYR:HH	1.47	0.79
1:E:180:GLN:O	1:E:180:GLN:CG	2.30	0.78
1:E:35:LEU:HD11	1:E:38:LEU:CD2	2.14	0.78
1:E:256:ASN:ND2	1:E:258:GLU:CB	2.39	0.77
1:E:194:MET:HB2	1:E:222:VAL:CG2	2.13	0.77
1:E:256:ASN:HB2	1:E:258:GLU:HG2	1.68	0.76
1:E:194:MET:SD	1:E:223:PRO:HD3	2.30	0.72
1:E:98:PHE:HB3	1:E:99:PRO:HD3	1.71	0.71
1:E:35:LEU:HA	4:E:308:HOH:O	1.90	0.71
1:E:170:MET:CE	1:E:170:MET:HA	2.20	0.71
1:E:249:TYR:O	1:E:250:GLU:HB2	1.88	0.71
1:E:35:LEU:CD1	1:E:38:LEU:HD22	2.21	0.70
1:E:170:MET:O	1:E:174:ALA:HB2	1.92	0.70
1:E:137:ASN:ND2	1:E:226:ILE:HD11	2.07	0.69
1:E:179:LYS:C	1:E:181:MET:H	1.95	0.69
1:E:19:SER:C	1:E:20:HIS:ND1	2.45	0.69
1:E:1:MET:C	1:E:1:MET:SD	2.71	0.69
1:E:220:SER:CB	2:E:290:PO4:O3	2.31	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:E:257:HIS:H	1:E:258:GLU:HG2	1.60	0.67
1:E:100:VAL:CG2	1:E:224:GLU:HB2	2.23	0.67
1:E:50:TYR:HA	1:E:53:ILE:HD12	1.76	0.67
1:E:145:ASN:HB3	4:E:304:HOH:O	1.93	0.66
1:E:100:VAL:HG21	1:E:224:GLU:CB	2.25	0.66
1:E:170:MET:HE3	1:E:170:MET:HA	1.77	0.66
1:E:220:SER:CB	2:E:290:PO4:P	2.78	0.66
1:E:242:THR:HG22	1:E:243:ASN:OD1	1.96	0.66
1:E:179:LYS:C	1:E:181:MET:N	2.49	0.65
1:E:222:VAL:HB	1:E:223:PRO:CD	2.27	0.65
1:E:179:LYS:O	1:E:181:MET:N	2.29	0.65
1:E:93:LEU:O	1:E:97:THR:HG23	1.96	0.65
1:E:17:LEU:C	1:E:19:SER:H	2.00	0.65
1:E:47:ILE:HD13	1:E:67:ARG:HH12	1.59	0.65
1:E:179:LYS:O	1:E:182:GLY:N	2.29	0.64
1:E:58:ARG:NH1	1:E:58:ARG:HG3	1.99	0.64
1:E:63:GLY:HA3	1:E:65:ALA:H	1.62	0.64
1:E:63:GLY:HA2	1:E:64:HIS:HB2	1.79	0.64
1:E:59:SER:CA	1:E:91:TYR:OH	2.45	0.63
1:E:180:GLN:O	1:E:180:GLN:HG3	1.99	0.63
1:E:137:ASN:HD22	1:E:226:ILE:HD11	1.64	0.62
1:E:170:MET:O	1:E:174:ALA:CB	2.48	0.62
1:E:258:GLU:H	1:E:258:GLU:CD	2.03	0.61
1:E:20:HIS:ND1	1:E:20:HIS:N	2.45	0.61
1:E:180:GLN:HG2	1:E:180:GLN:O	1.99	0.61
1:E:47:ILE:HD13	1:E:67:ARG:NH1	2.15	0.61
1:E:232:GLY:O	1:E:233:LEU:C	2.37	0.60
1:E:194:MET:CB	1:E:222:VAL:HG21	2.21	0.59
1:E:109:ASP:HA	1:E:233:LEU:HD22	1.84	0.58
1:E:206:CYS:SG	1:E:245:VAL:CG1	2.92	0.58
1:E:258:GLU:CA	1:E:258:GLU:OE1	2.50	0.58
1:E:88:TYR:HB3	1:E:197:GLY:HA2	1.84	0.58
1:E:172:GLN:HA	1:E:175:LEU:CD2	2.29	0.58
1:E:233:LEU:N	1:E:233:LEU:HD23	2.18	0.58
1:E:249:TYR:O	1:E:250:GLU:CB	2.52	0.58
1:E:35:LEU:O	1:E:35:LEU:CG	2.50	0.58
1:E:258:GLU:N	1:E:258:GLU:CD	2.57	0.58
1:E:31:CYS:HB3	1:E:35:LEU:CD2	2.34	0.58
1:E:112:VAL:HA	1:E:236:PHE:O	2.03	0.58
1:E:220:SER:CB	2:E:290:PO4:O4	2.52	0.57
1:E:220:SER:O	1:E:222:VAL:N	2.37	0.57
1:E:97:THR:HG21	1:E:146:PRO:HB3	1.87	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:E:241:ILE:HG22	1:E:242:THR:N	2.19	0.56
1:E:194:MET:SD	1:E:222:VAL:HB	2.45	0.56
1:E:272:GLU:O	1:E:276:SER:HB2	2.06	0.56
1:E:86:HIS:CD2	1:E:86:HIS:N	2.74	0.56
1:E:24:ARG:N	4:E:307:HOH:O	2.39	0.55
1:E:195:VAL:O	1:E:219:MET:HA	2.06	0.55
1:E:31:CYS:SG	1:E:35:LEU:HD22	2.46	0.55
1:E:206:CYS:SG	1:E:245:VAL:HG12	2.47	0.55
1:E:63:GLY:CA	1:E:65:ALA:H	2.19	0.54
1:E:33:SER:O	1:E:35:LEU:N	2.40	0.54
1:E:31:CYS:CB	1:E:35:LEU:HD23	2.39	0.53
1:E:97:THR:O	1:E:100:VAL:HB	2.08	0.53
1:E:21:THR:O	1:E:21:THR:CG2	2.57	0.53
1:E:98:PHE:N	1:E:99:PRO:HD2	2.24	0.53
1:E:171:ARG:O	1:E:175:LEU:HD22	2.07	0.53
1:E:61:VAL:HG13	4:E:300:HOH:O	2.08	0.53
1:E:222:VAL:CB	1:E:223:PRO:HD3	2.38	0.53
1:E:61:VAL:O	1:E:63:GLY:HA2	2.08	0.53
1:E:2:GLU:HA	1:E:2:GLU:OE2	2.09	0.52
1:E:271:LEU:H	1:E:274:PHE:H	1.58	0.52
1:E:60:THR:HG23	4:E:300:HOH:O	2.08	0.52
1:E:171:ARG:O	1:E:174:ALA:HB3	2.09	0.52
1:E:65:ALA:HB1	1:E:85:PHE:HE2	1.75	0.52
1:E:206:CYS:SG	1:E:245:VAL:HG11	2.50	0.52
1:E:258:GLU:HA	1:E:258:GLU:OE1	2.10	0.52
1:E:53:ILE:O	1:E:58:ARG:NH2	2.42	0.52
1:E:31:CYS:CB	1:E:35:LEU:CD2	2.88	0.52
1:E:18:LEU:O	1:E:19:SER:HB3	2.10	0.52
1:E:35:LEU:HD21	1:E:38:LEU:CD2	2.32	0.51
1:E:221:THR:O	1:E:224:GLU:N	2.42	0.51
1:E:17:LEU:C	1:E:19:SER:N	2.63	0.51
1:E:39:THR:HA	1:E:42:LEU:HD12	1.93	0.51
1:E:241:ILE:CG2	1:E:242:THR:N	2.74	0.50
1:E:88:TYR:CB	1:E:197:GLY:HA2	2.42	0.50
1:E:256:ASN:HB2	1:E:258:GLU:CG	2.39	0.50
1:E:57:PRO:HB2	1:E:85:PHE:CZ	2.46	0.50
1:E:270:LYS:CA	1:E:271:LEU:HB2	2.41	0.50
1:E:148:ARG:HG3	1:E:149:GLY:N	2.26	0.50
1:E:179:LYS:C	1:E:182:GLY:H	2.15	0.50
1:E:21:THR:O	1:E:24:ARG:NH1	2.44	0.50
1:E:220:SER:HB2	2:E:290:PO4:O4	2.12	0.49
1:E:205:GLU:O	1:E:208:VAL:HG13	2.11	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:E:192:TYR:CE2	1:E:222:VAL:HG23	2.47	0.49
1:E:152:ASP:OD1	1:E:154:ARG:N	2.44	0.49
1:E:43:THR:O	1:E:44:GLN:HB2	2.12	0.49
1:E:88:TYR:HB3	1:E:197:GLY:CA	2.43	0.49
1:E:47:ILE:HG22	1:E:48:PHE:N	2.28	0.49
1:E:173:ARG:N	1:E:174:ALA:HB3	2.28	0.49
1:E:172:GLN:C	1:E:174:ALA:HB3	2.33	0.48
1:E:187:LEU:HA	1:E:187:LEU:HD12	1.40	0.48
1:E:98:PHE:HB3	1:E:99:PRO:CD	2.43	0.47
1:E:137:ASN:ND2	1:E:226:ILE:CD1	2.78	0.47
1:E:196:ALA:O	1:E:197:GLY:O	2.32	0.47
1:E:109:ASP:OD1	1:E:109:ASP:C	2.52	0.47
1:E:222:VAL:O	1:E:223:PRO:C	2.53	0.47
1:E:242:THR:CG2	1:E:243:ASN:OD1	2.63	0.47
1:E:99:PRO:O	1:E:102:VAL:HG22	2.15	0.47
1:E:204:ALA:O	1:E:208:VAL:HG12	2.14	0.47
1:E:220:SER:O	1:E:221:THR:HB	2.15	0.47
1:E:184:GLN:HG2	1:E:185:ARG:N	2.29	0.47
1:E:210:GLN:OE1	1:E:247:MET:HG3	2.16	0.46
1:E:164:ASP:CG	1:E:164:ASP:O	2.53	0.46
1:E:105:LEU:HA	1:E:105:LEU:HD23	1.72	0.46
1:E:31:CYS:HB3	1:E:35:LEU:HD22	1.98	0.46
1:E:136:ILE:HB	1:E:193:VAL:HG23	1.98	0.46
1:E:222:VAL:CB	1:E:223:PRO:CD	2.90	0.46
1:E:271:LEU:HD23	1:E:271:LEU:HA	1.89	0.46
1:E:170:MET:CA	1:E:170:MET:CE	2.94	0.46
1:E:49:ASP:O	1:E:52:GLU:HG2	2.16	0.46
1:E:125:GLU:OE2	1:E:244:LYS:HE3	2.15	0.46
1:E:258:GLU:O	1:E:259:GLU:C	2.54	0.45
1:E:169:THR:O	1:E:173:ARG:HB2	2.16	0.45
1:E:21:THR:O	1:E:21:THR:HG22	2.16	0.45
1:E:63:GLY:HA2	1:E:64:HIS:CB	2.46	0.45
1:E:279:MET:HA	1:E:282:ILE:HD12	1.99	0.45
1:E:74:ASN:HD21	1:E:280:ALA:HB2	1.80	0.45
1:E:173:ARG:HD3	1:E:281:SER:HB2	1.99	0.45
1:E:98:PHE:N	1:E:99:PRO:CD	2.80	0.45
1:E:61:VAL:CG1	4:E:300:HOH:O	2.65	0.45
1:E:221:THR:O	1:E:222:VAL:C	2.56	0.44
1:E:73:LEU:HD23	1:E:279:MET:HG2	1.98	0.44
1:E:59:SER:CA	1:E:91:TYR:HH	2.23	0.44
1:E:6:THR:N	1:E:9:ASP:OD2	2.42	0.44
1:E:1:MET:O	1:E:1:MET:SD	2.76	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:E:258:GLU:N	1:E:258:GLU:OE1	2.51	0.44
1:E:171:ARG:C	1:E:174:ALA:HB3	2.38	0.44
1:E:88:TYR:HB3	1:E:197:GLY:H	1.83	0.43
1:E:3:ASN:HA	1:E:94:TRP:CD2	2.54	0.43
1:E:258:GLU:O	1:E:260:VAL:N	2.51	0.43
1:E:115:ASN:ND2	1:E:239:SER:OG	2.52	0.43
1:E:111:LEU:HD11	1:E:113:VAL:HG12	2.01	0.43
1:E:192:TYR:HE2	1:E:222:VAL:HG23	1.82	0.42
1:E:47:ILE:CG2	1:E:48:PHE:N	2.81	0.42
1:E:268:ALA:O	1:E:272:GLU:HG3	2.20	0.42
1:E:171:ARG:O	1:E:174:ALA:CB	2.66	0.42
1:E:19:SER:O	1:E:19:SER:OG	2.35	0.42
1:E:65:ALA:HB1	1:E:85:PHE:CE2	2.54	0.42
1:E:225:VAL:O	1:E:226:ILE:C	2.57	0.42
1:E:229:ARG:O	1:E:230:HIS:C	2.57	0.42
1:E:50:TYR:CD2	1:E:56:PHE:CE2	3.08	0.42
1:E:74:ASN:ND2	1:E:280:ALA:HB2	2.35	0.42
1:E:127:GLY:O	1:E:128:ASP:O	2.37	0.42
1:E:167:ASP:HB3	1:E:170:MET:HB2	2.01	0.42
1:E:165:ALA:HB3	1:E:166:TYR:CD2	2.54	0.42
1:E:245:VAL:HG13	4:E:301:HOH:O	2.19	0.42
1:E:61:VAL:O	1:E:64:HIS:HB2	2.20	0.41
1:E:270:LYS:HB3	1:E:271:LEU:HB2	2.01	0.41
1:E:176:SER:O	1:E:178:TRP:N	2.52	0.41
1:E:31:CYS:HB3	1:E:35:LEU:HD23	1.99	0.41
1:E:170:MET:HE2	1:E:170:MET:HA	2.01	0.41
1:E:172:GLN:O	1:E:175:LEU:N	2.53	0.41
1:E:106:LEU:HD12	1:E:106:LEU:HA	1.68	0.41
1:E:101:ARG:HD2	4:E:311:HOH:O	2.21	0.41
1:E:193:VAL:HG11	1:E:209:LEU:HG	2.02	0.41
1:E:111:LEU:HD21	1:E:113:VAL:CG1	2.50	0.41
1:E:123:LYS:HE3	1:E:188:GLN:HE22	1.85	0.41
1:E:147:LEU:HA	1:E:147:LEU:HD12	1.73	0.41
1:E:39:THR:HG22	1:E:69:VAL:HG21	2.01	0.41
1:E:211:LYS:C	1:E:213:GLY:H	2.24	0.41
1:E:265:LYS:C	1:E:267:ALA:H	2.24	0.41
1:E:18:LEU:HD13	1:E:106:LEU:HD12	2.02	0.41
1:E:227:VAL:HG23	4:E:311:HOH:O	2.20	0.41

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	E	282/289 (98%)	225 (80%)	37 (13%)	20 (7%)	2 4

All (20) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	19	SER
1	E	173	ARG
1	E	174	ALA
1	E	176	SER
1	E	250	GLU
1	E	271	LEU
1	E	283	PRO
1	E	34	GLY
1	E	128	ASP
1	E	177	THR
1	E	180	GLN
1	E	197	GLY
1	E	258	GLU
1	E	18	LEU
1	E	262	ALA
1	E	270	LYS
1	E	222	VAL
1	E	3	ASN
1	E	182	GLY
1	E	57	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	E	236/240 (98%)	185 (78%)	51 (22%)	1 4

All (51) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	1	MET
1	E	2	GLU
1	E	8	GLU
1	E	19	SER
1	E	20	HIS
1	E	21	THR
1	E	22	LYS
1	E	31	CYS
1	E	35	LEU
1	E	38	LEU
1	E	56	PHE
1	E	57	PRO
1	E	58	ARG
1	E	61	VAL
1	E	67	ARG
1	E	86	HIS
1	E	101	ARG
1	E	105	LEU
1	E	106	LEU
1	E	112	VAL
1	E	115	ASN
1	E	125	GLU
1	E	126	VAL
1	E	138	LEU
1	E	147	LEU
1	E	158	ARG
1	E	163	SER
1	E	170	MET
1	E	172	GLN
1	E	175	LEU
1	E	181	MET
1	E	184	GLN
1	E	185	ARG
1	E	195	VAL
1	E	199	SER
1	E	208	VAL
1	E	209	LEU
1	E	212	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	220	SER
1	E	227	VAL
1	E	233	LEU
1	E	234	ARG
1	E	242	THR
1	E	247	MET
1	E	250	GLU
1	E	252	LEU
1	E	256	ASN
1	E	258	GLU
1	E	271	LEU
1	E	278	LEU
1	E	284	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	E	23	HIS
1	E	74	ASN
1	E	104	HIS
1	E	115	ASN
1	E	172	GLN
1	E	256	ASN
1	E	269	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	PO4	E	290	-	4,4,4	1.05	0	6,6,6	0.35	0
3	IMH	E	291	-	21,21,21	2.40	3 (14%)	26,31,31	2.77	13 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PO4	E	290	-	-	0/0/0/0	0/0/0/0
3	IMH	E	291	-	4/4/4/5	0/2/22/22	0/1/3/3

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	291	IMH	C9-C1'	-7.39	1.47	1.52
3	E	291	IMH	C3'-C4'	-6.82	1.48	1.53
3	E	291	IMH	O6-C6	2.15	1.36	1.27

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	E	291	IMH	C5'-C4'-C3'	-6.36	102.54	114.07
3	E	291	IMH	C3'-C2'-C1'	4.87	109.69	103.37
3	E	291	IMH	N3-C2-N1	-4.77	124.72	128.71
3	E	291	IMH	O3'-C3'-C4'	-4.69	102.19	112.29
3	E	291	IMH	C9-C1'-N4'	-4.26	106.68	113.28
3	E	291	IMH	C1'-N4'-C4'	3.42	117.39	107.21
3	E	291	IMH	C4-C5-N7	3.37	108.81	106.07
3	E	291	IMH	O5'-C5'-C4'	-3.25	102.79	111.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	E	291	IMH	C2'-C3'-C4'	2.45	106.89	102.74
3	E	291	IMH	C9-C1'-C2'	-2.37	111.55	114.63
3	E	291	IMH	C9-C4-C5	-2.32	103.03	105.76
3	E	291	IMH	C8-N7-C5	2.28	111.65	107.66
3	E	291	IMH	C5'-C4'-N4'	2.02	115.85	111.69

All (4) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	E	291	IMH	C4'
3	E	291	IMH	C2'
3	E	291	IMH	C3'
3	E	291	IMH	C1'

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	E	284/289 (98%)	0.15	9 (3%) 45 54	44, 68, 99, 109	0

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	62	PRO	3.9
1	E	65	ALA	3.7
1	E	184	GLN	3.3
1	E	252	LEU	3.2
1	E	265	LYS	3.0
1	E	22	LYS	2.8
1	E	247	MET	2.8
1	E	250	GLU	2.3
1	E	60	THR	2.2

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors

of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q < 0.9
2	PO4	E	290	5/5	0.27	1.66	133,135,136,137	0
3	IMH	E	291	19/19	0.21	1.42	68,71,89,90	0

6.5 Other polymers ⓘ

There are no such residues in this entry.