



# Full wwPDB X-ray Structure Validation Report

Feb 28, 2014 – 11:49 PM GMT

PDB ID : 2QRD  
Title : Crystal Structure of the Adenylate Sensor from AMP-activated Protein Kinase  
in complex with ADP and ATP  
Authors : Jin, X.; Townley, R.; Shapiro, L.  
Deposited on : 2007-07-28  
Resolution : 2.41 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.15 2013  
Xtriage (Phenix) : dev-1323  
EDS : stable22639  
Percentile statistics : 21963  
Refmac : 5.8.0049  
CCP4 : 6.3.0 (Settle)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable22683

# 1 Overall quality at a glance

The reported resolution of this entry is 2.41 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	66092	2496 (2.44-2.40)
Clashscore	79885	3124 (2.44-2.40)
Ramachandran outliers	78287	3067 (2.44-2.40)
Sidechain outliers	78261	3068 (2.44-2.40)
RSRZ outliers	66119	2499 (2.44-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	137	
1	C	137	
2	B	97	
2	D	97	
3	E	334	
3	G	334	

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 8951 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SNF1-like protein kinase ssp2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	114	Total	C	N	O	S	0	0	0
			916	593	154	160	9			
1	C	114	Total	C	N	O	S	0	0	0
			914	592	156	157	9			

- Molecule 2 is a protein called SPCC1919.03c protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	91	Total	C	N	O	S	0	0	0
			699	445	120	132	2			
2	D	92	Total	C	N	O	S	0	0	0
			727	464	124	137	2			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	202	MET	-	EXPRESSION TAG	UNP P78789
D	202	MET	-	EXPRESSION TAG	UNP P78789

- Molecule 3 is a protein called Protein C1556.08c.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	G	325	Total	C	N	O	S	0	1	0
			2554	1631	425	483	15			
3	E	324	Total	C	N	O	S	0	1	0
			2551	1629	424	482	16			

There are 4 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
G	1	ALA	-	EXPRESSION TAG	UNP Q10343
G	2	MET	-	EXPRESSION TAG	UNP Q10343

*Continued on next page...*

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
E	1	ALA	-	EXPRESSION TAG	UNP Q10343
E	2	MET	-	EXPRESSION TAG	UNP Q10343

- Molecule 4 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula:  $C_{10}H_{15}N_5O_{10}P_2$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	G	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
4	E	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 5 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula:  $C_{10}H_{16}N_5O_{13}P_3$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	G	1	Total	C	N	O	P	0	1
			31	10	5	13	3		
5	G	1	Total	C	N	O	P	0	1
			31	10	5	13	3		
5	E	1	Total	C	N	O	P	0	1
			31	10	5	13	3		
5	E	1	Total	C	N	O	P	0	1
			31	10	5	13	3		

- Molecule 6 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	46	Total	O	0	0
			46	46		
6	B	39	Total	O	0	0
			39	39		
6	C	37	Total	O	0	0
			37	37		
6	D	41	Total	O	0	0
			41	41		
6	E	116	Total	O	0	0
			116	116		
6	G	133	Total	O	0	0
			133	133		

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: SNF1-like protein kinase ssp2

Chain A:




- Molecule 1: SNF1-like protein kinase ssp2

Chain C:




- Molecule 2: SPCC1919.03c protein

Chain B:



- Molecule 2: SPCC1919.03c protein


Chain D:



- Molecule 3: Protein C1556.08c


Chain G:





• Molecule 3: Protein C1556.08c

Chain E:



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	168.26Å 78.36Å 109.01Å 90.00° 124.18° 90.00°	Depositor
Resolution (Å)	35.94 – 2.41 35.94 – 2.41	Depositor EDS
% Data completeness (in resolution range)	98.9 (35.94-2.41) 98.9 (35.94-2.41)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.31 (at 2.42Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.188 , 0.262 0.190 , 0.254	Depositor DCC
$R_{free}$ test set	2279 reflections (5.31%)	DCC
Wilson B-factor (Å <sup>2</sup> )	50.3	Xtriage
Anisotropy	0.168	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 63.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	1 of 45179 reflections (0.002%)	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	8951	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.97% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ATP, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.69	0/940	0.73	0/1266
1	C	0.65	0/937	0.74	0/1261
2	B	0.64	0/716	0.73	1/978 (0.1%)
2	D	0.74	3/745 (0.4%)	0.81	2/1018 (0.2%)
3	E	0.73	0/2596	0.78	2/3515 (0.1%)
3	G	0.74	1/2599 (0.0%)	0.84	2/3520 (0.1%)
All	All	0.71	4/8533 (0.0%)	0.79	7/11558 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	1
2	D	0	4
3	G	0	1
All	All	0	6

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	239	CYS	CB-SG	-6.29	1.71	1.82
3	G	174	CYS	CB-SG	-6.19	1.71	1.82
2	D	297	ASP	CG-OD1	5.55	1.38	1.25
2	D	297	ASP	CB-CG	5.24	1.62	1.51

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	207	GLN	N-CA-C	5.95	127.07	111.00
3	G	260	ARG	NE-CZ-NH1	5.76	123.18	120.30
2	D	297	ASP	N-CA-CB	5.67	120.81	110.60
3	E	290	ARG	NE-CZ-NH2	-5.48	117.56	120.30
3	E	39	VAL	CB-CA-C	-5.27	101.38	111.40
3	G	142	ARG	NE-CZ-NH2	-5.10	117.75	120.30
2	B	232	LEU	CA-CB-CG	5.07	126.95	115.30

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	296	PHE	Peptide
2	D	206	GLU	Peptide
2	D	207	GLN	Peptide
2	D	219	ASN	Peptide
2	D	283	TYR	Peptide
3	G	317	LYS	Peptide

## 5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	916	0	903	23	0
1	C	914	0	909	47	0
2	B	699	0	681	18	0
2	D	727	0	730	34	0
3	E	2551	0	2588	77	0
3	G	2554	0	2591	64	0
4	E	27	0	12	0	0
4	G	27	0	12	4	0
5	E	62	0	24	7	0
5	G	62	0	24	11	0
6	A	46	0	0	10	0
6	B	39	0	0	1	0
6	C	37	0	0	3	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	D	41	0	0	3	0
6	E	116	0	0	6	0
6	G	133	0	0	9	0
All	All	8951	0	8474	247	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 15.

All (247) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
3:E:2:MET:CE	3:E:7:THR:HA	1.43	1.48
1:C:482:VAL:CG2	2:D:213:PRO:HG3	1.69	1.22
6:A:339:HOH:O	2:B:292:MET:HE2	1.37	1.20
3:E:307:ALA:HB3	5:E:1002[A]:ATP:O2A	1.42	1.18
2:D:219:ASN:HA	2:D:220:THR:HB	1.28	1.15
3:E:2:MET:HE3	3:E:7:THR:CA	1.78	1.14
3:E:2:MET:CE	3:E:7:THR:CA	2.27	1.13
6:A:339:HOH:O	2:B:292:MET:HG2	1.48	1.10
3:E:2:MET:HE3	3:E:7:THR:HA	1.25	1.09
1:C:482:VAL:HG13	1:C:483:PRO:HD2	1.28	1.09
3:E:2:MET:HE1	3:E:7:THR:HA	1.15	1.08
1:C:482:VAL:HG22	2:D:213:PRO:HG3	1.12	1.07
3:G:289:HIS:O	5:G:1501[B]:ATP:O2G	1.72	1.07
3:G:94:ILE:HG13	6:G:1618:HOH:O	1.54	1.05
1:C:482:VAL:HG22	2:D:213:PRO:CG	1.92	1.00
1:C:513:THR:HG22	1:C:540:ASP:HA	1.45	0.97
1:C:481:THR:HG21	2:D:206:GLU:HG3	1.46	0.97
3:G:92:GLU:HG2	6:C:127:HOH:O	1.65	0.96
1:C:503:ILE:HD12	1:C:561:PRO:HG3	1.49	0.93
3:G:287:ARG:NH1	4:G:1003:ADP:O1B	2.02	0.93
3:E:289:HIS:O	5:E:1502[B]:ATP:O2G	1.87	0.92
2:D:219:ASN:CA	2:D:220:THR:HB	2.00	0.92
3:G:162:THR:HG21	4:G:1003:ADP:O2B	1.68	0.92
1:C:482:VAL:HG13	1:C:483:PRO:CD	2.03	0.88
3:G:162:THR:HG22	3:G:165:ARG:H	1.39	0.88
3:E:123:HIS:HD2	3:E:125:MET:H	1.21	0.86
2:D:207:GLN:HG3	2:D:208:TYR:H	1.38	0.86
3:E:296:GLU:CD	3:E:296:GLU:H	1.81	0.84
3:G:317:LYS:N	3:G:318:THR:CB	2.42	0.83
3:G:165:ARG:CG	3:G:165:ARG:HH11	1.92	0.82
3:G:13:LYS:HG3	6:G:1576:HOH:O	1.79	0.82
1:A:484:LYS:HD2	1:A:485:PRO:HD2	1.62	0.80

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
3:G:275:ARG:HG3	3:G:275:ARG:HH21	1.48	0.79
3:E:30:THR:HB	6:E:1614:HOH:O	1.84	0.77
3:G:142:ARG:NH2	4:G:1003:ADP:O2A	2.17	0.77
1:C:503:ILE:HD11	1:C:505:HIS:CE1	2.20	0.77
1:C:482:VAL:HG21	2:D:213:PRO:HG3	1.66	0.75
1:A:506:CYS:HB3	1:A:513:THR:CG2	2.17	0.75
1:C:534:LYS:HD2	6:C:401:HOH:O	1.86	0.74
3:E:2:MET:HE3	3:E:7:THR:N	2.02	0.74
1:C:541:ILE:O	1:C:541:ILE:HG22	1.88	0.74
3:G:217:SER:N	5:G:1001[A]:ATP:O1B	2.22	0.71
3:E:123:HIS:CD2	3:E:125:MET:H	2.08	0.71
3:E:3:ASP:HB3	3:E:6:GLU:H	1.56	0.71
1:C:537:GLY:HA2	1:C:557:LYS:HE3	1.72	0.71
3:E:66:ASN:HB3	3:E:154:SER:HB2	1.73	0.70
2:D:207:GLN:HG3	2:D:208:TYR:N	2.07	0.70
3:G:217:SER:OG	5:G:1001[A]:ATP:O2G	2.10	0.70
5:E:1002[A]:ATP:O2B	5:E:1002[A]:ATP:O5'	2.09	0.69
2:D:235:HIS:HD2	2:D:261:LEU:HD21	1.56	0.69
2:D:219:ASN:CA	2:D:220:THR:CB	2.71	0.69
1:C:513:THR:HG22	1:C:540:ASP:CA	2.22	0.69
1:A:568:MET:HG3	6:A:24:HOH:O	1.92	0.69
3:G:275:ARG:CG	3:G:275:ARG:HH21	2.05	0.68
3:G:123:HIS:HD2	3:G:125:MET:H	1.41	0.68
3:G:195:LEU:HD22	3:G:303:ILE:HD12	1.73	0.67
3:E:309:ILE:N	3:E:309:ILE:HD13	2.09	0.66
6:G:1629:HOH:O	1:C:459:ARG:HB3	1.96	0.66
3:G:275:ARG:HG3	3:G:275:ARG:NH2	2.10	0.66
3:E:304:LEU:HG	3:E:309:ILE:HD11	1.78	0.66
3:E:138:SER:O	3:E:139:ARG:HB2	1.96	0.65
3:E:4:VAL:CG1	3:E:5:GLN:N	2.60	0.64
3:E:56:VAL:O	3:E:74[B]:MET:HE2	1.98	0.64
3:E:73:THR:HB	3:E:74[B]:MET:HE3	1.79	0.64
2:D:218:SER:O	2:D:220:THR:HB	1.98	0.64
3:E:243:ASP:HB3	6:E:1602:HOH:O	1.97	0.63
2:D:206:GLU:O	2:D:207:GLN:HB2	1.97	0.63
3:E:307:ALA:CB	5:E:1002[A]:ATP:O2A	2.34	0.63
3:G:165:ARG:HH11	3:G:165:ARG:HG3	1.63	0.63
1:A:557:LYS:HG3	6:A:86:HOH:O	1.99	0.62
2:D:223:GLU:HA	2:D:224:LEU:O	1.99	0.62
3:E:129:MET:CE	3:E:132:CYS:HB2	2.29	0.62
1:C:479:GLN:HB3	2:D:208:TYR:HB3	1.82	0.62
1:C:482:VAL:CG2	2:D:213:PRO:CG	2.61	0.61

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
3:G:307:ALA:HB3	5:G:1001[A]:ATP:O2A	2.01	0.61
1:A:506:CYS:CB	1:A:513:THR:HG23	2.31	0.61
3:E:275:ARG:CG	3:E:275:ARG:HH21	2.14	0.61
3:E:109:GLU:HB3	3:E:115:ILE:HG13	1.82	0.61
1:A:525:MET:HB2	1:A:526:PRO:HD2	1.84	0.60
3:E:139:ARG:NH2	5:E:1002[A]:ATP:O1A	2.34	0.60
3:G:123:HIS:CD2	3:G:125:MET:H	2.19	0.60
1:C:511:LYS:HD3	1:C:513:THR:HG21	1.83	0.60
5:G:1001[A]:ATP:O5'	5:G:1001[A]:ATP:O2B	2.20	0.60
1:A:482:VAL:HG22	2:B:213:PRO:HG3	1.82	0.59
3:E:294:VAL:HG21	3:E:298:LEU:HD23	1.85	0.59
1:A:506:CYS:CB	1:A:513:THR:CG2	2.81	0.59
3:E:4:VAL:HG13	3:E:5:GLN:N	2.16	0.59
3:E:74[B]:MET:SD	3:E:334:VAL:HG12	2.43	0.59
3:G:240:LEU:HG	3:G:248:ASN:HB3	1.84	0.59
3:G:165:ARG:CG	3:G:165:ARG:NH1	2.63	0.58
1:A:557:LYS:CG	6:A:86:HOH:O	2.50	0.58
3:E:230:ASN:OD1	3:E:260:ARG:NH2	2.36	0.58
2:D:290:THR:CG2	6:D:321:HOH:O	2.53	0.57
2:B:244:ASN:OD1	2:B:247:TYR:HB3	2.04	0.57
1:C:511:LYS:HB3	1:C:513:THR:HG23	1.86	0.57
3:G:165:ARG:HG2	3:G:165:ARG:HH11	1.70	0.56
3:G:90:PHE:CZ	1:C:573:LEU:HD22	2.40	0.56
3:E:133:LEU:HD12	6:E:1515:HOH:O	2.05	0.56
1:A:560:PHE:HD2	1:A:564:ASP:OD1	1.88	0.56
6:A:6:HOH:O	2:B:290:THR:HG23	2.06	0.56
3:E:139:ARG:CZ	3:E:139:ARG:HA	2.35	0.55
1:A:557:LYS:HD2	6:A:86:HOH:O	2.05	0.55
1:C:503:ILE:HG23	1:C:513:THR:O	2.05	0.55
1:C:503:ILE:HD12	1:C:561:PRO:CG	2.30	0.55
3:E:56:VAL:O	3:E:74[B]:MET:CE	2.54	0.55
1:C:541:ILE:O	1:C:541:ILE:CG2	2.53	0.54
3:E:2:MET:CE	3:E:7:THR:CB	2.86	0.54
3:G:317:LYS:CA	3:G:318:THR:CB	2.86	0.54
3:G:307:ALA:HB2	5:G:1501[B]:ATP:O1B	2.07	0.54
3:E:129:MET:HE2	3:E:132:CYS:HB2	1.89	0.54
3:E:71:LEU:HD22	3:E:144:PRO:HD3	1.90	0.54
3:G:142:ARG:HD2	3:G:334:VAL:O	2.08	0.54
3:E:263:ASN:O	3:E:263:ASN:CG	2.46	0.53
3:G:195:LEU:HD22	3:G:303:ILE:CD1	2.37	0.53
2:D:292:MET:CE	2:D:294:LYS:HD2	2.37	0.53
2:D:290:THR:HG22	6:D:321:HOH:O	2.08	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
3:E:214:LYS:NZ	6:E:1575:HOH:O	2.41	0.53
2:D:223:GLU:HA	2:D:224:LEU:C	2.29	0.53
6:A:6:HOH:O	2:B:290:THR:CG2	2.56	0.53
2:B:251:GLN:HE22	3:G:54:ASN:HD22	1.57	0.53
6:A:302:HOH:O	3:E:92:GLU:HG2	2.09	0.53
3:E:92:GLU:HG3	6:E:1581:HOH:O	2.09	0.53
2:D:295:ASN:ND2	3:E:41:LEU:HD23	2.23	0.53
1:C:503:ILE:CD1	1:C:506:CYS:SG	2.97	0.53
1:C:519:LEU:HD13	1:C:533:VAL:HG22	1.91	0.53
3:E:307:ALA:HB2	5:E:1502[B]:ATP:O1B	2.08	0.53
3:G:307:ALA:HB3	5:G:1001[A]:ATP:PA	2.49	0.53
1:C:481:THR:HG21	2:D:206:GLU:CG	2.31	0.53
3:G:93:ALA:O	3:G:96:GLU:HB3	2.09	0.52
1:C:540:ASP:HB3	3:E:151:GLU:OE2	2.08	0.52
3:E:304:LEU:CG	3:E:309:ILE:HD11	2.39	0.52
3:E:121:TYR:HD1	3:E:121:TYR:H	1.54	0.52
3:E:74[B]:MET:H	3:E:74[B]:MET:CE	2.24	0.51
2:D:282:ARG:HG2	2:D:284:HIS:O	2.11	0.51
3:E:233:GLU:O	3:E:236:ASP:HB2	2.11	0.51
3:G:308:ASP:OD2	5:G:1501[B]:ATP:O2'	2.24	0.51
2:D:228:LYS:HB3	6:D:330:HOH:O	2.09	0.51
3:G:316:ASP:C	3:G:318:THR:CB	2.79	0.51
2:D:235:HIS:CD2	2:D:261:LEU:HD21	2.43	0.51
2:B:282:ARG:HG2	2:B:284:HIS:O	2.11	0.51
3:E:85:TYR:HB3	3:E:209:LYS:HZ2	1.75	0.51
2:D:206:GLU:O	2:D:207:GLN:OE1	2.30	0.50
3:E:123:HIS:HD2	3:E:125:MET:N	2.01	0.50
3:G:187:MET:HE2	3:G:312:TYR:CZ	2.47	0.50
3:E:121:TYR:CD1	3:E:121:TYR:N	2.77	0.49
3:E:48:SER:O	3:E:52:LEU:HB2	2.12	0.49
1:C:535:SER:HB3	2:D:263:ASN:HB3	1.94	0.49
3:E:232:TYR:OH	3:E:240:LEU:HD22	2.11	0.49
3:G:162:THR:CG2	3:G:165:ARG:H	2.19	0.49
3:E:85:TYR:HB3	3:E:209:LYS:NZ	2.27	0.49
2:D:223:GLU:OE1	2:D:224:LEU:HA	2.13	0.48
3:E:221:ILE:HD11	3:E:232:TYR:HB2	1.95	0.48
1:C:482:VAL:CG1	1:C:483:PRO:CD	2.85	0.48
3:G:81:ILE:CD1	3:G:94:ILE:HD11	2.44	0.48
3:G:123:HIS:HD2	3:G:125:MET:N	2.10	0.48
3:E:275:ARG:CG	3:E:275:ARG:NH2	2.74	0.48
3:E:129:MET:HE1	3:E:314:ILE:HB	1.96	0.48
6:G:1629:HOH:O	1:C:459:ARG:CB	2.57	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
3:G:328:ASP:OD2	3:G:329:ASN:N	2.47	0.48
1:A:466:LEU:CD1	1:A:497:ILE:HD11	2.43	0.47
3:G:275:ARG:CG	3:G:275:ARG:NH2	2.72	0.47
3:E:74[B]:MET:SD	3:E:334:VAL:CG1	3.03	0.47
3:G:307:ALA:CB	5:G:1001[A]:ATP:O2A	2.63	0.47
3:G:290:ARG:HE	5:G:1001[A]:ATP:PG	2.38	0.47
3:G:165:ARG:NH1	4:G:1003:ADP:O2B	2.47	0.47
2:D:292:MET:HE1	2:D:294:LYS:HD2	1.96	0.47
3:E:139:ARG:HA	3:E:139:ARG:NE	2.30	0.47
3:G:77:PHE:O	3:G:81:ILE:HG12	2.15	0.47
3:G:96:GLU:HG2	3:G:99:LYS:HE2	1.97	0.47
3:E:265:ASP:N	3:E:265:ASP:OD2	2.46	0.47
2:B:282:ARG:NH1	2:B:287:TYR:OH	2.48	0.47
3:G:18:PHE:CD1	3:G:174:CYS:SG	3.08	0.47
1:A:519:LEU:HD12	1:A:533:VAL:HG22	1.98	0.46
3:G:135:MET:O	3:G:138:SER:O	2.34	0.46
1:A:506:CYS:HB3	1:A:513:THR:HG23	1.91	0.46
1:C:475:ARG:NH2	1:C:572:LYS:O	2.49	0.46
1:A:557:LYS:HB3	6:G:1608:HOH:O	2.15	0.46
3:G:240:LEU:HD13	6:G:1572:HOH:O	2.14	0.46
2:B:244:ASN:CG	2:B:247:TYR:HB3	2.36	0.46
1:A:511:LYS:HB3	1:A:511:LYS:HE2	1.82	0.46
3:G:230:ASN:OD1	3:G:260:ARG:NH2	2.45	0.45
3:G:196:ALA:HB2	3:G:214:LYS:HD2	1.99	0.45
3:G:91:PRO:HD2	6:C:127:HOH:O	2.16	0.45
3:G:162:THR:HG23	3:G:164:TYR:H	1.80	0.45
3:G:240:LEU:HA	3:G:240:LEU:HD12	1.83	0.45
1:C:483:PRO:HB2	1:C:490:TYR:CE2	2.51	0.45
3:E:275:ARG:NH2	3:E:275:ARG:HG3	2.32	0.45
3:G:60:LEU:HD21	3:G:72:LEU:HB2	1.99	0.45
3:G:234:SER:OG	3:G:334:VAL:HG11	2.17	0.45
2:B:235:HIS:HD2	2:B:261:LEU:HD21	1.82	0.45
1:A:564:ASP:OD2	3:G:63:SER:HB2	2.17	0.45
3:E:2:MET:CE	3:E:7:THR:OG1	2.65	0.44
1:C:497:ILE:HB	1:C:519:LEU:HB2	1.99	0.44
1:C:458:CYS:HB2	1:C:465:ILE:HD13	1.99	0.44
3:E:120:ILE:H	3:E:120:ILE:HG13	1.52	0.44
1:A:557:LYS:CB	6:G:1608:HOH:O	2.65	0.44
3:E:129:MET:HE2	3:E:129:MET:O	2.17	0.44
3:E:129:MET:CE	3:E:129:MET:HA	2.48	0.44
1:C:482:VAL:CG1	1:C:483:PRO:N	2.80	0.44
3:E:309:ILE:CD1	3:E:309:ILE:N	2.80	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
3:G:97:ILE:HD13	6:G:1618:HOH:O	2.18	0.44
2:B:258:ASN:OD1	2:B:260:VAL:HG22	2.18	0.43
1:C:524:VAL:HG22	2:D:232:LEU:HD13	2.00	0.43
5:G:1001[A]:ATP:H5'2	6:G:1508:HOH:O	2.18	0.43
1:A:506:CYS:SG	1:A:513:THR:HG21	2.58	0.43
3:G:165:ARG:HG2	3:G:165:ARG:NH1	2.32	0.43
1:C:465:ILE:O	1:C:469:VAL:HG23	2.18	0.43
3:E:290:ARG:HE	5:E:1002[A]:ATP:PG	2.39	0.43
1:A:575:SER:O	1:A:576:ALA:C	2.57	0.43
3:E:68:PHE:CZ	3:E:144:PRO:HG3	2.54	0.43
3:G:233:GLU:O	3:G:236:ASP:HB2	2.19	0.43
1:C:511:LYS:HD3	1:C:513:THR:CG2	2.49	0.42
2:B:235:HIS:CD2	2:B:261:LEU:HD21	2.54	0.42
1:A:535:SER:HB3	2:B:263:ASN:HB3	2.00	0.42
3:E:96:GLU:HG2	3:E:99:LYS:HD3	2.01	0.42
1:C:503:ILE:HD11	1:C:506:CYS:SG	2.60	0.42
3:E:80:VAL:O	3:E:84:TYR:HD2	2.01	0.42
1:C:503:ILE:O	1:C:503:ILE:HG12	2.18	0.42
1:C:513:THR:HG22	1:C:540:ASP:CB	2.50	0.42
3:E:92:GLU:CG	6:E:1581:HOH:O	2.66	0.42
3:E:2:MET:HE2	3:E:7:THR:OG1	2.20	0.42
1:C:454:PHE:CZ	2:D:261:LEU:HD13	2.54	0.42
2:D:235:HIS:O	2:D:261:LEU:HD11	2.20	0.42
1:C:462:ALA:HB3	1:C:463:PRO:HD3	2.01	0.42
2:D:233:PRO:HG2	2:D:236:LEU:HD12	2.02	0.42
2:B:210:THR:HG23	2:B:211:GLU:HG2	2.02	0.42
3:E:180:LEU:O	3:E:277:ASP:HB3	2.20	0.42
2:D:218:SER:O	2:D:220:THR:CB	2.66	0.42
3:G:10:GLY:O	3:G:14:GLU:HG2	2.20	0.41
3:E:4:VAL:CG1	3:E:5:GLN:H	2.31	0.41
3:G:86:GLN:HE21	3:G:86:GLN:HB3	1.61	0.41
2:B:247:TYR:H	2:B:247:TYR:HD1	1.67	0.41
3:E:121:TYR:N	3:E:121:TYR:HD1	2.18	0.41
1:C:456:VAL:HG13	1:C:531:LEU:HB3	2.02	0.41
2:B:205:SER:N	6:B:323:HOH:O	2.53	0.41
1:C:482:VAL:HG13	1:C:483:PRO:N	2.35	0.41
3:G:81:ILE:HD12	3:G:94:ILE:HD11	2.03	0.41
1:A:466:LEU:HD11	1:A:497:ILE:HD11	2.03	0.41
2:B:251:GLN:O	3:G:33:ARG:NH1	2.53	0.40
1:C:503:ILE:CG2	1:C:513:THR:O	2.69	0.40
3:E:2:MET:HB2	3:E:7:THR:OG1	2.22	0.40
3:G:90:PHE:HA	3:G:91:PRO:HD3	1.83	0.40

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
3:G:232:TYR:OH	3:G:240:LEU:HD22	2.21	0.40
3:E:35:ILE:O	3:E:59:PRO:HD2	2.21	0.40
1:C:453:HIS:CE1	1:C:457:ARG:HG3	2.56	0.40
3:E:185:ASN:C	3:E:185:ASN:HD22	2.24	0.40
1:A:557:LYS:HE2	6:A:326:HOH:O	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	110/137 (80%)	109 (99%)	1 (1%)	0	100	100
1	C	110/137 (80%)	104 (94%)	6 (6%)	0	100	100
2	B	87/97 (90%)	82 (94%)	5 (6%)	0	100	100
2	D	90/97 (93%)	80 (89%)	9 (10%)	1 (1%)	21	28
3	E	321/334 (96%)	313 (98%)	8 (2%)	0	100	100
3	G	322/334 (96%)	311 (97%)	10 (3%)	1 (0%)	50	67
All	All	1040/1136 (92%)	999 (96%)	39 (4%)	2 (0%)	56	74

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	D	220	THR
3	G	263	ASN

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	97/120 (81%)	86 (89%)	11 (11%)	9	11
1	C	96/120 (80%)	85 (88%)	11 (12%)	8	11
2	B	77/88 (88%)	71 (92%)	6 (8%)	18	27
2	D	83/88 (94%)	73 (88%)	10 (12%)	7	9
3	E	286/296 (97%)	253 (88%)	33 (12%)	8	11
3	G	285/296 (96%)	259 (91%)	26 (9%)	14	19
All	All	924/1008 (92%)	827 (90%)	97 (10%)	10	14

All (97) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	450	ASN
1	A	456	VAL
1	A	458	CYS
1	A	461	ASP
1	A	479	GLN
1	A	487	ASN
1	A	513	THR
1	A	519	LEU
1	A	557	LYS
1	A	565	LEU
1	A	569	LEU
2	B	210	THR
2	B	232	LEU
2	B	245	THR
2	B	262	LEU
2	B	290	THR
2	B	292	MET
3	G	39	VAL
3	G	51	THR
3	G	63	SER
3	G	64	GLU
3	G	82	LYS
3	G	86	GLN
3	G	92	GLU
3	G	97	ILE
3	G	102	LEU
3	G	118	GLU
3	G	142	ARG
3	G	162	THR
3	G	165	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
3	G	172	MET
3	G	181	ARG
3	G	184	LEU
3	G	185	ASN
3	G	214	LYS
3	G	227	THR
3	G	228	LEU
3	G	240	LEU
3	G	257	LEU
3	G	263	ASN
3	G	275	ARG
3	G	298	LEU
3	G	299	LYS
1	C	456	VAL
1	C	458	CYS
1	C	459	ARG
1	C	482	VAL
1	C	503	ILE
1	C	509	GLU
1	C	534	LYS
1	C	539	LYS
1	C	540	ASP
1	C	565	LEU
1	C	569	LEU
2	D	206	GLU
2	D	223	GLU
2	D	224	LEU
2	D	225	LYS
2	D	231	SER
2	D	244	ASN
2	D	262	LEU
2	D	270	THR
2	D	285	ARG
2	D	290	THR
3	E	3	ASP
3	E	4	VAL
3	E	30	THR
3	E	33	ARG
3	E	39	VAL
3	E	52	LEU
3	E	82	LYS
3	E	92	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
3	E	102	LEU
3	E	119	THR
3	E	120	ILE
3	E	121	TYR
3	E	129	MET
3	E	139	ARG
3	E	184	LEU
3	E	185	ASN
3	E	188	THR
3	E	207	VAL
3	E	209	LYS
3	E	214	LYS
3	E	227	THR
3	E	228	LEU
3	E	235	VAL
3	E	240	LEU
3	E	243	ASP
3	E	257	LEU
3	E	265	ASP
3	E	275	ARG
3	E	276	LEU
3	E	277	ASP
3	E	287	ARG
3	E	309	ILE
3	E	334	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (29) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	536	ASN
2	B	207	GLN
2	B	235	HIS
2	B	251	GLN
2	B	259	HIS
2	B	263	ASN
3	G	53	ASN
3	G	66	ASN
3	G	86	GLN
3	G	123	HIS
3	G	163	GLN
3	G	185	ASN
3	G	242	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
3	G	263	ASN
3	G	311	ASN
3	G	329	ASN
1	C	453	HIS
1	C	505	HIS
2	D	207	GLN
2	D	235	HIS
2	D	244	ASN
2	D	251	GLN
2	D	271	GLN
2	D	295	ASN
3	E	53	ASN
3	E	54	ASN
3	E	66	ASN
3	E	123	HIS
3	E	185	ASN

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	ATP	E	1002[A]	-	33,33,33	0.99	2 (6%)	52,52,52	2.11	11 (21%)
4	ADP	E	1004	-	29,29,29	0.96	1 (3%)	45,45,45	1.98	9 (20%)
5	ATP	E	1502[B]	-	33,33,33	1.05	2 (6%)	52,52,52	2.16	11 (21%)
5	ATP	G	1001[A]	-	33,33,33	1.05	2 (6%)	52,52,52	2.07	11 (21%)
4	ADP	G	1003	-	29,29,29	1.03	2 (6%)	45,45,45	1.79	9 (20%)
5	ATP	G	1501[B]	-	33,33,33	1.05	2 (6%)	52,52,52	2.01	12 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	ATP	E	1002[A]	-	-	0/22/38/38	0/1/3/3
4	ADP	E	1004	-	-	0/16/32/32	0/1/3/3
5	ATP	E	1502[B]	-	-	0/22/38/38	0/1/3/3
5	ATP	G	1001[A]	-	-	0/22/38/38	0/1/3/3
4	ADP	G	1003	-	-	0/16/32/32	0/1/3/3
5	ATP	G	1501[B]	-	-	0/22/38/38	0/1/3/3

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	G	1501[B]	ATP	C5-C4	3.47	1.48	1.40
4	G	1003	ADP	C5-C4	3.38	1.48	1.40
5	G	1001[A]	ATP	C5-C4	3.38	1.48	1.40
5	E	1002[A]	ATP	C5-C4	3.09	1.47	1.40
5	E	1502[B]	ATP	C5-C4	3.03	1.47	1.40
5	E	1502[B]	ATP	C4-N9	-2.94	1.33	1.37
5	E	1002[A]	ATP	C4-N9	-2.69	1.33	1.37
4	G	1003	ADP	C4-N9	-2.65	1.33	1.37
5	G	1501[B]	ATP	C4-N9	-2.43	1.34	1.37
5	G	1001[A]	ATP	C4-N9	-2.42	1.34	1.37
4	E	1004	ADP	C5-C4	2.26	1.45	1.40

All (63) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	E	1004	ADP	N3-C2-N1	-7.95	122.06	128.71
5	E	1502[B]	ATP	N3-C2-N1	-7.28	122.62	128.71
5	E	1002[A]	ATP	N3-C2-N1	-7.02	122.84	128.71

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	G	1001[A]	ATP	N3-C2-N1	-6.54	123.24	128.71
4	G	1003	ADP	N3-C2-N1	-6.21	123.52	128.71
5	G	1001[A]	ATP	O4'-C1'-N9	6.20	114.21	108.44
5	G	1501[B]	ATP	N3-C2-N1	-5.93	123.75	128.71
5	E	1002[A]	ATP	O4'-C1'-N9	5.80	113.84	108.44
5	E	1502[B]	ATP	PB-O3B-PG	-5.47	115.65	131.68
5	G	1501[B]	ATP	PB-O3B-PG	-5.42	115.78	131.68
5	G	1501[B]	ATP	N3-C4-N9	5.28	134.97	125.43
5	E	1002[A]	ATP	N3-C4-N9	5.27	134.96	125.43
5	G	1001[A]	ATP	N3-C4-N9	5.21	134.85	125.43
4	E	1004	ADP	N3-C4-N9	5.14	134.72	125.43
4	G	1003	ADP	N3-C4-N9	5.10	134.65	125.43
5	E	1502[B]	ATP	N3-C4-N9	5.04	134.53	125.43
5	E	1002[A]	ATP	PA-O3A-PB	-4.78	117.66	131.68
5	E	1502[B]	ATP	PA-O3A-PB	-4.69	117.94	131.68
5	G	1501[B]	ATP	PA-O3A-PB	-4.64	118.07	131.68
5	E	1502[B]	ATP	O4'-C1'-N9	-4.59	104.17	108.44
5	E	1002[A]	ATP	PB-O3B-PG	-4.57	118.29	131.68
5	G	1001[A]	ATP	PA-O3A-PB	-4.26	119.20	131.68
5	G	1001[A]	ATP	PB-O3B-PG	-4.14	119.54	131.68
4	E	1004	ADP	O4'-C1'-N9	4.07	112.22	108.44
5	E	1502[B]	ATP	O3A-PB-O3B	4.02	109.85	101.66
5	E	1502[B]	ATP	C8-N9-C4	3.49	109.57	106.90
5	G	1001[A]	ATP	C4-C5-N7	-3.33	106.67	109.52
5	E	1002[A]	ATP	C4'-O4'-C1'	-3.27	106.20	109.75
5	G	1501[B]	ATP	C4-C5-N7	-3.24	106.75	109.52
4	G	1003	ADP	O3B-PB-O1B	3.15	120.74	110.44
5	G	1501[B]	ATP	C5-C4-N3	-3.06	119.04	125.70
5	G	1501[B]	ATP	O4'-C1'-N9	-3.04	105.61	108.44
5	G	1001[A]	ATP	C5-C4-N3	-3.00	119.16	125.70
5	E	1002[A]	ATP	C4-C5-N7	-2.99	106.96	109.52
5	E	1002[A]	ATP	C5-C4-N3	-2.97	119.22	125.70
5	E	1502[B]	ATP	C4-C5-N7	-2.80	107.12	109.52
5	E	1002[A]	ATP	C8-N9-C4	2.72	108.98	106.90
5	G	1001[A]	ATP	C8-N9-C4	2.72	108.97	106.90
5	E	1502[B]	ATP	C5-C4-N3	-2.67	119.89	125.70
5	G	1501[B]	ATP	C8-N9-C4	2.63	108.90	106.90
4	G	1003	ADP	C5-C4-N3	-2.59	120.07	125.70
5	E	1002[A]	ATP	C2-N3-C4	2.50	121.11	114.01
4	E	1004	ADP	C5-C4-N3	-2.50	120.27	125.70
4	G	1003	ADP	C8-N9-C4	2.48	108.79	106.90
5	G	1501[B]	ATP	O3A-PB-O3B	2.46	106.67	101.66

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	E	1502[B]	ATP	C2-N3-C4	2.46	121.02	114.01
5	E	1502[B]	ATP	C3'-C2'-C1'	2.46	104.76	100.91
5	G	1501[B]	ATP	C4'-O4'-C1'	2.46	112.42	109.75
4	G	1003	ADP	C2-N1-C6	2.45	123.20	118.77
4	E	1004	ADP	C8-N9-C4	2.43	108.75	106.90
5	G	1001[A]	ATP	C2-N3-C4	2.36	120.72	114.01
4	E	1004	ADP	C2-N3-C4	2.31	120.59	114.01
5	G	1501[B]	ATP	C2-N3-C4	2.28	120.52	114.01
4	G	1003	ADP	O2B-PB-O3A	-2.27	94.37	105.14
4	G	1003	ADP	C4-C5-N7	-2.23	107.61	109.52
4	E	1004	ADP	C3'-C2'-C1'	2.19	104.33	100.91
4	E	1004	ADP	O3B-PB-O2B	2.16	116.00	107.61
4	G	1003	ADP	C2-N3-C4	2.12	120.05	114.01
5	G	1001[A]	ATP	C4'-O4'-C1'	-2.09	107.48	109.75
4	E	1004	ADP	C2-N1-C6	2.09	122.54	118.77
5	G	1501[B]	ATP	C3'-C2'-C1'	2.05	104.11	100.91
5	E	1002[A]	ATP	O4'-C1'-C2'	-2.04	103.65	106.77
5	G	1001[A]	ATP	C2-N1-C6	2.03	122.44	118.77

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	114/137 (83%)	-0.07	4 (3%) 42 39	45, 52, 60, 64	0
1	C	114/137 (83%)	0.65	18 (15%) 3 2	45, 53, 58, 61	0
2	B	91/97 (93%)	0.17	2 (2%) 59 56	46, 52, 59, 66	0
2	D	92/97 (94%)	2.21	48 (52%) 0 0	24, 52, 60, 66	0
3	E	324/334 (97%)	0.09	12 (3%) 39 37	26, 52, 63, 77	0
3	G	325/334 (97%)	0.06	6 (1%) 65 62	24, 51, 61, 80	0
All	All	1060/1136 (93%)	0.31	90 (8%) 11 9	24, 52, 61, 80	0

All (90) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	542	TYR	7.2
2	B	247	TYR	5.9
1	A	486	VAL	5.6
3	E	118	GLU	5.2
2	D	265	LEU	5.1
2	D	266	ALA	5.0
3	G	2	MET	4.9
2	D	232	LEU	4.9
2	D	278	SER	4.7
1	C	487	ASN	4.7
2	D	224	LEU	4.6
2	D	279	ALA	4.6
1	C	514	TYR	4.6
2	D	267	ALA	4.6
2	D	220	THR	4.6
3	E	2	MET	4.4
1	C	541	ILE	4.3
1	C	512	ASN	4.3
2	D	264	HIS	4.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	D	291	ALA	4.2
2	D	277	LEU	4.1
3	G	1	ALA	4.0
1	A	487	ASN	4.0
1	C	540	ASP	3.9
2	D	275	LEU	3.9
2	D	229	PRO	3.7
1	C	486	VAL	3.5
2	D	276	ALA	3.5
2	D	221	LEU	3.4
1	C	490	TYR	3.4
1	C	488	GLY	3.4
2	D	295	ASN	3.4
2	D	289	THR	3.4
1	C	510	GLY	3.4
2	D	292	MET	3.3
2	D	290	THR	3.3
2	D	297	ASP	3.2
2	D	281	THR	3.2
1	C	507	LYS	3.1
3	E	318	THR	3.1
3	G	118	GLU	3.1
2	D	263	ASN	3.1
3	G	316	ASP	3.1
2	D	296	PHE	3.0
1	C	491	ARG	3.0
2	D	288	VAL	3.0
3	G	328	ASP	3.0
1	C	508	ARG	2.9
2	D	211	GLU	2.8
3	E	74[A]	MET	2.8
2	D	239	CYS	2.8
1	C	511	LYS	2.8
1	A	488	GLY	2.8
1	A	485	PRO	2.8
2	D	230	PRO	2.8
2	D	208	TYR	2.8
3	E	119	THR	2.8
2	D	231	SER	2.7
2	D	280	THR	2.7
2	D	268	ALA	2.7
3	E	9	LYS	2.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	539	LYS	2.6
2	D	225	LYS	2.6
3	E	3	ASP	2.6
2	D	212	ILE	2.6
2	B	297	ASP	2.5
2	D	273	GLY	2.5
3	G	4	VAL	2.5
1	C	513	THR	2.5
2	D	210	THR	2.4
2	D	287	TYR	2.4
2	D	227	PRO	2.4
2	D	274	VAL	2.4
1	C	502	GLU	2.3
3	E	117	PRO	2.3
2	D	228	LYS	2.3
2	D	293	PHE	2.2
2	D	223	GLU	2.2
2	D	206	GLU	2.2
3	E	4	VAL	2.2
2	D	261	LEU	2.2
2	D	272	LEU	2.1
2	D	222	GLN	2.1
2	D	240	ILE	2.1
3	E	186	GLN	2.1
3	E	7	THR	2.1
2	D	260	VAL	2.0
3	E	328	ASP	2.0
2	D	269	ASN	2.0
1	C	509	GLU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
5	ATP	E	1502[B]	31/31	0.12	-0.56	31,33,51,52	31
5	ATP	E	1002[A]	31/31	0.12	-0.57	48,53,60,61	31
5	ATP	G	1001[A]	31/31	0.13	-0.62	36,54,56,57	31
5	ATP	G	1501[B]	31/31	0.13	-0.78	27,31,48,49	31
4	ADP	G	1003	27/27	0.11	-2.23	36,38,42,45	0
4	ADP	E	1004	27/27	0.12	-3.66	33,40,46,49	0

## 6.5 Other polymers

There are no such residues in this entry.