



# Full wwPDB X-ray Structure Validation Report

Feb 27, 2014 – 11:09 PM GMT

PDB ID : 2QRS  
Title : Crystal Structure of a single chain trimer composed of the MHC I heavy chain H-2Kb Y84A, beta-2microglobulin, and ovalbumin-derived peptide.  
Authors : Mitaksov, V.E.; Fremont, D.H.  
Deposited on : 2007-07-29  
Resolution : 2.00 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.15 2013  
Xtriage (Phenix) : dev-1323  
EDS : stable22639  
Percentile statistics : 21963  
Refmac : 5.8.0049  
CCP4 : 6.3.0 (Settle)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable22683

# 1 Overall quality at a glance

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	66092	4888 (2.00-2.00)
Clashscore	79885	6188 (2.00-2.00)
Ramachandran outliers	78287	6102 (2.00-2.00)
Sidechain outliers	78261	6100 (2.00-2.00)
RSRZ outliers	66119	4890 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	422	
1	B	422	

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 7082 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called H-2 class I histocompatibility antigen K-B alpha chain, Beta-2 microglobulin, ovalbumin-derived peptide.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	398	Total	C	N	O	S	0	0	0
			3191	2014	558	603	16			
1	B	398	Total	C	N	O	S	0	0	0
			3191	2014	558	603	16			

There are 72 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	9P	GLY	-	linker	UNP P01901
A	10P	GLY	-	linker	UNP P01901
A	11P	GLY	-	linker	UNP P01901
A	12P	ALA	-	linker	UNP P01901
A	13P	SER	-	linker	UNP P01901
A	14P	GLY	-	linker	UNP P01901
A	15P	GLY	-	linker	UNP P01901
A	16P	GLY	-	linker	UNP P01901
A	17P	GLY	-	linker	UNP P01901
A	18P	SER	-	linker	UNP P01901
A	19P	GLY	-	linker	UNP P01901
A	20P	GLY	-	linker	UNP P01901
A	21P	GLY	-	linker	UNP P01901
A	22P	GLY	-	linker	UNP P01901
A	23P	SER	-	linker	UNP P01901
A	100B	GLY	-	linker	UNP P01901
A	101B	GLY	-	linker	UNP P01901
A	102B	GLY	-	linker	UNP P01901
A	103B	GLY	-	linker	UNP P01901
A	104B	SER	-	linker	UNP P01901
A	105B	GLY	-	linker	UNP P01901
A	106B	GLY	-	linker	UNP P01901
A	107B	GLY	-	linker	UNP P01901
A	108B	GLY	-	linker	UNP P01901

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	109B	SER	-	linker	UNP P01901
A	110B	GLY	-	linker	UNP P01901
A	111B	GLY	-	linker	UNP P01901
A	112B	GLY	-	linker	UNP P01901
A	113B	GLY	-	linker	UNP P01901
A	114B	SER	-	linker	UNP P01901
A	115B	GLY	-	linker	UNP P01901
A	116B	GLY	-	linker	UNP P01901
A	117B	GLY	-	linker	UNP P01901
A	118B	GLY	-	linker	UNP P01901
A	119B	SER	-	linker	UNP P01901
A	84H	ALA	TYR	engineered	UNP P01901
B	9P	GLY	-	linker	UNP P01901
B	10P	GLY	-	linker	UNP P01901
B	11P	GLY	-	linker	UNP P01901
B	12P	ALA	-	linker	UNP P01901
B	13P	SER	-	linker	UNP P01901
B	14P	GLY	-	linker	UNP P01901
B	15P	GLY	-	linker	UNP P01901
B	16P	GLY	-	linker	UNP P01901
B	17P	GLY	-	linker	UNP P01901
B	18P	SER	-	linker	UNP P01901
B	19P	GLY	-	linker	UNP P01901
B	20P	GLY	-	linker	UNP P01901
B	21P	GLY	-	linker	UNP P01901
B	22P	GLY	-	linker	UNP P01901
B	23P	SER	-	linker	UNP P01901
B	100B	GLY	-	linker	UNP P01901
B	101B	GLY	-	linker	UNP P01901
B	102B	GLY	-	linker	UNP P01901
B	103B	GLY	-	linker	UNP P01901
B	104B	SER	-	linker	UNP P01901
B	105B	GLY	-	linker	UNP P01901
B	106B	GLY	-	linker	UNP P01901
B	107B	GLY	-	linker	UNP P01901
B	108B	GLY	-	linker	UNP P01901
B	109B	SER	-	linker	UNP P01901
B	110B	GLY	-	linker	UNP P01901
B	111B	GLY	-	linker	UNP P01901
B	112B	GLY	-	linker	UNP P01901
B	113B	GLY	-	linker	UNP P01901
B	114B	SER	-	linker	UNP P01901

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	115B	GLY	-	linker	UNP P01901
B	116B	GLY	-	linker	UNP P01901
B	117B	GLY	-	linker	UNP P01901
B	118B	GLY	-	linker	UNP P01901
B	119B	SER	-	linker	UNP P01901
B	84H	ALA	TYR	engineered	UNP P01901

- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	336	Total O 336 336	0	0
2	B	364	Total O 364 364	0	0



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	66.10Å 89.30Å 88.50Å 90.00° 111.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.00 19.98 – 1.90	Depositor EDS
% Data completeness (in resolution range)	(Not available) (20.00-2.00) 99.6 (19.98-1.90)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.10	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.95 (at 1.90Å)	Xtriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.210 , 0.252 0.210 , 0.252	Depositor DCC
$R_{free}$ test set	3268 reflections (5.05%)	DCC
Wilson B-factor (Å <sup>2</sup> )	21.5	Xtriage
Anisotropy	0.482	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 43.9	EDS
Estimated twinning fraction	0.022 for h,-k,-h-l	Xtriage
L-test for twinning	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	3 of 74792 reflections (0.004%)	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	7082	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 39.65 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 3.0772e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.46	0/3279	0.72	1/4447 (0.0%)
1	B	0.44	0/3279	0.69	0/4447
All	All	0.45	0/6558	0.70	1/8894 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	272(H)	LEU	CA-CB-CG	5.31	127.50	115.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3191	0	3054	83	0
1	B	3191	0	3054	105	0
2	A	336	0	0	31	0
2	B	364	0	0	33	0
All	All	7082	0	6108	188	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 15.



All (188) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:99(B):MET:HG3	2:A:582:HOH:O	0.99	1.15
1:B:99(B):MET:SD	1:B:202(H):ARG:HD2	1.86	1.14
1:B:99(B):MET:SD	1:B:202(H):ARG:CD	2.52	0.97
1:A:198(H):LYS:O	1:A:199(H):VAL:HG13	1.65	0.96
1:B:17(P):GLY:HA2	1:B:86(H):ASN:HB2	1.53	0.91
1:B:197(H):ASP:O	1:B:251(H):LEU:HB2	1.70	0.91
1:B:194(H):ARG:CG	1:B:194(H):ARG:HH11	1.83	0.91
1:B:9(P):GLY:HA3	2:B:641:HOH:O	1.72	0.90
1:B:194(H):ARG:HG2	1:B:194(H):ARG:HH11	1.36	0.88
1:A:220(H):ASN:HB2	2:A:608:HOH:O	1.74	0.88
1:B:3(B):LYS:HE2	2:B:513:HOH:O	1.75	0.86
1:B:99(B):MET:SD	1:B:204(H):TRP:HZ2	1.99	0.85
1:B:89(H):LYS:HD2	2:B:610:HOH:O	1.76	0.85
1:B:12(P):ALA:HB1	2:B:633:HOH:O	1.76	0.85
1:A:77(B):THR:HG23	2:A:394:HOH:O	1.76	0.83
1:B:99(B):MET:HA	2:B:585:HOH:O	1.77	0.82
1:B:234(H):ARG:HE	1:B:242(H):GLN:HE21	1.28	0.81
1:B:228(H):MET:HE1	2:B:482:HOH:O	1.82	0.80
1:A:62(H):ARG:HD2	2:A:514:HOH:O	1.83	0.77
1:A:96(B):ASP:OD2	1:A:99(B):MET:HB2	1.85	0.77
1:A:228(H):MET:HB2	2:A:599:HOH:O	1.85	0.77
1:B:99(B):MET:SD	1:B:204(H):TRP:CZ2	2.79	0.75
1:B:75(H):ARG:HD2	2:B:642:HOH:O	1.86	0.75
1:A:263(H):HIS:CD2	1:A:265(H):GLY:H	2.05	0.73
1:B:193(H):SER:HB2	2:B:624:HOH:O	1.89	0.72
1:B:40(B):LEU:HD13	2:B:644:HOH:O	1.90	0.71
1:A:4(P):ASN:HB3	2:A:604:HOH:O	1.91	0.71
1:B:82(H):LEU:HD22	1:B:87(H):GLN:HB2	1.73	0.70
1:A:198(H):LYS:O	1:A:199(H):VAL:CG1	2.39	0.70
1:A:263(H):HIS:HD2	1:A:265(H):GLY:H	1.37	0.70
1:B:194(H):ARG:HG3	1:B:195(H):PRO:HD2	1.71	0.70
1:A:258(H):THR:HG22	1:A:273(H):ARG:HG3	1.73	0.70
1:B:234(H):ARG:HE	1:B:242(H):GLN:NE2	1.89	0.70
1:B:180(H):LEU:HB2	2:B:639:HOH:O	1.92	0.70
1:B:194(H):ARG:NH1	1:B:194(H):ARG:HG2	2.06	0.69
1:A:42(H):ASN:O	1:A:44(H):ARG:HG2	1.91	0.69
1:A:67(B):HIS:HD2	2:A:438:HOH:O	1.76	0.69
1:A:6(B):GLN:HG2	2:A:500:HOH:O	1.93	0.68
1:B:146(H):LYS:HG3	2:B:410:HOH:O	1.93	0.68
1:A:20(P):GLY:HA2	1:A:122(H):ASP:O	1.94	0.67
1:B:62(H):ARG:HD2	2:B:631:HOH:O	1.92	0.67
1:A:21(P):GLY:HA3	1:A:118(H):TYR:HD2	1.61	0.66

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:264(H):GLN:HG3	2:B:635:HOH:O	1.95	0.66
1:A:22(P):GLY:HA2	1:A:87(H):GLN:HE22	1.61	0.65
1:B:258(H):THR:CG2	1:B:273(H):ARG:HE	2.08	0.65
1:A:133(H):TRP:HH2	1:A:156(H):LEU:CD1	2.10	0.65
1:B:16(B):GLU:HB3	2:B:636:HOH:O	1.96	0.64
1:B:3(H):HIS:HB3	2:B:643:HOH:O	1.98	0.64
1:A:62(H):ARG:HB2	2:A:603:HOH:O	1.96	0.64
1:B:40(B):LEU:HD23	1:B:45(B):LYS:HA	1.78	0.64
1:B:258(H):THR:HG22	1:B:273(H):ARG:HE	1.63	0.64
1:A:176(H):ASN:O	1:A:180(H):LEU:HD22	1.98	0.63
1:B:194(H):ARG:HG3	1:B:195(H):PRO:CD	2.28	0.63
1:B:9(P):GLY:O	1:B:146(H):LYS:HE3	1.98	0.63
1:A:67(B):HIS:CD2	2:A:438:HOH:O	2.49	0.62
1:A:22(P):GLY:HA2	1:A:87(H):GLN:NE2	2.15	0.62
1:A:133(H):TRP:HH2	1:A:156(H):LEU:HD12	1.64	0.62
1:A:133(H):TRP:CH2	1:A:156(H):LEU:HD12	2.35	0.61
1:B:73(B):THR:HG22	1:B:74(B):GLU:N	2.16	0.61
1:A:6(B):GLN:OE1	1:A:29(B):GLN:HG3	2.00	0.61
1:B:99(B):MET:HB3	1:B:204(H):TRP:CZ2	2.35	0.61
1:A:2(B):GLN:HG2	1:A:32(B):PRO:HD3	1.83	0.60
1:A:257(H):TYR:O	1:A:273(H):ARG:HG2	2.00	0.60
1:B:264(H):GLN:HG2	2:B:381:HOH:O	2.01	0.60
1:A:12(B):ARG:CZ	1:A:22(B):ILE:HD12	2.33	0.59
1:A:12(B):ARG:NH1	1:A:22(B):ILE:HD12	2.18	0.59
1:A:6(H):ARG:HG2	2:A:609:HOH:O	2.01	0.59
1:B:19(H):GLU:OE1	1:B:75(H):ARG:NH1	2.34	0.59
1:B:8(P):LEU:O	1:B:10(P):GLY:N	2.36	0.59
1:B:197(H):ASP:O	1:B:251(H):LEU:CB	2.48	0.59
1:B:144(H):LYS:O	1:B:148(H):GLU:HG3	2.03	0.58
1:B:50(H):ARG:HD2	1:B:53(H):GLU:OE2	2.04	0.58
1:A:40(H):ALA:HB2	2:A:555:HOH:O	2.03	0.58
1:A:6(H):ARG:NH2	1:A:30(H):ASP:OD1	2.36	0.57
1:B:72(H):GLN:NE2	2:B:642:HOH:O	2.32	0.57
1:B:23(P):SER:HB2	2:B:405:HOH:O	2.03	0.57
1:A:234(H):ARG:HE	1:A:242(H):GLN:HE21	1.52	0.57
1:B:99(B):MET:SD	1:B:202(H):ARG:HD3	2.45	0.57
1:B:15(P):GLY:N	2:B:633:HOH:O	2.29	0.56
1:B:154(H):GLU:HG3	2:B:406:HOH:O	2.04	0.56
1:B:218(H):GLN:NE2	1:B:260(H):HIS:CD2	2.74	0.55
1:B:181(H):ARG:HD2	2:B:505:HOH:O	2.05	0.55
1:A:8(B):GLN:NE2	1:A:234(H):ARG:HH11	2.05	0.55
1:B:194(H):ARG:HG3	1:B:194(H):ARG:HH11	1.70	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:133(H):TRP:HH2	1:B:156(H):LEU:CD1	2.19	0.55
1:A:54(H):GLN:NE2	2:A:369:HOH:O	2.38	0.55
1:B:156(H):LEU:HD11	2:B:296:HOH:O	2.07	0.55
1:B:60(B):TRP:CE2	1:B:117(H):ALA:HB2	2.41	0.54
1:A:258(H):THR:HG22	1:A:273(H):ARG:CG	2.37	0.54
1:B:21(B):ASN:C	1:B:22(B):ILE:HD12	2.28	0.54
1:A:41(H):GLU:HG2	2:A:464:HOH:O	2.08	0.54
1:B:181(H):ARG:HD2	1:B:182(H):THR:H	1.73	0.54
1:B:270(H):LEU:HA	2:B:615:HOH:O	2.08	0.54
1:B:216(H):THR:OG1	1:B:260(H):HIS:HB2	2.08	0.53
1:B:228(H):MET:HA	2:B:510:HOH:O	2.08	0.53
1:A:224(H):LEU:HB2	2:A:599:HOH:O	2.08	0.52
1:A:1(B):ILE:N	2:A:510:HOH:O	2.42	0.52
1:B:133(H):TRP:CH2	1:B:156(H):LEU:HD12	2.44	0.52
1:B:197(H):ASP:N	1:B:197(H):ASP:OD1	2.42	0.52
1:B:11(P):GLY:H	1:B:142(H):ILE:HG21	1.74	0.52
1:A:3(P):ILE:CD1	1:A:156(H):LEU:HD23	2.40	0.52
1:A:156(H):LEU:HD11	2:A:308:HOH:O	2.09	0.51
1:B:97(B):ARG:C	1:B:99(B):MET:H	2.12	0.51
1:B:11(P):GLY:O	1:B:12(P):ALA:HB2	2.10	0.51
1:A:29(H):ASP:O	1:A:30(H):ASP:HB2	2.11	0.51
1:A:195(H):PRO:O	1:A:198(H):LYS:HG3	2.11	0.51
1:B:45(B):LYS:HB3	2:B:542:HOH:O	2.11	0.51
1:A:1(B):ILE:HG22	1:A:1(B):ILE:O	2.11	0.51
1:B:3(B):LYS:HE3	2:B:456:HOH:O	2.10	0.50
1:B:114(H):GLN:HG2	1:B:156(H):LEU:CD1	2.42	0.50
1:B:186(H):LYS:HE3	2:B:484:HOH:O	2.11	0.50
1:B:185(H):PRO:HD3	1:B:263(H):HIS:CD2	2.48	0.49
1:A:197(H):ASP:O	1:A:198(H):LYS:HG2	2.11	0.49
1:B:258(H):THR:HG22	1:B:273(H):ARG:CG	2.43	0.49
1:A:60(B):TRP:CE2	1:A:117(H):ALA:HB2	2.47	0.49
1:A:175(H):GLY:HA2	2:A:322:HOH:O	2.12	0.49
1:B:97(B):ARG:O	1:B:99(B):MET:N	2.45	0.49
1:B:224(H):LEU:O	1:B:226(H):GLN:N	2.46	0.48
1:B:99(B):MET:HB3	1:B:204(H):TRP:HZ2	1.78	0.48
1:B:224(H):LEU:O	1:B:225(H):ILE:C	2.52	0.47
1:B:73(B):THR:CG2	1:B:74(B):GLU:N	2.77	0.47
1:A:95(B):TRP:CH2	1:A:97(B):ARG:HG2	2.50	0.47
1:B:133(H):TRP:HH2	1:B:156(H):LEU:HD12	1.79	0.47
1:A:26(B):TYR:HE2	2:A:610:HOH:O	1.96	0.47
1:A:58(B):LYS:HE2	2:A:574:HOH:O	2.15	0.47
1:A:6(H):ARG:HD2	2:A:573:HOH:O	2.15	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:40(B):LEU:HD23	1:A:45(B):LYS:HA	1.96	0.47
1:A:95(B):TRP:CZ2	1:A:97(B):ARG:HG2	2.49	0.46
1:A:230(H):LEU:HD23	1:A:245(H):ALA:HB2	1.97	0.46
1:B:29(H):ASP:O	1:B:30(H):ASP:HB2	2.16	0.46
1:B:230(H):LEU:C	1:B:230(H):LEU:HD12	2.36	0.46
1:B:230(H):LEU:O	1:B:230(H):LEU:HD12	2.15	0.45
1:B:194(H):ARG:HB3	1:B:198(H):LYS:HB2	1.97	0.45
1:B:258(H):THR:HG22	1:B:273(H):ARG:HG2	1.99	0.45
1:A:58(H):GLU:HG3	2:A:598:HOH:O	2.17	0.45
1:A:194(H):ARG:HD3	1:A:248(H):VAL:HG13	1.98	0.45
1:A:62(H):ARG:HD3	2:A:603:HOH:O	2.17	0.44
1:B:220(H):ASN:HB3	2:B:602:HOH:O	2.17	0.44
1:A:13(P):SER:HB3	1:A:84(H):ALA:O	2.18	0.44
1:A:55(B):SER:HB2	1:A:63(B):TYR:CZ	2.52	0.44
1:B:176(H):ASN:CG	1:B:177(H):ALA:N	2.71	0.44
1:A:36(B):GLU:HB2	1:A:83(B):LYS:HB3	2.00	0.44
1:A:210(H):PRO:O	1:A:263(H):HIS:HE1	2.01	0.44
1:A:40(H):ALA:HB1	2:A:469:HOH:O	2.17	0.44
1:B:58(B):LYS:HG3	2:B:378:HOH:O	2.17	0.44
1:A:175(H):GLY:O	1:A:179(H):LEU:HG	2.19	0.43
1:B:99(B):MET:CB	1:B:204(H):TRP:HZ2	2.30	0.43
1:A:226(H):GLN:HB3	2:A:572:HOH:O	2.17	0.43
1:B:268(H):GLU:HB3	2:B:619:HOH:O	2.18	0.43
1:B:23(H):MET:HE1	1:B:35(H):ARG:HH11	1.84	0.43
1:B:6(B):GLN:OE1	1:B:29(B):GLN:HG3	2.18	0.43
1:B:99(B):MET:HG2	1:B:192(H):HIS:CE1	2.54	0.43
1:B:133(H):TRP:HH2	1:B:156(H):LEU:HD11	1.84	0.43
1:A:201(H):LEU:O	1:A:246(H):SER:HA	2.19	0.43
1:A:41(H):GLU:N	2:A:444:HOH:O	2.47	0.43
1:A:234(H):ARG:HE	1:A:242(H):GLN:NE2	2.16	0.43
1:A:170(H):ARG:O	1:A:173(H):LYS:HB2	2.19	0.42
1:B:111(H):ARG:CD	2:B:454:HOH:O	2.66	0.42
1:A:24(B):ASN:HB3	1:A:65(B):LEU:HD11	2.00	0.42
1:A:197(H):ASP:O	1:A:197(H):ASP:OD1	2.37	0.42
1:A:133(H):TRP:CH2	1:A:156(H):LEU:CD1	2.96	0.42
1:B:210(H):PRO:HB2	2:B:514:HOH:O	2.19	0.42
1:B:41(H):GLU:H	1:B:41(H):GLU:CD	2.23	0.42
1:B:82(H):LEU:CD2	1:B:87(H):GLN:HB2	2.48	0.42
1:B:270(H):LEU:HD12	2:B:537:HOH:O	2.20	0.42
1:A:260(H):HIS:ND1	1:A:271(H):THR:HG22	2.35	0.42
1:B:11(P):GLY:HA3	1:B:84(H):ALA:CB	2.49	0.42
1:A:2(B):GLN:HG2	1:A:32(B):PRO:CD	2.50	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:194(H):ARG:NH1	1:B:194(H):ARG:CG	2.53	0.41
1:B:16(B):GLU:HB2	1:B:19(B):LYS:HG3	2.01	0.41
1:B:185(H):PRO:HB3	1:B:208(H):PHE:HB3	2.02	0.41
1:B:8(B):GLN:NE2	1:B:234(H):ARG:HH11	2.19	0.41
1:A:197(H):ASP:C	1:A:198(H):LYS:HG2	2.40	0.41
1:A:3(H):HIS:HA	1:A:29(H):ASP:OD1	2.20	0.41
1:A:181(H):ARG:NH1	2:A:460:HOH:O	2.50	0.41
1:A:4(H):SER:O	1:A:28(H):VAL:HA	2.21	0.41
1:A:9(H):VAL:O	1:A:96(H):GLN:HA	2.20	0.41
2:A:542:HOH:O	1:B:42(H):ASN:HB3	2.20	0.41
1:B:97(B):ARG:C	1:B:99(B):MET:N	2.74	0.41
1:B:133(H):TRP:CH2	1:B:156(H):LEU:CD1	3.02	0.41
1:A:41(H):GLU:OE1	1:A:41(H):GLU:HA	2.20	0.40
1:B:261(H):VAL:HB	1:B:270(H):LEU:HB3	2.02	0.40
1:A:146(H):LYS:HE2	2:A:340:HOH:O	2.21	0.40
1:B:114(H):GLN:HG2	1:B:156(H):LEU:HD13	2.03	0.40
1:A:61(B):SER:HB3	2:A:408:HOH:O	2.21	0.40
1:B:209(H):TYR:HA	1:B:210(H):PRO:C	2.41	0.40
1:B:8(P):LEU:HD21	1:B:116(H):TYR:CD2	2.56	0.40
1:A:31(H):THR:HG21	2:A:511:HOH:O	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	394/422 (93%)	369 (94%)	19 (5%)	6 (2%)	15	6
1	B	394/422 (93%)	375 (95%)	16 (4%)	3 (1%)	27	17
All	All	788/844 (93%)	744 (94%)	35 (4%)	9 (1%)	21	10

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	225(H)	ILE
1	A	199(H)	VAL
1	B	9(P)	GLY
1	B	98(B)	ASP
1	A	11(P)	GLY
1	A	19(P)	GLY
1	A	1(B)	ILE
1	A	197(H)	ASP
1	A	9(P)	GLY

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	337/345 (98%)	332 (98%)	5 (2%)	76	79
1	B	337/345 (98%)	327 (97%)	10 (3%)	53	50
All	All	674/690 (98%)	659 (98%)	15 (2%)	64	65

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	44(B)	LYS
1	A	70(B)	PHE
1	A	45(H)	TYR
1	A	180(H)	LEU
1	A	272(H)	LEU
1	B	48(B)	LYS
1	B	70(B)	PHE
1	B	45(H)	TYR
1	B	82(H)	LEU
1	B	111(H)	ARG
1	B	176(H)	ASN
1	B	194(H)	ARG
1	B	226(H)	GLN
1	B	267(H)	PRO
1	B	268(H)	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such

sidechains are listed below:

Mol	Chain	Res	Type
1	A	8(B)	GLN
1	A	67(B)	HIS
1	A	65(H)	GLN
1	A	115(H)	GLN
1	A	145(H)	HIS
1	A	174(H)	ASN
1	A	226(H)	GLN
1	A	242(H)	GLN
1	A	263(H)	HIS
1	B	8(B)	GLN
1	B	65(H)	GLN
1	B	115(H)	GLN
1	B	174(H)	ASN
1	B	218(H)	GLN
1	B	220(H)	ASN
1	B	242(H)	GLN
1	B	263(H)	HIS

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

There are no ligands in this entry.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	398/422 (94%)	0.00	25 (6%) 19 19	14, 26, 63, 96	0
1	B	398/422 (94%)	-0.05	26 (6%) 18 18	13, 26, 63, 92	0
All	All	796/844 (94%)	-0.02	51 (6%) 19 18	13, 26, 63, 96	0

All (51) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	18(P)	SER	14.5
1	A	23(P)	SER	12.2
1	B	18(P)	SER	10.5
1	A	22(P)	GLY	8.6
1	B	15(P)	GLY	8.4
1	B	99(B)	MET	8.2
1	A	17(P)	GLY	7.8
1	A	14(P)	GLY	7.7
1	B	14(P)	GLY	7.4
1	A	12(P)	ALA	7.2
1	A	16(P)	GLY	7.1
1	B	20(P)	GLY	7.1
1	A	19(P)	GLY	7.1
1	A	20(P)	GLY	6.2
1	B	12(P)	ALA	6.2
1	A	10(P)	GLY	5.4
1	A	1(B)	ILE	5.1
1	A	98(B)	ASP	5.0
1	A	15(P)	GLY	4.9
1	B	10(P)	GLY	4.8
1	B	13(P)	SER	4.7
1	A	1(H)	GLY	4.7
1	A	21(P)	GLY	4.6
1	A	99(B)	MET	4.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	13(P)	SER	4.6
1	B	225(H)	ILE	4.5
1	A	11(P)	GLY	4.0
1	A	226(H)	GLN	3.9
1	A	41(H)	GLU	3.5
1	B	11(P)	GLY	3.4
1	A	196(H)	GLU	3.4
1	B	21(P)	GLY	3.3
1	B	42(H)	ASN	3.1
1	A	195(H)	PRO	3.1
1	B	41(H)	GLU	3.0
1	B	1(H)	GLY	2.9
1	B	16(P)	GLY	2.9
1	A	40(H)	ALA	2.8
1	B	98(B)	ASP	2.8
1	B	1(B)	ILE	2.7
1	A	198(H)	LYS	2.7
1	B	180(H)	LEU	2.5
1	B	227(H)	ASP	2.5
1	B	226(H)	GLN	2.4
1	B	17(P)	GLY	2.4
1	B	89(H)	LYS	2.2
1	B	23(P)	SER	2.2
1	A	42(H)	ASN	2.2
1	B	195(H)	PRO	2.0
1	B	196(H)	GLU	2.0
1	B	19(P)	GLY	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ

There are no ligands in this entry.

## 6.5 Other polymers ⓘ

There are no such residues in this entry.