



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 10, 2014 – 11:07 AM EDT

PDB ID : 4QW8
Title : TERNARY CRYSTAL STRUCTURES of A Y-FAMILY DNA POLYMERASE DPO4 FROM SULFOLOBUS SOLFATARICUS IN COMPLEX WITH DNA AND D-DCTP
Authors : Gaur, V.; Suo, Z.
Deposited on : 2014-07-16
Resolution : 2.29 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.16 November 2013
Xtriage (Phenix) : dev-1439
EDS : stable23489
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable23489

1 Overall quality at a glance

The reported resolution of this entry is 2.29 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	2929 (2.30-2.30)
Clashscore	79885	3679 (2.30-2.30)
Ramachandran outliers	78287	3642 (2.30-2.30)
Sidechain outliers	78261	3641 (2.30-2.30)
RSRZ outliers	66119	2930 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	349	
2	C	13	
3	D	16	

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 3609 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA polymerase IV.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	341	Total	C	N	O	S	0	0	0
			2743	1760	472	504	7			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	342	LEU	-	EXPRESSION TAG	UNP Q97W02
A	343	GLU	-	EXPRESSION TAG	UNP Q97W02
A	344	HIS	-	EXPRESSION TAG	UNP Q97W02
A	345	HIS	-	EXPRESSION TAG	UNP Q97W02
A	346	HIS	-	EXPRESSION TAG	UNP Q97W02
A	347	HIS	-	EXPRESSION TAG	UNP Q97W02
A	348	HIS	-	EXPRESSION TAG	UNP Q97W02
A	349	HIS	-	EXPRESSION TAG	UNP Q97W02


- Molecule 2 is a DNA chain called DNA (5'-D(P*GP*GP*CP*TP*AP*CP*AP*GP*GP*AP*CP*TP*C)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	13	Total	C	N	O	P	0	0	0
			264	126	51	75	12			

- Molecule 3 is a DNA chain called DNA (5'-D(P*CP*AP*GP*GP*AP*GP*TP*CP*CP*TP*GP*TP*AP*GP*CP*C)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	D	16	Total	C	N	O	P	0	0	0
			329	155	61	97	16			

- Molecule 4 is 2'-DEOXYCYTIDINE-5'-TRIPHOSPHATE (three-letter code: DCP) (formula: C₉H₁₆N₃O₁₃P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			28	9	3	13	3		

- Molecule 5 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	3	Total Ca 3 3	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	176	Total O 176 176	0	0
6	C	25	Total O 25 25	0	0
6	D	41	Total O 41 41	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: DNA polymerase IV



• Molecule 2: DNA (5'-D(P*GP*GP*CP*TP*AP*CP*AP*GP*GP*AP*CP*TP*C)-3')



• Molecule 3: DNA (5'-D(P*CP*AP*GP*GP*AP*GP*TP*CP*CP*TP*GP*TP*AP*GP*CP*C)-3')



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	98.07Å 102.32Å 52.49Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.91 – 2.29 19.91 – 2.29	Depositor EDS
% Data completeness (in resolution range)	93.3 (19.91-2.29) 93.3 (19.91-2.29)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.50 (at 2.28Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.215 , 0.235 0.210 , 0.230	Depositor DCC
R_{free} test set	1167 reflections (5.40%)	DCC
Wilson B-factor (Å ²)	38.1	Xtriage
Anisotropy	0.236	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.42 , 51.6	EDS
Estimated twinning fraction	0.013 for k,h,-l	Xtriage
L-test for twinning	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 23769 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	3609	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.36% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: CA, DCP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.73	0/2782	0.74	2/3736 (0.1%)
2	C	1.08	0/296	1.16	0/455
3	D	1.20	1/368 (0.3%)	1.24	1/564 (0.2%)
All	All	0.82	1/3446 (0.0%)	0.86	3/4755 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	3	DC	OP3-P	-7.91	1.51	1.61

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	51	ARG	NE-CZ-NH2	-5.13	117.74	120.30
3	D	4	DA	O4'-C1'-N9	5.10	111.57	108.00
1	A	87	ARG	NE-CZ-NH2	-5.08	117.76	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2743	0	2889	138	0
2	C	264	0	147	10	0
3	D	329	0	180	7	0
4	A	28	0	11	6	0
5	A	3	0	0	0	0
6	A	176	0	0	76	2
6	C	25	0	0	1	0
6	D	41	0	0	6	2
All	All	3609	0	3227	154	2

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 23.

All (154) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:197:LEU:HB2	6:A:940:HOH:O	1.37	1.23
1:A:74:LEU:HG	6:A:899:HOH:O	1.49	1.12
1:A:141:THR:HG23	6:A:949:HOH:O	1.52	1.09
1:A:47:ASN:O	6:A:966:HOH:O	1.77	1.02
3:D:15:DA:H1'	6:D:129:HOH:O	1.61	0.99
1:A:172:LYS:HB2	6:A:906:HOH:O	1.62	0.98
1:A:116:ARG:HH11	1:A:116:ARG:HB3	1.30	0.96
1:A:282:LYS:HD2	6:A:897:HOH:O	1.65	0.95
1:A:242:ARG:HD2	6:D:117:HOH:O	1.68	0.94
1:A:4:LEU:HD22	6:A:933:HOH:O	1.67	0.93
1:A:183:VAL:HG13	6:A:917:HOH:O	1.67	0.93
1:A:46:ALA:HB3	6:A:911:HOH:O	1.69	0.93
1:A:266:PHE:HE1	6:A:960:HOH:O	1.57	0.88
1:A:99:ILE:HD12	6:A:932:HOH:O	1.75	0.86
1:A:197:LEU:HB3	6:A:885:HOH:O	1.75	0.85
1:A:293:LEU:HG	6:A:907:HOH:O	1.76	0.84
4:A:701:DCP:H6	2:C:13:DC:H2''	1.58	0.84
1:A:109:LEU:HG	6:A:932:HOH:O	1.78	0.84
1:A:316:VAL:HG23	6:A:960:HOH:O	1.77	0.83
1:A:193:LYS:O	6:A:946:HOH:O	1.94	0.83
1:A:109:LEU:HB2	6:A:933:HOH:O	1.80	0.81
1:A:166:ILE:HG23	1:A:170:GLU:HB3	1.59	0.81
1:A:273:TYR:HE1	6:A:901:HOH:O	1.62	0.81
1:A:253:ARG:HB2	6:A:942:HOH:O	1.79	0.81
1:A:14:GLN:HE22	1:A:139:THR:H	1.28	0.80
1:A:228:LEU:HG	6:A:963:HOH:O	1.81	0.80
1:A:51:ARG:HD2	6:A:911:HOH:O	1.81	0.79
1:A:52:LYS:HG2	6:A:944:HOH:O	1.83	0.77

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:172:LYS:HG2	6:A:931:HOH:O	1.84	0.77
2:C:5:DA:H5'	2:C:5:DA:C8	2.20	0.77
1:A:276:LEU:HD13	6:A:947:HOH:O	1.85	0.76
1:A:125:GLY:HA2	6:A:969:HOH:O	1.86	0.75
1:A:128:ILE:HD12	6:A:969:HOH:O	1.86	0.74
1:A:184:PRO:HD2	6:A:917:HOH:O	1.86	0.74
1:A:197:LEU:HG	6:A:946:HOH:O	1.88	0.72
1:A:169:GLU:HB3	6:A:948:HOH:O	1.89	0.72
1:A:109:LEU:HD22	6:A:933:HOH:O	1.90	0.72
1:A:158:ALA:HB3	6:A:949:HOH:O	1.90	0.71
1:A:195:LYS:HE2	6:A:912:HOH:O	1.91	0.69
1:A:195:LYS:HD2	6:A:934:HOH:O	1.93	0.69
1:A:72:VAL:HG12	6:A:899:HOH:O	1.93	0.68
1:A:37:PHE:HZ	6:D:128:HOH:O	1.77	0.67
1:A:91:LEU:HD21	1:A:131:LYS:HG2	1.76	0.67
1:A:163:ILE:HD12	6:A:910:HOH:O	1.94	0.67
1:A:201:LYS:HD2	6:A:914:HOH:O	1.93	0.67
4:A:701:DCP:H6	2:C:13:DC:C2'	2.24	0.67
1:A:26:LYS:HB2	6:A:878:HOH:O	1.95	0.66
1:A:199:ILE:HG22	6:A:889:HOH:O	1.96	0.65
1:A:21:PRO:O	1:A:24:LYS:HB2	1.97	0.65
3:D:12:DT:H2''	3:D:13:DG:C8	2.32	0.65
1:A:4:LEU:HD11	6:A:969:HOH:O	1.96	0.64
2:C:5:DA:H8	2:C:5:DA:H5'	1.62	0.64
1:A:51:ARG:NH2	4:A:701:DCP:O3G	2.29	0.64
1:A:38:GLU:O	1:A:39:ASP:HB2	1.98	0.64
1:A:158:ALA:CB	6:A:949:HOH:O	2.46	0.62
4:A:701:DCP:C6	2:C:13:DC:H2''	2.30	0.62
1:A:253:ARG:HD2	6:A:942:HOH:O	1.99	0.61
1:A:156:ASP:HB3	6:A:874:HOH:O	2.01	0.60
1:A:14:GLN:NE2	1:A:139:THR:H	1.98	0.59
1:A:10:TYR:CZ	1:A:48:TYR:HB2	2.38	0.59
1:A:49:GLU:HB2	6:A:936:HOH:O	2.02	0.59
1:A:76:MET:HE1	6:D:138:HOH:O	2.02	0.59
1:A:149:VAL:CG1	6:A:917:HOH:O	2.51	0.58
1:A:291:GLU:HG3	1:A:329:LYS:HB2	1.85	0.58
3:D:3:DC:H2''	3:D:4:DA:C8	2.38	0.58
1:A:291:GLU:CG	1:A:329:LYS:HB2	2.34	0.58
1:A:91:LEU:HD21	1:A:131:LYS:CG	2.34	0.57
1:A:199:ILE:HA	1:A:204:ASP:OD1	2.06	0.56
1:A:38:GLU:HG3	1:A:38:GLU:O	2.06	0.56
1:A:51:ARG:HD3	6:A:966:HOH:O	2.06	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:10:TYR:OH	1:A:48:TYR:HB2	2.06	0.56
1:A:95:TYR:HD1	1:A:124:LEU:HD11	1.71	0.56
1:A:52:LYS:HA	6:A:918:HOH:O	2.06	0.55
1:A:199:ILE:HG13	6:A:940:HOH:O	2.06	0.55
1:A:115:VAL:HB	1:A:120:GLU:HB3	1.89	0.55
1:A:152:LYS:HE2	6:C:125:HOH:O	2.06	0.54
1:A:51:ARG:CD	6:A:911:HOH:O	2.47	0.54
1:A:51:ARG:HH22	4:A:701:DCP:PG	2.31	0.54
2:C:1:DG:H2''	2:C:2:DG:C8	2.43	0.54
1:A:240:ARG:HA	6:A:888:HOH:O	2.08	0.53
1:A:196:LYS:HD3	1:A:216:MET:HE3	1.90	0.53
1:A:208:ILE:HD13	1:A:209:GLU:N	2.24	0.53
1:A:201:LYS:N	6:A:889:HOH:O	2.41	0.53
2:C:8:DG:H1'	2:C:9:DG:H5'	1.90	0.52
1:A:87:ARG:HD3	6:A:967:HOH:O	2.09	0.52
1:A:250:THR:HA	1:A:332:ARG:HG2	1.91	0.51
1:A:133:LEU:O	1:A:137:LYS:HA	2.10	0.51
1:A:291:GLU:OE2	1:A:329:LYS:HD3	2.10	0.51
1:A:238:ARG:NH1	6:A:888:HOH:O	2.42	0.51
1:A:197:LEU:N	6:A:946:HOH:O	2.43	0.51
1:A:72:VAL:C	6:A:899:HOH:O	2.50	0.51
1:A:109:LEU:CG	6:A:932:HOH:O	2.49	0.50
1:A:175:ILE:HD13	1:A:229:ALA:O	2.12	0.50
1:A:200:ASN:O	1:A:201:LYS:HD3	2.12	0.49
1:A:289:VAL:HB	1:A:332:ARG:HB2	1.93	0.49
3:D:4:DA:H2	6:D:137:HOH:O	1.93	0.49
1:A:141:THR:CG2	6:A:949:HOH:O	2.33	0.49
1:A:161:ASN:OD1	1:A:161:ASN:O	2.30	0.49
1:A:300:ARG:HD2	6:A:959:HOH:O	2.11	0.49
1:A:180:ILE:HD13	1:A:194:LEU:HD13	1.95	0.49
1:A:199:ILE:CG1	6:A:940:HOH:O	2.60	0.49
1:A:169:GLU:CB	6:A:948:HOH:O	2.56	0.48
1:A:68:LEU:HB3	1:A:71:ALA:HB2	1.96	0.48
1:A:208:ILE:CD1	1:A:212:LYS:HB3	2.44	0.48
1:A:20:ASN:OD1	1:A:22:SER:HB3	2.13	0.48
1:A:267:ARG:O	1:A:271:GLU:HG3	2.14	0.48
1:A:277:ASP:HB3	6:A:957:HOH:O	2.14	0.48
1:A:169:GLU:HA	6:A:906:HOH:O	2.14	0.48
1:A:66:LYS:HG2	1:A:66:LYS:H	1.50	0.48
1:A:31:CYS:HB3	1:A:61:ILE:HD11	1.95	0.47
1:A:87:ARG:NH2	6:A:935:HOH:O	2.43	0.47
1:A:9:ASP:O	1:A:10:TYR:C	2.52	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:122:TYR:CE2	1:A:126:LEU:HD11	2.50	0.47
1:A:237:ILE:O	1:A:237:ILE:HG22	2.15	0.47
1:A:242:ARG:NH2	6:A:954:HOH:O	2.49	0.46
1:A:233:TYR:HD1	6:A:963:HOH:O	1.99	0.46
1:A:260:GLU:OE2	6:A:942:HOH:O	2.21	0.46
1:A:128:ILE:O	1:A:132:ILE:HG13	2.16	0.45
1:A:316:VAL:O	1:A:320:GLN:HG3	2.16	0.45
1:A:80:VAL:O	1:A:84:VAL:HG23	2.17	0.45
1:A:300:ARG:CD	6:A:959:HOH:O	2.64	0.45
1:A:166:ILE:HD13	1:A:174:LEU:CD2	2.46	0.45
1:A:5:PHE:CD2	1:A:152:LYS:HA	2.52	0.45
1:A:304:HIS:HA	6:A:897:HOH:O	2.16	0.45
1:A:116:ARG:NH1	1:A:116:ARG:HB3	2.14	0.45
1:A:221:LYS:HE2	1:A:221:LYS:HB2	1.86	0.44
1:A:97:GLU:H	1:A:97:GLU:HG3	1.29	0.44
2:C:3:DC:C2'	2:C:4:DT:H71	2.47	0.44
1:A:293:LEU:HD11	3:D:4:DA:H2'	2.00	0.43
1:A:36:ARG:NH2	1:A:254:ASN:OD1	2.37	0.43
1:A:99:ILE:HB	6:A:932:HOH:O	2.18	0.43
1:A:1:MET:HE1	1:A:237:ILE:CD1	2.48	0.43
1:A:202:LEU:O	1:A:205:THR:HG22	2.19	0.43
1:A:1:MET:CE	1:A:237:ILE:CD1	2.97	0.43
3:D:14:DT:H2''	3:D:15:DA:C8	2.55	0.42
1:A:141:THR:HG21	1:A:155:ALA:O	2.20	0.42
1:A:12:TYR:HE1	1:A:104:ILE:HD13	1.84	0.42
1:A:125:GLY:C	6:A:910:HOH:O	2.58	0.42
1:A:149:VAL:HG13	6:A:917:HOH:O	2.17	0.42
1:A:4:LEU:HB3	6:A:933:HOH:O	2.20	0.42
1:A:168:ASP:O	6:A:906:HOH:O	2.22	0.42
1:A:166:ILE:HD13	1:A:174:LEU:HD21	2.01	0.42
1:A:247:ARG:NH1	6:A:887:HOH:O	2.33	0.42
1:A:12:TYR:CZ	4:A:701:DCP:H2'2	2.54	0.42
1:A:38:GLU:O	1:A:39:ASP:CB	2.65	0.42
2:C:1:DG:C2'	2:C:2:DG:C8	3.03	0.41
1:A:8:PHE:N	1:A:8:PHE:CD1	2.82	0.41
1:A:116:ARG:HD2	6:A:886:HOH:O	2.21	0.41
1:A:1:MET:CE	1:A:237:ILE:HD13	2.51	0.41
3:D:18:DC:H5''	6:D:124:HOH:O	2.21	0.41
1:A:31:CYS:HB3	1:A:61:ILE:CD1	2.51	0.41
1:A:212:LYS:NZ	6:A:885:HOH:O	2.53	0.40
2:C:7:DA:H2''	2:C:8:DG:OP2	2.21	0.40
1:A:214:LYS:HE2	6:A:964:HOH:O	2.21	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
6:A:948:HOH:O	6:D:126:HOH:O[4_554]	2.11	0.09
6:A:967:HOH:O	6:D:130:HOH:O[3_445]	2.12	0.08

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	339/349 (97%)	323 (95%)	15 (4%)	1 (0%)	50 60

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	10	TYR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	300/308 (97%)	283 (94%)	17 (6%)	29 37

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	22	SER
1	A	24	LYS
1	A	51	ARG
1	A	66	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	97	GLU
1	A	113	ASP
1	A	116	ARG
1	A	127	GLU
1	A	163	ILE
1	A	170	GLU
1	A	174	LEU
1	A	178	LEU
1	A	188	ASN
1	A	208	ILE
1	A	237	ILE
1	A	267	ARG
1	A	276	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	14	GLN
1	A	90	ASN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 4 ligands modelled in this entry, 3 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link

column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	DCP	A	701	5	29,29,29	1.85	8 (27%)	42,45,45	1.94	11 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	DCP	A	701	5	-	0/19/34/34	0/2/2/2

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	701	DCP	PG-O2G	4.04	1.69	1.54
4	A	701	DCP	C6-N1	3.86	1.41	1.35
4	A	701	DCP	PG-O3B	3.62	1.66	1.60
4	A	701	DCP	PG-O3G	3.44	1.67	1.54
4	A	701	DCP	C1'-N1	-3.28	1.38	1.48
4	A	701	DCP	PB-O3B	-3.16	1.54	1.59
4	A	701	DCP	C2-N1	2.35	1.40	1.38
4	A	701	DCP	O4'-C1'	-2.12	1.37	1.42

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	701	DCP	O4'-C1'-N1	6.95	120.18	107.66
4	A	701	DCP	C2-N1-C1'	4.75	125.18	118.71
4	A	701	DCP	C2-N3-C4	3.33	120.44	115.65
4	A	701	DCP	PB-O3B-PG	-3.00	123.62	131.93
4	A	701	DCP	C2'-C1'-N1	2.97	121.57	114.14
4	A	701	DCP	C3'-C2'-C1'	-2.87	94.85	102.49
4	A	701	DCP	PB-O3A-PA	-2.69	124.47	131.93
4	A	701	DCP	C5-C4-N4	-2.39	117.06	121.30
4	A	701	DCP	N4-C4-N3	2.27	120.84	116.61
4	A	701	DCP	C2'-C3'-C4'	-2.25	97.74	102.73
4	A	701	DCP	C6-N1-C1'	-2.01	114.69	119.35

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	341/349 (97%)	0.45	25 (7%) 15 22	19, 43, 69, 78	0
2	C	13/13 (100%)	-0.02	0 100 100	35, 48, 72, 78	0
3	D	16/16 (100%)	0.07	2 (12%) 5 7	32, 46, 106, 124	0
All	All	370/378 (97%)	0.42	27 (7%) 15 22	19, 44, 71, 124	0

All (27) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	274	TYR	4.9
1	A	194	LEU	4.3
3	D	3	DC	3.6
1	A	277	ASP	3.5
1	A	94	GLU	3.2
3	D	4	DA	3.1
1	A	202	LEU	2.9
1	A	4	LEU	2.9
1	A	238	ARG	2.8
1	A	119	ARG	2.7
1	A	30	VAL	2.7
1	A	196	LYS	2.6
1	A	169	GLU	2.6
1	A	48	TYR	2.6
1	A	116	ARG	2.4
1	A	142	VAL	2.4
1	A	29	VAL	2.2
1	A	176	ARG	2.2
1	A	38	GLU	2.1
1	A	113	ASP	2.1
1	A	35	GLY	2.1
1	A	180	ILE	2.1
1	A	128	ILE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	177	GLU	2.1
1	A	37	PHE	2.0
1	A	183	VAL	2.0
1	A	83	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	DCP	A	701	28/28	0.14	-0.22	21,30,53,58	0
5	CA	A	704	1/1	0.07	-1.17	56,56,56,56	0
5	CA	A	702	1/1	0.09	-1.38	42,42,42,42	0
5	CA	A	703	1/1	0.09	-1.67	29,29,29,29	0

6.5 Other polymers ⓘ

There are no such residues in this entry.