



Full wwPDB X-ray Structure Validation Report i

Sep 10, 2014 – 11:09 AM EDT

PDB ID : 4QW9
Title : TERNARY CRYSTAL STRUCTURES of A Y-FAMILY DNA POLYMERASE DPO4 FROM SULFOLOBUS SOLFATARICUS IN COMPLEX WITH DNA AND (-)FTC-PPNP
Authors : Gaur, V.; Suo, Z.
Deposited on : 2014-07-16
Resolution : 2.40 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.16 November 2013
Xtriage (Phenix) : dev-1439
EDS : stable23489
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable23489

1 Overall quality at a glance

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	2207 (2.40-2.40)
Clashscore	79885	2789 (2.40-2.40)
Ramachandran outliers	78287	2736 (2.40-2.40)
Sidechain outliers	78261	2737 (2.40-2.40)
RSRZ outliers	66119	2210 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	349	
2	C	13	
3	D	16	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
4	0G4	A	701[A]	-	X
4	0G4	A	701[B]	-	X

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 3530 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA polymerase IV.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	341	Total	C	N	O	S	0	0	0
			2743	1760	472	504	7			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	342	LEU	-	EXPRESSION TAG	UNP Q97W02
A	343	GLU	-	EXPRESSION TAG	UNP Q97W02
A	344	HIS	-	EXPRESSION TAG	UNP Q97W02
A	345	HIS	-	EXPRESSION TAG	UNP Q97W02
A	346	HIS	-	EXPRESSION TAG	UNP Q97W02
A	347	HIS	-	EXPRESSION TAG	UNP Q97W02
A	348	HIS	-	EXPRESSION TAG	UNP Q97W02
A	349	HIS	-	EXPRESSION TAG	UNP Q97W02


- Molecule 2 is a DNA chain called DNA (5'-D(P*GP*GP*CP*TP*AP*CP*AP*GP*GP*AP*CP*TP*C)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	13	Total	C	N	O	P	0	0	0
			264	126	51	75	12			

- Molecule 3 is a DNA chain called DNA (5'-D(P*CP*AP*GP*GP*AP*GP*TP*CP*CP*TP*GP*TP*AP*GP*CP*C)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	D	16	Total	C	N	O	P	0	0	0
			329	155	61	97	16			

- Molecule 4 is [[[(2R,5S)-5-(4-AZANYL-5-FLUORANYL-2-OXIDANYLIDENE-PYRIMIDIN-1-YL)-1,3-OXATHIOLAN-2-YL]METHOXY-OXIDANYL-PHOSPHORYL]OXY-OXIDANYL-PHOSPHORYL]AMINO]PHOSPHONICACID (three-letter code: 0G4) (formula:



Mol	Chain	Residues	Atoms							ZeroOcc	AltConf
4	A	1	Total	C	F	N	O	P	S	0	1
			56	16	2	8	22	6	2		

- Molecule 5 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	3	Total Ca 3 3	0	0

- Molecule 6 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	99	Total O 99 99	0	0
6	C	17	Total O 17 17	0	0
6	D	19	Total O 19 19	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: DNA polymerase IV

Chain A: 



• Molecule 2: DNA (5'-D(P*GP*GP*CP*TP*AP*CP*AP*GP*GP*AP*CP*TP*C)-3')

Chain C: 



• Molecule 3: DNA (5'-D(P*CP*AP*GP*GP*AP*GP*TP*CP*CP*TP*GP*TP*AP*GP*CP*C)-3')

Chain D: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	96.80Å 101.90Å 52.54Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.18 – 2.40 29.18 – 2.40	Depositor EDS
% Data completeness (in resolution range)	92.1 (29.18-2.40) 92.2 (29.18-2.40)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.47 (at 2.39Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.242 , 0.270 0.236 , 0.262	Depositor DCC
R_{free} test set	1907 reflections (10.94%)	DCC
Wilson B-factor (Å ²)	48.1	Xtriage
Anisotropy	0.195	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 70.0	EDS
Estimated twinning fraction	0.017 for k,h,-l	Xtriage
L-test for twinning	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 20441 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	3530	wwPDB-VP
Average B, all atoms (Å ²)	96.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.47% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: CA, OG4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.52	0/2782	0.72	0/3736
2	C	0.85	1/296 (0.3%)	0.79	0/455
3	D	0.67	1/368 (0.3%)	0.80	0/564
All	All	0.57	2/3446 (0.1%)	0.73	0/4755

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	12	DT	O3'-P	-10.45	1.48	1.61
3	D	3	DC	OP3-P	-7.22	1.52	1.61

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2743	0	2889	192	0
2	C	264	0	147	20	0
3	D	329	0	180	11	0
4	A	56	0	0	17	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	3	0	0	0	0
6	A	99	0	0	52	0
6	C	17	0	0	4	0
6	D	19	0	0	5	0
All	All	3530	0	3216	223	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 34.

All (223) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
4:A:701[B]:OG4:O2A	2:C:13:DC:C3'	1.83	1.26
4:A:701[B]:OG4:O2A	2:C:13:DC:H3'	1.37	1.20
1:A:10:TYR:N	4:A:701[B]:OG4:O2C	1.82	1.12
1:A:193:LYS:HB3	6:A:899:HOH:O	1.56	1.04
1:A:335:VAL:HB	6:A:892:HOH:O	1.58	1.03
3:D:17:DC:H1'	6:D:113:HOH:O	1.62	1.00
1:A:300:ARG:HG2	1:A:300:ARG:HH11	1.26	0.98
1:A:80:VAL:HB	6:A:849:HOH:O	1.62	0.98
4:A:701[B]:OG4:PA	2:C:13:DC:H2''	2.08	0.93
1:A:14:GLN:HE22	1:A:139:THR:H	1.17	0.92
1:A:189:ILE:HG13	6:A:862:HOH:O	1.69	0.92
1:A:110:ASP:HB2	1:A:237:ILE:HD12	1.51	0.91
6:A:874:HOH:O	2:C:8:DG:H2'	1.68	0.91
1:A:137:LYS:HE2	6:A:890:HOH:O	1.71	0.90
1:A:216:MET:CG	6:A:899:HOH:O	2.21	0.88
1:A:175:ILE:O	1:A:203:VAL:HG12	1.73	0.88
2:C:3:DC:H1'	6:C:111:HOH:O	1.75	0.86
1:A:216:MET:HG2	6:A:899:HOH:O	1.76	0.85
4:A:701[B]:OG4:O3A	4:A:701[B]:OG4:O3G	1.93	0.85
1:A:242:ARG:HB2	1:A:242:ARG:HH11	1.43	0.83
1:A:10:TYR:CA	4:A:701[B]:OG4:O2C	2.26	0.82
1:A:171:VAL:O	1:A:175:ILE:HG13	1.78	0.82
1:A:172:LYS:HG2	6:A:894:HOH:O	1.79	0.81
1:A:300:ARG:NH1	1:A:300:ARG:HG2	1.94	0.81
3:D:12:DT:H4'	6:D:117:HOH:O	1.81	0.81
1:A:131:LYS:O	1:A:135:LYS:HG2	1.81	0.80
4:A:701[B]:OG4:PA	2:C:13:DC:C2'	2.70	0.80
4:A:701[B]:OG4:O2A	2:C:13:DC:C2'	2.29	0.79
1:A:77:ARG:HB2	6:A:849:HOH:O	1.82	0.78
3:D:4:DA:H8	3:D:4:DA:H5''	1.49	0.76
1:A:273:TYR:CE1	6:A:872:HOH:O	2.39	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:280:ILE:HB	1:A:341:ILE:HD12	1.69	0.75
1:A:178:LEU:HD12	1:A:179:ASP:N	2.03	0.73
2:C:9:DG:N7	6:C:112:HOH:O	2.20	0.73
1:A:1:MET:HB2	1:A:112:SER:OG	1.89	0.73
1:A:332:ARG:NH2	6:A:877:HOH:O	2.08	0.72
1:A:273:TYR:HE1	6:A:872:HOH:O	1.74	0.71
1:A:87:ARG:HD3	6:A:835:HOH:O	1.91	0.71
1:A:207:SER:HB3	6:A:896:HOH:O	1.89	0.71
1:A:9:ASP:HA	6:A:831:HOH:O	1.90	0.71
1:A:157:MET:HE2	1:A:166:ILE:HD11	1.73	0.71
1:A:316:VAL:O	1:A:320:GLN:HG3	1.91	0.70
1:A:157:MET:CE	1:A:166:ILE:HD11	2.22	0.70
1:A:252:LYS:NZ	6:A:887:HOH:O	2.25	0.69
1:A:293:LEU:N	1:A:293:LEU:HD23	2.07	0.69
1:A:116:ARG:HG3	1:A:120:GLU:OE2	1.92	0.69
1:A:127:GLU:OE1	6:A:833:HOH:O	2.11	0.68
1:A:91:LEU:O	1:A:94:GLU:HB3	1.93	0.68
1:A:196:LYS:O	1:A:197:LEU:HD23	1.93	0.68
1:A:284:ILE:CG1	6:A:892:HOH:O	2.42	0.68
1:A:159:LYS:HD3	4:A:701[A]:OG4:O2C	1.94	0.67
1:A:10:TYR:HA	4:A:701[B]:OG4:PG	2.35	0.67
1:A:120:GLU:HB2	6:A:846:HOH:O	1.93	0.67
1:A:80:VAL:O	1:A:84:VAL:HG23	1.94	0.67
1:A:284:ILE:HG13	6:A:892:HOH:O	1.95	0.66
1:A:32:VAL:HG11	3:D:6:DG:H5'	1.77	0.66
1:A:14:GLN:NE2	1:A:139:THR:H	1.92	0.65
1:A:332:ARG:HD2	3:D:5:DG:OP2	1.96	0.65
1:A:170:GLU:HA	1:A:173:ARG:HB2	1.79	0.65
1:A:209:GLU:OE1	1:A:209:GLU:HA	1.94	0.65
1:A:193:LYS:O	1:A:196:LYS:HB3	1.98	0.64
1:A:137:LYS:HG2	6:A:890:HOH:O	1.97	0.64
1:A:300:ARG:NH1	1:A:302:PHE:CZ	2.65	0.64
1:A:257:ASN:OD1	1:A:260:GLU:CB	2.46	0.63
1:A:3:VAL:HG13	1:A:237:ILE:HD11	1.78	0.63
1:A:175:ILE:O	1:A:203:VAL:CG1	2.46	0.63
1:A:258:LEU:O	1:A:262:LYS:HG3	1.98	0.63
1:A:10:TYR:HA	4:A:701[B]:OG4:O2C	1.98	0.62
1:A:129:LYS:HE2	1:A:162:GLY:O	1.99	0.62
1:A:172:LYS:HE2	6:A:879:HOH:O	2.00	0.61
1:A:256:ARG:HG2	1:A:329:LYS:HG2	1.80	0.61
1:A:157:MET:HE3	1:A:164:LYS:HD3	1.82	0.61
1:A:304:HIS:HD2	1:A:305:GLY:O	1.83	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:187:GLY:HA2	6:C:104:HOH:O	2.01	0.61
1:A:252:LYS:HG3	1:A:252:LYS:O	1.99	0.61
2:C:4:DT:H2''	2:C:5:DA:H5'	1.83	0.60
1:A:193:LYS:CB	6:A:899:HOH:O	2.30	0.60
1:A:36:ARG:NH2	1:A:254:ASN:OD1	2.35	0.60
1:A:14:GLN:HE22	1:A:139:THR:HG23	1.65	0.60
1:A:5:PHE:CD2	1:A:152:LYS:HA	2.37	0.59
1:A:234:ASN:O	1:A:235:GLU:OE2	2.20	0.59
3:D:18:DC:H5'	6:D:113:HOH:O	2.01	0.59
1:A:110:ASP:CB	1:A:237:ILE:HD12	2.28	0.59
1:A:208:ILE:CG1	1:A:209:GLU:N	2.65	0.59
1:A:10:TYR:HA	4:A:701[B]:OG4:O1G	2.03	0.58
3:D:4:DA:C8	3:D:4:DA:H5''	2.36	0.58
1:A:172:LYS:CE	6:A:879:HOH:O	2.51	0.58
1:A:194:LEU:C	1:A:196:LYS:H	2.06	0.58
4:A:701[B]:OG4:O2A	2:C:13:DC:O3'	2.21	0.58
1:A:189:ILE:O	1:A:193:LYS:HG3	2.05	0.57
1:A:257:ASN:OD1	1:A:260:GLU:HB2	2.04	0.57
1:A:113:ASP:O	1:A:114:LYS:HD3	2.05	0.57
1:A:115:VAL:HG11	1:A:121:ALA:HA	1.87	0.57
1:A:204:ASP:O	1:A:208:ILE:HG22	2.06	0.56
1:A:219:GLU:O	1:A:223:LYS:HG3	2.04	0.56
4:A:701[B]:OG4:O5'	2:C:13:DC:H2''	2.05	0.56
1:A:142:VAL:O	1:A:163:ILE:HA	2.06	0.56
1:A:208:ILE:HG13	1:A:209:GLU:N	2.22	0.55
1:A:194:LEU:O	1:A:196:LYS:N	2.33	0.55
1:A:157:MET:HG2	6:A:852:HOH:O	2.07	0.55
1:A:289:VAL:HB	1:A:332:ARG:HB2	1.88	0.55
1:A:131:LYS:HE3	6:A:838:HOH:O	2.06	0.55
1:A:242:ARG:HH11	1:A:242:ARG:CB	2.18	0.55
1:A:284:ILE:HD12	1:A:337:PHE:CE1	2.41	0.55
1:A:14:GLN:HE22	1:A:139:THR:N	1.95	0.55
1:A:257:ASN:OD1	1:A:260:GLU:HB3	2.07	0.54
1:A:122:TYR:CE2	1:A:126:LEU:HD11	2.42	0.54
1:A:176:ARG:HA	1:A:203:VAL:CG1	2.37	0.54
4:A:701[A]:OG4:O5'	6:A:819:HOH:O	2.18	0.54
1:A:176:ARG:HA	1:A:203:VAL:HG11	1.89	0.54
1:A:128:ILE:O	1:A:132:ILE:HG13	2.08	0.54
1:A:292:ASP:OD1	1:A:294:ASP:HB2	2.08	0.54
1:A:91:LEU:HD22	6:A:838:HOH:O	2.06	0.53
1:A:78:LYS:HA	1:A:81:TYR:CD2	2.44	0.53
1:A:203:VAL:O	1:A:206:LEU:HB2	2.09	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:296:VAL:HG12	1:A:298:ARG:HH12	1.74	0.53
1:A:206:LEU:HG	1:A:229:ALA:HB1	1.91	0.53
1:A:116:ARG:N	6:A:846:HOH:O	2.41	0.52
1:A:157:MET:CG	6:A:852:HOH:O	2.58	0.52
1:A:20:ASN:HB3	6:A:878:HOH:O	2.09	0.52
1:A:250:THR:HA	1:A:332:ARG:HG2	1.90	0.52
1:A:276:LEU:HD13	1:A:281:PRO:HD3	1.92	0.52
1:A:294:ASP:CB	1:A:328:ARG:HH12	2.22	0.52
1:A:219:GLU:HG3	1:A:223:LYS:HE3	1.91	0.52
1:A:231:ASP:OD2	6:A:895:HOH:O	2.19	0.52
1:A:179:ASP:O	1:A:182:ASP:HB2	2.09	0.51
1:A:172:LYS:CG	6:A:894:HOH:O	2.48	0.51
1:A:210:PHE:CE2	1:A:214:LYS:HD3	2.44	0.51
1:A:233:TYR:C	1:A:234:ASN:HD22	2.12	0.51
1:A:65:LYS:NZ	6:A:810:HOH:O	2.43	0.51
1:A:288:ALA:HB1	1:A:330:ILE:HD13	1.92	0.51
1:A:10:TYR:CZ	1:A:48:TYR:HB2	2.45	0.51
2:C:4:DT:H2''	2:C:5:DA:C5'	2.39	0.51
1:A:104:ILE:HA	6:A:853:HOH:O	2.11	0.51
1:A:256:ARG:CG	1:A:329:LYS:HG2	2.40	0.51
1:A:9:ASP:O	1:A:11:PHE:N	2.43	0.50
2:C:4:DT:C6	2:C:4:DT:H5'	2.47	0.50
1:A:202:LEU:O	1:A:205:THR:HG23	2.11	0.50
2:C:9:DG:H5'	6:C:107:HOH:O	2.10	0.50
1:A:233:TYR:O	1:A:234:ASN:ND2	2.45	0.50
1:A:259:GLU:OE2	1:A:262:LYS:HE3	2.11	0.50
1:A:213:LEU:O	1:A:217:ILE:HG12	2.12	0.50
1:A:201:LYS:HA	6:A:826:HOH:O	2.11	0.49
1:A:316:VAL:O	1:A:320:GLN:CG	2.59	0.49
2:C:3:DC:C2'	2:C:4:DT:H71	2.42	0.49
1:A:14:GLN:NE2	1:A:139:THR:HG23	2.27	0.49
1:A:163:ILE:O	1:A:163:ILE:HG23	2.11	0.49
2:C:4:DT:H5'	2:C:4:DT:H6	1.77	0.49
1:A:198:GLY:O	1:A:199:ILE:C	2.50	0.49
3:D:12:DT:C5'	6:D:117:HOH:O	2.61	0.49
1:A:115:VAL:HB	6:A:846:HOH:O	2.13	0.49
1:A:78:LYS:NZ	6:A:875:HOH:O	2.20	0.49
1:A:271:GLU:O	1:A:275:LYS:HG3	2.13	0.48
1:A:99:ILE:HG23	1:A:99:ILE:O	2.12	0.48
1:A:284:ILE:HD11	6:A:892:HOH:O	2.13	0.48
1:A:293:LEU:HD11	3:D:4:DA:C4	2.49	0.48
1:A:175:ILE:HG22	1:A:203:VAL:HG12	1.96	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:22:SER:C	6:A:884:HOH:O	2.51	0.48
1:A:173:ARG:HD2	1:A:177:GLU:OE1	2.14	0.48
1:A:297:SER:O	1:A:298:ARG:HD3	2.14	0.48
1:A:118:TYR:O	1:A:121:ALA:HB3	2.13	0.48
1:A:129:LYS:NZ	1:A:129:LYS:HB3	2.29	0.48
1:A:217:ILE:HD12	1:A:221:LYS:HB3	1.96	0.48
1:A:296:VAL:HG12	1:A:298:ARG:NH1	2.28	0.47
1:A:9:ASP:O	1:A:10:TYR:C	2.52	0.47
1:A:157:MET:HE1	1:A:166:ILE:HD11	1.96	0.47
1:A:290:THR:OG1	1:A:294:ASP:HB3	2.15	0.47
1:A:230:ARG:HA	6:A:897:HOH:O	2.13	0.47
1:A:170:GLU:O	1:A:174:LEU:HG	2.15	0.47
1:A:157:MET:CE	1:A:164:LYS:HD3	2.44	0.47
1:A:47:ASN:O	1:A:51:ARG:HG3	2.15	0.47
2:C:5:DA:H5'	2:C:5:DA:C8	2.50	0.47
1:A:67:ILE:O	1:A:68:LEU:HD23	2.15	0.47
1:A:22:SER:O	1:A:26:LYS:HE3	2.15	0.47
1:A:46:ALA:HB1	1:A:50:ALA:HB3	1.97	0.46
1:A:206:LEU:HD23	1:A:206:LEU:HA	1.67	0.46
1:A:273:TYR:OH	1:A:306:ILE:O	2.32	0.46
1:A:199:ILE:HG12	1:A:199:ILE:H	1.47	0.46
1:A:293:LEU:H	1:A:293:LEU:HD23	1.78	0.46
1:A:164:LYS:HG2	1:A:165:VAL:N	2.32	0.45
1:A:9:ASP:C	1:A:11:PHE:N	2.69	0.45
1:A:189:ILE:N	6:A:862:HOH:O	2.43	0.45
1:A:193:LYS:CA	6:A:899:HOH:O	2.61	0.45
4:A:701[B]:OG4:O1A	4:A:701[B]:OG4:O1B	2.34	0.45
1:A:154:ALA:HA	1:A:157:MET:HE2	1.99	0.45
1:A:87:ARG:CD	6:A:835:HOH:O	2.56	0.45
1:A:100:GLU:HB3	1:A:108:TYR:HB2	1.98	0.45
1:A:51:ARG:NH2	4:A:701[B]:OG4:N3B	2.65	0.44
1:A:20:ASN:OD1	1:A:20:ASN:C	2.54	0.44
1:A:129:LYS:CE	1:A:162:GLY:O	2.65	0.44
2:C:6:DC:H2''	2:C:7:DA:C8	2.52	0.44
1:A:5:PHE:CE1	1:A:106:GLU:HB3	2.53	0.44
1:A:144:ILE:O	1:A:145:SER:HB2	2.18	0.44
1:A:194:LEU:C	1:A:196:LYS:N	2.71	0.44
3:D:11:DC:H5'	6:D:107:HOH:O	2.17	0.44
1:A:129:LYS:HZ2	1:A:129:LYS:HB3	1.83	0.43
1:A:95:TYR:HD1	1:A:124:LEU:HD11	1.83	0.43
1:A:284:ILE:CD1	6:A:892:HOH:O	2.66	0.43
1:A:300:ARG:CG	1:A:300:ARG:NH1	2.68	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:72:VAL:HG12	1:A:74:LEU:HG	1.98	0.43
1:A:44:ALA:C	1:A:45:THR:HG22	2.39	0.43
2:C:3:DC:H2"	2:C:4:DT:H71	2.00	0.43
1:A:267:ARG:O	1:A:271:GLU:HG3	2.18	0.43
1:A:71:ALA:HB3	1:A:73:TYR:CE2	2.53	0.43
1:A:149:VAL:O	1:A:153:ILE:HG13	2.18	0.42
1:A:172:LYS:HE3	6:A:879:HOH:O	2.17	0.42
1:A:125:GLY:O	1:A:129:LYS:HG3	2.19	0.42
1:A:208:ILE:HD11	1:A:212:LYS:HB3	2.00	0.42
1:A:16:GLU:HA	1:A:16:GLU:OE1	2.20	0.41
1:A:296:VAL:CG1	1:A:298:ARG:HH12	2.33	0.41
1:A:8:PHE:CD1	1:A:8:PHE:N	2.87	0.41
1:A:159:LYS:NZ	6:A:871:HOH:O	2.53	0.41
1:A:341:ILE:HG23	6:A:876:HOH:O	2.20	0.41
2:C:3:DC:H2'	2:C:4:DT:H71	2.03	0.41
1:A:195:LYS:HA	1:A:199:ILE:O	2.20	0.41
1:A:9:ASP:CA	6:A:831:HOH:O	2.61	0.41
3:D:12:DT:H2"	3:D:13:DG:C8	2.55	0.41
1:A:282:LYS:CE	6:A:840:HOH:O	2.69	0.41
1:A:341:ILE:HA	6:A:876:HOH:O	2.20	0.41
1:A:167:ASP:OD1	1:A:169:GLU:HB2	2.22	0.40
1:A:323:LEU:O	1:A:326:ASP:O	2.38	0.40
1:A:197:LEU:HD13	1:A:212:LYS:NZ	2.36	0.40
1:A:321:LYS:HE3	1:A:321:LYS:HB2	1.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	339/349 (97%)	315 (93%)	19 (6%)	5 (2%)	15 20

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	163	ILE
1	A	199	ILE
1	A	195	LYS
1	A	10	TYR
1	A	96	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	300/308 (97%)	276 (92%)	24 (8%)	17	26

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	31	CYS
1	A	45	THR
1	A	62	VAL
1	A	76	MET
1	A	99	ILE
1	A	133	LEU
1	A	152	LYS
1	A	168	ASP
1	A	199	ILE
1	A	200	ASN
1	A	203	VAL
1	A	207	SER
1	A	208	ILE
1	A	242	ARG
1	A	253	ARG
1	A	256	ARG
1	A	257	ASN
1	A	273	TYR
1	A	300	ARG
1	A	313	SER
1	A	323	LEU
1	A	324	GLU
1	A	327	GLU
1	A	330	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	14	GLN
1	A	188	ASN
1	A	234	ASN
1	A	304	HIS

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 5 ligands modelled in this entry, 3 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	0G4	A	701[A]	5	29,29,29	2.28	10 (34%)	38,45,45	2.88	15 (39%)
4	0G4	A	701[B]	5	29,29,29	5.66	10 (34%)	38,45,45	3.26	15 (39%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	0G4	A	701[A]	5	-	0/15/31/31	0/2/2/2
4	0G4	A	701[B]	5	-	0/15/31/31	0/2/2/2

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	701[B]	0G4	PG-N3B	23.90	1.85	1.64
4	A	701[B]	0G4	PB-N3B	-10.99	1.54	1.64
4	A	701[B]	0G4	PB-O1B	9.75	1.57	1.46
4	A	701[B]	0G4	PG-O1G	6.55	1.53	1.46
4	A	701[A]	0G4	PG-O1G	5.65	1.52	1.46
4	A	701[A]	0G4	C4-C5	5.41	1.47	1.40
4	A	701[B]	0G4	C4-C5	5.35	1.47	1.40
4	A	701[A]	0G4	C2-N1	-4.84	1.32	1.38
4	A	701[B]	0G4	C2-N1	-4.74	1.32	1.38
4	A	701[A]	0G4	PB-O1B	4.05	1.50	1.46
4	A	701[B]	0G4	PB-O3A	3.31	1.63	1.59
4	A	701[A]	0G4	PB-O2B	2.42	1.63	1.56
4	A	701[A]	0G4	C4'-S3'	-2.37	1.73	1.82
4	A	701[B]	0G4	C4'-S3'	-2.35	1.73	1.82
4	A	701[A]	0G4	C2'-S3'	-2.21	1.75	1.81
4	A	701[B]	0G4	C2'-S3'	-2.20	1.75	1.81
4	A	701[A]	0G4	PB-O3A	2.14	1.61	1.59
4	A	701[B]	0G4	PB-O2B	2.05	1.62	1.56
4	A	701[A]	0G4	O2-C2	2.05	1.24	1.21
4	A	701[A]	0G4	PG-O2C	-2.04	1.50	1.56

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	701[B]	0G4	PB-N3B-PG	-10.68	112.11	130.07
4	A	701[A]	0G4	PB-N3B-PG	-9.70	113.76	130.07
4	A	701[B]	0G4	O1B-PB-N3B	-6.58	101.88	111.83
4	A	701[A]	0G4	C2-N3-C4	6.16	121.39	115.50
4	A	701[B]	0G4	C2-N3-C4	6.11	121.35	115.50
4	A	701[B]	0G4	O1G-PG-N3B	-5.74	103.16	111.83
4	A	701[B]	0G4	O2C-PG-O3G	5.69	124.05	107.69
4	A	701[A]	0G4	O1G-PG-N3B	-5.38	103.70	111.83
4	A	701[A]	0G4	O2B-PB-O1B	5.10	120.68	109.90
4	A	701[B]	0G4	O2B-PB-O1B	4.69	119.80	109.90
4	A	701[B]	0G4	C6-N1-C2	4.42	122.03	118.86
4	A	701[B]	0G4	C2'-S3'-C4'	4.40	100.44	88.26
4	A	701[A]	0G4	C2'-S3'-C4'	4.40	100.43	88.26

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	701[A]	0G4	C6-N1-C2	4.39	122.01	118.86
4	A	701[B]	0G4	O4'-C4'-C5'	-4.04	102.32	109.81
4	A	701[A]	0G4	PA-O3A-PB	-3.89	118.69	132.05
4	A	701[A]	0G4	N4-C4-N3	3.75	122.35	116.99
4	A	701[B]	0G4	N4-C4-N3	3.70	122.27	116.99
4	A	701[B]	0G4	C5-C6-N1	-2.85	118.20	122.35
4	A	701[A]	0G4	C5-C6-N1	-2.82	118.23	122.35
4	A	701[A]	0G4	O1B-PB-N3B	-2.75	107.67	111.83
4	A	701[B]	0G4	PA-O3A-PB	-2.56	123.26	132.05
4	A	701[A]	0G4	C5-C4-N4	-2.44	121.11	122.63
4	A	701[B]	0G4	C5-C4-N4	-2.42	121.12	122.63
4	A	701[A]	0G4	O2C-PG-O3G	2.39	114.55	107.69
4	A	701[B]	0G4	C6-C5-C4	-2.26	119.18	121.50
4	A	701[A]	0G4	C6-C5-C4	-2.21	119.23	121.50
4	A	701[B]	0G4	C2'-C1'-N1	-2.14	108.02	112.33
4	A	701[A]	0G4	O4'-C4'-C5'	-2.12	105.87	109.81
4	A	701[A]	0G4	C2'-C1'-N1	-2.11	108.08	112.33

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	341/349 (97%)	0.03	2 (0%) 86 86	62, 88, 122, 136	0
2	C	13/13 (100%)	-0.21	0 100 100	91, 101, 124, 132	0
3	D	16/16 (100%)	0.24	1 (6%) 19 18	83, 101, 165, 191	0
All	All	370/378 (97%)	0.03	3 (0%) 83 82	62, 91, 123, 191	0

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	35	GLY	3.7
1	A	274	TYR	2.3
3	D	3	DC	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
4	0G4	A	701[B]	28/28	0.32	4.68	85,103,139,153	28
4	0G4	A	701[A]	28/28	0.32	4.56	86,104,142,161	28
5	CA	A	703	1/1	0.10	-2.35	67,67,67,67	0
5	CA	A	702	1/1	0.09	-3.25	85,85,85,85	0
5	CA	A	704	1/1	0.07	-3.96	90,90,90,90	0

6.5 Other polymers ⓘ

There are no such residues in this entry.