



Full wwPDB X-ray Structure Validation Report

Feb 28, 2014 – 04:08 AM GMT

PDB ID : 1R1H
Title : STRUCTURAL ANALYSIS OF NEPRILYSIN WITH VARIOUS SPECIFIC
AND POTENT INHIBITORS
Authors : Oefner, C.; Roques, B.P.; Fournie-Zaluski, M.C.; Dale, G.E.
Deposited on : 2003-09-24
Resolution : 1.95 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	1321 (1.96-1.96)
Clashscore	79885	1488 (1.96-1.96)
Ramachandran outliers	78287	1475 (1.96-1.96)
Sidechain outliers	78261	1475 (1.96-1.96)
RSRZ outliers	66119	1321 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	696	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
2	NAG	A	752	-	X

2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 5962 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Neprilysin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	696	5595	3538	957	1074	26	0	0	0

- Molecule 2 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	A	1	14	8	1	5	0	0
2	A	1	14	8	1	5	0	0
2	A	1	14	8	1	5	0	0

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Zn	0	0
			1	1		

- Molecule 4 is N-[3-[(1-AMINOETHYL)(HYDROXY)PHOSPHORYL]-2-(1,1'-BIPHENYL-4-YLMETHYL)PROPANOYL]ALANINE (three-letter code: BIR) (formula: C₂₁H₂₇N₂O₅P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			29	21	2	5	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	295	Total	O	0	0
			295	295		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Neprilysin



4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	107.79Å 107.79Å 113.09Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.00 – 1.95 17.92 – 1.95	Depositor EDS
% Data completeness (in resolution range)	96.0 (20.00-1.95) 96.0 (17.92-1.95)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.76 (at 1.96Å)	Xtriage
Refinement program	REFMAC 5	Depositor
R, R_{free}	0.209 , 0.260 0.217 , 0.266	Depositor DCC
R_{free} test set	2707 reflections (5.34%)	DCC
Wilson B-factor (Å ²)	25.2	Xtriage
Anisotropy	0.085	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 35.4	EDS
Estimated twinning fraction	0.019 for -h,-k,l	Xtriage
L-test for twinning	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 53435 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5962	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.01% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, BIR, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.36	0/5713	0.62	14/7727 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	631	ASP	CB-CG-OD2	7.37	124.93	118.30
1	A	650	ASP	CB-CG-OD2	6.30	123.97	118.30
1	A	504	ASP	CB-CG-OD2	6.28	123.95	118.30
1	A	73	ASP	CB-CG-OD2	6.06	123.76	118.30
1	A	461	ASP	CB-CG-OD2	5.90	123.61	118.30
1	A	377	ASP	CB-CG-OD2	5.81	123.53	118.30
1	A	111	ASP	CB-CG-OD2	5.72	123.45	118.30
1	A	294	ASP	CB-CG-OD2	5.67	123.41	118.30
1	A	455	ASP	CB-CG-OD2	5.58	123.33	118.30
1	A	678	ASP	CB-CG-OD2	5.40	123.16	118.30
1	A	60	ASP	CB-CG-OD2	5.38	123.15	118.30
1	A	107	ASP	CB-CG-OD2	5.32	123.08	118.30
1	A	530	ASP	CB-CG-OD2	5.16	122.94	118.30
1	A	599	ASP	CB-CG-OD2	5.07	122.87	118.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	181	TRP	Peptide

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5595	0	5447	262	8
2	A	42	0	39	1	0
3	A	1	0	0	0	0
4	A	29	0	25	0	0
5	A	295	0	0	18	2
All	All	5962	0	5511	262	10

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 23.

All (262) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:714:GLY:O	1:A:718:ILE:CD1	1.74	1.32
1:A:714:GLY:O	1:A:718:ILE:HD12	1.21	1.27
1:A:318:LYS:HB3	1:A:319:PRO:C	1.65	1.17
1:A:523:LYS:HZ2	1:A:523:LYS:CB	1.58	1.13
1:A:323:LEU:HD22	1:A:339:ASN:OD1	1.46	1.12
1:A:523:LYS:HZ2	1:A:523:LYS:HB2	1.14	1.12
1:A:523:LYS:NZ	1:A:523:LYS:CB	2.04	1.11
1:A:715:ASN:O	1:A:719:ILE:HD12	1.51	1.09
1:A:523:LYS:HB3	1:A:523:LYS:NZ	1.62	1.09
1:A:507:PHE:HA	1:A:510:ILE:HD13	1.37	1.06
1:A:202:LEU:HD21	1:A:216:ILE:CG2	1.85	1.06
1:A:284:ASN:OD1	5:A:2270:HOH:O	1.73	1.04
1:A:318:LYS:HB3	1:A:319:PRO:O	1.54	1.03
1:A:131:ALA:CB	1:A:492:LEU:CD1	2.37	1.01
1:A:131:ALA:CB	1:A:492:LEU:HD12	1.92	1.00
1:A:168:VAL:HG12	1:A:368:ASN:ND2	1.75	0.99
1:A:154:GLU:OE1	1:A:158:LYS:CE	2.11	0.99

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:168:VAL:H	1:A:368:ASN:HD21	1.13	0.96
1:A:156:LEU:O	1:A:156:LEU:HD23	1.66	0.95
1:A:318:LYS:HB3	1:A:319:PRO:CA	1.94	0.94
1:A:507:PHE:HA	1:A:510:ILE:CD1	1.98	0.94
1:A:523:LYS:HB3	1:A:523:LYS:HZ3	1.24	0.93
1:A:516:PHE:CE1	1:A:520:LYS:HE2	2.06	0.91
1:A:318:LYS:CB	1:A:319:PRO:CA	2.48	0.91
1:A:730:GLU:OE2	1:A:730:GLU:O	1.90	0.88
1:A:131:ALA:HB1	1:A:492:LEU:CD1	2.01	0.88
1:A:202:LEU:HD22	1:A:217:HIS:O	1.73	0.88
1:A:354:LEU:HG	1:A:358:LEU:HD22	1.56	0.88
1:A:355:LYS:O	1:A:359:THR:HG23	1.73	0.87
1:A:349:GLU:HG3	5:A:2158:HOH:O	1.74	0.86
1:A:404:THR:CG2	1:A:409:ARG:CG	2.53	0.86
1:A:154:GLU:OE1	1:A:158:LYS:HE3	1.73	0.86
1:A:199:LEU:CD1	1:A:370:MET:HE1	2.07	0.85
1:A:380:SER:O	1:A:387:LYS:NZ	2.11	0.84
1:A:404:THR:CG2	1:A:409:ARG:HG3	2.07	0.83
1:A:199:LEU:HD12	1:A:370:MET:HE1	1.61	0.83
1:A:96:ILE:HD11	1:A:696:THR:HG23	1.60	0.83
1:A:516:PHE:CE1	1:A:520:LYS:CE	2.61	0.83
1:A:318:LYS:CB	1:A:319:PRO:HA	2.08	0.82
1:A:404:THR:HG22	1:A:409:ARG:CG	2.10	0.82
1:A:505:GLU:HB3	1:A:508:GLU:OE1	1.79	0.82
1:A:193:LYS:CE	1:A:515:LYS:HZ3	1.93	0.80
1:A:546:SER:OG	5:A:2083:HOH:O	1.98	0.80
1:A:154:GLU:OE1	1:A:158:LYS:HE2	1.82	0.80
1:A:333:VAL:HG12	1:A:333:VAL:O	1.80	0.80
1:A:131:ALA:HB3	1:A:492:LEU:HD12	1.64	0.78
1:A:338:THR:O	1:A:341:GLU:N	2.17	0.77
1:A:156:LEU:HD22	1:A:160:LEU:HD22	1.65	0.77
1:A:484:ASP:OD1	1:A:491:LYS:NZ	2.13	0.77
1:A:184:GLU:OE2	1:A:318:LYS:HE2	1.85	0.76
1:A:193:LYS:HE2	1:A:515:LYS:NZ	1.99	0.76
1:A:440:GLU:HG3	1:A:479:ILE:HD13	1.66	0.75
1:A:318:LYS:CB	1:A:319:PRO:C	2.51	0.75
1:A:323:LEU:CD2	1:A:339:ASN:OD1	2.33	0.75
1:A:168:VAL:CG1	1:A:368:ASN:ND2	2.49	0.75
1:A:184:GLU:N	1:A:184:GLU:OE1	2.19	0.75
1:A:202:LEU:HD21	1:A:216:ILE:HG22	1.67	0.74
1:A:338:THR:HG22	1:A:340:GLU:CD	2.08	0.74
1:A:193:LYS:NZ	1:A:515:LYS:NZ	2.36	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:315:ILE:CD1	1:A:315:ILE:N	2.50	0.73
1:A:202:LEU:HD23	1:A:218:ILE:HD13	1.70	0.73
1:A:748:VAL:HG13	5:A:2140:HOH:O	1.89	0.73
1:A:202:LEU:HD23	1:A:218:ILE:CD1	2.19	0.73
1:A:199:LEU:HD11	1:A:370:MET:CE	2.19	0.73
1:A:131:ALA:HB1	1:A:492:LEU:HD11	1.71	0.73
1:A:338:THR:CG2	1:A:340:GLU:CD	2.57	0.72
1:A:404:THR:HG23	1:A:409:ARG:HG3	1.71	0.72
1:A:156:LEU:CD2	1:A:160:LEU:HD22	2.19	0.72
1:A:419:GLU:OE1	5:A:2056:HOH:O	2.07	0.72
1:A:209:LYS:HE2	1:A:299:TYR:CD1	2.25	0.72
1:A:323:LEU:HD22	1:A:339:ASN:CG	2.10	0.72
1:A:338:THR:O	1:A:340:GLU:N	2.22	0.72
1:A:119:ASP:OD2	5:A:2095:HOH:O	2.08	0.72
1:A:404:THR:CG2	1:A:409:ARG:HG2	2.20	0.71
1:A:193:LYS:CE	1:A:515:LYS:NZ	2.52	0.71
1:A:718:ILE:H	1:A:718:ILE:HD12	1.54	0.71
1:A:180:SER:O	1:A:185:LYS:NZ	2.21	0.71
1:A:570:ASN:ND2	1:A:671:GLU:OE2	2.22	0.71
1:A:366:LEU:HB3	1:A:370:MET:HE3	1.73	0.70
1:A:338:THR:C	1:A:340:GLU:H	1.92	0.70
1:A:667:LYS:HG2	1:A:668:ASN:ND2	2.06	0.70
1:A:631:ASP:OD1	5:A:2184:HOH:O	2.09	0.69
1:A:151:ARG:HD2	5:A:2043:HOH:O	1.92	0.69
1:A:198:VAL:HG21	1:A:370:MET:HG2	1.74	0.69
1:A:67:ARG:HH12	1:A:688:ASN:ND2	1.91	0.69
1:A:156:LEU:C	1:A:156:LEU:HD23	2.10	0.68
1:A:338:THR:C	1:A:340:GLU:N	2.46	0.68
1:A:597:ASN:HD22	1:A:597:ASN:C	1.95	0.68
1:A:693:TRP:HB2	1:A:718:ILE:HD11	1.75	0.67
1:A:507:PHE:O	1:A:510:ILE:HG12	1.95	0.67
1:A:159:LEU:HD11	1:A:194:TYR:OH	1.94	0.66
1:A:516:PHE:HE1	1:A:520:LYS:CE	2.08	0.66
1:A:193:LYS:NZ	1:A:515:LYS:HZ3	1.91	0.66
1:A:516:PHE:CZ	1:A:520:LYS:HE2	2.31	0.66
1:A:318:LYS:HB2	1:A:319:PRO:HA	1.76	0.65
1:A:338:THR:HG22	1:A:340:GLU:OE2	1.96	0.65
1:A:156:LEU:CD2	1:A:156:LEU:C	2.64	0.65
1:A:424:ARG:HD2	1:A:485:ILE:O	1.97	0.65
1:A:67:ARG:HH12	1:A:688:ASN:HD22	1.44	0.65
1:A:366:LEU:HB3	1:A:370:MET:CE	2.27	0.64
1:A:168:VAL:HG12	1:A:368:ASN:CG	2.18	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:516:PHE:HE1	1:A:520:LYS:HE3	1.62	0.64
1:A:248:MET:HB3	1:A:272:MET:SD	2.37	0.64
1:A:328:GLU:HG2	2:A:753:NAG:H82	1.80	0.64
1:A:338:THR:HG21	1:A:340:GLU:OE1	1.98	0.63
1:A:202:LEU:HD21	1:A:216:ILE:HG23	1.79	0.63
1:A:198:VAL:CG2	1:A:370:MET:HG2	2.29	0.63
1:A:516:PHE:CE1	1:A:520:LYS:HE3	2.34	0.63
1:A:314:GLU:C	1:A:315:ILE:HD12	2.20	0.62
1:A:184:GLU:H	1:A:184:GLU:CD	2.01	0.62
1:A:355:LYS:HB3	1:A:356:PRO:CD	2.29	0.62
1:A:199:LEU:CD1	1:A:370:MET:CE	2.75	0.62
1:A:714:GLY:O	1:A:718:ILE:HD13	1.91	0.61
1:A:411:ALA:O	1:A:414:VAL:HG22	1.99	0.61
1:A:394:ARG:HH21	1:A:401:THR:C	2.04	0.61
1:A:353:LYS:O	1:A:356:PRO:HG2	2.01	0.61
1:A:168:VAL:HG12	1:A:368:ASN:HD21	1.59	0.61
1:A:597:ASN:ND2	1:A:599:ASP:H	1.99	0.61
1:A:379:VAL:CG1	1:A:386:TYR:O	2.49	0.61
1:A:257:GLN:NE2	5:A:2039:HOH:O	2.34	0.60
1:A:588:GLY:O	1:A:593:GLY:O	2.18	0.60
1:A:96:ILE:CD1	1:A:696:THR:HG23	2.32	0.60
1:A:404:THR:HG22	1:A:409:ARG:HG2	1.83	0.59
1:A:697:TYR:OH	5:A:2078:HOH:O	1.97	0.59
1:A:338:THR:CG2	1:A:340:GLU:OE2	2.50	0.59
1:A:151:ARG:HH11	1:A:151:ARG:HG2	1.68	0.59
1:A:621:MET:CE	1:A:748:VAL:HG12	2.33	0.59
1:A:55:ILE:N	1:A:55:ILE:HD13	2.18	0.58
1:A:67:ARG:HH22	1:A:688:ASN:HD21	1.50	0.58
1:A:184:GLU:OE2	1:A:318:LYS:HG3	2.04	0.58
1:A:693:TRP:CB	1:A:718:ILE:HD11	2.34	0.58
1:A:202:LEU:CD2	1:A:217:HIS:O	2.51	0.58
1:A:329:ILE:O	1:A:332:THR:HB	2.03	0.58
1:A:96:ILE:C	5:A:2112:HOH:O	2.08	0.58
1:A:199:LEU:HD11	1:A:370:MET:HE2	1.85	0.57
1:A:193:LYS:HE2	1:A:515:LYS:HZ2	1.69	0.57
1:A:67:ARG:HH22	1:A:688:ASN:ND2	2.03	0.57
1:A:315:ILE:HD12	1:A:315:ILE:N	2.20	0.57
1:A:424:ARG:NH2	5:A:2200:HOH:O	2.36	0.57
1:A:715:ASN:HA	1:A:718:ILE:HD13	1.86	0.56
1:A:97:PRO:CD	5:A:2112:HOH:O	2.54	0.56
1:A:193:LYS:HZ3	1:A:515:LYS:HZ3	1.52	0.56
1:A:510:ILE:HG12	1:A:511:ILE:N	2.20	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:168:VAL:HG22	1:A:169:ALA:N	2.20	0.56
1:A:163:ILE:O	1:A:164:TYR:HB2	2.06	0.56
1:A:414:VAL:HG23	1:A:415:ASN:N	2.21	0.55
1:A:463:GLU:HG2	5:A:2196:HOH:O	2.04	0.55
1:A:202:LEU:CD2	1:A:216:ILE:CG2	2.74	0.55
1:A:621:MET:HE3	1:A:748:VAL:HG12	1.88	0.55
1:A:492:LEU:HD13	1:A:492:LEU:C	2.27	0.55
1:A:338:THR:HG21	1:A:340:GLU:CD	2.27	0.55
1:A:154:GLU:N	1:A:155:PRO:CD	2.70	0.54
1:A:355:LYS:N	1:A:356:PRO:HD2	2.22	0.54
1:A:315:ILE:HD13	1:A:315:ILE:N	2.21	0.54
1:A:354:LEU:HG	1:A:358:LEU:CD2	2.35	0.54
1:A:193:LYS:HZ3	1:A:515:LYS:NZ	2.03	0.54
1:A:440:GLU:CG	1:A:479:ILE:HD13	2.37	0.54
1:A:121:LEU:HD13	1:A:414:VAL:HG21	1.90	0.53
1:A:193:LYS:HE2	1:A:515:LYS:HZ3	1.63	0.53
1:A:714:GLY:O	1:A:718:ILE:HD11	1.98	0.53
1:A:333:VAL:O	1:A:335:ILE:HG13	2.09	0.53
1:A:168:VAL:HG11	1:A:272:MET:CE	2.40	0.52
1:A:209:LYS:HE2	1:A:299:TYR:CE1	2.44	0.52
1:A:597:ASN:ND2	1:A:597:ASN:C	2.61	0.52
1:A:180:SER:O	1:A:185:LYS:CE	2.58	0.52
1:A:448:GLU:O	1:A:452:GLN:HG3	2.09	0.52
1:A:530:ASP:OD1	1:A:530:ASP:C	2.49	0.52
1:A:355:LYS:HB3	1:A:356:PRO:HD3	1.92	0.51
1:A:523:LYS:NZ	1:A:523:LYS:HB2	1.85	0.51
1:A:507:PHE:HA	1:A:510:ILE:HD11	1.89	0.51
1:A:333:VAL:O	1:A:333:VAL:CG1	2.53	0.51
1:A:261:LEU:HB3	1:A:262:PRO:HD2	1.92	0.51
1:A:282:ILE:O	1:A:286:THR:HG23	2.11	0.51
1:A:151:ARG:HG2	1:A:151:ARG:NH1	2.25	0.51
1:A:492:LEU:O	1:A:492:LEU:HD13	2.10	0.50
1:A:160:LEU:N	1:A:161:PRO:CD	2.74	0.50
1:A:257:GLN:HG3	1:A:263:ILE:HD11	1.92	0.50
1:A:215:VAL:HG12	1:A:216:ILE:N	2.27	0.50
1:A:626:GLY:O	1:A:637:HIS:HD2	1.95	0.50
1:A:730:GLU:C	1:A:730:GLU:OE2	2.49	0.50
1:A:209:LYS:CE	1:A:299:TYR:CD1	2.94	0.50
1:A:303:THR:OG1	1:A:306:GLN:HG3	2.12	0.49
1:A:77:GLU:HG3	1:A:79:CYS:H	1.77	0.49
1:A:214:HIS:CE1	1:A:524:LYS:HD2	2.47	0.49
1:A:209:LYS:CE	1:A:299:TYR:CE1	2.96	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:131:ALA:HB2	1:A:492:LEU:CD1	2.37	0.49
1:A:502:LYS:H	1:A:509:ASN:HD21	1.60	0.49
1:A:579:MET:HE3	1:A:650:ASP:HA	1.96	0.48
1:A:156:LEU:CD2	1:A:160:LEU:CD2	2.90	0.48
1:A:156:LEU:O	1:A:156:LEU:CD2	2.50	0.48
1:A:170:THR:O	1:A:256:ARG:NH2	2.45	0.48
1:A:436:LYS:HE3	5:A:2060:HOH:O	2.11	0.48
1:A:201:ASN:HB3	1:A:219:ASP:O	2.13	0.48
1:A:570:ASN:HD22	1:A:671:GLU:CD	2.14	0.48
1:A:202:LEU:CD2	1:A:216:ILE:HG22	2.41	0.47
1:A:626:GLY:O	1:A:637:HIS:CD2	2.67	0.47
1:A:506:TYR:O	1:A:510:ILE:HG23	2.14	0.47
1:A:156:LEU:HB2	1:A:382:LEU:HD11	1.95	0.47
1:A:680:ASN:OD1	1:A:683:GLN:HG3	2.13	0.47
1:A:333:VAL:HG11	1:A:523:LYS:HZ2	1.79	0.47
1:A:158:LYS:HD3	1:A:158:LYS:HA	1.39	0.47
1:A:156:LEU:HD22	1:A:160:LEU:CD2	2.42	0.47
1:A:97:PRO:N	5:A:2112:HOH:O	2.39	0.47
1:A:535:ILE:HG12	1:A:553:VAL:HG21	1.95	0.47
1:A:314:GLU:C	1:A:315:ILE:CD1	2.82	0.46
1:A:160:LEU:HA	1:A:160:LEU:HD12	1.76	0.46
1:A:671:GLU:HB2	1:A:681:HIS:CD2	2.50	0.46
1:A:159:LEU:HD11	1:A:194:TYR:CZ	2.50	0.46
1:A:510:ILE:HG12	1:A:511:ILE:H	1.78	0.46
1:A:738:SER:OG	1:A:741:ASN:HB3	2.16	0.46
1:A:202:LEU:HD13	1:A:202:LEU:C	2.37	0.46
1:A:718:ILE:HD12	1:A:718:ILE:N	2.27	0.45
1:A:717:ARG:O	1:A:721:THR:HG23	2.17	0.45
1:A:333:VAL:HG11	1:A:523:LYS:HB2	1.99	0.45
1:A:131:ALA:HB2	1:A:492:LEU:HD12	1.92	0.45
1:A:168:VAL:CG1	1:A:368:ASN:HD21	2.25	0.45
1:A:394:ARG:NH2	1:A:401:THR:C	2.69	0.45
1:A:121:LEU:CD1	1:A:414:VAL:HG21	2.47	0.45
1:A:83:PHE:O	1:A:87:CYS:HB2	2.17	0.45
1:A:257:GLN:HG3	1:A:263:ILE:CD1	2.47	0.45
1:A:196:LYS:HD3	1:A:196:LYS:HA	1.81	0.45
1:A:347:ALA:N	1:A:348:PRO:CD	2.79	0.44
1:A:442:LEU:O	1:A:446:ILE:HD12	2.18	0.44
1:A:168:VAL:HG11	1:A:272:MET:HE1	1.99	0.44
1:A:199:LEU:HD11	1:A:370:MET:HE1	1.80	0.44
1:A:667:LYS:HE2	1:A:667:LYS:HB2	1.73	0.44
1:A:330:MET:C	1:A:332:THR:H	2.21	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:714:GLY:C	1:A:718:ILE:CD1	2.72	0.44
1:A:372:TRP:O	1:A:376:MET:HB2	2.17	0.44
1:A:362:SER:O	1:A:366:LEU:HG	2.18	0.44
1:A:552:ILE:HD12	1:A:554:PHE:HE2	1.83	0.44
1:A:625:TYR:HA	1:A:628:PHE:CD2	2.53	0.43
1:A:713:PRO:HG3	5:A:2015:HOH:O	2.17	0.43
1:A:168:VAL:HG11	1:A:272:MET:HE3	2.00	0.43
1:A:140:ARG:HH21	1:A:503:GLU:CD	2.20	0.43
1:A:298:LEU:HD22	1:A:346:TYR:O	2.19	0.43
1:A:748:VAL:HG22	1:A:749:TRP:CD1	2.54	0.43
1:A:404:THR:HG21	1:A:409:ARG:HG2	1.98	0.43
1:A:259:GLU:HA	1:A:259:GLU:OE2	2.18	0.42
1:A:454:LEU:HD23	1:A:454:LEU:HA	1.81	0.42
1:A:97:PRO:HD2	5:A:2112:HOH:O	2.17	0.42
1:A:404:THR:HG22	1:A:409:ARG:CD	2.48	0.42
1:A:298:LEU:HD23	1:A:298:LEU:HA	1.79	0.42
1:A:379:VAL:HG13	1:A:386:TYR:HB3	2.01	0.42
1:A:168:VAL:CG2	1:A:252:ALA:HB1	2.50	0.42
1:A:366:LEU:CB	1:A:370:MET:HE3	2.48	0.42
1:A:181:TRP:CE3	1:A:182:THR:HA	2.55	0.42
1:A:414:VAL:HG23	1:A:415:ASN:H	1.85	0.42
1:A:212:VAL:HG23	1:A:213:ASN:OD1	2.20	0.42
1:A:315:ILE:C	1:A:317:GLY:N	2.73	0.41
1:A:98:GLU:HB3	1:A:401:THR:OG1	2.20	0.41
1:A:214:HIS:ND1	1:A:524:LYS:O	2.51	0.41
1:A:597:ASN:ND2	1:A:601:ASP:H	2.19	0.41
1:A:202:LEU:HD21	1:A:216:ILE:HG21	1.88	0.41
1:A:226:PRO:HG3	1:A:397:LEU:HD13	2.03	0.41
1:A:414:VAL:CG2	1:A:415:ASN:N	2.84	0.41
1:A:394:ARG:HH21	1:A:402:SER:N	2.19	0.40
1:A:73:ASP:OD1	1:A:75:THR:OG1	2.37	0.40
1:A:313:LEU:HD23	1:A:355:LYS:HA	2.02	0.40
1:A:327:ASN:O	1:A:331:SER:HB3	2.22	0.40
1:A:214:HIS:NE2	1:A:529:VAL:HG22	2.36	0.40
1:A:330:MET:C	1:A:332:THR:N	2.72	0.40

All (10) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
5:A:2109:HOH:O	5:A:2137:HOH:O[4_556]	1.04	1.16
1:A:175:GLN:OE1	1:A:260:ARG:O[6_555]	1.05	1.15

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:175:GLN:OE1	1:A:260:ARG:C[6_555]	1.55	0.65
5:A:2283:HOH:O	5:A:2283:HOH:O[4_556]	1.59	0.61
1:A:175:GLN:CD	1:A:260:ARG:O[6_555]	1.92	0.28
1:A:175:GLN:OE1	1:A:261:LEU:N[6_555]	2.00	0.20
1:A:175:GLN:OE1	1:A:261:LEU:CA[6_555]	2.09	0.11
1:A:171:GLU:CD	1:A:171:GLU:CD[6_555]	2.11	0.09
1:A:175:GLN:CD	1:A:260:ARG:C[6_555]	2.13	0.07
1:A:171:GLU:OE1	1:A:171:GLU:OE1[6_555]	2.19	0.01

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	694/696 (100%)	670 (96%)	22 (3%)	2 (0%)	50 38

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	339	ASN
1	A	318	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	605/605 (100%)	556 (92%)	49 (8%)	17 5

All (49) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	57	LYS
1	A	59	SER
1	A	62	ILE
1	A	91	LEU
1	A	92	LYS
1	A	158	LYS
1	A	160	LEU
1	A	168	VAL
1	A	170	THR
1	A	189	GLN
1	A	260	ARG
1	A	266	ASN
1	A	276	MET
1	A	278	LEU
1	A	298	LEU
1	A	309	ASN
1	A	315	ILE
1	A	318	LYS
1	A	332	THR
1	A	339	ASN
1	A	340	GLU
1	A	346	TYR
1	A	358	LEU
1	A	364	ARG
1	A	368	ASN
1	A	376	MET
1	A	394	ARG
1	A	448	GLU
1	A	470	GLU
1	A	476	LYS
1	A	477	GLU
1	A	483	ASP
1	A	490	ASN
1	A	497	LEU
1	A	498	GLU
1	A	510	ILE
1	A	520	LYS
1	A	523	LYS
1	A	597	ASN
1	A	598	LYS
1	A	608	GLN
1	A	665	ILE
1	A	667	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	687	LEU
1	A	730	GLU
1	A	735	ARG
1	A	743	GLU
1	A	747	ARG
1	A	748	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	105	ASN
1	A	257	GLN
1	A	267	GLN
1	A	306	GLN
1	A	316	ASN
1	A	368	ASN
1	A	490	ASN
1	A	500	ASN
1	A	509	ASN
1	A	550	ASN
1	A	551	GLN
1	A	570	ASN
1	A	597	ASN
1	A	619	GLN
1	A	637	HIS
1	A	656	GLN
1	A	668	ASN
1	A	688	ASN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry

Of 5 ligands modelled in this entry, 1 is monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	BIR	A	2001	3	30,30,30	2.86	3 (10%)	41,42,42	0.99	2 (4%)
2	NAG	A	752	1	12,14,15	0.82	1 (8%)	15,19,21	0.86	0
2	NAG	A	753	1	12,14,15	0.81	1 (8%)	15,19,21	1.14	2 (13%)
2	NAG	A	754	1	12,14,15	0.75	1 (8%)	15,19,21	0.89	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	BIR	A	2001	3	-	0/27/31/31	0/2/2/2
2	NAG	A	752	1	-	0/6/23/26	0/1/1/1
2	NAG	A	753	1	-	0/6/23/26	0/1/1/1
2	NAG	A	754	1	-	0/6/23/26	0/1/1/1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	2001	BIR	P4-C2	-13.54	1.74	1.83
4	A	2001	BIR	P4-C7	-6.50	1.73	1.79
4	A	2001	BIR	P4-O5	-2.92	1.50	1.55
2	A	753	NAG	O5-C5	-2.19	1.41	1.45
2	A	752	NAG	O5-C5	-2.18	1.41	1.45
2	A	754	NAG	O5-C5	-2.08	1.41	1.45

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	2001	BIR	O6-P4-C2	-3.28	103.44	111.17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	753	NAG	O5-C5-C6	2.66	109.77	106.98
4	A	2001	BIR	O5-P4-O6	2.55	117.53	113.71
2	A	753	NAG	O5-C5-C4	-2.05	108.05	110.65

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	696/696 (100%)	0.26	29 (4%) 35 39	14, 27, 44, 58	0

All (29) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	432	ALA	4.1
1	A	735	ARG	3.8
1	A	175	GLN	3.7
1	A	531	LYS	3.7
1	A	309	ASN	3.7
1	A	127	GLU	3.4
1	A	180	SER	3.0
1	A	333	VAL	2.8
1	A	318	LYS	2.7
1	A	319	PRO	2.6
1	A	334	ASN	2.6
1	A	338	THR	2.5
1	A	270	LEU	2.4
1	A	532	ASP	2.4
1	A	452	GLN	2.3
1	A	260	ARG	2.3
1	A	339	ASN	2.3
1	A	736	LYS	2.2
1	A	530	ASP	2.2
1	A	74	ALA	2.2
1	A	670	GLU	2.2
1	A	336	SER	2.2
1	A	665	ILE	2.1
1	A	125	LYS	2.1
1	A	158	LYS	2.1
1	A	222	ARG	2.1
1	A	343	VAL	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	608	GLN	2.0
1	A	384	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	NAG	A	752	14/15	0.26	4.08	37,41,45,45	0
2	NAG	A	754	14/15	0.25	1.41	40,42,46,48	0
2	NAG	A	753	14/15	0.23	0.52	42,45,47,49	0
4	BIR	A	2001	29/29	0.10	-0.02	12,18,29,29	0
3	ZN	A	1001	1/1	0.04	-2.93	20,20,20,20	0

6.5 Other polymers ⓘ

There are no such residues in this entry.