



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 18, 2014 – 11:20 PM EDT

PDB ID : 4R1G
Title : Structure of a putative peptidoglycan glycosyltransferase from *Atopobium parvulum* in complex with cloxacillin
Authors : Filippova, E.V.; Minasov, G.; Kiryukhina, O.; Clancy, S.; Joachimiak, A.; Anderson, W.F.; Midwest Center for Structural Genomics (MCSG)
Deposited on : 2014-08-05
Resolution : 1.92 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.16 November 2013
Xtriage (Phenix) : dev-1439
EDS : stable23489
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable23489

1 Overall quality at a glance

The reported resolution of this entry is 1.92 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	4387 (1.94-1.90)
Clashscore	79885	5258 (1.94-1.90)
Ramachandran outliers	78287	5193 (1.94-1.90)
Sidechain outliers	78261	5194 (1.94-1.90)
RSRZ outliers	66119	4389 (1.94-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	482	
1	B	482	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6541 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Peptidoglycan glycosyltransferase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	417	Total	C	N	O	S	Se	0	0	0
			3010	1874	509	612	2	13			
1	B	419	Total	C	N	O	S	Se	0	1	0
			3035	1886	515	619	2	13			

There are 64 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	473	MSE	-	EXPRESSION TAG	UNP C8W8H7
A	474	HIS	-	EXPRESSION TAG	UNP C8W8H7
A	475	HIS	-	EXPRESSION TAG	UNP C8W8H7
A	476	HIS	-	EXPRESSION TAG	UNP C8W8H7
A	477	HIS	-	EXPRESSION TAG	UNP C8W8H7
A	478	HIS	-	EXPRESSION TAG	UNP C8W8H7
A	479	HIS	-	EXPRESSION TAG	UNP C8W8H7
A	480	SER	-	EXPRESSION TAG	UNP C8W8H7
A	481	SER	-	EXPRESSION TAG	UNP C8W8H7
A	482	GLY	-	EXPRESSION TAG	UNP C8W8H7
A	483	VAL	-	EXPRESSION TAG	UNP C8W8H7
A	484	ASP	-	EXPRESSION TAG	UNP C8W8H7
A	485	LEU	-	EXPRESSION TAG	UNP C8W8H7
A	486	TRP	-	EXPRESSION TAG	UNP C8W8H7
A	487	SER	-	EXPRESSION TAG	UNP C8W8H7
A	488	HIS	-	EXPRESSION TAG	UNP C8W8H7
A	489	PRO	-	EXPRESSION TAG	UNP C8W8H7
A	490	GLN	-	EXPRESSION TAG	UNP C8W8H7
A	491	PHE	-	EXPRESSION TAG	UNP C8W8H7
A	492	GLU	-	EXPRESSION TAG	UNP C8W8H7
A	493	LYS	-	EXPRESSION TAG	UNP C8W8H7
A	494	GLY	-	EXPRESSION TAG	UNP C8W8H7
A	495	THR	-	EXPRESSION TAG	UNP C8W8H7
A	496	GLU	-	EXPRESSION TAG	UNP C8W8H7
A	497	ASN	-	EXPRESSION TAG	UNP C8W8H7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	498	LEU	-	EXPRESSION TAG	UNP C8W8H7
A	499	TYR	-	EXPRESSION TAG	UNP C8W8H7
A	500	PHE	-	EXPRESSION TAG	UNP C8W8H7
A	501	GLN	-	EXPRESSION TAG	UNP C8W8H7
A	502	SER	-	EXPRESSION TAG	UNP C8W8H7
A	503	ASN	-	EXPRESSION TAG	UNP C8W8H7
A	504	ALA	-	EXPRESSION TAG	UNP C8W8H7
B	473	MSE	-	EXPRESSION TAG	UNP C8W8H7
B	474	HIS	-	EXPRESSION TAG	UNP C8W8H7
B	475	HIS	-	EXPRESSION TAG	UNP C8W8H7
B	476	HIS	-	EXPRESSION TAG	UNP C8W8H7
B	477	HIS	-	EXPRESSION TAG	UNP C8W8H7
B	478	HIS	-	EXPRESSION TAG	UNP C8W8H7
B	479	HIS	-	EXPRESSION TAG	UNP C8W8H7
B	480	SER	-	EXPRESSION TAG	UNP C8W8H7
B	481	SER	-	EXPRESSION TAG	UNP C8W8H7
B	482	GLY	-	EXPRESSION TAG	UNP C8W8H7
B	483	VAL	-	EXPRESSION TAG	UNP C8W8H7
B	484	ASP	-	EXPRESSION TAG	UNP C8W8H7
B	485	LEU	-	EXPRESSION TAG	UNP C8W8H7
B	486	TRP	-	EXPRESSION TAG	UNP C8W8H7
B	487	SER	-	EXPRESSION TAG	UNP C8W8H7
B	488	HIS	-	EXPRESSION TAG	UNP C8W8H7
B	489	PRO	-	EXPRESSION TAG	UNP C8W8H7
B	490	GLN	-	EXPRESSION TAG	UNP C8W8H7
B	491	PHE	-	EXPRESSION TAG	UNP C8W8H7
B	492	GLU	-	EXPRESSION TAG	UNP C8W8H7
B	493	LYS	-	EXPRESSION TAG	UNP C8W8H7
B	494	GLY	-	EXPRESSION TAG	UNP C8W8H7
B	495	THR	-	EXPRESSION TAG	UNP C8W8H7
B	496	GLU	-	EXPRESSION TAG	UNP C8W8H7
B	497	ASN	-	EXPRESSION TAG	UNP C8W8H7
B	498	LEU	-	EXPRESSION TAG	UNP C8W8H7
B	499	TYR	-	EXPRESSION TAG	UNP C8W8H7
B	500	PHE	-	EXPRESSION TAG	UNP C8W8H7
B	501	GLN	-	EXPRESSION TAG	UNP C8W8H7
B	502	SER	-	EXPRESSION TAG	UNP C8W8H7
B	503	ASN	-	EXPRESSION TAG	UNP C8W8H7
B	504	ALA	-	EXPRESSION TAG	UNP C8W8H7

- Molecule 2 is CLOXACILLIN (OPEN FORM) (three-letter code: CXU) (formula: C₁₉H₂₀ClN₃O₅S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	Cl	N	O	S	0	0
			29	19	1	3	5	1		
2	B	1	Total	C	Cl	N	O	S	0	0
			29	19	1	3	5	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	216	Total	O	0	1
			217	217		
3	B	221	Total	O	0	0
			221	221		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Peptidoglycan glycosyltransferase



- Molecule 1: Peptidoglycan glycosyltransferase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	67.52Å 69.89Å 114.30Å 90.00° 97.08° 90.00°	Depositor
Resolution (Å)	30.00 – 1.92 29.47 – 1.92	Depositor EDS
% Data completeness (in resolution range)	99.3 (30.00-1.92) 99.3 (29.47-1.92)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.02 (at 1.92Å)	Xtriage
Refinement program	REFMAC 5.8.0069	Depositor
R, R_{free}	0.170 , 0.206 0.179 , 0.215	Depositor DCC
R_{free} test set	4005 reflections (5.29%)	DCC
Wilson B-factor (Å ²)	32.1	Xtriage
Anisotropy	0.168	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 46.6	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.29$	Xtriage
Outliers	0 of 79762 reflections	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	6541	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.61% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CXU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.71	0/3048	0.81	2/4135 (0.0%)
1	B	0.69	0/3074	0.80	4/4172 (0.1%)
All	All	0.70	0/6122	0.81	6/8307 (0.1%)

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	759	ARG	NE-CZ-NH1	5.48	123.04	120.30
1	B	759	ARG	NE-CZ-NH1	5.42	123.01	120.30
1	A	731	ARG	NE-CZ-NH2	5.28	122.94	120.30
1	B	559	MSE	CA-CB-CG	-5.22	104.42	113.30
1	B	924	GLY	N-CA-C	-5.19	100.12	113.10
1	B	731	ARG	NE-CZ-NH2	5.04	122.82	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3010	0	2942	23	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	3035	0	2959	29	0
2	A	29	0	19	7	0
2	B	29	0	19	3	0
3	A	217	0	0	0	0
3	B	221	0	0	1	0
All	All	6541	0	5939	53	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 4.

All (53) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:939[A]:ARG:HH11	1:B:939[A]:ARG:HG3	1.44	0.82
1:B:939[A]:ARG:HH11	1:B:939[A]:ARG:CG	2.03	0.71
1:A:594:ARG:HA	1:A:600:MSE:CE	2.23	0.69
1:B:597:LEU:HB2	1:B:600:MSE:HE2	1.75	0.68
1:B:900:ASN:OD1	1:B:925:ASN:HA	1.95	0.67
1:A:720:TYR:CD1	2:A:1001:CXU:H27A	2.31	0.66
1:A:594:ARG:HA	1:A:600:MSE:HE3	1.79	0.65
1:B:660:ILE:O	1:B:661:ILE:HG23	1.97	0.64
1:A:597:LEU:HB2	1:A:600:MSE:HE2	1.80	0.63
1:A:718:HIS:HB2	2:A:1001:CXU:H31	1.80	0.63
1:B:718:HIS:HB2	2:B:1001:CXU:H31	1.81	0.62
1:B:720:TYR:CD1	2:B:1001:CXU:H27A	2.34	0.61
1:B:850:LYS:NZ	3:B:1208:HOH:O	2.33	0.61
1:B:746:GLY:HA3	1:B:793:SER:OG	2.02	0.60
1:A:594:ARG:CA	1:A:600:MSE:HE3	2.34	0.58
1:B:584:LEU:O	1:B:607:GLY:HA3	2.06	0.56
1:B:882:VAL:HG21	1:B:942:ALA:HB2	1.87	0.55
1:A:594:ARG:HD2	1:A:604:ASN:HD22	1.72	0.55
1:A:720:TYR:HB2	2:A:1001:CXU:S4	2.46	0.55
1:A:681:GLY:O	1:A:795:GLY:HA3	2.07	0.54
1:A:718:HIS:HB2	2:A:1001:CXU:C31	2.36	0.54
1:B:939[A]:ARG:CG	1:B:939[A]:ARG:NH1	2.68	0.54
1:B:544:LYS:HB2	1:B:550:TYR:CE2	2.43	0.53
1:B:594:ARG:HA	1:B:600:MSE:CE	2.40	0.52
1:B:527:GLN:HB3	1:B:606:THR:HG23	1.93	0.50
1:B:924:GLY:O	1:B:925:ASN:OD1	2.31	0.49
1:B:720:TYR:CE1	2:B:1001:CXU:H27A	2.49	0.48
1:B:597:LEU:N	1:B:597:LEU:HD12	2.29	0.48
1:B:868:MSE:HE2	1:B:889:GLY:HA2	1.96	0.48
1:B:594:ARG:HD2	1:B:604:ASN:HD22	1.80	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:895:ASP:OD1	1:B:901:PHE:CE2	2.68	0.47
1:B:594:ARG:HA	1:B:600:MSE:HE3	1.95	0.47
1:B:819:ALA:HA	1:B:917:VAL:HG21	1.96	0.46
1:B:593:TRP:CE2	1:B:594:ARG:HG3	2.51	0.45
1:A:878:MSE:SE	1:A:881:ARG:HH21	2.49	0.45
1:A:901:PHE:CE2	1:A:928:ASN:HA	2.52	0.45
1:B:681:GLY:O	1:B:795:GLY:HA3	2.17	0.45
1:A:791:TRP:HH2	2:A:1001:CXU:H30	1.82	0.44
1:B:900:ASN:CG	1:B:925:ASN:HA	2.36	0.44
2:A:1001:CXU:CL	2:A:1001:CXU:C22	3.03	0.44
1:A:584:LEU:O	1:A:607:GLY:HA3	2.18	0.43
1:A:900:ASN:N	1:A:900:ASN:OD1	2.51	0.43
1:B:946:ASN:O	1:B:950:LEU:HD23	2.19	0.43
1:A:632:SER:HB2	1:A:673:THR:HG22	1.99	0.43
1:A:597:LEU:HD12	1:A:597:LEU:N	2.33	0.43
1:A:791:TRP:CH2	2:A:1001:CXU:H30	2.53	0.43
1:A:594:ARG:CB	1:A:600:MSE:HE3	2.50	0.42
1:A:819:ALA:HA	1:A:917:VAL:HG21	2.01	0.42
1:B:913:HIS:N	1:B:914:PRO:HD3	2.35	0.42
1:B:594:ARG:CA	1:B:600:MSE:HE3	2.50	0.41
1:A:527:GLN:HB2	1:A:550:TYR:CZ	2.56	0.41
1:A:597:LEU:HD13	1:A:600:MSE:HE2	2.02	0.41
1:A:594:ARG:HH21	1:A:600:MSE:SE	2.55	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	409/482 (85%)	402 (98%)	6 (2%)	1 (0%)	56	44
1	B	414/482 (86%)	401 (97%)	12 (3%)	1 (0%)	56	44
All	All	823/964 (85%)	803 (98%)	18 (2%)	2 (0%)	56	44

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	547	ASP
1	B	661	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	318/356 (89%)	310 (98%)	8 (2%)	60	50
1	B	321/356 (90%)	317 (99%)	4 (1%)	82	79
All	All	639/712 (90%)	627 (98%)	12 (2%)	73	62

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	545	GLN
1	A	661	ILE
1	A	711	GLU
1	A	722	ASN
1	A	737	SER
1	A	895	ASP
1	A	900	ASN
1	A	939	ARG
1	B	592	ASP
1	B	667	SER
1	B	939[A]	ARG
1	B	939[B]	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	604	ASN
1	B	604	ASN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	CXU	A	1001	1	31,31,31	4.79	11 (35%)	44,46,46	3.96	20 (45%)
2	CXU	B	1001	1	31,31,31	4.79	11 (35%)	44,46,46	4.22	18 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CXU	A	1001	1	-	2/16/37/37	0/3/3/3
2	CXU	B	1001	1	-	2/16/37/37	0/3/3/3

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1001	CXU	O24-N25	-19.30	1.26	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1001	CXU	O24-N25	-18.58	1.27	1.42
2	B	1001	CXU	C22-C23	11.26	1.55	1.39
2	A	1001	CXU	C22-C23	10.61	1.54	1.39
2	B	1001	CXU	C22-C26	9.30	1.51	1.41
2	A	1001	CXU	C22-C26	9.19	1.51	1.41
2	A	1001	CXU	O82-C8	6.16	1.42	1.22
2	B	1001	CXU	O82-C8	5.94	1.41	1.22
2	B	1001	CXU	C28-C29	5.29	1.48	1.40
2	A	1001	CXU	C28-C29	4.75	1.47	1.40
2	B	1001	CXU	C5-S4	-4.46	1.76	1.85
2	A	1001	CXU	C5-S4	-3.72	1.77	1.85
2	A	1001	CXU	C2-C1	3.62	1.53	1.49
2	B	1001	CXU	C3-N7	3.51	1.48	1.45
2	A	1001	CXU	O81-C8	3.46	1.42	1.30
2	A	1001	CXU	C3-N7	3.45	1.48	1.45
2	B	1001	CXU	C2-C1	3.36	1.53	1.49
2	B	1001	CXU	O81-C8	3.10	1.41	1.30
2	B	1001	CXU	C29-CL	3.02	1.81	1.73
2	A	1001	CXU	C29-CL	2.99	1.81	1.73
2	A	1001	CXU	C27-C23	2.87	1.52	1.48
2	B	1001	CXU	C27-C23	2.80	1.52	1.48

All (38) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1001	CXU	C23-O24-N25	16.34	112.98	107.66
2	A	1001	CXU	C23-O24-N25	13.90	112.19	107.66
2	B	1001	CXU	O24-N25-C26	12.80	112.03	105.42
2	A	1001	CXU	O24-N25-C26	12.41	111.83	105.42
2	B	1001	CXU	C27-C23-C22	-12.36	117.74	129.95
2	A	1001	CXU	C27-C23-C22	-12.08	118.01	129.95
2	B	1001	CXU	C26-C22-C23	-6.87	99.40	105.09
2	A	1001	CXU	C26-C22-C23	-6.56	99.66	105.09
2	B	1001	CXU	O81-C8-O82	-4.64	113.63	124.05
2	A	1001	CXU	O81-C8-O82	-4.26	114.48	124.05
2	B	1001	CXU	C3-C2-N2	4.21	118.96	109.98
2	A	1001	CXU	O82-C8-C6	-4.00	106.82	121.61
2	A	1001	CXU	C28-C26-C22	3.66	131.79	127.89
2	B	1001	CXU	C51-C5-S4	3.26	114.64	109.19
2	A	1001	CXU	C3-C2-N2	3.20	116.82	109.98
2	B	1001	CXU	O82-C8-C6	-3.17	109.89	121.61
2	B	1001	CXU	C2-C3-S4	3.09	118.23	110.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1001	CXU	C28-C29-CL	-3.02	117.24	120.59
2	A	1001	CXU	O24-C23-C27	-3.01	109.75	117.13
2	B	1001	CXU	C52-C5-S4	-2.89	104.36	109.19
2	B	1001	CXU	O24-C23-C27	-2.81	110.23	117.13
2	A	1001	CXU	C51-C5-S4	2.78	113.84	109.19
2	A	1001	CXU	C30-C29-CL	2.64	124.02	118.38
2	B	1001	CXU	C3-C2-C1	-2.52	108.12	112.03
2	B	1001	CXU	C26-C22-C21	-2.48	121.03	129.46
2	A	1001	CXU	C52-C5-S4	-2.46	105.08	109.19
2	A	1001	CXU	C33-C28-C26	2.41	123.71	119.72
2	B	1001	CXU	C1-C2-N2	-2.31	104.62	110.23
2	A	1001	CXU	C26-C28-C29	-2.21	117.37	120.95
2	A	1001	CXU	S4-C3-N7	2.20	109.50	107.16
2	A	1001	CXU	O21-C21-C22	2.20	124.12	120.87
2	B	1001	CXU	C28-C26-C22	2.18	130.21	127.89
2	A	1001	CXU	C26-C22-C21	-2.17	122.09	129.46
2	A	1001	CXU	C1-C2-N2	-2.13	105.06	110.23
2	A	1001	CXU	C2-C3-S4	2.11	115.66	110.12
2	B	1001	CXU	C51-C5-C52	-2.10	107.43	110.90
2	B	1001	CXU	O1-C1-C2	-2.06	119.24	125.45
2	B	1001	CXU	C30-C29-CL	2.02	122.69	118.38

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1001	CXU	O21-C21-C22-C23
2	A	1001	CXU	C23-C22-C21-N2
2	B	1001	CXU	O21-C21-C22-C23
2	B	1001	CXU	C23-C22-C21-N2

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	417/482 (86%)	0.16	25 (5%) 21 21	23, 34, 72, 117	0
1	B	419/482 (86%)	0.19	33 (7%) 13 12	23, 35, 77, 111	0
All	All	836/964 (86%)	0.18	58 (6%) 17 16	23, 35, 76, 117	0

All (58) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	603	ILE	8.1
1	B	603	ILE	5.6
1	A	605	THR	5.2
1	B	897	GLU	4.8
1	A	896	VAL	4.5
1	B	660	ILE	4.4
1	A	660	ILE	4.2
1	A	901	PHE	4.2
1	B	898	ASN	3.9
1	B	925	ASN	3.9
1	A	899	GLY	3.8
1	B	605	THR	3.8
1	B	844	VAL	3.7
1	B	525	TYR	3.7
1	B	841	GLY	3.4
1	B	661	ILE	3.4
1	B	551	VAL	3.4
1	A	606	THR	3.4
1	B	932	TYR	3.3
1	B	526	VAL	3.2
1	A	900	ASN	3.2
1	B	549	THR	3.1
1	A	525	TYR	3.1
1	B	601	ALA	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	842	ALA	3.1
1	A	895	ASP	2.9
1	B	546	ASP	2.9
1	B	840	GLU	2.9
1	A	906	ILE	2.9
1	A	950	LEU	2.7
1	A	926	GLY	2.7
1	B	896	VAL	2.6
1	A	604	ASN	2.6
1	B	901	PHE	2.5
1	B	926	GLY	2.5
1	B	544	LYS	2.5
1	B	548	GLY	2.5
1	B	843	VAL	2.5
1	B	950	LEU	2.4
1	A	917	VAL	2.4
1	A	549	THR	2.3
1	A	722	ASN	2.3
1	B	582	GLU	2.2
1	A	913	HIS	2.2
1	B	718	HIS	2.2
1	A	548	GLY	2.2
1	B	709	THR	2.2
1	B	722	ASN	2.2
1	B	607	GLY	2.2
1	A	544	LYS	2.2
1	A	949	ALA	2.1
1	B	524	ALA	2.1
1	A	601	ALA	2.1
1	A	718	HIS	2.1
1	B	658	GLY	2.1
1	A	526	VAL	2.1
1	B	550	TYR	2.1
1	A	840	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

There are no carbohydrates in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	CXU	A	1001	29/29	0.22	1.08	31,50,83,98	0
2	CXU	B	1001	29/29	0.17	0.50	36,51,86,88	0

6.5 Other polymers

There are no such residues in this entry.