



Full wwPDB X-ray Structure Validation Report

Feb 28, 2014 – 11:32 PM GMT

PDB ID : 3RCD
Title : HER2 Kinase Domain Complexed with TAK-285
Authors : Aertgeerts, K.; Skene, R.; Sogabe, S.
Deposited on : 2011-03-30
Resolution : 3.21 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 3.21 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	1205 (3.30-3.14)
Clashscore	79885	1072 (3.28-3.16)
Ramachandran outliers	78287	1052 (3.28-3.16)
Sidechain outliers	78261	1051 (3.28-3.16)
RSRZ outliers	66119	1206 (3.30-3.14)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	338	
1	B	338	
1	C	338	
1	D	338	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 8970 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Receptor tyrosine-protein kinase erbB-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	281	Total	C	N	O	S	0	0	0
			2254	1444	391	403	16			
1	B	271	Total	C	N	O	S	0	0	0
			2176	1398	381	381	16			
1	C	281	Total	C	N	O	S	0	0	0
			2254	1444	391	403	16			
1	D	271	Total	C	N	O	S	0	0	0
			2176	1398	381	381	16			

There are 88 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	702	MET	-	EXPRESSION TAG	UNP P04626
A	703	SER	-	EXPRESSION TAG	UNP P04626
A	704	GLY	-	EXPRESSION TAG	UNP P04626
A	705	ALA	-	EXPRESSION TAG	UNP P04626
A	706	ALA	-	EXPRESSION TAG	UNP P04626
A	707	PRO	-	EXPRESSION TAG	UNP P04626
A	708	ASN	-	EXPRESSION TAG	UNP P04626
A	709	GLN	-	EXPRESSION TAG	UNP P04626
A	710	ALA	-	EXPRESSION TAG	UNP P04626
A	711	LEU	-	EXPRESSION TAG	UNP P04626
A	712	LEU	-	EXPRESSION TAG	UNP P04626
A	1029	GLY	-	EXPRESSION TAG	UNP P04626
A	1030	ALA	-	EXPRESSION TAG	UNP P04626
A	1031	ALA	-	EXPRESSION TAG	UNP P04626
A	1032	ALA	-	EXPRESSION TAG	UNP P04626
A	1033	SER	-	EXPRESSION TAG	UNP P04626
A	1034	HIS	-	EXPRESSION TAG	UNP P04626
A	1035	HIS	-	EXPRESSION TAG	UNP P04626
A	1036	HIS	-	EXPRESSION TAG	UNP P04626
A	1037	HIS	-	EXPRESSION TAG	UNP P04626
A	1038	HIS	-	EXPRESSION TAG	UNP P04626

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	1039	HIS	-	EXPRESSION TAG	UNP P04626
B	702	MET	-	EXPRESSION TAG	UNP P04626
B	703	SER	-	EXPRESSION TAG	UNP P04626
B	704	GLY	-	EXPRESSION TAG	UNP P04626
B	705	ALA	-	EXPRESSION TAG	UNP P04626
B	706	ALA	-	EXPRESSION TAG	UNP P04626
B	707	PRO	-	EXPRESSION TAG	UNP P04626
B	708	ASN	-	EXPRESSION TAG	UNP P04626
B	709	GLN	-	EXPRESSION TAG	UNP P04626
B	710	ALA	-	EXPRESSION TAG	UNP P04626
B	711	LEU	-	EXPRESSION TAG	UNP P04626
B	712	LEU	-	EXPRESSION TAG	UNP P04626
B	1029	GLY	-	EXPRESSION TAG	UNP P04626
B	1030	ALA	-	EXPRESSION TAG	UNP P04626
B	1031	ALA	-	EXPRESSION TAG	UNP P04626
B	1032	ALA	-	EXPRESSION TAG	UNP P04626
B	1033	SER	-	EXPRESSION TAG	UNP P04626
B	1034	HIS	-	EXPRESSION TAG	UNP P04626
B	1035	HIS	-	EXPRESSION TAG	UNP P04626
B	1036	HIS	-	EXPRESSION TAG	UNP P04626
B	1037	HIS	-	EXPRESSION TAG	UNP P04626
B	1038	HIS	-	EXPRESSION TAG	UNP P04626
B	1039	HIS	-	EXPRESSION TAG	UNP P04626
C	702	MET	-	EXPRESSION TAG	UNP P04626
C	703	SER	-	EXPRESSION TAG	UNP P04626
C	704	GLY	-	EXPRESSION TAG	UNP P04626
C	705	ALA	-	EXPRESSION TAG	UNP P04626
C	706	ALA	-	EXPRESSION TAG	UNP P04626
C	707	PRO	-	EXPRESSION TAG	UNP P04626
C	708	ASN	-	EXPRESSION TAG	UNP P04626
C	709	GLN	-	EXPRESSION TAG	UNP P04626
C	710	ALA	-	EXPRESSION TAG	UNP P04626
C	711	LEU	-	EXPRESSION TAG	UNP P04626
C	712	LEU	-	EXPRESSION TAG	UNP P04626
C	1029	GLY	-	EXPRESSION TAG	UNP P04626
C	1030	ALA	-	EXPRESSION TAG	UNP P04626
C	1031	ALA	-	EXPRESSION TAG	UNP P04626
C	1032	ALA	-	EXPRESSION TAG	UNP P04626
C	1033	SER	-	EXPRESSION TAG	UNP P04626
C	1034	HIS	-	EXPRESSION TAG	UNP P04626
C	1035	HIS	-	EXPRESSION TAG	UNP P04626
C	1036	HIS	-	EXPRESSION TAG	UNP P04626

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	1037	HIS	-	EXPRESSION TAG	UNP P04626
C	1038	HIS	-	EXPRESSION TAG	UNP P04626
C	1039	HIS	-	EXPRESSION TAG	UNP P04626
D	702	MET	-	EXPRESSION TAG	UNP P04626
D	703	SER	-	EXPRESSION TAG	UNP P04626
D	704	GLY	-	EXPRESSION TAG	UNP P04626
D	705	ALA	-	EXPRESSION TAG	UNP P04626
D	706	ALA	-	EXPRESSION TAG	UNP P04626
D	707	PRO	-	EXPRESSION TAG	UNP P04626
D	708	ASN	-	EXPRESSION TAG	UNP P04626
D	709	GLN	-	EXPRESSION TAG	UNP P04626
D	710	ALA	-	EXPRESSION TAG	UNP P04626
D	711	LEU	-	EXPRESSION TAG	UNP P04626
D	712	LEU	-	EXPRESSION TAG	UNP P04626
D	1029	GLY	-	EXPRESSION TAG	UNP P04626
D	1030	ALA	-	EXPRESSION TAG	UNP P04626
D	1031	ALA	-	EXPRESSION TAG	UNP P04626
D	1032	ALA	-	EXPRESSION TAG	UNP P04626
D	1033	SER	-	EXPRESSION TAG	UNP P04626
D	1034	HIS	-	EXPRESSION TAG	UNP P04626
D	1035	HIS	-	EXPRESSION TAG	UNP P04626
D	1036	HIS	-	EXPRESSION TAG	UNP P04626
D	1037	HIS	-	EXPRESSION TAG	UNP P04626
D	1038	HIS	-	EXPRESSION TAG	UNP P04626
D	1039	HIS	-	EXPRESSION TAG	UNP P04626

- Molecule 2 is N-{2-[4-(3-CHLORO-4-[3-(TRIFLUOROMETHYL)PHENOXY]PHENYL)AMINO]-5H-PYRROLO[3,2-D]PYRIMIDIN-5-YL]ETHYL}-3-HYDROXY-3-METHYLBUTANAMIDE (three-letter code: 03P) (formula: C₂₆H₂₅ClF₃N₅O₃).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	Cl	F	N	O	0	0
			38	26	1	3	5	3		
2	C	1	Total	C	Cl	F	N	O	0	0
			38	26	1	3	5	3		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	10	Total	O	0	0
			10	10		
3	B	9	Total	O	0	0
			9	9		
3	C	5	Total	O	0	0
			5	5		
3	D	10	Total	O	0	0
			10	10		

Age Group	Percentage
18-24	45%
25-34	35%
35-44	15%
45-54	5%
55-64	2%
65-74	1%
75-84	1%
85+	1%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	50.54Å 64.94Å 92.36Å 90.42° 89.72° 90.35°	Depositor
Resolution (Å)	40.00 – 3.21 46.18 – 3.21	Depositor EDS
% Data completeness (in resolution range)	76.0 (40.00-3.21) 75.9 (46.18-3.21)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.93 (at 3.19Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.224 , 0.294 0.220 , 0.293	Depositor DCC
R_{free} test set	749 reflections (5.43%)	DCC
Wilson B-factor (Å ²)	52.2	Xtriage
Anisotropy	0.519	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 24.2	EDS
Estimated twinning fraction	0.058 for h,-k,-l 0.348 for -h,k,-l 0.056 for -h,-k,l	Xtriage
L-test for twinning	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 14545 reflections	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	8970	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.42% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: 03P

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.45	0/2297	0.71	4/3104 (0.1%)
1	B	0.41	0/2220	0.58	0/3000
1	C	0.44	0/2297	0.74	6/3104 (0.2%)
1	D	0.41	0/2220	0.58	0/3000
All	All	0.43	0/9034	0.66	10/12208 (0.1%)

There are no bond length outliers.

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	756	ARG	NE-CZ-NH1	-11.85	114.38	120.30
1	C	756	ARG	NE-CZ-NH2	10.29	125.44	120.30
1	A	756	ARG	NE-CZ-NH1	9.81	125.20	120.30
1	C	1006	ARG	NE-CZ-NH1	-7.88	116.36	120.30
1	A	756	ARG	NE-CZ-NH2	-7.71	116.45	120.30
1	C	1006	ARG	NE-CZ-NH2	7.50	124.05	120.30
1	A	1006	ARG	NE-CZ-NH2	-7.12	116.74	120.30
1	A	1006	ARG	NE-CZ-NH1	7.09	123.84	120.30
1	C	756	ARG	CD-NE-CZ	5.26	130.96	123.60
1	C	756	ARG	CG-CD-NE	-5.13	101.02	111.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit,

and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2254	0	0	15	0
1	B	2176	0	0	4	0
1	C	2254	0	0	13	0
1	D	2176	0	0	5	0
2	A	38	0	0	0	0
2	C	38	0	0	0	0
3	A	10	0	0	1	0
3	B	9	0	0	0	0
3	C	5	0	0	0	0
3	D	10	0	0	0	0
All	All	8970	0	0	37	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 4.

All (37) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:940:ARG:NH1	3:A:2:HOH:O	2.14	0.80
1:C:809:HIS:O	1:C:813:ASN:ND2	2.35	0.59
1:C:751:ALA:N	1:C:798:THR:O	2.36	0.58
1:A:809:HIS:O	1:A:813:ASN:ND2	2.37	0.56
1:A:751:ALA:N	1:A:798:THR:O	2.39	0.56
1:C:1008:LEU:O	1:C:1010:GLU:N	2.40	0.54
1:C:710:ALA:CB	1:C:772:TYR:CE1	2.92	0.53
1:B:900:THR:O	1:B:903:SER:OG	2.26	0.53
1:D:900:THR:O	1:D:903:SER:OG	2.26	0.52
1:C:941:LEU:O	1:C:952:TYR:OH	2.27	0.52
1:A:825:TRP:O	1:A:828:GLN:N	2.43	0.52
1:C:855:SER:O	1:C:857:ASN:N	2.43	0.52
1:D:736:LYS:NZ	1:D:1010:GLU:OE1	2.45	0.50
1:A:902:GLN:NE2	1:A:963:SER:O	2.45	0.50
1:A:989:ILE:CG2	1:A:990:GLN:N	2.75	0.49
1:A:857:ASN:OD1	1:A:857:ASN:N	2.46	0.49
1:B:727:GLY:O	1:B:734:VAL:N	2.46	0.49
1:A:710:ALA:CB	1:A:772:TYR:CE1	2.97	0.48
1:C:857:ASN:N	1:C:857:ASN:OD1	2.46	0.47
1:A:1008:LEU:O	1:A:1010:GLU:N	2.47	0.47
1:D:727:GLY:O	1:D:734:VAL:N	2.47	0.47
1:C:825:TRP:O	1:C:828:GLN:N	2.47	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:863:ASP:O	1:A:864:PHE:C	2.53	0.47
1:C:902:GLN:NE2	1:C:963:SER:O	2.48	0.46
1:A:941:LEU:O	1:A:952:TYR:OH	2.34	0.46
1:C:884:VAL:N	1:C:885:PRO:CD	2.79	0.46
1:C:989:ILE:CG2	1:C:990:GLN:N	2.79	0.46
1:B:736:LYS:NZ	1:B:1010:GLU:OE1	2.49	0.46
1:D:843:HIS:CE1	1:D:845:ASP:O	2.71	0.44
1:A:855:SER:O	1:A:857:ASN:N	2.50	0.44
1:A:884:VAL:N	1:A:885:PRO:CD	2.80	0.44
1:B:863:ASP:O	1:B:865:GLY:N	2.51	0.44
1:A:826:CYS:O	1:A:908:TYR:OH	2.36	0.44
1:A:774:MET:SD	1:A:774:MET:N	2.91	0.43
1:D:863:ASP:O	1:D:865:GLY:N	2.51	0.43
1:C:774:MET:N	1:C:774:MET:SD	2.93	0.41
1:C:863:ASP:O	1:C:864:PHE:C	2.59	0.41

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	271/338 (80%)	245 (90%)	19 (7%)	7 (3%)	8	47
1	B	263/338 (78%)	236 (90%)	24 (9%)	3 (1%)	21	72
1	C	271/338 (80%)	244 (90%)	19 (7%)	8 (3%)	7	42
1	D	263/338 (78%)	235 (89%)	25 (10%)	3 (1%)	21	72
All	All	1068/1352 (79%)	960 (90%)	87 (8%)	21 (2%)	11	56

All (21) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1018	VAL
1	B	864	PHE
1	C	1018	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	864	PHE
1	A	863	ASP
1	A	864	PHE
1	C	863	ASP
1	C	864	PHE
1	C	1009	LEU
1	A	1009	LEU
1	A	1010	GLU
1	C	1010	GLU
1	D	844	ARG
1	C	722	LYS
1	C	856	PRO
1	A	856	PRO
1	B	844	ARG
1	A	865	GLY
1	C	865	GLY
1	B	725	VAL
1	D	723	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	250/293 (85%)	210 (84%)	40 (16%)	3	16
1	B	241/293 (82%)	215 (89%)	26 (11%)	9	37
1	C	250/293 (85%)	211 (84%)	39 (16%)	4	17
1	D	241/293 (82%)	215 (89%)	26 (11%)	9	37
All	All	982/1172 (84%)	851 (87%)	131 (13%)	6	27

All (131) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	711	LEU
1	A	721	ARG
1	A	725	VAL
1	A	738	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	746	VAL
1	A	755	LEU
1	A	756	ARG
1	A	764	ASN
1	A	768	LEU
1	A	769	ASP
1	A	772	TYR
1	A	774	MET
1	A	798	THR
1	A	799	GLN
1	A	805	CYS
1	A	811	ARG
1	A	816	ARG
1	A	820	GLN
1	A	822	LEU
1	A	824	ASN
1	A	831	LYS
1	A	840	ARG
1	A	849	ARG
1	A	863	ASP
1	A	866	LEU
1	A	898	ARG
1	A	911	THR
1	A	933	ASP
1	A	939	GLU
1	A	947	CYS
1	A	991	ASN
1	A	1000	LEU
1	A	1001	ASP
1	A	1002	SER
1	A	1007	SER
1	A	1010	GLU
1	A	1012	ASP
1	A	1018	VAL
1	A	1021	GLU
1	A	1022	GLU
1	B	711	LEU
1	B	712	LEU
1	B	725	VAL
1	B	728	SER
1	B	733	THR
1	B	740	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	765	LYS
1	B	769	ASP
1	B	770	GLU
1	B	772	TYR
1	B	791	THR
1	B	795	GLN
1	B	805	CYS
1	B	808	ASP
1	B	824	ASN
1	B	834	SER
1	B	861	ILE
1	B	863	ASP
1	B	864	PHE
1	B	896	ARG
1	B	939	GLU
1	B	953	MET
1	B	963	SER
1	B	985	ARG
1	B	988	VAL
1	B	1008	LEU
1	C	711	LEU
1	C	721	ARG
1	C	725	VAL
1	C	738	ILE
1	C	746	VAL
1	C	755	LEU
1	C	756	ARG
1	C	764	ASN
1	C	768	LEU
1	C	769	ASP
1	C	772	TYR
1	C	774	MET
1	C	798	THR
1	C	799	GLN
1	C	805	CYS
1	C	811	ARG
1	C	816	ARG
1	C	820	GLN
1	C	822	LEU
1	C	824	ASN
1	C	831	LYS
1	C	840	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	849	ARG
1	C	851	VAL
1	C	863	ASP
1	C	866	LEU
1	C	895	LEU
1	C	898	ARG
1	C	933	ASP
1	C	939	GLU
1	C	947	CYS
1	C	991	ASN
1	C	1000	LEU
1	C	1001	ASP
1	C	1002	SER
1	C	1007	SER
1	C	1012	ASP
1	C	1021	GLU
1	C	1022	GLU
1	D	711	LEU
1	D	712	LEU
1	D	725	VAL
1	D	728	SER
1	D	733	THR
1	D	740	ILE
1	D	769	ASP
1	D	770	GLU
1	D	772	TYR
1	D	791	THR
1	D	795	GLN
1	D	805	CYS
1	D	808	ASP
1	D	824	ASN
1	D	834	SER
1	D	861	ILE
1	D	863	ASP
1	D	864	PHE
1	D	896	ARG
1	D	900	THR
1	D	939	GLU
1	D	953	MET
1	D	963	SER
1	D	985	ARG
1	D	988	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	1008	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	03P	A	9001	-	41,41,41	1.05	4 (9%)	59,60,60	1.46	7 (11%)
2	03P	C	9001	-	41,41,41	0.99	3 (7%)	59,60,60	1.48	9 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	03P	A	9001	-	-	0/25/25/25	0/2/4/4
2	03P	C	9001	-	-	0/25/25/25	0/2/4/4

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	9001	03P	C1-C3	-2.99	1.38	1.44
2	C	9001	03P	C1-C3	-2.67	1.38	1.44
2	A	9001	03P	C8-N3	2.22	1.38	1.33
2	C	9001	03P	C3-C2	-2.18	1.38	1.44
2	C	9001	03P	C1-N4	2.15	1.40	1.36
2	A	9001	03P	C1-N4	2.10	1.40	1.36
2	A	9001	03P	C3-C2	-2.09	1.38	1.44

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	9001	03P	C9-C8-N3	-4.64	110.55	115.68
2	A	9001	03P	N4-C1-N1	4.48	123.49	118.92
2	A	9001	03P	C-N-C2	-4.18	112.14	115.37
2	A	9001	03P	C13-C12-CL	3.99	124.67	119.45
2	C	9001	03P	C13-C12-CL	3.98	124.65	119.45
2	C	9001	03P	C-N-C2	-3.46	112.70	115.37
2	A	9001	03P	C9-C8-N3	-3.14	112.21	115.68
2	C	9001	03P	C4-N2-C3	3.13	110.74	106.46
2	A	9001	03P	C4-N2-C3	3.01	110.57	106.46
2	C	9001	03P	C7-C6-N2	2.95	116.49	111.43
2	C	9001	03P	C10-N4-C1	-2.92	122.76	128.67
2	A	9001	03P	C10-N4-C1	-2.76	123.07	128.67
2	C	9001	03P	N4-C1-N1	2.34	121.30	118.92
2	A	9001	03P	C1-C3-C2	2.28	121.35	117.17
2	C	9001	03P	C3-C2-N	-2.28	121.72	125.77
2	C	9001	03P	C1-C3-C2	2.26	121.31	117.17

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	281/338 (83%)	-0.31	0 100 100	28, 42, 77, 97	3 (1%)
1	B	271/338 (80%)	-0.19	0 100 100	35, 56, 86, 107	5 (1%)
1	C	281/338 (83%)	-0.29	0 100 100	28, 43, 81, 99	5 (1%)
1	D	271/338 (80%)	-0.17	0 100 100	36, 55, 84, 108	5 (1%)
All	All	1104/1352 (81%)	-0.24	0 100 100	28, 49, 84, 108	18 (1%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	03P	A	9001	38/38	0.19	-0.05	31,34,42,43	0
2	03P	C	9001	38/38	0.18	-0.37	45,46,47,48	0

6.5 Other polymers ⓘ

There are no such residues in this entry.