



Full wwPDB X-ray Structure Validation Report i

Feb 28, 2014 – 06:08 AM GMT

PDB ID : 1RF9
Title : Crystal structure of cytochrome P450-cam with a fluorescent probe D-4-AD (Adamantane-1-carboxylicacid-5-dimethylamino-naphthalene-1-sulfonylamino-butyl-amide)
Authors : Hays, A-M.A.; Dunn, A.R.; Gray, H.B.; Stout, C.D.; Goodin, D.B.
Deposited on : 2003-11-07
Resolution : 1.80 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance


The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	3513 (1.80-1.80)
Clashscore	79885	4461 (1.80-1.80)
Ramachandran outliers	78287	4404 (1.80-1.80)
Sidechain outliers	78261	4403 (1.80-1.80)
RSRZ outliers	66119	3515 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	417	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
3	DBR	A	900	-	X

2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 3607 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Cytochrome P450-cam.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	404	3199	2029	558	594	18	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	415	GLN	-	CLONING ARTIFACT	UNP P00183
A	416	LEU	-	CLONING ARTIFACT	UNP P00183


- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	Fe	N	O		
2	A	1	43	34	1	4	4	0	0


- Molecule 3 is ADAMANTANE-1-CARBOXYLICACID-5-DIMETHYLAMINO-NAPH

THALENE-1-SULFONYLAMINO-BUTYL-AMIDE (three-letter code: DBR) (formula: $C_{27}H_{37}N_3O_3S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
3	A	1	34	27	3	3	1	0	0

- Molecule 4 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
4	A	1	4	2	2	0	0

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	327	Total 327	O 327	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Cytochrome P450-cam

Chain A: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	65.13Å 75.11Å 93.17Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 1.80 19.85 – 1.80	Depositor EDS
% Data completeness (in resolution range)	(Not available) (20.00-1.80) 85.5 (19.85-1.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.88 (at 1.80Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.196 , 0.227 0.210 , 0.236	Depositor DCC
R_{free} test set	1839 reflections (5.27%)	DCC
Wilson B-factor (Å ²)	19.0	Xtriage
Anisotropy	0.191	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 47.8	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 38862 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	3607	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.88% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, DBR, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.34	1/3278 (0.0%)	0.57	0/4454

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	276	GLU	CD-OE2	6.91	1.33	1.25

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3199	0	3150	71	0
2	A	43	0	30	0	0
3	A	34	0	37	1	0
4	A	4	0	6	0	0
5	A	327	0	0	8	0
All	All	3607	0	3223	72	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including

hydrogens) of the entry. The overall clashscore for this entry is 11.

All (72) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:49:ASN:H	1:A:49:ASN:HD22	1.25	0.84
1:A:49:ASN:ND2	1:A:49:ASN:H	1.83	0.77
1:A:277:ARG:HB3	1:A:280:ARG:HD3	1.71	0.72
1:A:186:ARG:HH11	1:A:392:LYS:NZ	1.89	0.71
3:A:900:DBR:H8	5:A:4170:HOH:O	1.91	0.70
1:A:49:ASN:HD22	1:A:49:ASN:N	1.85	0.70
1:A:229:ASN:OD1	5:A:4327:HOH:O	2.12	0.67
1:A:156:GLU:HB2	1:A:157:PRO:HD3	1.77	0.66
1:A:123:VAL:O	1:A:127:LEU:HD13	1.96	0.65
1:A:186:ARG:NH2	1:A:186:ARG:HB2	2.12	0.64
1:A:197:LYS:HE2	1:A:201:TYR:HE2	1.61	0.64
1:A:186:ARG:CZ	1:A:186:ARG:HB2	2.31	0.61
1:A:110:GLN:HG3	5:A:4040:HOH:O	2.00	0.60
1:A:39:GLN:NE2	1:A:39:GLN:H	1.99	0.60
1:A:143:ARG:HB3	1:A:144:PRO:HD3	1.84	0.59
1:A:277:ARG:CB	1:A:280:ARG:HD3	2.32	0.59
1:A:186:ARG:HH11	1:A:392:LYS:HZ2	1.51	0.58
1:A:205:ILE:HB	1:A:206:PRO:HD3	1.85	0.58
1:A:280:ARG:HG2	5:A:4141:HOH:O	2.04	0.58
1:A:118:VAL:HG12	1:A:222:ILE:HD12	1.86	0.57
1:A:197:LYS:HB3	1:A:197:LYS:NZ	2.19	0.57
1:A:280:ARG:HD2	5:A:4213:HOH:O	2.03	0.57
1:A:91:GLU:H	1:A:91:GLU:CD	2.08	0.56
1:A:201:TYR:O	1:A:205:ILE:HG13	2.06	0.55
1:A:110:GLN:OE1	1:A:229:ASN:N	2.26	0.55
1:A:390:GLN:HB3	1:A:400:GLN:HG3	1.89	0.54
1:A:294:LEU:HD23	1:A:294:LEU:H	1.73	0.54
1:A:179:TYR:O	1:A:183:GLN:HG2	2.08	0.54
1:A:166:LEU:HD12	1:A:167:ALA:N	2.22	0.54
1:A:41:ALA:O	1:A:44:VAL:HG22	2.08	0.54
1:A:191:MET:HB2	1:A:195:GLU:HB2	1.91	0.52
1:A:183:GLN:HE22	1:A:188:ASP:H	1.56	0.51
1:A:192:THR:O	1:A:194:ALA:N	2.44	0.51
1:A:121:MET:HB3	1:A:122:PRO:HD3	1.93	0.51
1:A:158:PHE:HB3	1:A:159:PRO:CD	2.41	0.50
1:A:207:ILE:O	1:A:211:ARG:HG3	2.12	0.50
1:A:197:LYS:HE2	1:A:201:TYR:CE2	2.45	0.49
1:A:303:SER:HA	1:A:314:LYS:HB2	1.95	0.49
1:A:150:PHE:CZ	1:A:261:MET:HG3	2.47	0.49
1:A:39:GLN:HE21	1:A:39:GLN:H	1.59	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:294:LEU:HD23	1:A:294:LEU:N	2.28	0.48
1:A:329:GLU:H	1:A:329:GLU:CD	2.17	0.48
1:A:151:THR:HA	1:A:155:ALA:HB3	1.95	0.48
1:A:197:LYS:HG2	1:A:201:TYR:CE2	2.49	0.48
1:A:227:GLN:OE1	1:A:232:PRO:HA	2.14	0.48
1:A:234:THR:OG1	1:A:237:GLU:HG3	2.14	0.48
1:A:204:LEU:O	1:A:208:ILE:HG13	2.13	0.48
1:A:229:ASN:ND2	5:A:4327:HOH:O	2.47	0.47
1:A:192:THR:O	1:A:195:GLU:N	2.42	0.47
1:A:72:ARG:NH1	1:A:331:GLU:OE2	2.40	0.46
1:A:149:ASN:ND2	1:A:152:GLU:HG3	2.31	0.46
1:A:210:GLN:HA	1:A:213:GLN:OE1	2.16	0.46
1:A:174:ILE:HB	1:A:175:PRO:HD3	1.97	0.45
1:A:192:THR:O	1:A:193:PHE:C	2.55	0.45
1:A:251:ASP:HB2	5:A:4249:HOH:O	2.15	0.45
1:A:229:ASN:CG	5:A:4327:HOH:O	2.53	0.45
1:A:327:LEU:HD22	1:A:336:MET:CE	2.46	0.45
1:A:166:LEU:C	1:A:166:LEU:HD12	2.38	0.44
1:A:192:THR:HG22	1:A:195:GLU:OE1	2.18	0.43
1:A:100:PRO:HB2	1:A:108:GLN:HG3	2.00	0.43
1:A:186:ARG:HH11	1:A:392:LYS:HZ1	1.64	0.43
1:A:118:VAL:HG23	1:A:119:VAL:HG13	2.00	0.43
1:A:186:ARG:CB	1:A:186:ARG:NH2	2.80	0.43
1:A:160:ILE:O	1:A:164:MET:HG2	2.19	0.43
1:A:170:PRO:HG2	1:A:173:ASP:OD2	2.19	0.43
1:A:158:PHE:HB3	1:A:159:PRO:HD3	2.01	0.42
1:A:271:ARG:O	1:A:275:ILE:HG13	2.21	0.41
1:A:67:ARG:NH1	1:A:329:GLU:OE1	2.46	0.41
1:A:372:LYS:HB2	1:A:372:LYS:HE3	1.84	0.41
1:A:197:LYS:HB3	1:A:197:LYS:HZ2	1.85	0.41
1:A:99:ILE:HA	1:A:100:PRO:HA	1.80	0.41
1:A:214:LYS:HG3	1:A:214:LYS:O	2.21	0.41

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	402/417 (96%)	386 (96%)	14 (4%)	2 (0%)	38	19

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	185	THR
1	A	193	PHE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	349/361 (97%)	342 (98%)	7 (2%)	68	53

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	39	GLN
1	A	49	ASN
1	A	133	GLU
1	A	213	GLN
1	A	251	ASP
1	A	388	GLN
1	A	390	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	39	GLN
1	A	46	GLN
1	A	49	ASN
1	A	145	GLN
1	A	183	GLN
1	A	210	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	213	GLN
1	A	225	ASN
1	A	229	ASN
1	A	308	HIS
1	A	337	HIS
1	A	390	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	EDO	A	1449	-	3,3,3	0.70	0	2,2,2	0.22	0
2	HEM	A	417	1,5	49,50,50	3.95	22 (44%)	46,82,82	1.71	11 (23%)
3	DBR	A	900	-	38,38,38	2.33	18 (47%)	57,57,57	1.83	8 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means

no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	A	1449	-	-	0/1/1/1	0/0/0/0
2	HEM	A	417	1,5	-	0/14/114/114	0/0/8/8
3	DBR	A	900	-	-	0/26/53/53	0/0/5/5

All (40) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	417	HEM	C2D-C1D	-17.81	1.40	1.44
2	A	417	HEM	C3D-C4D	-12.90	1.41	1.44
2	A	417	HEM	C2B-C1B	-9.11	1.42	1.44
3	A	900	DBR	S33-N31	-5.56	1.54	1.61
2	A	417	HEM	C1C-NC	-4.19	1.32	1.38
2	A	417	HEM	C3D-C2D	-3.68	1.37	1.43
3	A	900	DBR	C7-C9	3.52	1.61	1.53
3	A	900	DBR	C23-C22	3.51	1.49	1.43
2	A	417	HEM	FE-NA	3.50	2.07	1.92
3	A	900	DBR	C18-S33	3.48	1.81	1.77
3	A	900	DBR	C4-C9	3.47	1.61	1.53
2	A	417	HEM	C1D-ND	-3.37	1.29	1.37
2	A	417	HEM	CBB-CAB	3.36	1.48	1.28
3	A	900	DBR	C11-N12	3.25	1.41	1.34
2	A	417	HEM	CHB-C1B	3.16	1.40	1.35
3	A	900	DBR	C18-C23	3.02	1.48	1.43
2	A	417	HEM	CMA-C3A	2.97	1.57	1.51
2	A	417	HEM	CMC-C2C	2.95	1.56	1.47
3	A	900	DBR	C6-C8	2.91	1.60	1.52
3	A	900	DBR	C1-C5	2.88	1.60	1.52
3	A	900	DBR	C3-C8	2.81	1.60	1.52
3	A	900	DBR	C10-C9	2.78	1.60	1.53
3	A	900	DBR	C3-C2	2.76	1.60	1.52
2	A	417	HEM	C1B-NB	-2.71	1.34	1.39
2	A	417	HEM	FE-ND	2.62	2.07	1.97
2	A	417	HEM	C4D-ND	-2.60	1.34	1.39
3	A	900	DBR	C1-C2	2.48	1.59	1.52
3	A	900	DBR	C19-C18	2.45	1.40	1.37
2	A	417	HEM	FE-NB	2.41	2.06	1.97
2	A	417	HEM	CMD-C2D	2.31	1.54	1.47
2	A	417	HEM	CBC-CAC	2.27	1.42	1.28
3	A	900	DBR	C6-C5	2.25	1.58	1.52
3	A	900	DBR	C25-C26	2.25	1.44	1.39
2	A	417	HEM	O2A-CGA	-2.18	1.22	1.30
2	A	417	HEM	C4B-NB	-2.18	1.32	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	900	DBR	O34-S33	2.15	1.45	1.43
2	A	417	HEM	CBD-CGD	2.12	1.56	1.50
2	A	417	HEM	C4A-NA	-2.10	1.32	1.36
2	A	417	HEM	CHA-C4D	2.04	1.38	1.35
3	A	900	DBR	C10-C8	2.02	1.60	1.54

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	900	DBR	C15-C16-N31	7.59	128.61	111.32
3	A	900	DBR	C18-S33-N31	-5.85	99.13	106.85
3	A	900	DBR	C13-N12-C11	5.66	132.24	121.97
3	A	900	DBR	O34-S33-N31	4.23	114.09	107.05
2	A	417	HEM	CHD-C4C-NC	-4.17	121.11	124.73
2	A	417	HEM	C4A-CHB-C1B	3.37	131.90	127.47
3	A	900	DBR	O34-S33-O32	-3.22	115.22	119.55
3	A	900	DBR	C14-C13-N12	3.18	121.79	112.21
2	A	417	HEM	C3B-C4B-NB	-3.00	111.85	114.00
2	A	417	HEM	C4D-ND-C1D	2.99	108.22	105.16
2	A	417	HEM	C3A-C4A-NA	2.85	111.56	109.41
2	A	417	HEM	CHC-C1C-NC	-2.84	122.27	124.73
3	A	900	DBR	C29-N28-C28	-2.53	107.08	115.78
2	A	417	HEM	C2D-C1D-ND	-2.31	110.21	112.93
2	A	417	HEM	CHC-C4B-NB	-2.24	122.73	124.58
3	A	900	DBR	O32-S33-C18	2.23	111.90	108.08
2	A	417	HEM	O2A-CGA-O1A	-2.21	117.69	123.30
2	A	417	HEM	C1B-NB-C4B	2.20	107.41	105.16
2	A	417	HEM	CMB-C2B-C3B	2.02	130.91	126.16

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	404/417 (96%)	0.07	18 (4%) 32 25	8, 21, 44, 66	1 (0%)

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	192	THR	5.0
1	A	213	GLN	3.7
1	A	186	ARG	3.4
1	A	190	SER	3.3
1	A	188	ASP	3.1
1	A	388	GLN	2.9
1	A	191	MET	2.6
1	A	215	PRO	2.6
1	A	229	ASN	2.6
1	A	127	LEU	2.6
1	A	230	GLY	2.5
1	A	128	GLU	2.4
1	A	126	LYS	2.3
1	A	187	PRO	2.3
1	A	30	ASN	2.2
1	A	193	PHE	2.1
1	A	122	PRO	2.0
1	A	334	CYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

There are no carbohydrates in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	DBR	A	900	34/34	0.21	2.11	22,45,53,54	0
4	EDO	A	1449	4/4	0.12	-0.18	29,30,31,33	0
2	HEM	A	417	43/43	0.07	-0.95	6,10,14,16	0

6.5 Other polymers

There are no such residues in this entry.