



wwPDB X-ray Structure Validation Summary Report

Feb 27, 2014 – 03:29 PM GMT

PDB ID : 3RQW
Title : Crystal structure of acetylcholine bound to a prokaryotic pentameric ligand-gated ion channel, ELIC
Authors : Pan, J.J.; Chen, Q.; Yoshida, K.; Cohen, A.; Kong, X.P.; Xu, Y.; Tang, P.
Deposited on : 2011-04-28
Resolution : 2.91 Å(reported)

This is a wwPDB validation summary report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.91 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	1172 (2.94-2.90)
Clashscore	79885	1461 (2.94-2.90)
Ramachandran outliers	78287	1419 (2.94-2.90)
Sidechain outliers	78261	1421 (2.94-2.90)
RSRZ outliers	66119	1173 (2.94-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	322	
1	B	322	
1	C	322	
1	D	322	
1	E	322	
1	F	322	
1	G	322	
1	H	322	
1	I	322	
1	J	322	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
2	ACH	I	323	-	X
4	GOL	A	325	-	X
4	GOL	B	325	-	X
4	GOL	C	324	-	X
4	GOL	D	326	-	X
4	GOL	F	325	-	X
4	GOL	F	326	-	X
4	GOL	F	327	-	X
4	GOL	G	325	-	X
4	GOL	G	326	-	X
4	GOL	G	327	-	X
4	GOL	H	325	-	X
4	GOL	I	326	-	X
4	GOL	I	327	-	X
4	GOL	I	328	-	X

2 Entry composition


There are 5 unique types of molecules in this entry. The entry contains 25508 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ELIC Pentameric Ligand Gated Ion Channel from *Erwinia Chrysanthemi*.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	307	Total	C	N	O	S	0	0	0
			2505	1633	416	450	6			
1	B	307	Total	C	N	O	S	0	0	0
			2505	1633	416	450	6			
1	C	307	Total	C	N	O	S	0	0	0
			2505	1633	416	450	6			
1	D	307	Total	C	N	O	S	0	0	0
			2505	1633	416	450	6			
1	E	307	Total	C	N	O	S	0	0	0
			2505	1633	416	450	6			
1	F	307	Total	C	N	O	S	0	0	0
			2505	1633	416	450	6			
1	G	307	Total	C	N	O	S	0	0	0
			2505	1633	416	450	6			
1	H	307	Total	C	N	O	S	0	0	0
			2505	1633	416	450	6			
1	I	307	Total	C	N	O	S	0	0	0
			2505	1633	416	450	6			
1	J	307	Total	C	N	O	S	0	0	0
			2505	1633	416	450	6			

- Molecule 2 is ACETYLCHOLINE (three-letter code: ACH) (formula: C₇H₁₆NO₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			10	7	1	2		
2	B	1	Total	C	N	O	0	0
			10	7	1	2		
2	C	1	Total	C	N	O	0	0
			10	7	1	2		
2	D	1	Total	C	N	O	0	0
			10	7	1	2		
2	E	1	Total	C	N	O	0	0
			10	7	1	2		
2	F	1	Total	C	N	O	0	0
			10	7	1	2		
2	G	1	Total	C	N	O	0	0
			10	7	1	2		
2	H	1	Total	C	N	O	0	0
			10	7	1	2		
2	I	1	Total	C	N	O	0	0
			10	7	1	2		
2	J	1	Total	C	N	O	0	0
			10	7	1	2		

- Molecule 3 is 2-(N-MORPHOLINO)-ETHANESULFONICACID (three-letter code: MES) (formula: C₆H₁₃NO₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
3	B	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
3	D	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
3	D	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
3	E	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
3	F	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
3	G	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
3	I	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
3	J	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	D	1	Total	C	O	0	0
			6	3	3		
4	D	1	Total	C	O	0	0
			6	3	3		
4	E	1	Total	C	O	0	0
			6	3	3		
4	E	1	Total	C	O	0	0
			6	3	3		
4	F	1	Total	C	O	0	0
			6	3	3		
4	F	1	Total	C	O	0	0
			6	3	3		
4	F	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	F	1	Total C O 6 3 3	0	0
4	G	1	Total C O 6 3 3	0	0
4	G	1	Total C O 6 3 3	0	0
4	G	1	Total C O 4 2 2	0	0
4	G	1	Total C O 6 3 3	0	0
4	H	1	Total C O 6 3 3	0	0
4	H	1	Total C O 6 3 3	0	0
4	I	1	Total C O 6 3 3	0	0
4	I	1	Total C O 6 3 3	0	0
4	I	1	Total C O 6 3 3	0	0
4	I	1	Total C O 6 3 3	0	0
4	I	1	Total C O 6 3 3	0	0
4	J	1	Total C O 6 3 3	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	10	Total O 10 10	0	0
5	B	8	Total O 8 8	0	0
5	C	10	Total O 10 10	0	0
5	D	15	Total O 15 15	0	0
5	E	11	Total O 11 11	0	0
5	F	4	Total O 4 4	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	G	12	Total 12	O 12	0	0
5	H	7	Total 7	O 7	0	0
5	I	6	Total 6	O 6	0	0
5	J	7	Total 7	O 7	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: ELIC Pentameric Ligand Gated Ion Channel from *Erwinia Chrysanthemi*

Chain A:




- Molecule 1: ELIC Pentameric Ligand Gated Ion Channel from *Erwinia Chrysanthemi*


Chain B:



- Molecule 1: ELIC Pentameric Ligand Gated Ion Channel from *Erwinia Chrysanthemi*


Chain C:






- Molecule 1: ELIC Pentameric Ligand Gated Ion Channel from *Erwinia Chrysanthemi*

Chain D:




- Molecule 1: ELIC Pentameric Ligand Gated Ion Channel from *Erwinia Chrysanthemi*


Chain E:




- Molecule 1: ELIC Pentameric Ligand Gated Ion Channel from *Erwinia Chrysanthemi*

Chain F:








● Molecule 1: ELIC Pentameric Ligand Gated Ion Channel from Erwinia Chrysanthemi

Chain J:



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	105.76Å 266.07Å 111.16Å 90.00° 107.82° 90.00°	Depositor
Resolution (Å)	24.98 – 2.91 29.80 – 2.91	Depositor EDS
% Data completeness (in resolution range)	92.5 (24.98-2.91) 98.0 (29.80-2.91)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.40 (at 2.90Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.6.4_486)	Depositor
R, R_{free}	0.206 , 0.231 0.202 , 0.225	Depositor DCC
R_{free} test set	6264 reflections (5.03%)	DCC
Wilson B-factor (Å ²)	89.8	Xtriage
Anisotropy	0.307	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 62.9	EDS
Estimated twinning fraction	0.018 for l,-k,h	Xtriage
L-test for twinning	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	1 of 124569 reflections (0.001%)	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	25508	wwPDB-VP
Average B, all atoms (Å ²)	96.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.07% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, ACH, MES

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.38	0/2573	0.54	1/3507 (0.0%)
1	B	0.44	0/2573	0.57	1/3507 (0.0%)
1	C	0.43	0/2573	0.57	1/3507 (0.0%)
1	D	0.46	0/2573	0.58	1/3507 (0.0%)
1	E	0.42	0/2573	0.56	1/3507 (0.0%)
1	F	0.41	0/2573	0.55	1/3507 (0.0%)
1	G	0.43	0/2573	0.60	2/3507 (0.1%)
1	H	0.42	0/2573	0.57	1/3507 (0.0%)
1	I	0.43	0/2573	0.58	1/3507 (0.0%)
1	J	0.41	0/2573	0.56	1/3507 (0.0%)
All	All	0.42	0/25730	0.57	11/35070 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	1
1	C	0	1
1	D	0	1
1	E	0	1
1	F	0	1
1	G	0	1
1	H	0	2
1	I	0	1
1	J	0	1
All	All	0	12

There are no bond length outliers.

The worst 5 of 11 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	I	119	PHE	C-N-CD	-7.40	104.31	120.60
1	J	119	PHE	C-N-CD	-7.25	104.66	120.60
1	G	302	LEU	CA-CB-CG	7.10	131.62	115.30
1	E	119	PHE	C-N-CD	-7.04	105.12	120.60
1	G	119	PHE	C-N-CD	-7.01	105.17	120.60

There are no chirality outliers.

5 of 12 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	119	PHE	Peptide
1	A	164	GLY	Peptide
1	B	119	PHE	Peptide
1	C	119	PHE	Peptide
1	D	119	PHE	Peptide

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2505	0	2478	118	0
1	B	2505	0	2478	121	0
1	C	2505	0	2478	109	0
1	D	2505	0	2478	111	0
1	E	2505	0	2478	105	0
1	F	2505	0	2478	115	0
1	G	2505	0	2478	130	0
1	H	2505	0	2478	117	0
1	I	2505	0	2478	121	0
1	J	2505	0	2478	119	0
2	A	10	0	16	2	0
2	B	10	0	16	2	0
2	C	10	0	16	3	0
2	D	10	0	16	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	E	10	0	16	4	0
2	F	10	0	16	2	0
2	G	10	0	16	1	0
2	H	10	0	16	1	0
2	I	10	0	16	3	0
2	J	10	0	16	3	0
3	A	12	0	12	1	0
3	B	12	0	12	0	0
3	D	24	0	24	1	0
3	E	12	0	12	0	0
3	F	12	0	12	2	0
3	G	12	0	12	0	0
3	I	12	0	12	0	0
3	J	12	0	12	0	0
4	A	12	0	16	6	0
4	B	18	0	24	12	0
4	C	12	0	16	4	0
4	D	12	0	16	1	0
4	E	12	0	16	2	0
4	F	24	0	32	5	0
4	G	22	0	28	9	0
4	H	12	0	16	9	0
4	I	30	0	40	10	0
4	J	6	0	8	7	0
5	A	10	0	0	2	0
5	B	8	0	0	2	0
5	C	10	0	0	4	0
5	D	15	0	0	9	0
5	E	11	0	0	5	0
5	F	4	0	0	5	0
5	G	12	0	0	3	0
5	H	7	0	0	5	0
5	I	6	0	0	4	0
5	J	7	0	0	6	0
All	All	25508	0	25260	1114	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 22.

The worst 5 of 1114 close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:136:ASN:O	4:C:325:GOL:H2	1.36	1.20

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:I:140:LEU:HD21	5:I:334:HOH:O	1.48	1.11
1:B:140:LEU:HD11	5:B:332:HOH:O	1.51	1.11
1:D:140:LEU:HD11	5:D:341:HOH:O	1.52	1.09
1:H:140:LEU:HD11	5:H:331:HOH:O	1.52	1.07

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	305/322 (95%)	270 (88%)	25 (8%)	10 (3%)	6	23
1	B	305/322 (95%)	271 (89%)	24 (8%)	10 (3%)	6	23
1	C	305/322 (95%)	267 (88%)	29 (10%)	9 (3%)	7	26
1	D	305/322 (95%)	269 (88%)	24 (8%)	12 (4%)	5	17
1	E	305/322 (95%)	265 (87%)	29 (10%)	11 (4%)	5	21
1	F	305/322 (95%)	268 (88%)	28 (9%)	9 (3%)	7	26
1	G	305/322 (95%)	265 (87%)	29 (10%)	11 (4%)	5	21
1	H	305/322 (95%)	268 (88%)	27 (9%)	10 (3%)	6	23
1	I	305/322 (95%)	271 (89%)	22 (7%)	12 (4%)	5	17
1	J	305/322 (95%)	267 (88%)	26 (8%)	12 (4%)	5	17
All	All	3050/3220 (95%)	2681 (88%)	263 (9%)	106 (4%)	6	22

5 of 106 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	119	PHE
1	A	120	PRO
1	A	149	THR
1	A	165	LYS
1	B	119	PHE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	275/284 (97%)	255 (93%)	20 (7%)	20	50
1	B	275/284 (97%)	253 (92%)	22 (8%)	17	45
1	C	275/284 (97%)	254 (92%)	21 (8%)	19	48
1	D	275/284 (97%)	251 (91%)	24 (9%)	15	41
1	E	275/284 (97%)	253 (92%)	22 (8%)	17	45
1	F	275/284 (97%)	255 (93%)	20 (7%)	20	50
1	G	275/284 (97%)	254 (92%)	21 (8%)	19	48
1	H	275/284 (97%)	256 (93%)	19 (7%)	22	53
1	I	275/284 (97%)	252 (92%)	23 (8%)	16	42
1	J	275/284 (97%)	253 (92%)	22 (8%)	17	45
All	All	2750/2840 (97%)	2536 (92%)	214 (8%)	18	46

5 of 214 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	130	LEU
1	F	212	LEU
1	J	91	ARG
1	E	212	LEU
1	E	317	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 47 such sidechains are listed below:

Mol	Chain	Res	Type
1	E	151	ASN
1	F	69	ASN
1	J	69	ASN
1	E	284	HIS
1	F	200	ASN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

46 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	ACH	A	323	-	9,9,9	1.02	1 (11%)	12,12,12	0.64	0
3	MES	A	324	-	12,12,12	2.10	1 (8%)	16,16,16	2.38	5 (31%)
4	GOL	A	325	-	5,5,5	0.72	0	5,5,5	0.67	0
4	GOL	A	326	-	5,5,5	0.78	0	5,5,5	0.41	0
2	ACH	B	323	-	9,9,9	0.96	1 (11%)	12,12,12	0.71	0
3	MES	B	324	-	12,12,12	2.06	1 (8%)	16,16,16	2.29	5 (31%)
4	GOL	B	325	-	5,5,5	0.70	0	5,5,5	0.70	0
4	GOL	B	326	-	5,5,5	0.76	0	5,5,5	0.69	0
4	GOL	B	327	-	5,5,5	0.82	0	5,5,5	0.71	0
2	ACH	C	323	-	9,9,9	1.00	1 (11%)	12,12,12	0.74	0
4	GOL	C	324	-	5,5,5	0.61	0	5,5,5	0.64	0
4	GOL	C	325	-	5,5,5	0.75	0	5,5,5	0.80	0
2	ACH	D	323	-	9,9,9	1.08	1 (11%)	12,12,12	0.82	0
3	MES	D	324	-	12,12,12	2.09	1 (8%)	16,16,16	2.40	9 (56%)
3	MES	D	325	-	12,12,12	2.16	1 (8%)	16,16,16	2.44	7 (43%)
4	GOL	D	326	-	5,5,5	0.76	0	5,5,5	0.62	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	GOL	D	327	-	5,5,5	0.71	0	5,5,5	0.57	0
2	ACH	E	323	-	9,9,9	1.02	1 (11%)	12,12,12	0.68	0
3	MES	E	324	-	12,12,12	2.09	1 (8%)	16,16,16	2.36	6 (37%)
4	GOL	E	325	-	5,5,5	0.79	0	5,5,5	0.41	0
4	GOL	E	326	-	5,5,5	0.85	0	5,5,5	0.53	0
2	ACH	F	323	-	9,9,9	1.00	1 (11%)	12,12,12	0.82	0
3	MES	F	324	-	12,12,12	2.10	1 (8%)	16,16,16	2.26	5 (31%)
4	GOL	F	325	-	5,5,5	0.70	0	5,5,5	0.52	0
4	GOL	F	326	-	5,5,5	0.67	0	5,5,5	0.62	0
4	GOL	F	327	-	5,5,5	0.85	0	5,5,5	0.37	0
4	GOL	F	328	-	5,5,5	0.78	0	5,5,5	0.68	0
2	ACH	G	323	-	9,9,9	1.04	1 (11%)	12,12,12	0.59	0
3	MES	G	324	-	12,12,12	2.18	1 (8%)	16,16,16	2.54	12 (75%)
4	GOL	G	325	-	5,5,5	0.72	0	5,5,5	0.62	0
4	GOL	G	326	-	5,5,5	0.66	0	5,5,5	0.52	0
4	GOL	G	327	-	2,3,5	8.66	1 (50%)	0,2,5	0.00	-
4	GOL	G	328	-	5,5,5	0.62	0	5,5,5	1.06	1 (20%)
2	ACH	H	323	-	9,9,9	0.94	1 (11%)	12,12,12	0.86	0
4	GOL	H	324	-	5,5,5	0.48	0	5,5,5	0.87	0
4	GOL	H	325	-	5,5,5	0.93	0	5,5,5	0.43	0
2	ACH	I	323	-	9,9,9	0.95	1 (11%)	12,12,12	0.72	0
3	MES	I	324	-	12,12,12	2.02	1 (8%)	16,16,16	2.26	6 (37%)
4	GOL	I	325	-	5,5,5	0.78	0	5,5,5	0.50	0
4	GOL	I	326	-	5,5,5	0.73	0	5,5,5	0.92	0
4	GOL	I	327	-	5,5,5	0.76	0	5,5,5	0.44	0
4	GOL	I	328	-	5,5,5	0.70	0	5,5,5	0.54	0
4	GOL	I	329	-	5,5,5	0.84	0	5,5,5	0.63	0
2	ACH	J	323	-	9,9,9	0.98	1 (11%)	12,12,12	0.74	0
3	MES	J	324	-	12,12,12	2.15	1 (8%)	16,16,16	2.52	6 (37%)
4	GOL	J	325	-	5,5,5	0.72	0	5,5,5	0.72	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ACH	A	323	-	-	0/7/7/7	0/0/0/0
3	MES	A	324	-	-	0/6/14/14	1/1/1/1
4	GOL	A	325	-	-	0/4/4/4	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	A	326	-	-	0/4/4/4	0/0/0/0
2	ACH	B	323	-	-	0/7/7/7	0/0/0/0
3	MES	B	324	-	-	0/6/14/14	1/1/1/1
4	GOL	B	325	-	-	0/4/4/4	0/0/0/0
4	GOL	B	326	-	-	0/4/4/4	0/0/0/0
4	GOL	B	327	-	-	0/4/4/4	0/0/0/0
2	ACH	C	323	-	-	0/7/7/7	0/0/0/0
4	GOL	C	324	-	-	0/4/4/4	0/0/0/0
4	GOL	C	325	-	-	0/4/4/4	0/0/0/0
2	ACH	D	323	-	-	0/7/7/7	0/0/0/0
3	MES	D	324	-	-	0/6/14/14	0/1/1/1
3	MES	D	325	-	-	0/6/14/14	0/1/1/1
4	GOL	D	326	-	-	0/4/4/4	0/0/0/0
4	GOL	D	327	-	-	0/4/4/4	0/0/0/0
2	ACH	E	323	-	-	0/7/7/7	0/0/0/0
3	MES	E	324	-	-	0/6/14/14	1/1/1/1
4	GOL	E	325	-	-	0/4/4/4	0/0/0/0
4	GOL	E	326	-	-	0/4/4/4	0/0/0/0
2	ACH	F	323	-	-	0/7/7/7	0/0/0/0
3	MES	F	324	-	-	0/6/14/14	1/1/1/1
4	GOL	F	325	-	-	0/4/4/4	0/0/0/0
4	GOL	F	326	-	-	0/4/4/4	0/0/0/0
4	GOL	F	327	-	-	0/4/4/4	0/0/0/0
4	GOL	F	328	-	-	0/4/4/4	0/0/0/0
2	ACH	G	323	-	-	0/7/7/7	0/0/0/0
3	MES	G	324	-	-	0/6/14/14	0/1/1/1
4	GOL	G	325	-	-	0/4/4/4	0/0/0/0
4	GOL	G	326	-	-	0/4/4/4	0/0/0/0
4	GOL	G	327	-	-	0/0/1/4	0/0/0/0
4	GOL	G	328	-	-	0/4/4/4	0/0/0/0
2	ACH	H	323	-	-	0/7/7/7	0/0/0/0
4	GOL	H	324	-	-	0/4/4/4	0/0/0/0
4	GOL	H	325	-	-	0/4/4/4	0/0/0/0
2	ACH	I	323	-	-	0/7/7/7	0/0/0/0
3	MES	I	324	-	-	0/6/14/14	1/1/1/1
4	GOL	I	325	-	-	0/4/4/4	0/0/0/0
4	GOL	I	326	-	-	0/4/4/4	0/0/0/0
4	GOL	I	327	-	-	0/4/4/4	0/0/0/0
4	GOL	I	328	-	-	0/4/4/4	0/0/0/0
4	GOL	I	329	-	-	0/4/4/4	0/0/0/0
2	ACH	J	323	-	-	0/7/7/7	0/0/0/0
3	MES	J	324	-	-	0/6/14/14	1/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	J	325	-	-	0/4/4/4	0/0/0/0

The worst 5 of 20 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	G	327	GOL	O2-C2	12.22	1.38	1.25
3	G	324	MES	C8-S	-6.46	1.66	1.78
3	J	324	MES	C8-S	-6.42	1.66	1.78
3	D	325	MES	C8-S	-6.37	1.66	1.78
3	E	324	MES	C8-S	-6.25	1.67	1.78

The worst 5 of 62 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	324	MES	C5-N4-C3	5.22	120.11	109.75
3	A	324	MES	C5-N4-C3	4.98	119.62	109.75
3	E	324	MES	C5-N4-C3	4.96	119.59	109.75
3	B	324	MES	C5-N4-C3	4.89	119.45	109.75
3	J	324	MES	C5-N4-C3	4.76	119.19	109.75

There are no chirality outliers.

There are no torsion outliers.

5 of 6 ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	J	324	MES	C2-C3-C5-C6-N4-O1
3	E	324	MES	C2-C3-C5-C6-N4-O1
3	A	324	MES	C2-C3-C5-C6-N4-O1
3	F	324	MES	C2-C3-C5-C6-N4-O1
3	I	324	MES	C2-C3-C5-C6-N4-O1

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	307/322 (95%)	0.16	29 (9%) 9 11	57, 90, 172, 210	0
1	B	307/322 (95%)	-0.05	19 (6%) 20 24	52, 87, 172, 213	0
1	C	307/322 (95%)	-0.06	17 (5%) 24 29	51, 87, 173, 210	0
1	D	307/322 (95%)	-0.07	15 (4%) 28 34	51, 84, 170, 210	0
1	E	307/322 (95%)	-0.13	11 (3%) 41 48	54, 88, 170, 208	0
1	F	307/322 (95%)	0.10	30 (9%) 8 10	53, 94, 173, 208	0
1	G	307/322 (95%)	0.00	22 (7%) 15 18	51, 87, 168, 209	0
1	H	307/322 (95%)	0.18	27 (8%) 10 12	55, 89, 174, 208	0
1	I	307/322 (95%)	0.09	26 (8%) 11 13	57, 90, 172, 211	0
1	J	307/322 (95%)	-0.08	22 (7%) 15 18	59, 94, 175, 208	0
All	All	3070/3220 (95%)	0.01	218 (7%) 16 19	51, 89, 174, 213	0

The worst 5 of 218 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	152	ILE	21.8
1	B	152	ILE	20.4
1	G	152	ILE	15.9
1	H	288	ALA	12.2
1	F	317	ILE	12.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	GOL	A	325	6/6	0.41	12.48	69,109,127,135	0
4	GOL	H	325	6/6	0.45	12.17	80,85,104,115	0
4	GOL	I	328	6/6	0.56	10.63	87,95,119,124	0
4	GOL	B	325	6/6	0.33	8.44	77,88,103,117	0
4	GOL	F	327	6/6	0.26	6.54	77,98,110,119	0
4	GOL	G	327	4/6	0.30	5.63	86,96,104,106	0
4	GOL	G	325	6/6	0.27	5.09	79,94,101,112	0
4	GOL	I	327	6/6	0.42	4.41	88,92,119,126	0
4	GOL	C	324	6/6	0.33	3.93	79,89,98,113	0
4	GOL	G	326	6/6	0.30	3.60	91,96,115,116	0
4	GOL	F	325	6/6	0.36	3.49	84,100,114,125	0
4	GOL	D	326	6/6	0.38	2.56	96,100,101,106	0
4	GOL	I	326	6/6	0.28	2.07	73,91,114,119	0
2	ACH	I	323	10/10	0.23	2.05	54,67,76,80	0
4	GOL	F	326	6/6	0.29	2.01	83,98,121,143	0
4	GOL	E	325	6/6	0.19	1.38	85,99,110,130	0
2	ACH	H	323	10/10	0.23	1.07	57,74,81,83	0
4	GOL	A	326	6/6	0.19	1.05	79,90,125,127	0
2	ACH	A	323	10/10	0.21	0.90	56,66,76,77	0
4	GOL	D	327	6/6	0.24	0.60	51,79,98,109	0
2	ACH	D	323	10/10	0.16	0.29	53,62,70,73	0
4	GOL	B	327	6/6	0.16	0.25	55,62,83,90	0
2	ACH	C	323	10/10	0.23	0.21	54,69,74,75	0
2	ACH	J	323	10/10	0.22	0.14	56,74,82,89	0
2	ACH	B	323	10/10	0.17	0.13	53,65,78,80	0
4	GOL	B	326	6/6	0.21	-0.09	83,110,138,150	0
2	ACH	G	323	10/10	0.16	-0.14	48,68,76,77	0
3	MES	F	324	12/12	0.15	-0.14	106,147,159,185	0
3	MES	D	325	12/12	0.16	-0.15	85,140,157,157	0
3	MES	I	324	12/12	0.18	-0.21	109,142,169,177	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	MES	G	324	12/12	0.17	-0.21	99,122,143,150	0
3	MES	D	324	12/12	0.18	-0.29	107,132,160,169	0
3	MES	A	324	12/12	0.14	-0.33	91,140,168,188	0
2	ACH	F	323	10/10	0.15	-0.42	48,67,74,76	0
4	GOL	E	326	6/6	0.14	-0.55	67,89,129,133	0
4	GOL	F	328	6/6	0.13	-0.56	73,86,114,121	0
4	GOL	I	329	6/6	0.19	-0.57	61,71,110,133	0
4	GOL	H	324	6/6	0.19	-0.62	56,69,111,111	0
2	ACH	E	323	10/10	0.20	-0.70	57,76,82,85	0
4	GOL	C	325	6/6	0.13	-0.82	60,66,78,92	0
4	GOL	J	325	6/6	0.12	-1.05	64,92,106,114	0
4	GOL	G	328	6/6	0.13	-1.11	50,79,101,104	0
3	MES	B	324	12/12	0.09	-1.32	120,136,164,175	0
3	MES	J	324	12/12	0.12	-1.39	139,157,169,184	0
3	MES	E	324	12/12	0.09	-1.53	123,143,171,178	0
4	GOL	I	325	6/6	0.11	-1.68	88,93,105,121	0

6.5 Other polymers ⓘ

There are no such residues in this entry.