



# Full wwPDB X-ray Structure Validation Report

Feb 28, 2014 – 01:34 AM GMT

PDB ID : 1S1C  
Title : Crystal structure of the complex between the human RhoA and Rho-binding domain of human ROCKI  
Authors : Dvorsky, R.; Blumenstein, L.; Vetter, I.R.; Ahmadian, M.R.  
Deposited on : 2004-01-06  
Resolution : 2.60 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.15 2013  
Xtriage (Phenix) : dev-1323  
EDS : stable22639  
Percentile statistics : 21963  
Refmac : 5.8.0049  
CCP4 : 6.3.0 (Settle)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable22683

# 1 Overall quality at a glance

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	66092	1718 (2.60-2.60)
Clashscore	79885	2154 (2.60-2.60)
Ramachandran outliers	78287	2113 (2.60-2.60)
Sidechain outliers	78261	2113 (2.60-2.60)
RSRZ outliers	66119	1718 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	183	
1	B	183	
2	X	71	
2	Y	71	

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 4072 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Transforming protein RhoA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	179	Total	C	N	O	S	0	0	0
			1410	891	237	272	10			
1	B	179	Total	C	N	O	S	0	0	0
			1410	891	237	272	10			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	CLONING ARTIFACT	UNP P61586
A	0	SER	-	CLONING ARTIFACT	UNP P61586
B	-1	GLY	-	CLONING ARTIFACT	UNP P61586
B	0	SER	-	CLONING ARTIFACT	UNP P61586

- Molecule 2 is a protein called Rho-associated, coiled-coil containing protein kinase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	X	69	Total	C	N	O	S	0	0	0
			558	346	98	111	3			
2	Y	70	Total	C	N	O	S	0	0	0
			573	353	100	117	3			


There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
X	945	GLY	-	CLONING ARTIFACT	UNP Q13464
X	946	SER	-	CLONING ARTIFACT	UNP Q13464
Y	945	GLY	-	CLONING ARTIFACT	UNP Q13464
Y	946	SER	-	CLONING ARTIFACT	UNP Q13464

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	1	Total Mg 1 1	0	0
3	A	1	Total Mg 1 1	0	0

- Molecule 4 is PHOSPHOAMINOPHOSPHONICACID-GUANYLATE ESTER (three-letter code: GNP) (formula:  $C_{10}H_{17}N_6O_{13}P_3$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C N O P 32 10 6 13 3	0	0
4	B	1	Total C N O P 32 10 6 13 3	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	29	Total O 29 29	0	0
5	B	21	Total O 21 21	0	0
5	X	4	Total O 4 4	0	0
5	Y	1	Total O 1 1	0	0



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	34.40Å 89.54Å 98.11Å 90.00° 91.86° 90.00°	Depositor
Resolution (Å)	19.77 – 2.60 28.59 – 2.60	Depositor EDS
% Data completeness (in resolution range)	95.4 (19.77-2.60) 95.5 (28.59-2.60)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.76 (at 2.61Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.219 , 0.257 0.222 , 0.260	Depositor DCC
$R_{free}$ test set	1733 reflections (9.92%)	DCC
Wilson B-factor (Å <sup>2</sup> )	32.4	Xtriage
Anisotropy	0.326	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 29.9	EDS
Estimated twinning fraction	0.065 for h,-k,-l	Xtriage
L-test for twinning	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	0 of 17496 reflections	Xtriage
$F_o, F_c$ correlation	0.90	EDS
Total number of atoms	4072	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.58% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GNP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.38	0/1438	0.63	0/1945
1	B	0.38	0/1438	0.64	0/1945
2	X	0.36	0/559	0.51	0/741
2	Y	0.42	0/574	0.57	0/761
All	All	0.38	0/4009	0.61	0/5392

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1410	0	1389	35	0
1	B	1410	0	1390	31	0
2	X	558	0	579	30	0
2	Y	573	0	591	34	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	32	0	13	0	0
4	B	32	0	13	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	29	0	0	0	0
5	B	21	0	0	0	0
5	X	4	0	0	0	0
5	Y	1	0	0	0	0
All	All	4072	0	3975	120	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 15.

All (120) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:X:1011:ASN:HD22	2:X:1012:ARG:HH21	1.11	0.91
2:X:964:GLU:HG2	2:X:968:LYS:HE2	1.50	0.90
1:A:123:ASN:HA	1:A:128:ARG:NH1	1.89	0.87
1:A:123:ASN:HA	1:A:128:ARG:HH12	1.45	0.79
2:X:962:LEU:HD13	2:Y:962:LEU:HD22	1.68	0.76
2:X:1011:ASN:HD22	2:X:1012:ARG:NH2	1.83	0.75
2:X:1011:ASN:HB3	2:X:1012:ARG:NH2	2.04	0.72
2:X:964:GLU:HG2	2:X:968:LYS:CE	2.21	0.70
2:Y:954:ILE:HG23	2:Y:955:LEU:HD12	1.76	0.68
1:B:163:THR:O	1:B:164:LYS:HB2	1.93	0.67
2:X:957:ARG:O	2:X:961:GLU:HG3	1.94	0.67
2:Y:983:ASN:N	2:Y:983:ASN:HD22	1.93	0.67
1:B:122:ARG:NH1	1:B:139:VAL:O	2.27	0.66
1:A:163:THR:O	1:A:164:LYS:HB2	1.95	0.65
1:A:122:ARG:NH1	1:A:139:VAL:O	2.31	0.62
2:X:1011:ASN:ND2	2:X:1012:ARG:HH21	1.92	0.60
1:A:80:ILE:HD12	1:A:103:VAL:HG13	1.84	0.59
1:B:80:ILE:HD12	1:B:103:VAL:HG13	1.85	0.58
2:Y:962:LEU:HD23	2:Y:962:LEU:O	2.04	0.58
2:Y:987:ALA:O	2:Y:991:ASN:HB2	2.05	0.57
2:Y:948:LEU:HD13	2:Y:953:GLU:OE1	2.05	0.56
2:Y:974:LYS:C	2:Y:976:GLU:H	2.07	0.56
2:X:977:LYS:HD2	2:Y:973:TYR:CE2	2.40	0.56
2:X:969:ALA:O	2:X:972:GLU:HB3	2.04	0.56
2:X:975:LEU:HD23	2:X:975:LEU:C	2.26	0.56
2:X:966:MET:O	2:X:970:GLU:HG2	2.05	0.56
2:Y:954:ILE:HG23	2:Y:955:LEU:CD1	2.36	0.55
1:B:8:LEU:C	1:B:8:LEU:HD23	2.27	0.55
2:X:1005:LYS:O	2:X:1009:ILE:HG12	2.06	0.55
1:A:7:LYS:HE3	1:A:58:TRP:CE2	2.42	0.54
2:X:984:LEU:O	2:X:988:PHE:HD1	1.91	0.54

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:X:962:LEU:O	2:X:966:MET:HG3	2.08	0.54
1:A:8:LEU:HD23	1:A:8:LEU:C	2.27	0.54
1:A:122:ARG:HH22	1:A:158:GLU:CD	2.10	0.54
2:Y:948:LEU:HD22	2:Y:956:ARG:HH21	1.74	0.53
1:A:126:HIS:O	1:A:130:GLU:HG2	2.09	0.53
2:Y:948:LEU:HD22	2:Y:956:ARG:NH2	2.24	0.53
1:B:8:LEU:HD23	1:B:9:VAL:N	2.24	0.53
1:B:100:THR:HB	1:B:101:PRO:HD3	1.89	0.53
1:A:72:LEU:HD13	2:Y:1010:MET:CB	2.39	0.53
1:A:100:THR:HB	1:A:101:PRO:HD3	1.91	0.52
1:B:80:ILE:CD1	1:B:103:VAL:HG13	2.40	0.52
2:Y:974:LYS:O	2:Y:976:GLU:N	2.43	0.52
2:Y:962:LEU:HD23	2:Y:962:LEU:C	2.30	0.52
1:A:8:LEU:HD23	1:A:9:VAL:N	2.23	0.52
1:A:72:LEU:HD13	2:Y:1010:MET:HB3	1.92	0.52
1:B:172:GLU:O	1:B:176:ARG:HG3	2.10	0.52
2:X:962:LEU:HD22	2:Y:962:LEU:CD2	2.40	0.52
1:B:122:ARG:HH22	1:B:158:GLU:CD	2.14	0.52
1:A:80:ILE:CD1	1:A:103:VAL:HG13	2.40	0.51
1:B:93:GLU:O	1:B:96:PRO:HD2	2.10	0.51
2:X:966:MET:SD	2:Y:966:MET:SD	3.09	0.51
1:A:93:GLU:O	1:A:96:PRO:HD2	2.11	0.51
1:A:172:GLU:O	1:A:176:ARG:HG3	2.11	0.51
1:A:168:ARG:O	1:A:172:GLU:HG3	2.11	0.50
2:X:972:GLU:O	2:X:974:LYS:N	2.44	0.50
1:B:67:ASP:OD1	1:B:70:ARG:NH2	2.41	0.50
1:A:144:GLY:HA3	1:A:156:TYR:CZ	2.47	0.50
1:B:23:ILE:HD11	1:B:42:TYR:CZ	2.47	0.50
1:A:180:GLN:O	1:A:181:ALA:HB2	2.12	0.49
1:B:168:ARG:O	1:B:172:GLU:HG3	2.12	0.49
1:B:41:ASN:HD22	1:B:58:TRP:HA	1.76	0.49
1:A:122:ARG:NH2	1:A:158:GLU:OE2	2.45	0.49
2:Y:984:LEU:HD23	2:Y:984:LEU:C	2.34	0.49
1:B:95:ILE:HB	1:B:96:PRO:HD3	1.95	0.48
2:X:988:PHE:CD2	2:Y:988:PHE:HB3	2.49	0.48
1:A:95:ILE:HB	1:A:96:PRO:HD3	1.96	0.48
1:B:85:SER:OG	1:B:118:LYS:HD2	2.14	0.47
1:B:7:LYS:HE3	1:B:58:TRP:CE2	2.49	0.47
2:X:972:GLU:C	2:X:974:LYS:H	2.18	0.47
1:A:85:SER:OG	1:A:118:LYS:HD2	2.15	0.47
2:Y:974:LYS:C	2:Y:976:GLU:N	2.68	0.46
2:X:966:MET:HG2	2:Y:966:MET:HG3	1.97	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:Y:1011:ASN:HD22	2:Y:1012:ARG:N	2.14	0.46
1:B:144:GLY:HA3	1:B:156:TYR:CZ	2.51	0.46
1:B:81:LEU:HD23	1:B:113:ILE:HB	1.98	0.46
2:X:956:ARG:O	2:X:960:GLU:HB2	2.17	0.45
1:A:81:LEU:HD23	1:A:113:ILE:HB	1.99	0.45
2:X:980:GLU:O	2:X:984:LEU:HB2	2.16	0.45
1:A:122:ARG:O	1:A:128:ARG:NH1	2.50	0.45
1:A:122:ARG:NH2	1:A:141:PRO:HG3	2.32	0.44
2:Y:951:ASP:O	2:Y:955:LEU:HD13	2.17	0.44
1:B:70:ARG:N	1:B:71:PRO:HD2	2.33	0.44
1:B:14:GLY:O	1:B:15:ALA:HB3	2.18	0.44
1:B:113:ILE:HD12	1:B:173:MET:HG2	1.99	0.43
1:B:6:LYS:HE3	1:B:179:LEU:HD12	2.01	0.43
2:Y:992:ILE:HG23	2:Y:993:ASN:N	2.34	0.43
1:B:122:ARG:NH2	1:B:141:PRO:HG3	2.34	0.43
2:Y:983:ASN:N	2:Y:983:ASN:ND2	2.63	0.43
1:A:41:ASN:HD22	1:A:58:TRP:HA	1.82	0.43
1:B:122:ARG:NH2	1:B:158:GLU:OE2	2.52	0.43
1:A:14:GLY:O	1:A:15:ALA:HB3	2.19	0.42
2:Y:1011:ASN:HD22	2:Y:1012:ARG:H	1.66	0.42
1:A:70:ARG:N	1:A:71:PRO:HD2	2.34	0.42
2:Y:951:ASP:O	2:Y:954:ILE:HG22	2.19	0.42
2:X:972:GLU:C	2:X:974:LYS:N	2.72	0.42
1:B:19:THR:O	1:B:23:ILE:HG12	2.20	0.42
1:A:98:LYS:O	1:A:101:PRO:HD2	2.20	0.42
1:A:49:ASP:OD2	1:A:176:ARG:NH1	2.52	0.42
2:Y:964:GLU:OE1	2:Y:967:LYS:HD3	2.20	0.42
2:X:1011:ASN:ND2	2:X:1012:ARG:NH2	2.60	0.41
2:Y:1006:LEU:O	2:Y:1010:MET:HG2	2.20	0.41
2:Y:987:ALA:HA	2:Y:990:LYS:HG3	2.01	0.41
1:A:67:ASP:OD1	1:A:70:ARG:NH2	2.45	0.41
1:A:10:ILE:HG21	1:A:22:LEU:HD11	2.02	0.41
2:X:964:GLU:O	2:X:968:LYS:HE2	2.21	0.41
1:B:10:ILE:HG21	1:B:22:LEU:HD11	2.02	0.41
2:X:958:GLU:O	2:X:962:LEU:HB2	2.20	0.41
1:A:103:VAL:HG11	1:A:112:ILE:CD1	2.50	0.41
1:B:103:VAL:HG11	1:B:112:ILE:CD1	2.50	0.41
2:X:966:MET:SD	2:Y:966:MET:CG	3.09	0.40
2:Y:987:ALA:O	2:Y:990:LYS:HG3	2.21	0.40
2:X:1011:ASN:HB3	2:X:1012:ARG:HH21	1.84	0.40
2:X:962:LEU:HD22	2:Y:962:LEU:HD21	2.03	0.40
1:B:98:LYS:O	1:B:101:PRO:HD2	2.21	0.40

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:19:THR:O	1:A:23:ILE:HG12	2.22	0.40
1:B:52:GLN:OE1	1:B:52:GLN:HA	2.21	0.40
1:B:24:VAL:HG13	1:B:164:LYS:HE3	2.03	0.40
2:Y:983:ASN:H	2:Y:983:ASN:HD22	1.68	0.40
1:A:24:VAL:HG13	1:A:164:LYS:HE3	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	177/183 (97%)	169 (96%)	7 (4%)	1 (1%)	33	63
1	B	177/183 (97%)	167 (94%)	9 (5%)	1 (1%)	33	63
2	X	67/71 (94%)	64 (96%)	2 (3%)	1 (2%)	15	30
2	Y	68/71 (96%)	60 (88%)	6 (9%)	2 (3%)	7	11
All	All	489/508 (96%)	460 (94%)	24 (5%)	5 (1%)	22	45

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	180	GLN
1	B	180	GLN
2	X	973	TYR
2	Y	975	LEU
2	Y	950	LYS

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	154/158 (98%)	148 (96%)	6 (4%)	43	74
1	B	154/158 (98%)	149 (97%)	5 (3%)	51	80
2	X	60/65 (92%)	55 (92%)	5 (8%)	16	30
2	Y	63/65 (97%)	56 (89%)	7 (11%)	9	16
All	All	431/446 (97%)	408 (95%)	23 (5%)	32	58

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	65	ASP
1	A	69	LEU
1	A	92	LEU
1	A	97	GLU
1	A	168	ARG
1	A	179	LEU
1	B	69	LEU
1	B	92	LEU
1	B	97	GLU
1	B	168	ARG
1	B	179	LEU
2	X	948	LEU
2	X	962	LEU
2	X	983	ASN
2	X	1006	LEU
2	X	1012	ARG
2	Y	947	MET
2	Y	971	GLU
2	Y	978	GLU
2	Y	983	ASN
2	Y	990	LYS
2	Y	1006	LEU
2	Y	1011	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	29	GLN
1	A	41	ASN
1	A	126	HIS
1	A	149	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	41	ASN
1	B	149	ASN
2	X	959	ASN
2	X	983	ASN
2	X	1011	ASN
2	Y	959	ASN
2	Y	983	ASN
2	Y	1011	ASN

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

### 5.6 Ligand geometry ⓘ

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	GNP	A	200	3	34,34,34	1.60	6 (17%)	50,54,54	4.40	7 (14%)
4	GNP	B	1200	3	34,34,34	1.63	6 (17%)	50,54,54	4.62	8 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical

component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GNP	A	200	3	-	0/18/38/38	0/1/3/3
4	GNP	B	1200	3	-	0/18/38/38	0/1/3/3

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	1200	GNP	PA-O3A	4.64	1.68	1.59
4	A	200	GNP	PA-O3A	4.21	1.67	1.59
4	A	200	GNP	PG-O2G	-4.05	1.43	1.55
4	B	1200	GNP	PG-O2G	-3.77	1.44	1.55
4	B	1200	GNP	C6-N1	3.19	1.42	1.37
4	B	1200	GNP	C8-N7	-2.96	1.28	1.34
4	A	200	GNP	C8-N7	-2.86	1.29	1.34
4	A	200	GNP	C6-N1	2.77	1.41	1.37
4	A	200	GNP	C2-N3	2.40	1.36	1.33
4	B	1200	GNP	PB-O2B	-2.36	1.48	1.55
4	B	1200	GNP	C2-N3	2.24	1.36	1.33
4	A	200	GNP	PB-O2B	-2.23	1.48	1.55

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	1200	GNP	C6-C5-N7	-31.28	129.93	134.14
4	A	200	GNP	C6-C5-N7	-29.73	130.14	134.14
4	B	1200	GNP	C6-N1-C2	3.64	125.87	119.51
4	A	200	GNP	C6-N1-C2	3.59	125.79	119.51
4	B	1200	GNP	C8-N9-C4	-3.45	104.26	106.90
4	A	200	GNP	C8-N9-C4	-3.07	104.56	106.90
4	A	200	GNP	O2G-PG-N3B	2.88	114.44	106.61
4	B	1200	GNP	O2G-PG-N3B	2.85	114.34	106.61
4	A	200	GNP	O2B-PB-N3B	2.65	113.79	106.61
4	B	1200	GNP	O2B-PB-N3B	2.58	113.62	106.61
4	B	1200	GNP	O3G-PG-O2G	-2.43	100.69	107.66
4	B	1200	GNP	C3'-C2'-C1'	2.42	104.70	100.91
4	A	200	GNP	O3G-PG-O2G	-2.28	101.12	107.66
4	A	200	GNP	C3'-C2'-C1'	2.25	104.42	100.91
4	B	1200	GNP	O3G-PG-N3B	2.03	112.11	106.61

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	179/183 (97%)	-0.09	2 (1%) 77 79	15, 26, 46, 60	0
1	B	179/183 (97%)	-0.05	3 (1%) 67 66	16, 29, 51, 67	0
2	X	69/71 (97%)	0.62	8 (11%) 5 4	20, 52, 85, 89	0
2	Y	70/71 (98%)	0.51	5 (7%) 16 12	21, 57, 67, 74	0
All	All	497/508 (97%)	0.11	18 (3%) 41 37	15, 31, 69, 89	0

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	181	ALA	4.1
2	X	973	TYR	3.9
1	B	181	ALA	3.7
2	X	975	LEU	3.7
2	Y	957	ARG	3.3
1	B	3	ALA	3.3
1	B	32	GLU	3.2
2	Y	946	SER	3.1
2	X	968	LYS	2.8
2	X	983	ASN	2.8
2	X	977	LYS	2.5
2	Y	988	PHE	2.4
2	X	988	PHE	2.4
2	X	967	LYS	2.2
1	A	52	GLN	2.2
2	Y	954	ILE	2.1
2	X	976	GLU	2.1
2	Y	948	LEU	2.0



## 6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates

There are no carbohydrates in this entry.

## 6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
4	GNP	B	1200	32/32	0.13	-0.66	22,28,31,36	0
3	MG	A	300	1/1	0.16	-0.89	24,24,24,24	0
4	GNP	A	200	32/32	0.12	-1.04	13,20,24,27	0
3	MG	B	1300	1/1	0.12	-2.08	30,30,30,30	0

## 6.5 Other polymers

There are no such residues in this entry.