



Full wwPDB X-ray Structure Validation Report

Feb 28, 2014 – 03:34 AM GMT

PDB ID : 3S3W
Title : Structure of chicken acid-sensing ion channel 1 at 2.6 a resolution and ph 7.5
Authors : Dawson, R.J.P.; Benz, J.; Stohler, P.; Tetaz, T.; Joseph, C.; Huber, S.; Schmid, G.; Huegin, D.; Pflimlin, P.; Trube, G.; Rudolph, M.G.; Hennig, M.; Ruf, A.
Deposited on : 2011-05-18
Resolution : 2.60 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	1718 (2.60-2.60)
Clashscore	79885	2154 (2.60-2.60)
Ramachandran outliers	78287	2113 (2.60-2.60)
Sidechain outliers	78261	2113 (2.60-2.60)
RSRZ outliers	66119	1718 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	459	
1	B	459	
1	C	459	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
3	NAG	C	600	-	X

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 9925 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Amiloride-sensitive cation channel 2, neuronal.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	396	Total	C	N	O	S	0	0	0
			3162	2022	515	598	27			
1	B	397	Total	C	N	O	S	0	0	0
			3177	2032	516	603	26			
1	C	401	Total	C	N	O	S	0	0	0
			3209	2058	521	603	27			

There are 63 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	5	MET	-	EXPRESSION TAG	UNP Q1XA76
A	6	SER	-	EXPRESSION TAG	UNP Q1XA76
A	7	TYR	-	EXPRESSION TAG	UNP Q1XA76
A	8	TYR	-	EXPRESSION TAG	UNP Q1XA76
A	9	HIS	-	EXPRESSION TAG	UNP Q1XA76
A	10	HIS	-	EXPRESSION TAG	UNP Q1XA76
A	11	HIS	-	EXPRESSION TAG	UNP Q1XA76
A	12	HIS	-	EXPRESSION TAG	UNP Q1XA76
A	13	HIS	-	EXPRESSION TAG	UNP Q1XA76
A	14	HIS	-	EXPRESSION TAG	UNP Q1XA76
A	15	GLY	-	EXPRESSION TAG	UNP Q1XA76
A	16	ALA	-	EXPRESSION TAG	UNP Q1XA76
A	17	SER	-	EXPRESSION TAG	UNP Q1XA76
A	18	LEU	-	EXPRESSION TAG	UNP Q1XA76
A	19	VAL	-	EXPRESSION TAG	UNP Q1XA76
A	20	PRO	-	EXPRESSION TAG	UNP Q1XA76
A	21	ARG	-	EXPRESSION TAG	UNP Q1XA76
A	22	GLY	-	EXPRESSION TAG	UNP Q1XA76
A	23	SER	-	EXPRESSION TAG	UNP Q1XA76
A	24	HIS	-	EXPRESSION TAG	UNP Q1XA76
A	25	MET	-	EXPRESSION TAG	UNP Q1XA76
B	5	MET	-	EXPRESSION TAG	UNP Q1XA76
B	6	SER	-	EXPRESSION TAG	UNP Q1XA76

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	7	TYR	-	EXPRESSION TAG	UNP Q1XA76
B	8	TYR	-	EXPRESSION TAG	UNP Q1XA76
B	9	HIS	-	EXPRESSION TAG	UNP Q1XA76
B	10	HIS	-	EXPRESSION TAG	UNP Q1XA76
B	11	HIS	-	EXPRESSION TAG	UNP Q1XA76
B	12	HIS	-	EXPRESSION TAG	UNP Q1XA76
B	13	HIS	-	EXPRESSION TAG	UNP Q1XA76
B	14	HIS	-	EXPRESSION TAG	UNP Q1XA76
B	15	GLY	-	EXPRESSION TAG	UNP Q1XA76
B	16	ALA	-	EXPRESSION TAG	UNP Q1XA76
B	17	SER	-	EXPRESSION TAG	UNP Q1XA76
B	18	LEU	-	EXPRESSION TAG	UNP Q1XA76
B	19	VAL	-	EXPRESSION TAG	UNP Q1XA76
B	20	PRO	-	EXPRESSION TAG	UNP Q1XA76
B	21	ARG	-	EXPRESSION TAG	UNP Q1XA76
B	22	GLY	-	EXPRESSION TAG	UNP Q1XA76
B	23	SER	-	EXPRESSION TAG	UNP Q1XA76
B	24	HIS	-	EXPRESSION TAG	UNP Q1XA76
B	25	MET	-	EXPRESSION TAG	UNP Q1XA76
C	5	MET	-	EXPRESSION TAG	UNP Q1XA76
C	6	SER	-	EXPRESSION TAG	UNP Q1XA76
C	7	TYR	-	EXPRESSION TAG	UNP Q1XA76
C	8	TYR	-	EXPRESSION TAG	UNP Q1XA76
C	9	HIS	-	EXPRESSION TAG	UNP Q1XA76
C	10	HIS	-	EXPRESSION TAG	UNP Q1XA76
C	11	HIS	-	EXPRESSION TAG	UNP Q1XA76
C	12	HIS	-	EXPRESSION TAG	UNP Q1XA76
C	13	HIS	-	EXPRESSION TAG	UNP Q1XA76
C	14	HIS	-	EXPRESSION TAG	UNP Q1XA76
C	15	GLY	-	EXPRESSION TAG	UNP Q1XA76
C	16	ALA	-	EXPRESSION TAG	UNP Q1XA76
C	17	SER	-	EXPRESSION TAG	UNP Q1XA76
C	18	LEU	-	EXPRESSION TAG	UNP Q1XA76
C	19	VAL	-	EXPRESSION TAG	UNP Q1XA76
C	20	PRO	-	EXPRESSION TAG	UNP Q1XA76
C	21	ARG	-	EXPRESSION TAG	UNP Q1XA76
C	22	GLY	-	EXPRESSION TAG	UNP Q1XA76
C	23	SER	-	EXPRESSION TAG	UNP Q1XA76
C	24	HIS	-	EXPRESSION TAG	UNP Q1XA76
C	25	MET	-	EXPRESSION TAG	UNP Q1XA76

- Molecule 2 is a polymer of unknown type called SUGAR (2-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	2	Total	C	N	O	0	0
			28	16	2	10		
2	B	2	Total	C	N	O	0	0
			28	16	2	10		
2	B	2	Total	C	N	O	0	0
			28	16	2	10		

There are 63 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	5	MET	-	EXPRESSION TAG	UNP Q1XA76
A	6	SER	-	EXPRESSION TAG	UNP Q1XA76
A	7	TYR	-	EXPRESSION TAG	UNP Q1XA76
A	8	TYR	-	EXPRESSION TAG	UNP Q1XA76
A	9	HIS	-	EXPRESSION TAG	UNP Q1XA76
A	10	HIS	-	EXPRESSION TAG	UNP Q1XA76
A	11	HIS	-	EXPRESSION TAG	UNP Q1XA76
A	12	HIS	-	EXPRESSION TAG	UNP Q1XA76
A	13	HIS	-	EXPRESSION TAG	UNP Q1XA76
A	14	HIS	-	EXPRESSION TAG	UNP Q1XA76
A	15	GLY	-	EXPRESSION TAG	UNP Q1XA76
A	16	ALA	-	EXPRESSION TAG	UNP Q1XA76
A	17	SER	-	EXPRESSION TAG	UNP Q1XA76
A	18	LEU	-	EXPRESSION TAG	UNP Q1XA76
A	19	VAL	-	EXPRESSION TAG	UNP Q1XA76
A	20	PRO	-	EXPRESSION TAG	UNP Q1XA76
A	21	ARG	-	EXPRESSION TAG	UNP Q1XA76
A	22	GLY	-	EXPRESSION TAG	UNP Q1XA76
A	23	SER	-	EXPRESSION TAG	UNP Q1XA76
A	24	HIS	-	EXPRESSION TAG	UNP Q1XA76
A	25	MET	-	EXPRESSION TAG	UNP Q1XA76
B	5	MET	-	EXPRESSION TAG	UNP Q1XA76
B	6	SER	-	EXPRESSION TAG	UNP Q1XA76
B	7	TYR	-	EXPRESSION TAG	UNP Q1XA76
B	8	TYR	-	EXPRESSION TAG	UNP Q1XA76
B	9	HIS	-	EXPRESSION TAG	UNP Q1XA76
B	10	HIS	-	EXPRESSION TAG	UNP Q1XA76
B	11	HIS	-	EXPRESSION TAG	UNP Q1XA76
B	12	HIS	-	EXPRESSION TAG	UNP Q1XA76
B	13	HIS	-	EXPRESSION TAG	UNP Q1XA76
B	14	HIS	-	EXPRESSION TAG	UNP Q1XA76
B	15	GLY	-	EXPRESSION TAG	UNP Q1XA76
B	16	ALA	-	EXPRESSION TAG	UNP Q1XA76

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	17	SER	-	EXPRESSION TAG	UNP Q1XA76
B	18	LEU	-	EXPRESSION TAG	UNP Q1XA76
B	19	VAL	-	EXPRESSION TAG	UNP Q1XA76
B	20	PRO	-	EXPRESSION TAG	UNP Q1XA76
B	21	ARG	-	EXPRESSION TAG	UNP Q1XA76
B	22	GLY	-	EXPRESSION TAG	UNP Q1XA76
B	23	SER	-	EXPRESSION TAG	UNP Q1XA76
B	24	HIS	-	EXPRESSION TAG	UNP Q1XA76
B	25	MET	-	EXPRESSION TAG	UNP Q1XA76
B	5	MET	-	EXPRESSION TAG	UNP Q1XA76
B	6	SER	-	EXPRESSION TAG	UNP Q1XA76
B	7	TYR	-	EXPRESSION TAG	UNP Q1XA76
B	8	TYR	-	EXPRESSION TAG	UNP Q1XA76
B	9	HIS	-	EXPRESSION TAG	UNP Q1XA76
B	10	HIS	-	EXPRESSION TAG	UNP Q1XA76
B	11	HIS	-	EXPRESSION TAG	UNP Q1XA76
B	12	HIS	-	EXPRESSION TAG	UNP Q1XA76
B	13	HIS	-	EXPRESSION TAG	UNP Q1XA76
B	14	HIS	-	EXPRESSION TAG	UNP Q1XA76
B	15	GLY	-	EXPRESSION TAG	UNP Q1XA76
B	16	ALA	-	EXPRESSION TAG	UNP Q1XA76
B	17	SER	-	EXPRESSION TAG	UNP Q1XA76
B	18	LEU	-	EXPRESSION TAG	UNP Q1XA76
B	19	VAL	-	EXPRESSION TAG	UNP Q1XA76
B	20	PRO	-	EXPRESSION TAG	UNP Q1XA76
B	21	ARG	-	EXPRESSION TAG	UNP Q1XA76
B	22	GLY	-	EXPRESSION TAG	UNP Q1XA76
B	23	SER	-	EXPRESSION TAG	UNP Q1XA76
B	24	HIS	-	EXPRESSION TAG	UNP Q1XA76
B	25	MET	-	EXPRESSION TAG	UNP Q1XA76

- Molecule 3 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	C	1	Total	C	N	O	0	0
			14	8	1	5		
3	C	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Cl	0	0
			1	1		
4	A	1	Total	Cl	0	0
			1	1		
4	C	1	Total	Cl	0	0
			1	1		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	85	Total	O	0	0
			85	85		
5	B	87	Total	O	0	0
			87	87		
5	C	76	Total	O	0	0
			76	76		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Amiloride-sensitive cation channel 2, neuronal

Chain A: 




- Molecule 1: Amiloride-sensitive cation channel 2, neuronal

Chain B: 



- Molecule 1: Amiloride-sensitive cation channel 2, neuronal

Chain C: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	110.47Å 142.69Å 159.74Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.94 – 2.60 47.94 – 2.60	Depositor EDS
% Data completeness (in resolution range)	99.7 (47.94-2.60) 95.7 (47.94-2.60)	Depositor EDS
R_{merge}	0.16	Depositor
R_{sym}	0.16	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.32 (at 2.61Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.7.1_743)	Depositor
R, R_{free}	0.212 , 0.236 0.202 , 0.226	Depositor DCC
R_{free} test set	3756 reflections (5.02%)	DCC
Wilson B-factor (Å ²)	49.3	Xtriage
Anisotropy	0.180	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 37.8	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 78068 reflections	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	9925	wwPDB-VP
Average B, all atoms (Å ²)	66.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.58% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.23	0/3234	0.55	10/4377 (0.2%)
1	B	0.24	0/3249	0.76	13/4397 (0.3%)
1	C	0.24	0/3284	0.81	12/4447 (0.3%)
All	All	0.24	0/9767	0.72	35/13221 (0.3%)

There are no bond length outliers.

All (35) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	103	ARG	NE-CZ-NH2	22.90	131.75	120.30
1	C	103	ARG	NE-CZ-NH1	-22.42	109.09	120.30
1	B	280	ARG	NE-CZ-NH1	-17.44	111.58	120.30
1	C	207	ARG	NE-CZ-NH2	-17.29	111.65	120.30
1	C	207	ARG	NE-CZ-NH1	16.23	128.41	120.30
1	B	280	ARG	NE-CZ-NH2	15.73	128.17	120.30
1	B	146	ARG	NE-CZ-NH2	-15.56	112.52	120.30
1	B	146	ARG	NE-CZ-NH1	15.08	127.84	120.30
1	B	167	ARG	NE-CZ-NH1	-15.04	112.78	120.30
1	B	167	ARG	NE-CZ-NH2	14.57	127.59	120.30
1	C	103	ARG	CD-NE-CZ	10.81	138.73	123.60
1	C	280	ARG	NE-CZ-NH2	-8.93	115.83	120.30
1	A	280	ARG	NE-CZ-NH2	-8.91	115.84	120.30
1	A	280	ARG	NE-CZ-NH1	8.23	124.41	120.30
1	C	280	ARG	NE-CZ-NH1	8.21	124.40	120.30
1	B	280	ARG	CD-NE-CZ	7.89	134.65	123.60
1	A	146	ARG	NE-CZ-NH1	-7.83	116.39	120.30
1	C	146	ARG	NE-CZ-NH1	-7.81	116.39	120.30
1	A	207	ARG	NE-CZ-NH1	-7.70	116.45	120.30
1	B	146	ARG	CD-NE-CZ	7.59	134.23	123.60
1	C	167	ARG	NE-CZ-NH2	-7.58	116.51	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	146	ARG	NE-CZ-NH2	7.51	124.06	120.30
1	A	146	ARG	NE-CZ-NH2	7.49	124.05	120.30
1	A	167	ARG	NE-CZ-NH2	-7.42	116.59	120.30
1	C	207	ARG	CD-NE-CZ	7.26	133.76	123.60
1	C	167	ARG	NE-CZ-NH1	7.19	123.89	120.30
1	A	207	ARG	NE-CZ-NH2	7.13	123.87	120.30
1	A	167	ARG	NE-CZ-NH1	7.12	123.86	120.30
1	B	167	ARG	CD-NE-CZ	7.10	133.54	123.60
1	B	207	ARG	NE-CZ-NH1	-6.90	116.85	120.30
1	B	103	ARG	NE-CZ-NH2	-6.81	116.90	120.30
1	A	103	ARG	NE-CZ-NH2	-6.66	116.97	120.30
1	B	207	ARG	NE-CZ-NH2	6.36	123.48	120.30
1	A	103	ARG	NE-CZ-NH1	5.41	123.00	120.30
1	B	103	ARG	NE-CZ-NH1	5.31	122.96	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3162	0	0	14	0
1	B	3177	0	0	13	1
1	C	3209	0	0	9	1
2	A	28	0	0	2	0
2	B	56	0	0	2	0
3	A	14	0	0	0	0
3	C	28	0	0	1	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
5	A	85	0	0	0	0
5	B	87	0	0	0	0
5	C	76	0	0	1	0
All	All	9925	0	0	31	1

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 3.

All (31) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:68:TYR:CD2	1:A:425:TYR:CD2	2.74	0.76
1:A:431:LEU:O	1:A:435:GLY:N	2.23	0.72
1:B:59:ALA:O	1:B:63:THR:OG1	2.07	0.72
1:A:392:LYS:NZ	1:B:236:GLU:OE2	2.23	0.71
1:B:392:LYS:NZ	1:C:236:GLU:OE2	2.23	0.70
1:A:441:PHE:O	1:A:445:SER:OG	2.11	0.69
1:B:56:ALA:O	1:B:60:LEU:N	2.36	0.58
1:A:207:ARG:NH2	2:A:601:NAG:O3	2.37	0.57
1:B:207:ARG:NH2	2:B:601:NAG:O3	2.37	0.57
1:C:312:ASP:OD2	1:C:316:ARG:NH1	2.40	0.55
1:A:236:GLU:OE2	1:C:392:LYS:NZ	2.43	0.52
1:A:154:ASN:C	1:A:154:ASN:OD1	2.50	0.50
1:B:431:LEU:O	1:B:435:GLY:N	2.44	0.50
1:B:437:GLN:OE1	1:B:437:GLN:N	2.45	0.50
1:C:431:LEU:O	1:C:435:GLY:N	2.46	0.48
1:C:278:GLU:OE1	5:C:507:HOH:O	2.20	0.48
1:C:132:ASP:OD1	1:C:134:LYS:N	2.48	0.47
1:A:132:ASP:OD1	1:A:134:LYS:N	2.48	0.46
1:B:132:ASP:OD1	1:B:134:LYS:N	2.48	0.46
1:B:154:ASN:OD1	1:B:154:ASN:C	2.55	0.46
1:C:132:ASP:C	1:C:132:ASP:OD1	2.55	0.45
1:B:132:ASP:C	1:B:132:ASP:OD1	2.55	0.44
1:A:425:TYR:CE1	1:A:430:LEU:CA	3.01	0.43
1:A:132:ASP:OD1	1:A:132:ASP:C	2.56	0.43
1:A:80:GLU:O	1:B:283:TYR:OH	2.37	0.43
1:A:254:ASP:OD2	2:A:600:NAG:O6	2.38	0.42
1:B:254:ASP:OD2	2:B:600:NAG:O6	2.38	0.41
1:A:312:ASP:OD2	1:A:316:ARG:NH2	2.53	0.41
1:C:254:ASP:OD2	3:C:600:NAG:O6	2.38	0.41
1:A:283:TYR:OH	1:C:80:GLU:O	2.39	0.41
1:B:299:GLU:CG	1:B:300:PHE:N	2.84	0.41

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:363:GLU:OE1	1:C:151:LYS:NZ[3_555]	2.09	0.11

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	392/459 (85%)	383 (98%)	9 (2%)	0	100	100
1	B	393/459 (86%)	384 (98%)	9 (2%)	0	100	100
1	C	397/459 (86%)	390 (98%)	7 (2%)	0	100	100
All	All	1182/1377 (86%)	1157 (98%)	25 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	344/401 (86%)	335 (97%)	9 (3%)	59	85
1	B	346/401 (86%)	336 (97%)	10 (3%)	55	83
1	C	349/401 (87%)	341 (98%)	8 (2%)	63	88
All	All	1039/1203 (86%)	1012 (97%)	27 (3%)	59	85

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	65	ARG
1	A	79	ASP
1	A	132	ASP
1	A	154	ASN
1	A	207	ARG
1	A	217	ASN
1	A	425	TYR
1	A	427	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	448	THR
1	B	62	CYS
1	B	63	THR
1	B	79	ASP
1	B	132	ASP
1	B	154	ASN
1	B	207	ARG
1	B	217	ASN
1	B	280	ARG
1	B	425	TYR
1	B	426	GLU
1	C	50	CYS
1	C	63	THR
1	C	79	ASP
1	C	103	ARG
1	C	132	ASP
1	C	217	ASN
1	C	379	LYS
1	C	450	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

6 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	A	600	1,2	12,14,15	0.67	0	15,19,21	0.87	1 (6%)
2	NAG	A	601	2	12,14,15	0.66	0	15,19,21	0.79	0
2	NAG	B	600	1,2	12,14,15	0.68	0	15,19,21	0.90	1 (6%)
2	NAG	B	601	2	12,14,15	0.67	0	15,19,21	0.78	0
2	NAG	B	700	1,2	12,14,15	0.73	1 (8%)	15,19,21	0.84	1 (6%)
2	NAG	B	701	2	12,14,15	0.70	1 (8%)	15,19,21	0.68	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	600	1,2	-	0/6/23/26	0/1/1/1
2	NAG	A	601	2	-	0/6/23/26	0/1/1/1
2	NAG	B	600	1,2	-	0/6/23/26	0/1/1/1
2	NAG	B	601	2	-	0/6/23/26	0/1/1/1
2	NAG	B	700	1,2	-	0/6/23/26	0/1/1/1
2	NAG	B	701	2	-	0/6/23/26	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	700	NAG	O5-C5	-2.14	1.41	1.45
2	B	701	NAG	O5-C5	-2.06	1.41	1.45

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	600	NAG	O5-C5-C6	2.39	109.49	106.98
2	A	600	NAG	O5-C5-C6	2.30	109.39	106.98
2	B	700	NAG	O5-C5-C6	2.25	109.34	106.98

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.6 Ligand geometry

Of 6 ligands modelled in this entry, 3 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	NAG	A	700	1	12,14,15	0.70	1 (8%)	15,19,21	0.88	1 (6%)
3	NAG	C	600	1	12,14,15	0.66	0	15,19,21	0.87	1 (6%)
3	NAG	C	700	1	12,14,15	0.71	1 (8%)	15,19,21	0.90	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	A	700	1	-	0/6/23/26	0/1/1/1
3	NAG	C	600	1	-	0/6/23/26	0/1/1/1
3	NAG	C	700	1	-	0/6/23/26	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	700	NAG	O5-C5	-2.06	1.41	1.45
3	C	700	NAG	O5-C5	-2.01	1.41	1.45

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	700	NAG	O5-C5-C6	2.45	109.55	106.98
3	A	700	NAG	O5-C5-C6	2.34	109.44	106.98
3	C	600	NAG	O5-C5-C6	2.26	109.35	106.98

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	396/459 (86%)	0.19	33 (8%) 11 8	27, 51, 149, 229	0
1	B	397/459 (86%)	0.06	35 (8%) 10 7	26, 50, 177, 233	0
1	C	401/459 (87%)	-0.10	24 (5%) 21 18	27, 51, 142, 216	0
All	All	1194/1377 (86%)	0.05	92 (7%) 14 10	26, 51, 156, 233	0

All (92) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	449	VAL	10.5
1	A	301	TYR	10.1
1	B	55	LEU	7.5
1	B	449	VAL	7.4
1	A	50	CYS	7.3
1	C	450	LEU	6.6
1	C	447	LEU	6.3
1	B	52	MET	6.3
1	A	446	ILE	6.2
1	A	443	GLY	6.1
1	A	445	SER	6.1
1	C	449	VAL	6.0
1	B	59	ALA	6.0
1	A	302	ASP	5.5
1	B	446	ILE	5.2
1	B	452	LEU	5.2
1	B	53	GLY	5.2
1	C	434	ILE	5.2
1	A	447	LEU	5.1
1	A	442	ILE	5.1
1	A	293	ALA	4.9
1	B	450	LEU	4.7
1	B	442	ILE	4.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	54	SER	4.5
1	A	57	LEU	4.5
1	A	51	PHE	4.5
1	A	48	ALA	4.3
1	A	444	ALA	4.3
1	C	444	ALA	4.3
1	A	128	THR	4.2
1	B	445	SER	4.1
1	A	49	LEU	4.0
1	B	60	LEU	4.0
1	B	57	LEU	4.0
1	B	448	THR	3.9
1	A	440	LEU	3.9
1	B	62	CYS	3.9
1	C	293	ALA	3.9
1	C	45	VAL	3.8
1	C	202	GLN	3.8
1	B	438	MET	3.8
1	C	448	THR	3.7
1	B	56	ALA	3.7
1	B	66	ILE	3.7
1	C	445	SER	3.6
1	A	127	ASP	3.5
1	C	128	THR	3.5
1	B	451	GLU	3.5
1	C	70	PHE	3.4
1	A	294	THR	3.4
1	B	58	LEU	3.4
1	B	300	PHE	3.3
1	A	53	GLY	3.3
1	C	294	THR	3.2
1	B	207	ARG	3.2
1	C	438	MET	3.1
1	B	441	PHE	3.0
1	B	301	TYR	3.0
1	C	300	PHE	3.0
1	A	71	LEU	3.0
1	A	52	MET	3.0
1	C	301	TYR	3.0
1	B	443	GLY	2.9
1	A	448	THR	2.9
1	C	66	ILE	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	427	VAL	2.9
1	A	61	VAL	2.8
1	A	203	ASP	2.8
1	A	54	SER	2.8
1	C	203	ASP	2.7
1	B	61	VAL	2.7
1	B	444	ALA	2.6
1	A	290	ASP	2.5
1	C	47	TRP	2.5
1	B	85	ARG	2.5
1	C	72	TYR	2.5
1	B	294	THR	2.5
1	A	58	LEU	2.5
1	B	149	LYS	2.3
1	B	439	GLY	2.3
1	B	447	LEU	2.2
1	C	60	LEU	2.2
1	B	358	GLU	2.2
1	A	236	GLU	2.2
1	C	440	LEU	2.2
1	A	130	THR	2.1
1	C	67	GLN	2.1
1	C	71	LEU	2.1
1	B	147	ASN	2.1
1	A	67	GLN	2.0
1	B	435	GLY	2.0
1	A	439	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	NAG	A	601	14/15	0.20	1.13	96,136,147,162	0
2	NAG	A	600	14/15	0.15	-0.00	58,73,103,106	0
2	NAG	B	601	14/15	0.22	-0.14	93,138,147,164	0
2	NAG	B	600	14/15	0.11	-1.14	61,71,101,104	0
2	NAG	B	701	14/15	0.28	-	114,155,167,169	0
2	NAG	B	700	14/15	0.21	-	100,121,134,150	0

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	NAG	C	600	14/15	0.20	3.01	69,77,103,106	0
4	CL	A	464	1/1	0.08	-1.21	59,59,59,59	0
4	CL	C	464	1/1	0.09	-1.77	55,55,55,55	0
4	CL	B	464	1/1	0.08	-4.23	51,51,51,51	0
3	NAG	A	700	14/15	0.20	-	103,120,135,151	0
3	NAG	C	700	14/15	0.23	-	102,121,137,154	0

6.5 Other polymers ⓘ

There are no such residues in this entry.