



Full wwPDB X-ray Structure Validation Report

Mar 1, 2014 – 04:10 AM GMT

PDB ID : 1S5E
Title : Cholera holotoxin, Crystal form 1
Authors : O'Neal, C.J.; Amaya, E.I.; Jobling, M.G.; Holmes, R.K.; Hol, W.G.
Deposited on : 2004-01-20
Resolution : 1.90 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	3684 (1.90-1.90)
Clashscore	79885	4465 (1.90-1.90)
Ramachandran outliers	78287	4413 (1.90-1.90)
Sidechain outliers	78261	4414 (1.90-1.90)
RSRZ outliers	66119	3686 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	240	
1	B	240	
2	D	103	
2	E	103	
2	F	103	
2	G	103	
2	H	103	
2	J	103	
2	K	103	
2	L	103	
2	M	103	
2	N	103	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 12438 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Cholera enterotoxin, A chain precursor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	232	Total	C	N	O	S	0	0	0
			1813	1138	325	345	5			
1	B	227	Total	C	N	O	S	0	0	0
			1786	1119	318	344	5			

- Molecule 2 is a protein called cholera toxin B protein (CTB).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	103	Total	C	N	O	S	0	0	0
			801	503	138	155	5			
2	E	103	Total	C	N	O	S	0	0	0
			810	508	141	156	5			
2	F	103	Total	C	N	O	S	0	0	0
			813	510	142	156	5			
2	G	102	Total	C	N	O	S	0	0	0
			803	506	139	153	5			
2	H	103	Total	C	N	O	S	0	0	0
			809	508	140	156	5			
2	J	103	Total	C	N	O	S	0	0	0
			811	510	140	156	5			
2	K	103	Total	C	N	O	S	0	0	0
			808	507	140	156	5			
2	L	103	Total	C	N	O	S	0	0	0
			801	502	138	156	5			
2	M	103	Total	C	N	O	S	0	0	0
			805	505	140	155	5			
2	N	103	Total	C	N	O	S	0	0	0
			804	504	139	156	5			

- Molecule 3 is SUGAR (D-GALACTOSE) (three-letter code: GAL) (formula: C₆H₁₂O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	D	1	Total	C	O	0	0
			12	6	6		
3	J	1	Total	C	O	0	0
			12	6	6		

- Molecule 4 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Na	0	0
			1	1		
4	A	1	Total	Na	0	0
			1	1		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	103	Total	O	0	0
			103	103		
5	B	106	Total	O	0	0
			106	106		
5	D	57	Total	O	0	0
			57	57		
5	E	62	Total	O	0	0
			62	62		
5	F	52	Total	O	0	0
			52	52		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	G	52	Total 52	O 52	0	0
5	H	51	Total 51	O 51	0	0
5	J	61	Total 61	O 61	0	0
5	K	51	Total 51	O 51	0	0
5	L	51	Total 51	O 51	0	0
5	M	46	Total 46	O 46	0	0
5	N	56	Total 56	O 56	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Cholera enterotoxin, A chain precursor

Chain A: 




- Molecule 1: Cholera enterotoxin, A chain precursor

Chain B: 




- Molecule 2: cholera toxin B protein (CTB)

Chain D: 



- Molecule 2: cholera toxin B protein (CTB)

Chain E: 




- Molecule 2: cholera toxin B protein (CTB)

Chain F:



- Molecule 2: cholera toxin B protein (CTB)

Chain G:




- Molecule 2: cholera toxin B protein (CTB)

Chain H:



- Molecule 2: cholera toxin B protein (CTB)

Chain J:



- Molecule 2: cholera toxin B protein (CTB)

Chain K:



- Molecule 2: cholera toxin B protein (CTB)

Chain L:



- Molecule 2: cholera toxin B protein (CTB)

Chain M:



- Molecule 2: cholera toxin B protein (CTB)

Chain N: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	59.93Å 108.23Å 122.98Å 90.00° 95.89° 90.00°	Depositor
Resolution (Å)	40.82 – 1.90 49.66 – 1.89	Depositor EDS
% Data completeness (in resolution range)	98.9 (40.82-1.90) 98.9 (49.66-1.89)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.59 (at 1.90Å)	Xtriage
Refinement program	REFMAC 5.1.24	Depositor
R, R_{free}	0.167 , 0.205 0.177 , 0.212	Depositor DCC
R_{free} test set	6126 reflections (5.27%)	DCC
Wilson B-factor (Å ²)	25.4	Xtriage
Anisotropy	0.475	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 23.2	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 122327 reflections	Xtriage
F_o, F_c correlation	0.87	EDS
Total number of atoms	12438	wwPDB-VP
Average B, all atoms (Å ²)	15.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.39% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NA, GAL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.62	0/1865	0.81	5/2530 (0.2%)
1	B	0.60	0/1837	0.82	5/2496 (0.2%)
2	D	0.60	0/815	0.78	0/1104
2	E	0.61	0/824	0.74	1/1114 (0.1%)
2	F	0.65	0/827	0.79	1/1116 (0.1%)
2	G	0.60	0/817	0.76	1/1105 (0.1%)
2	H	0.61	0/823	0.84	4/1113 (0.4%)
2	J	0.62	0/825	0.81	2/1115 (0.2%)
2	K	0.59	0/822	0.75	1/1111 (0.1%)
2	L	0.57	0/815	0.77	2/1104 (0.2%)
2	M	0.57	0/819	0.75	0/1108
2	N	0.59	0/818	0.81	3/1108 (0.3%)
All	All	0.60	0/11907	0.79	25/16124 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	M	0	1

There are no bond length outliers.

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	N	31	LEU	CA-CB-CG	6.55	130.37	115.30
2	L	59	ASP	CB-CG-OD2	6.28	123.95	118.30
2	J	7	ASP	CB-CG-OD2	6.03	123.73	118.30
1	A	9	ASP	CB-CG-OD2	5.85	123.57	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	9	ASP	CB-CG-OD2	5.80	123.52	118.30
1	B	54	ARG	NE-CZ-NH2	-5.76	117.42	120.30
1	A	57	ASP	CB-CG-OD2	5.74	123.46	118.30
1	A	231	ASP	CB-CG-OD1	5.61	123.35	118.30
1	B	229	ASP	CB-CG-OD2	5.47	123.22	118.30
2	H	31	LEU	CA-CB-CG	5.43	127.78	115.30
2	L	31	LEU	CA-CB-CG	5.40	127.72	115.30
2	H	31	LEU	CB-CG-CD2	5.34	120.08	111.00
2	E	59	ASP	CB-CG-OD2	5.32	123.09	118.30
2	J	22	ASP	CB-CG-OD2	5.31	123.08	118.30
1	A	116	LEU	CA-CB-CG	5.26	127.40	115.30
2	G	7	ASP	CB-CG-OD2	5.26	123.03	118.30
2	H	59	ASP	CB-CG-OD2	5.22	123.00	118.30
1	B	116	LEU	CA-CB-CG	5.21	127.29	115.30
2	H	20	LEU	CA-CB-CG	-5.21	103.32	115.30
1	B	57	ASP	CB-CG-OD2	5.21	122.98	118.30
2	F	31	LEU	CA-CB-CG	5.17	127.19	115.30
1	A	154	ASP	CB-CG-OD2	5.17	122.95	118.30
2	N	77	LEU	CA-CB-CG	5.08	126.98	115.30
2	N	7	ASP	CB-CG-OD2	5.05	122.84	118.30
2	K	7	ASP	CB-CG-OD2	5.01	122.81	118.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	M	1	THR	Peptide

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1813	0	1653	15	0
1	B	1786	0	1634	23	0
2	D	801	0	786	10	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	E	810	0	806	10	0
2	F	813	0	813	6	0
2	G	803	0	806	6	0
2	H	809	0	801	8	0
2	J	811	0	807	9	0
2	K	808	0	797	14	0
2	L	801	0	777	6	0
2	M	805	0	793	4	0
2	N	804	0	790	4	0
3	D	12	0	12	0	0
3	J	12	0	12	2	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	103	0	0	3	0
5	B	106	0	0	1	0
5	D	57	0	0	0	0
5	E	62	0	0	1	0
5	F	52	0	0	0	0
5	G	52	0	0	2	0
5	H	51	0	0	1	0
5	J	61	0	0	0	0
5	K	51	0	0	0	0
5	L	51	0	0	0	0
5	M	46	0	0	0	0
5	N	56	0	0	2	0
All	All	12438	0	11287	103	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 5.

All (103) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:K:56:GLN:HE21	2:K:56:GLN:H	1.05	0.97
2:E:56:GLN:H	2:E:56:GLN:HE21	1.07	0.96
2:E:16:GLN:HE21	2:E:89:ASN:HD22	1.14	0.94
2:N:16:GLN:HE21	2:N:89:ASN:HD22	1.15	0.92
2:K:16:GLN:HE21	2:K:89:ASN:HD22	1.18	0.91
1:A:60:VAL:HG13	1:A:118:GLY:HA2	1.55	0.86
2:D:14:ASN:H	2:D:14:ASN:HD22	1.28	0.80
1:A:49:GLN:HE21	1:A:54:ARG:H	1.32	0.77
1:A:192:ARG:HG3	1:A:192:ARG:O	1.86	0.74
2:E:13:HIS:HE1	5:E:160:HOH:O	1.71	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:L:9:CYS:SG	2:L:15:THR:HG23	2.30	0.70
2:F:18:HIS:HE1	2:F:94:HIS:HD2	1.39	0.70
2:D:18:HIS:HE1	2:D:94:HIS:HD2	1.40	0.69
1:B:180:ILE:CD1	1:B:181:HIS:CD2	2.75	0.69
2:H:103:ASN:ND2	5:H:121:HOH:O	2.27	0.67
1:A:197:ASN:N	5:A:327:HOH:O	2.29	0.66
1:B:143:ARG:HH11	1:B:143:ARG:HG3	1.60	0.65
2:D:14:ASN:H	2:D:14:ASN:ND2	1.93	0.65
1:B:198:THR:HG22	1:B:201:GLU:H	1.61	0.65
1:B:71:LEU:O	1:B:75:THR:HG23	1.97	0.65
2:J:14:ASN:H	2:J:14:ASN:HD22	1.42	0.65
2:H:33:GLY:O	2:H:34:LYS:HB2	1.96	0.65
1:B:143:ARG:HD3	2:M:103:ASN:OXT	1.98	0.64
2:L:18:HIS:HE1	2:L:94:HIS:HD2	1.45	0.63
2:F:9:CYS:SG	2:F:15:THR:HG23	2.39	0.62
2:H:16:GLN:NE2	2:H:89:ASN:HD22	1.97	0.62
1:A:98:ASN:HD21	1:A:108:PRO:HA	1.64	0.61
1:B:98:ASN:HD21	1:B:108:PRO:HA	1.64	0.61
2:J:14:ASN:H	2:J:14:ASN:ND2	1.98	0.61
2:D:18:HIS:HE1	2:D:94:HIS:CD2	2.19	0.61
2:D:18:HIS:CE1	2:D:94:HIS:HD2	2.17	0.61
1:B:180:ILE:HD12	1:B:181:HIS:CD2	2.36	0.60
2:K:16:GLN:NE2	2:K:89:ASN:HD22	1.94	0.60
2:D:20:LEU:HD13	2:D:42:PHE:CZ	2.37	0.60
2:D:67:ARG:NH1	2:E:70:ASP:OD1	2.30	0.60
2:F:9:CYS:O	2:F:15:THR:HG21	2.03	0.59
2:K:57:HIS:CD2	2:K:65:ILE:HD11	2.38	0.58
1:B:174:TRP:O	1:B:180:ILE:HG23	2.02	0.58
2:J:14:ASN:N	2:J:14:ASN:HD22	2.01	0.57
1:B:177:GLU:HG2	1:B:180:ILE:HD11	1.85	0.57
2:E:102:ALA:O	2:E:103:ASN:HB2	2.02	0.57
1:B:143:ARG:NH2	5:B:259:HOH:O	2.37	0.57
2:K:102:ALA:O	2:K:103:ASN:HB2	2.04	0.57
2:E:16:GLN:NE2	2:E:89:ASN:HD22	1.95	0.56
2:N:57:HIS:CD2	2:N:65:ILE:HD11	2.41	0.56
2:M:4:ASN:ND2	2:M:7:ASP:H	2.03	0.56
2:D:14:ASN:HD22	2:D:14:ASN:N	1.91	0.55
2:L:9:CYS:O	2:L:15:THR:HG21	2.06	0.55
2:N:16:GLN:NE2	2:N:89:ASN:HD22	1.96	0.54
2:F:18:HIS:CE1	2:F:94:HIS:HD2	2.21	0.54
1:B:176:GLU:O	1:B:180:ILE:HG13	2.07	0.54
2:J:18:HIS:NE2	2:J:94:HIS:HD2	2.06	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:K:56:GLN:HE21	2:K:56:GLN:N	1.90	0.54
1:B:175:ARG:HA	1:B:180:ILE:HG23	1.89	0.53
2:K:44:ASN:ND2	2:K:46:ALA:H	2.05	0.53
1:B:143:ARG:NH1	1:B:143:ARG:HG3	2.24	0.53
1:B:94:MET:SD	1:B:115:ALA:HB2	2.50	0.52
2:M:1:THR:HG22	5:N:144:HOH:O	2.10	0.52
1:A:33:ARG:NH2	1:A:212:ASP:OD1	2.43	0.51
2:E:56:GLN:HE21	2:E:56:GLN:N	1.91	0.51
2:D:14:ASN:ND2	2:D:14:ASN:N	2.57	0.51
2:G:35:ARG:NH1	5:G:140:HOH:O	2.44	0.51
2:G:67:ARG:NH1	5:G:139:HOH:O	2.33	0.50
1:B:180:ILE:HD12	1:B:181:HIS:N	2.26	0.50
2:H:16:GLN:HE21	2:H:89:ASN:HD22	1.59	0.49
2:L:18:HIS:CE1	2:L:94:HIS:HD2	2.27	0.49
2:H:20:LEU:HD22	2:H:42:PHE:CG	2.47	0.49
2:K:97:ALA:HA	2:L:31:LEU:HD22	1.94	0.49
2:G:67:ARG:NH1	2:H:70:ASP:OD1	2.40	0.48
1:A:220:ARG:HA	2:E:78:THR:HB	1.95	0.48
2:H:26:SER:OG	2:H:41:THR:HB	2.13	0.47
1:B:50:THR:O	1:B:50:THR:HG23	2.14	0.47
2:G:4:ASN:ND2	2:G:7:ASP:H	2.12	0.47
2:J:67:ARG:HG2	2:K:29:GLU:OE2	2.15	0.47
1:A:192:ARG:O	1:A:192:ARG:CG	2.60	0.47
2:J:92:THR:HG22	5:N:154:HOH:O	2.14	0.47
1:A:59:TYR:CE2	1:A:116:LEU:HB2	2.49	0.46
2:J:56:GLN:HG3	3:J:752:GAL:O4	2.15	0.46
1:A:44:HIS:CG	1:A:59:TYR:HB2	2.51	0.46
1:B:174:TRP:O	1:B:180:ILE:CG2	2.63	0.46
1:B:59:TYR:CE2	1:B:116:LEU:HB2	2.51	0.46
2:E:12:TYR:CZ	2:F:32:ALA:HB1	2.51	0.45
1:B:180:ILE:HD12	1:B:181:HIS:H	1.81	0.45
2:M:51:GLU:OE2	2:M:91:LYS:HE3	2.17	0.45
2:K:44:ASN:C	2:K:44:ASN:HD22	2.21	0.45
1:B:44:HIS:CD2	1:B:59:TYR:HB2	2.52	0.44
1:B:216:SER:OG	2:K:79:GLU:OE1	2.27	0.44
1:A:189:ASN:ND2	5:A:326:HOH:O	2.40	0.44
2:K:22:ASP:OD2	2:K:43:LYS:HE2	2.18	0.44
2:E:97:ALA:HA	2:F:31:LEU:HD22	2.00	0.43
1:A:94:MET:SD	1:A:115:ALA:HB2	2.59	0.43
2:J:88:TRP:CE2	3:J:752:GAL:H5	2.53	0.43
2:N:3:GLN:HB3	2:N:3:GLN:HE21	1.66	0.43
1:A:82:THR:OG1	1:A:131:HIS:HD2	2.02	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:220:ARG:HA	2:K:78:THR:HB	2.00	0.43
1:B:44:HIS:CG	1:B:59:TYR:HB2	2.54	0.43
2:G:18:HIS:CD2	2:G:48:PHE:HE1	2.36	0.42
2:J:86:CYS:HB3	2:J:98:ALA:HB3	2.01	0.42
2:K:12:TYR:CZ	2:L:32:ALA:HB1	2.55	0.42
1:A:42:TYR:CZ	1:A:46:ARG:HD2	2.55	0.41
1:A:197:ASN:CA	5:A:327:HOH:O	2.69	0.41
2:D:31:LEU:C	2:D:31:LEU:HD12	2.42	0.41
2:G:97:ALA:HA	2:H:31:LEU:HD22	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	226/240 (94%)	222 (98%)	4 (2%)	0	100	100
1	B	223/240 (93%)	219 (98%)	4 (2%)	0	100	100
2	D	101/103 (98%)	99 (98%)	2 (2%)	0	100	100
2	E	101/103 (98%)	100 (99%)	1 (1%)	0	100	100
2	F	101/103 (98%)	100 (99%)	1 (1%)	0	100	100
2	G	100/103 (97%)	99 (99%)	1 (1%)	0	100	100
2	H	101/103 (98%)	99 (98%)	2 (2%)	0	100	100
2	J	101/103 (98%)	100 (99%)	1 (1%)	0	100	100
2	K	101/103 (98%)	100 (99%)	1 (1%)	0	100	100
2	L	101/103 (98%)	100 (99%)	1 (1%)	0	100	100
2	M	101/103 (98%)	99 (98%)	2 (2%)	0	100	100
2	N	101/103 (98%)	100 (99%)	1 (1%)	0	100	100
All	All	1458/1510 (97%)	1437 (99%)	21 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	183/204 (90%)	174 (95%)	9 (5%)	35	21
1	B	183/204 (90%)	174 (95%)	9 (5%)	35	21
2	D	85/89 (96%)	84 (99%)	1 (1%)	82	80
2	E	88/89 (99%)	82 (93%)	6 (7%)	22	10
2	F	89/89 (100%)	85 (96%)	4 (4%)	38	24
2	G	87/89 (98%)	85 (98%)	2 (2%)	63	55
2	H	87/89 (98%)	80 (92%)	7 (8%)	17	7
2	J	87/89 (98%)	85 (98%)	2 (2%)	63	55
2	K	87/89 (98%)	80 (92%)	7 (8%)	17	7
2	L	84/89 (94%)	79 (94%)	5 (6%)	27	13
2	M	86/89 (97%)	82 (95%)	4 (5%)	36	22
2	N	86/89 (97%)	82 (95%)	4 (5%)	36	22
All	All	1232/1298 (95%)	1172 (95%)	60 (5%)	35	21

All (60) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	16	ILE
1	A	27	GLN
1	A	33	ARG
1	A	52	PHE
1	A	55	HIS
1	A	116	LEU
1	A	136	ASP
1	A	192	ARG
1	A	235	ARG
2	D	14	ASN
2	E	1	THR
2	E	20	LEU
2	E	31	LEU
2	E	44	ASN
2	E	56	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	E	82	VAL
2	F	9	CYS
2	F	15	THR
2	F	20	LEU
2	F	31	LEU
2	G	4	ASN
2	G	20	LEU
2	H	9	CYS
2	H	29	GLU
2	H	31	LEU
2	H	34	LYS
2	H	41	THR
2	H	44	ASN
2	H	77	LEU
1	B	16	ILE
1	B	18	GLN
1	B	28	SER
1	B	71	LEU
1	B	116	LEU
1	B	129	ARG
1	B	143	ARG
1	B	180	ILE
1	B	198	THR
2	J	14	ASN
2	J	92	THR
2	K	1	THR
2	K	8	LEU
2	K	9	CYS
2	K	44	ASN
2	K	56	GLN
2	K	62	LYS
2	K	82	VAL
2	L	9	CYS
2	L	15	THR
2	L	20	LEU
2	L	31	LEU
2	L	82	VAL
2	M	1	THR
2	M	4	ASN
2	M	9	CYS
2	M	59	ASP
2	N	3	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	N	31	LEU
2	N	44	ASN
2	N	77	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (42) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	27	GLN
1	A	49	GLN
1	A	98	ASN
1	A	131	HIS
1	A	189	ASN
2	D	14	ASN
2	D	18	HIS
2	D	21	ASN
2	D	94	HIS
2	E	3	GLN
2	E	13	HIS
2	E	16	GLN
2	E	44	ASN
2	E	56	GLN
2	F	18	HIS
2	F	21	ASN
2	F	49	GLN
2	F	94	HIS
2	G	4	ASN
2	H	16	GLN
2	H	44	ASN
2	H	103	ASN
1	B	98	ASN
1	B	227	GLN
2	J	3	GLN
2	J	14	ASN
2	J	94	HIS
2	J	103	ASN
2	K	16	GLN
2	K	44	ASN
2	K	56	GLN
2	K	103	ASN
2	L	18	HIS
2	L	21	ASN
2	L	49	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	L	94	HIS
2	M	4	ASN
2	M	21	ASN
2	N	3	GLN
2	N	16	GLN
2	N	44	ASN
2	N	103	ASN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	GAL	D	751	-	12,12,12	0.60	0	17,17,17	0.79	0
3	GAL	J	752	-	12,12,12	0.55	0	17,17,17	2.81	7 (41%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means

no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GAL	D	751	-	-	0/2/22/22	0/1/1/1
3	GAL	J	752	-	-	0/2/22/22	0/1/1/1

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
3	J	752	GAL	C1-C2-C3	-6.63	100.02	110.53
3	J	752	GAL	C1-O5-C5	-6.24	102.23	113.40
3	J	752	GAL	O5-C1-C2	-4.35	103.12	109.86
3	J	752	GAL	O1-C1-C2	2.53	116.63	109.47
3	J	752	GAL	O1-C1-O5	2.52	117.12	110.32
3	J	752	GAL	O5-C5-C6	2.45	112.36	106.34
3	J	752	GAL	O2-C2-C3	2.33	115.58	110.35

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	232/240 (96%)	0.65	19 (8%) 12 11	5, 24, 43, 54	0
1	B	227/240 (94%)	2.10	107 (47%) 1 0	6, 11, 21, 31	0
2	D	103/103 (100%)	3.81	81 (78%) 0 0	6, 9, 16, 29	1 (0%)
2	E	103/103 (100%)	1.04	12 (11%) 5 4	5, 10, 15, 24	0
2	F	103/103 (100%)	0.50	0 100 100	5, 9, 16, 25	0
2	G	102/103 (99%)	0.80	1 (0%) 79 81	6, 11, 17, 22	0
2	H	103/103 (100%)	1.37	18 (17%) 2 2	15, 19, 26, 38	0
2	J	103/103 (100%)	7.00	103 (100%) 0 0	5, 8, 15, 27	1 (0%)
2	K	103/103 (100%)	1.09	18 (17%) 2 2	6, 11, 19, 31	0
2	L	103/103 (100%)	1.14	14 (13%) 4 3	7, 12, 18, 27	0
2	M	103/103 (100%)	0.92	2 (1%) 64 65	7, 12, 19, 27	0
2	N	103/103 (100%)	0.73	2 (1%) 64 65	6, 9, 15, 26	0
All	All	1488/1510 (98%)	1.70	377 (25%) 1 1	5, 12, 30, 54	2 (0%)

All (377) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	J	96	ILE	13.4
2	J	74	ILE	12.0
2	J	65	ILE	11.9
2	J	72	LEU	11.5
2	J	99	ILE	11.4
2	J	76	TYR	11.2
2	J	77	LEU	10.6
2	J	82	VAL	10.3
2	J	27	TYR	10.3
2	J	5	ILE	10.1
2	J	38	ALA	9.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	J	88	TRP	9.7
2	J	80	ALA	9.6
2	J	50	VAL	9.6
2	J	54	GLY	9.6
2	J	71	THR	9.6
2	J	102	ALA	9.5
2	J	53	PRO	9.4
2	J	24	ILE	9.4
2	D	76	TYR	9.4
2	J	98	ALA	9.2
2	J	75	ALA	9.1
2	J	64	ALA	9.1
2	J	48	PHE	9.1
2	J	85	LEU	9.1
2	J	101	MET	9.0
2	J	40	ILE	8.9
2	J	25	PHE	8.6
2	J	97	ALA	8.6
2	J	17	ILE	8.6
2	J	68	MET	8.4
2	D	27	TYR	8.4
2	J	52	VAL	8.3
2	D	25	PHE	8.2
2	J	73	ARG	8.1
2	D	40	ILE	8.0
2	J	39	ILE	8.0
1	B	31	PHE	8.0
2	J	42	PHE	7.9
2	J	58	ILE	7.9
2	D	39	ILE	7.9
2	J	20	LEU	7.7
2	D	72	LEU	7.7
2	J	86	CYS	7.6
2	D	24	ILE	7.6
2	J	19	THR	7.5
2	J	87	VAL	7.5
1	A	34	GLY	7.4
2	J	95	ALA	7.4
2	D	74	ILE	7.4
2	J	28	THR	7.4
2	J	67	ARG	7.3
2	J	31	LEU	7.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	J	78	THR	7.2
2	J	32	ALA	7.2
2	J	70	ASP	7.0
2	J	9	CYS	7.0
2	J	57	HIS	7.0
2	D	28	THR	7.0
2	D	52	VAL	6.9
2	D	96	ILE	6.9
2	J	60	SER	6.8
2	J	69	LYS	6.7
1	B	91	ALA	6.7
2	J	22	ASP	6.7
2	J	63	LYS	6.6
2	J	21	ASN	6.6
2	D	31	LEU	6.6
2	J	103	ASN	6.6
2	J	81	LYS	6.6
2	J	6	THR	6.5
2	J	46	ALA	6.4
2	D	38	ALA	6.4
2	J	3	GLN	6.4
2	D	32	ALA	6.3
2	J	47	THR	6.3
2	D	75	ALA	6.3
2	J	55	SER	6.3
2	J	1	THR	6.3
2	D	46	ALA	6.3
2	J	93	PRO	6.2
2	J	33	GLY	6.2
2	J	92	THR	6.2
2	J	61	GLN	6.1
2	D	92	THR	6.0
2	J	100	SER	6.0
2	J	90	ASN	5.9
2	J	91	LYS	5.9
2	D	77	LEU	5.9
2	J	41	THR	5.9
1	B	30	TYR	5.9
2	J	49	GLN	5.8
2	D	42	PHE	5.8
2	J	83	GLU	5.8
2	D	30	SER	5.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	J	79	GLU	5.8
2	D	37	MET	5.7
2	J	37	MET	5.6
2	J	34	LYS	5.6
2	J	66	GLU	5.6
2	D	78	THR	5.6
2	J	51	GLU	5.6
1	B	92	PRO	5.5
2	D	50	VAL	5.5
2	J	30	SER	5.5
2	D	47	THR	5.4
2	D	48	PHE	5.3
2	D	93	PRO	5.3
2	D	95	ALA	5.2
1	B	89	ALA	5.2
2	J	23	LYS	5.2
2	D	26	SER	5.1
2	J	18	HIS	5.1
1	B	180	ILE	5.0
2	D	33	GLY	5.0
2	J	26	SER	5.0
1	B	59	TYR	5.0
1	B	20	GLY	5.0
2	J	4	ASN	5.0
2	D	45	GLY	5.0
2	J	16	GLN	4.9
2	D	73	ARG	4.9
2	D	80	ALA	4.9
2	J	8	LEU	4.8
2	D	65	ILE	4.8
2	J	56	GLN	4.8
1	B	1	ASN	4.8
2	J	2	PRO	4.8
2	J	35	ARG	4.8
2	D	71	THR	4.7
2	D	53	PRO	4.7
1	B	90	THR	4.6
1	B	188	GLY	4.6
2	J	45	GLY	4.6
2	D	35	ARG	4.6
2	J	62	LYS	4.6
1	B	88	ILE	4.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	99	ILE	4.5
1	B	22	LEU	4.5
2	D	68	MET	4.5
1	B	17	LYS	4.5
2	J	84	LYS	4.4
2	J	10	ALA	4.4
2	D	41	THR	4.4
2	J	36	GLU	4.3
2	J	94	HIS	4.3
2	D	70	ASP	4.3
2	J	15	THR	4.3
1	B	94	MET	4.2
2	D	64	ALA	4.2
1	B	33	ARG	4.1
1	B	58	GLY	4.1
1	B	95	PHE	4.1
2	J	44	ASN	4.1
2	D	69	LYS	4.1
1	B	199	CYS	4.1
1	B	21	GLY	4.1
2	D	49	GLN	4.1
2	D	88	TRP	4.0
2	J	12	TYR	4.0
1	A	52	PHE	3.9
2	J	13	HIS	3.9
1	B	5	LEU	3.9
2	J	29	GLU	3.9
2	D	29	GLU	3.9
2	D	36	GLU	3.9
1	B	189	ASN	3.9
2	D	85	LEU	3.9
1	B	186	GLY	3.9
2	D	54	GLY	3.9
1	B	134	VAL	3.8
1	B	87	VAL	3.8
2	D	20	LEU	3.8
2	D	87	VAL	3.8
1	B	26	GLY	3.8
2	J	59	ASP	3.7
2	D	82	VAL	3.7
1	B	174	TRP	3.7
2	E	55	SER	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	94	HIS	3.6
1	B	32	ASP	3.6
1	B	198	THR	3.6
2	H	5	ILE	3.6
1	B	179	TRP	3.6
1	B	93	ASN	3.5
1	B	100	VAL	3.5
1	B	2	ASP	3.5
2	J	14	ASN	3.5
1	B	104	TYR	3.5
1	B	98	ASN	3.5
2	D	44	ASN	3.4
2	D	79	GLU	3.4
1	B	16	ILE	3.4
1	B	187	CYS	3.4
1	B	41	LEU	3.4
1	A	197	ASN	3.4
1	B	36	GLN	3.4
1	A	236	ILE	3.3
2	D	43	LYS	3.3
2	D	101	MET	3.3
1	B	13	PRO	3.3
1	B	19	SER	3.3
2	K	103	ASN	3.3
1	B	182	HIS	3.3
1	B	72	VAL	3.3
2	K	1	THR	3.3
2	D	98	ALA	3.2
2	D	34	LYS	3.2
2	D	91	LYS	3.2
1	B	167	PHE	3.2
2	D	86	CYS	3.2
2	K	55	SER	3.2
1	B	75	THR	3.2
2	J	89	ASN	3.2
1	A	35	THR	3.2
2	H	82	VAL	3.2
1	B	132	PHE	3.2
1	B	169	PRO	3.2
1	B	60	VAL	3.1
1	B	103	ALA	3.1
2	E	103	ASN	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	35	THR	3.0
1	B	129	ARG	3.0
1	A	81	SER	3.0
1	B	18	GLN	3.0
2	J	7	ASP	3.0
2	D	22	ASP	3.0
2	D	97	ALA	3.0
2	H	10	ALA	3.0
2	H	32	ALA	3.0
2	D	17	ILE	3.0
2	J	43	LYS	3.0
1	B	183	ALA	3.0
1	B	201	GLU	2.9
1	B	131	HIS	2.9
2	D	102	ALA	2.9
1	B	102	GLY	2.9
2	L	74	ILE	2.9
1	B	28	SER	2.9
1	B	210	PHE	2.9
2	D	66	GLU	2.9
1	B	37	MET	2.8
2	D	67	ARG	2.8
2	H	8	LEU	2.8
2	H	99	ILE	2.8
2	E	45	GLY	2.8
1	B	128	TYR	2.8
1	B	29	GLU	2.8
2	H	17	ILE	2.8
1	B	14	ASP	2.8
1	B	53	VAL	2.8
2	K	12	TYR	2.7
1	B	25	ARG	2.7
1	B	3	ASP	2.7
1	B	4	LYS	2.7
1	B	200	ASP	2.7
1	B	23	MET	2.7
1	B	64	ILE	2.7
1	B	133	GLY	2.7
1	A	37	MET	2.7
1	B	175	ARG	2.7
1	A	131	HIS	2.7
2	L	77	LEU	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	E	97	ALA	2.7
2	H	85	LEU	2.7
1	B	203	THR	2.7
1	B	206	LEU	2.7
1	A	84	TYR	2.6
2	E	44	ASN	2.6
1	B	101	LEU	2.6
1	B	136	ASP	2.6
2	L	78	THR	2.6
2	J	11	GLU	2.6
2	E	58	ILE	2.6
2	D	19	THR	2.6
1	B	65	SER	2.6
1	B	78	SER	2.6
2	H	96	ILE	2.6
2	H	87	VAL	2.6
2	D	57	HIS	2.6
1	A	135	LEU	2.6
2	D	9	CYS	2.6
2	L	24	ILE	2.5
2	D	89	ASN	2.5
1	A	192	ARG	2.5
1	B	135	LEU	2.5
2	D	56	GLN	2.5
2	D	100	SER	2.5
2	K	17	ILE	2.5
2	D	23	LYS	2.5
1	B	45	ALA	2.5
2	K	47	THR	2.5
2	D	18	HIS	2.5
1	B	158	ALA	2.5
1	B	184	PRO	2.4
1	A	48	THR	2.4
2	D	51	GLU	2.4
1	B	97	VAL	2.4
2	E	9	CYS	2.4
2	L	9	CYS	2.4
1	A	36	GLN	2.4
1	A	132	PHE	2.4
2	G	1	THR	2.4
2	H	101	MET	2.4
1	B	48	THR	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	173	ALA	2.4
2	H	74	ILE	2.4
1	B	140	HIS	2.4
2	H	12	TYR	2.4
2	E	1	THR	2.4
2	E	25	PHE	2.4
1	B	178	PRO	2.4
2	H	2	PRO	2.4
1	B	39	ILE	2.3
2	K	58	ILE	2.3
1	A	33	ARG	2.3
2	K	97	ALA	2.3
2	N	75	ALA	2.3
1	B	107	HIS	2.3
1	B	166	GLY	2.3
2	L	87	VAL	2.3
2	K	44	ASN	2.3
1	A	235	ARG	2.3
2	K	13	HIS	2.3
1	B	24	PRO	2.3
2	L	75	ALA	2.3
1	A	234	ASN	2.3
2	M	88	TRP	2.2
2	H	1	THR	2.2
2	D	55	SER	2.2
2	L	80	ALA	2.2
2	H	6	THR	2.2
2	K	6	THR	2.2
2	L	27	TYR	2.2
1	B	57	ASP	2.2
2	K	86	CYS	2.2
2	D	15	THR	2.2
2	E	47	THR	2.2
2	M	1	THR	2.2
2	E	27	TYR	2.2
2	K	19	THR	2.2
1	B	139	LEU	2.2
1	A	49	GLN	2.2
1	B	159	ALA	2.2
1	B	6	TYR	2.2
1	B	172	ARG	2.1
2	D	83	GLU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	106	PRO	2.1
1	B	168	PRO	2.1
1	B	50	THR	2.1
1	B	84	TYR	2.1
2	E	2	PRO	2.1
2	D	90	ASN	2.1
2	K	59	ASP	2.1
2	K	93	PRO	2.1
1	B	231	ASP	2.1
2	N	77	LEU	2.1
2	K	9	CYS	2.1
1	B	76	ILE	2.1
1	B	181	HIS	2.1
2	L	13	HIS	2.1
2	K	48	PHE	2.1
2	H	58	ILE	2.1
1	A	80	HIS	2.1
1	B	99	ASP	2.1
1	B	204	GLN	2.1
1	B	127	TRP	2.0
2	L	88	TRP	2.0
2	L	82	VAL	2.0
2	D	16	GLN	2.0
2	L	8	LEU	2.0
2	K	10	ALA	2.0
2	L	5	ILE	2.0
1	B	164	LEU	2.0
1	B	185	PRO	2.0
2	D	21	ASN	2.0
2	H	4	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	GAL	D	751	12/12	0.25	-0.27	36,41,44,46	0
4	NA	B	241	1/1	0.11	-1.51	23,23,23,23	0
3	GAL	J	752	12/12	0.25	-1.74	40,43,45,45	0
4	NA	A	241	1/1	0.05	-3.24	23,23,23,23	0

6.5 Other polymers

There are no such residues in this entry.