



Full wwPDB X-ray Structure Validation Report i

Feb 27, 2014 – 08:33 AM GMT

PDB ID : 1S7X
Title : Crystal structures of the murine class I major histocompatibility complex H-2Db in complex with LCMV-derived gp33 index peptide and three of its escape variants
Authors : Velloso, L.M.; Michaelsson, J.; Ljunggren, H.G.; Schneider, G.; Achour, A.
Deposited on : 2004-01-30
Resolution : 2.41 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.41 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	2496 (2.44-2.40)
Clashscore	79885	3124 (2.44-2.40)
Ramachandran outliers	78287	3067 (2.44-2.40)
Sidechain outliers	78261	3068 (2.44-2.40)
RSRZ outliers	66119	2499 (2.44-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	338	
1	D	338	
1	G	338	
1	J	338	
2	B	99	
2	E	99	
2	H	99	
2	K	99	
3	C	9	
3	F	9	
3	I	9	
3	L	9	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 13420 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called H-2 class I histocompatibility antigen, D-B alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	276	Total	C	N	O	S	0	0	0
			2264	1430	400	425	9			
1	D	276	Total	C	N	O	S	0	0	0
			2264	1430	400	425	9			
1	G	276	Total	C	N	O	S	0	0	0
			2264	1430	400	425	9			
1	J	276	Total	C	N	O	S	0	0	0
			2264	1430	400	425	9			

- Molecule 2 is a protein called Beta-2-microglobulin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	99	Total	C	N	O	S	0	0	0
			818	523	138	151	6			
2	E	99	Total	C	N	O	S	0	0	0
			818	523	138	151	6			
2	H	99	Total	C	N	O	S	0	0	0
			818	523	138	151	6			
2	K	99	Total	C	N	O	S	0	0	0
			818	523	138	151	6			

- Molecule 3 is a protein called Glycoprotein 9-residue peptide.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	9	Total	C	N	O	S	0	0	0
			72	48	11	12	1			
3	F	9	Total	C	N	O	S	0	0	0
			72	48	11	12	1			
3	I	9	Total	C	N	O	S	0	0	0
			72	48	11	12	1			
3	L	9	Total	C	N	O	S	0	0	0
			72	48	11	12	1			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	4	PHE	TYR	ENGINEERED	UNP P07399
C	9	MET	CYS	SEE REMARK 999	UNP P07399
F	4	PHE	TYR	ENGINEERED	UNP P07399
F	9	MET	CYS	SEE REMARK 999	UNP P07399
I	4	PHE	TYR	ENGINEERED	UNP P07399
I	9	MET	CYS	SEE REMARK 999	UNP P07399
L	4	PHE	TYR	ENGINEERED	UNP P07399
L	9	MET	CYS	SEE REMARK 999	UNP P07399


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	107	Total O 107 107	0	0
4	B	91	Total O 91 91	0	0
4	C	2	Total O 2 2	0	0
4	D	126	Total O 126 126	0	0
4	E	74	Total O 74 74	0	0
4	F	5	Total O 5 5	0	0
4	G	145	Total O 145 145	0	0
4	H	78	Total O 78 78	0	0
4	I	4	Total O 4 4	0	0
4	J	112	Total O 112 112	0	0
4	K	53	Total O 53 53	0	0
4	L	7	Total O 7 7	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: H-2 class I histocompatibility antigen, D-B alpha chain




- Molecule 1: H-2 class I histocompatibility antigen, D-B alpha chain




- Molecule 1: H-2 class I histocompatibility antigen, D-B alpha chain





- Molecule 1: H-2 class I histocompatibility antigen, D-B alpha chain

Chain J:




- Molecule 2: Beta-2-microglobulin

Chain B:




- Molecule 2: Beta-2-microglobulin

Chain E:



- Molecule 2: Beta-2-microglobulin

Chain H:



- Molecule 2: Beta-2-microglobulin

Chain K:




- Molecule 3: Glycoprotein 9-residue peptide

Chain C:




- Molecule 3: Glycoprotein 9-residue peptide

Chain F: 




- Molecule 3: Glycoprotein 9-residue peptide

Chain I: 



- Molecule 3: Glycoprotein 9-residue peptide

Chain L: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	91.90Å 123.32Å 100.20Å 90.00° 102.82° 90.00°	Depositor
Resolution (Å)	19.80 – 2.41 31.93 – 2.41	Depositor EDS
% Data completeness (in resolution range)	(Not available) (19.80-2.41) 98.9 (31.93-2.41)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.55 (at 2.42Å)	Xtriage
Refinement program	REFMAC 5.1.24	Depositor
R, R_{free}	0.203 , 0.254 0.245 , 0.286	Depositor DCC
R_{free} test set	2033 reflections (2.45%)	DCC
Wilson B-factor (Å ²)	37.7	Xtriage
Anisotropy	0.082	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 34.8	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	2 of 82996 reflections (0.002%)	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	13420	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 13.69% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.46	0/2331	0.74	6/3166 (0.2%)
1	D	0.51	0/2331	0.78	6/3166 (0.2%)
1	G	0.53	1/2331 (0.0%)	0.78	9/3166 (0.3%)
1	J	0.58	1/2331 (0.0%)	0.76	6/3166 (0.2%)
2	B	0.58	0/844	0.79	2/1146 (0.2%)
2	E	0.58	0/844	0.77	2/1146 (0.2%)
2	H	0.59	0/844	0.78	1/1146 (0.1%)
2	K	0.50	0/844	0.78	4/1146 (0.3%)
3	C	0.76	0/73	0.70	0/95
3	F	0.84	0/73	0.77	0/95
3	I	1.00	1/73 (1.4%)	0.87	0/95
3	L	0.72	0/73	0.67	0/95
All	All	0.54	3/12992 (0.0%)	0.77	36/17628 (0.2%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	J	41	GLU	C-N	17.52	1.74	1.34
1	G	146	LYS	CE-NZ	6.06	1.64	1.49
3	I	9	MET	CG-SD	-5.05	1.68	1.81

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	J	41	GLU	CA-C-N	-9.36	96.60	117.20
1	J	41	GLU	O-C-N	7.65	134.94	122.70
1	A	227	ASP	CB-CG-OD2	6.43	124.09	118.30
1	A	129	ASP	CB-CG-OD2	6.42	124.07	118.30
1	G	29	ASP	CB-CG-OD2	6.18	123.86	118.30
2	K	98	ASP	CB-CG-OD2	6.11	123.80	118.30
1	D	234	ARG	NE-CZ-NH1	6.05	123.33	120.30
2	K	53	ASP	CB-CG-OD2	5.94	123.64	118.30
2	B	85	ASP	CB-CG-OD2	5.82	123.54	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	76	ASP	CB-CG-OD2	5.80	123.52	118.30
1	D	35	ARG	NE-CZ-NH2	-5.79	117.40	120.30
1	G	129	ASP	CB-CG-OD2	5.72	123.45	118.30
1	J	183	ASP	CB-CG-OD2	5.55	123.30	118.30
1	J	106	ASP	CB-CG-OD2	5.54	123.29	118.30
1	G	183	ASP	CB-CG-OD2	5.50	123.25	118.30
1	G	106	ASP	CB-CG-OD2	5.48	123.23	118.30
1	A	137	ASP	CB-CG-OD2	5.48	123.23	118.30
1	D	35	ARG	NE-CZ-NH1	5.47	123.03	120.30
1	G	146	LYS	CD-CE-NZ	5.43	124.18	111.70
2	E	76	ASP	CB-CG-OD2	5.32	123.09	118.30
1	A	35	ARG	NE-CZ-NH1	5.31	122.95	120.30
1	D	238	ASP	CB-CG-OD2	5.30	123.07	118.30
1	D	227	ASP	CB-CG-OD2	5.29	123.06	118.30
1	A	183	ASP	CB-CG-OD2	5.29	123.06	118.30
1	G	234	ARG	NE-CZ-NH1	5.28	122.94	120.30
2	E	98	ASP	CB-CG-OD2	5.28	123.05	118.30
1	D	29	ASP	CB-CG-OD2	5.26	123.03	118.30
2	B	98	ASP	CB-CG-OD2	5.23	123.00	118.30
2	K	59	ASP	CB-CG-OD2	5.22	123.00	118.30
1	A	234	ARG	NE-CZ-NH1	5.21	122.90	120.30
1	J	227	ASP	CB-CG-OD2	5.19	122.97	118.30
2	K	85	ASP	CB-CG-OD2	5.16	122.95	118.30
1	G	238	ASP	CB-CG-OD2	5.15	122.94	118.30
1	G	35	ARG	NE-CZ-NH1	5.05	122.83	120.30
1	G	212	ASP	CB-CG-OD2	5.04	122.83	118.30
1	J	29	ASP	CB-CG-OD2	5.03	122.83	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2264	0	2136	19	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	2264	0	2136	30	0
1	G	2264	0	2136	25	0
1	J	2264	0	2135	24	0
2	B	818	0	791	13	0
2	E	818	0	791	18	0
2	H	818	0	791	15	0
2	K	818	0	791	14	0
3	C	72	0	74	0	0
3	F	72	0	74	1	0
3	I	72	0	74	0	0
3	L	72	0	74	3	0
4	A	107	0	0	2	0
4	B	91	0	0	6	0
4	C	2	0	0	0	0
4	D	126	0	0	3	0
4	E	74	0	0	4	0
4	F	5	0	0	0	0
4	G	145	0	0	6	0
4	H	78	0	0	2	0
4	I	4	0	0	0	0
4	J	112	0	0	4	0
4	K	53	0	0	1	0
4	L	7	0	0	1	0
All	All	13420	0	12003	144	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 6.

All (144) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:J:41:GLU:C	1:J:42:ASN:N	1.74	1.40
1:J:41:GLU:OE2	1:J:42:ASN:N	1.80	1.14
2:H:99:MET:C	4:H:102:HOH:O	1.88	1.12
2:B:99:MET:CG	4:B:180:HOH:O	2.01	1.07
1:D:14:ARG:HG2	1:D:14:ARG:HH11	0.92	1.05
2:E:99:MET:CG	4:E:105:HOH:O	2.09	1.00
1:D:14:ARG:CG	1:D:14:ARG:HH11	1.80	0.94
2:B:99:MET:C	4:B:101:HOH:O	2.07	0.91
1:D:14:ARG:HG2	1:D:14:ARG:NH1	1.73	0.89
2:E:99:MET:O	4:E:100:HOH:O	1.91	0.86
4:J:414:HOH:O	2:K:99:MET:CG	2.24	0.84
1:D:41:GLU:H	1:D:41:GLU:CD	1.83	0.80

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:J:41:GLU:CA	1:J:42:ASN:N	2.46	0.78
4:G:420:HOH:O	2:H:99:MET:CG	2.38	0.71
4:D:461:HOH:O	2:E:3:LYS:HE3	1.96	0.65
4:G:478:HOH:O	2:H:3:LYS:HE3	1.94	0.65
2:E:99:MET:C	4:E:100:HOH:O	2.36	0.63
4:G:478:HOH:O	2:H:3:LYS:CE	2.47	0.63
1:D:249:VAL:HG22	1:D:257:TYR:CZ	2.33	0.63
1:D:249:VAL:HG22	1:D:257:TYR:CE2	2.34	0.63
1:D:249:VAL:HG13	1:D:257:TYR:CE2	2.34	0.63
1:D:248:VAL:O	1:D:248:VAL:HG23	1.98	0.62
4:D:461:HOH:O	2:E:3:LYS:CE	2.48	0.61
2:K:39:MET:CE	2:K:49:VAL:HG13	2.31	0.60
1:A:144:ARG:HD2	4:A:342:HOH:O	2.01	0.60
1:G:32:GLU:OE2	1:G:48:ARG:HD2	2.02	0.60
1:J:21:ARG:HE	1:J:23:ILE:HD11	1.67	0.59
2:B:99:MET:O	4:B:101:HOH:O	2.14	0.59
2:K:1:ILE:N	4:K:121:HOH:O	2.34	0.59
1:D:117:ALA:HB2	2:E:60:TRP:CE2	2.38	0.59
1:A:234:ARG:HD3	2:B:10:TYR:CE2	2.37	0.59
1:D:32:GLU:OE2	1:D:48:ARG:HD2	2.03	0.59
1:G:201:LEU:HD12	1:G:249:VAL:HG21	1.84	0.58
1:J:185:PRO:HD2	1:J:266:LEU:HD13	1.88	0.56
1:J:144:ARG:HD2	4:J:429:HOH:O	2.06	0.55
1:J:234:ARG:HD3	2:K:10:TYR:CE2	2.41	0.55
2:K:96:ASP:O	2:K:98:ASP:O	2.25	0.55
1:A:194:ARG:O	1:A:195:SER:C	2.45	0.55
1:G:219:LEU:HG	1:G:220:ASN:HD22	1.72	0.55
4:G:420:HOH:O	2:H:99:MET:CB	2.54	0.54
2:H:39:MET:CE	2:H:49:VAL:HG13	2.38	0.54
1:J:41:GLU:CB	1:J:42:ASN:N	2.70	0.54
1:G:224:LEU:HD23	1:G:247:VAL:HG21	1.90	0.54
2:K:39:MET:HE2	2:K:49:VAL:HG13	1.90	0.53
1:G:117:ALA:HB2	2:H:60:TRP:CE2	2.46	0.51
1:G:193:PRO:HA	1:G:199:VAL:HG12	1.92	0.51
1:J:14:ARG:HG2	1:J:15:PRO:HD2	1.93	0.51
2:H:54:MET:HB2	4:H:101:HOH:O	2.09	0.51
1:A:249:VAL:HG22	1:A:257:TYR:CZ	2.45	0.51
2:K:98:ASP:C	2:K:99:MET:CG	2.79	0.51
1:D:194:ARG:HG2	4:D:353:HOH:O	2.11	0.51
2:H:39:MET:HE2	2:H:49:VAL:HG13	1.93	0.50
2:K:98:ASP:O	2:K:99:MET:CG	2.60	0.50
1:A:234:ARG:HD2	1:A:242:GLN:HB2	1.94	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:J:41:GLU:C	1:J:42:ASN:CA	2.75	0.49
1:A:263:HIS:HB3	1:A:266:LEU:HD22	1.94	0.49
1:D:234:ARG:HD3	2:E:10:TYR:CE2	2.47	0.49
1:A:224:LEU:HD23	1:A:247:VAL:HG21	1.95	0.49
2:H:7:ILE:HD12	2:H:91:LYS:HE2	1.95	0.48
1:A:117:ALA:HB2	2:B:60:TRP:CE2	2.47	0.48
1:G:202:ARG:HD2	1:G:244:TRP:CD2	2.49	0.48
3:L:1:LYS:NZ	4:L:731:HOH:O	2.46	0.48
1:J:21:ARG:NE	1:J:23:ILE:HD11	2.27	0.48
1:A:217:TRP:HB2	1:A:228:MET:CE	2.43	0.48
1:G:234:ARG:HD3	2:H:10:TYR:CE2	2.48	0.48
1:A:202:ARG:HD2	1:A:244:TRP:CD2	2.49	0.48
2:K:31:HIS:CD2	2:K:32:PRO:HA	2.49	0.48
1:J:103:LEU:HD11	1:J:168:LEU:HD23	1.95	0.48
2:B:29:GLN:NE2	2:B:59:ASP:OD2	2.47	0.47
1:D:263:HIS:HB3	1:D:266:LEU:HD22	1.96	0.47
1:D:234:ARG:HD3	2:E:10:TYR:CZ	2.49	0.47
2:B:9:VAL:HG23	2:B:93:VAL:HG22	1.96	0.47
1:G:144:ARG:NH2	4:G:398:HOH:O	2.47	0.47
1:J:117:ALA:HB2	2:K:60:TRP:CE2	2.49	0.47
1:G:249:VAL:HG22	1:G:257:TYR:CE1	2.50	0.47
1:D:14:ARG:NH2	2:E:34:HIS:HB2	2.30	0.46
2:E:39:MET:CE	2:E:49:VAL:HG13	2.45	0.46
1:D:14:ARG:CG	1:D:14:ARG:NH1	2.49	0.46
1:A:187:ALA:HA	1:A:204:TRP:O	2.15	0.46
1:G:251:LEU:HD23	1:G:252:GLY:N	2.31	0.46
1:G:201:LEU:O	1:G:246:SER:HA	2.16	0.46
1:J:5:MET:HB2	1:J:168:LEU:HD13	1.98	0.46
1:G:249:VAL:HG22	1:G:257:TYR:CZ	2.50	0.46
1:A:226:GLN:HA	1:A:227:ASP:HA	1.72	0.46
2:E:32:PRO:HB2	2:E:33:PRO:HD2	1.98	0.46
1:D:14:ARG:HH21	2:E:34:HIS:HB2	1.80	0.45
1:G:249:VAL:HG13	1:G:257:TYR:CE2	2.52	0.45
1:D:202:ARG:HG2	1:D:204:TRP:NE1	2.32	0.45
1:D:14:ARG:HH21	2:E:34:HIS:CG	2.34	0.45
2:H:39:MET:HE1	2:H:67:HIS:C	2.36	0.45
1:J:66:LYS:HZ2	3:L:1:LYS:HE2	1.81	0.45
2:E:9:VAL:HG23	2:E:93:VAL:HG22	1.98	0.45
1:J:131:LYS:NZ	1:J:157:LYS:HE3	2.32	0.45
1:G:178:THR:O	1:G:178:THR:HG22	2.18	0.44
1:A:5:MET:HB2	1:A:168:LEU:HD13	2.00	0.44
1:G:79:ARG:NE	4:G:388:HOH:O	2.51	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:D:14:ARG:NH2	2:E:34:HIS:CB	2.81	0.43
1:G:263:HIS:HB3	1:G:266:LEU:HD22	2.00	0.43
1:J:41:GLU:HB2	1:J:42:ASN:N	2.33	0.43
2:B:4:THR:HG22	4:B:104:HOH:O	2.19	0.43
1:G:234:ARG:HD2	1:G:242:GLN:HB2	2.01	0.43
1:G:224:LEU:CD2	1:G:247:VAL:HG21	2.49	0.43
2:E:4:THR:HG22	4:E:112:HOH:O	2.18	0.43
1:G:31:LYS:HG3	1:G:209:TYR:OH	2.18	0.43
1:J:249:VAL:HG22	1:J:257:TYR:CE1	2.54	0.43
1:J:66:LYS:HZ2	3:L:1:LYS:CE	2.33	0.42
2:B:54:MET:HB2	4:B:110:HOH:O	2.19	0.42
1:J:14:ARG:HH11	1:J:16:GLY:H	1.68	0.42
2:K:50:GLU:HB2	2:K:67:HIS:CE1	2.54	0.42
1:D:99:SER:HA	1:D:113:TYR:O	2.19	0.42
1:A:45:TYR:CE2	1:A:67:ALA:HB2	2.55	0.42
2:B:50:GLU:HB2	2:B:67:HIS:CE1	2.55	0.41
1:G:230:LEU:C	1:G:230:LEU:HD12	2.41	0.41
1:D:192:HIS:HB2	1:D:200:THR:HB	2.02	0.41
1:J:21:ARG:NH2	1:J:37:ASP:OD2	2.53	0.41
1:D:226:GLN:O	1:D:227:ASP:C	2.58	0.41
1:G:6:ARG:NH2	1:G:113:TYR:CE1	2.88	0.41
1:D:14:ARG:HH21	2:E:34:HIS:CB	2.33	0.41
1:A:234:ARG:HD3	2:B:10:TYR:CD2	2.56	0.41
2:H:7:ILE:HD12	2:H:91:LYS:CE	2.50	0.41
1:G:167:TRP:HZ3	1:G:170:ARG:HE	1.68	0.41
1:D:209:TYR:CD1	1:D:210:PRO:HA	2.56	0.41
1:G:106:ASP:O	1:G:107:TRP:HB2	2.20	0.41
2:H:54:MET:HG3	2:H:54:MET:O	2.20	0.41
1:A:270:LEU:HD12	4:A:377:HOH:O	2.20	0.41
1:D:251:LEU:HD23	1:D:254:GLU:OE1	2.21	0.41
1:G:201:LEU:CD1	1:G:249:VAL:HG21	2.50	0.41
1:D:163:GLU:OE1	3:F:1:LYS:NZ	2.53	0.41
1:J:41:GLU:HB2	4:J:450:HOH:O	2.20	0.41
2:B:99:MET:CB	4:B:180:HOH:O	2.54	0.41
2:B:9:VAL:CG2	2:B:93:VAL:HG22	2.51	0.41
1:J:62:ARG:HG3	4:J:384:HOH:O	2.20	0.41
1:A:193:PRO:HA	1:A:199:VAL:HG12	2.02	0.41
2:K:19:LYS:NZ	2:K:19:LYS:HB3	2.36	0.41
1:D:32:GLU:OE2	1:D:48:ARG:CD	2.68	0.40
1:D:6:ARG:NH2	1:D:113:TYR:CE1	2.89	0.40
2:E:48:LYS:NZ	2:E:48:LYS:HB3	2.35	0.40
1:J:41:GLU:OE2	1:J:42:ASN:CA	2.64	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:K:39:MET:HE3	2:K:49:VAL:HG13	2.03	0.40
1:A:249:VAL:HG22	1:A:257:TYR:CE1	2.57	0.40
2:K:32:PRO:HB2	2:K:33:PRO:HD2	2.04	0.40
1:A:41:GLU:O	1:A:43:PRO:HD3	2.22	0.40
2:H:32:PRO:HB2	2:H:33:PRO:HD2	2.02	0.40
1:D:167:TRP:CE3	1:D:170:ARG:HD3	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	274/338 (81%)	258 (94%)	14 (5%)	2 (1%)	30	42
1	D	274/338 (81%)	263 (96%)	9 (3%)	2 (1%)	30	42
1	G	274/338 (81%)	253 (92%)	20 (7%)	1 (0%)	43	60
1	J	274/338 (81%)	260 (95%)	13 (5%)	1 (0%)	43	60
2	B	97/99 (98%)	94 (97%)	3 (3%)	0	100	100
2	E	97/99 (98%)	95 (98%)	2 (2%)	0	100	100
2	H	97/99 (98%)	95 (98%)	2 (2%)	0	100	100
2	K	97/99 (98%)	94 (97%)	3 (3%)	0	100	100
3	C	7/9 (78%)	6 (86%)	1 (14%)	0	100	100
3	F	7/9 (78%)	6 (86%)	1 (14%)	0	100	100
3	I	7/9 (78%)	6 (86%)	1 (14%)	0	100	100
3	L	7/9 (78%)	6 (86%)	1 (14%)	0	100	100
All	All	1512/1784 (85%)	1436 (95%)	70 (5%)	6 (0%)	43	60

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	227	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	G	221	GLY
1	D	16	GLY
1	A	195	SER
1	J	41	GLU
1	A	221	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	234/280 (84%)	211 (90%)	23 (10%)	12	16
1	D	234/280 (84%)	211 (90%)	23 (10%)	12	16
1	G	234/280 (84%)	210 (90%)	24 (10%)	10	15
1	J	234/280 (84%)	207 (88%)	27 (12%)	8	11
2	B	93/94 (99%)	84 (90%)	9 (10%)	12	17
2	E	93/94 (99%)	84 (90%)	9 (10%)	12	17
2	H	93/94 (99%)	88 (95%)	5 (5%)	31	47
2	K	93/94 (99%)	83 (89%)	10 (11%)	9	13
3	C	7/7 (100%)	6 (86%)	1 (14%)	5	5
3	F	7/7 (100%)	6 (86%)	1 (14%)	5	5
3	I	7/7 (100%)	5 (71%)	2 (29%)	0	0
3	L	7/7 (100%)	6 (86%)	1 (14%)	5	5
All	All	1336/1524 (88%)	1201 (90%)	135 (10%)	11	15

All (135) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	19	GLU
1	A	53	GLU
1	A	78	LEU
1	A	79	ARG
1	A	110	LEU
1	A	114	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	166	GLU
1	A	176	ASN
1	A	181	ARG
1	A	184	SER
1	A	196	LYS
1	A	220	ASN
1	A	224	LEU
1	A	225	THR
1	A	226	GLN
1	A	234	ARG
1	A	251	LEU
1	A	254	GLU
1	A	266	LEU
1	A	268	GLU
1	A	270	LEU
1	A	273	ARG
1	A	275	GLU
2	B	1	ILE
2	B	4	THR
2	B	29	GLN
2	B	54	MET
2	B	64	ILE
2	B	70	PHE
2	B	74	GLU
2	B	75	THR
2	B	83	LYS
3	C	1	LYS
1	D	14	ARG
1	D	41	GLU
1	D	44	ARG
1	D	48	ARG
1	D	62	ARG
1	D	78	LEU
1	D	79	ARG
1	D	105	SER
1	D	108	ARG
1	D	114	LEU
1	D	149	GLN
1	D	166	GLU
1	D	186	LYS
1	D	194	ARG
1	D	195	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	196	LYS
1	D	202	ARG
1	D	215	LEU
1	D	224	LEU
1	D	226	GLN
1	D	234	ARG
1	D	266	LEU
1	D	272	LEU
2	E	1	ILE
2	E	2	GLN
2	E	4	THR
2	E	29	GLN
2	E	44	LYS
2	E	64	ILE
2	E	70	PHE
2	E	75	THR
2	E	77	THR
3	F	1	LYS
1	G	31	LYS
1	G	39	ASP
1	G	44	ARG
1	G	54	GLN
1	G	58	GLU
1	G	66	LYS
1	G	75	ARG
1	G	78	LEU
1	G	79	ARG
1	G	114	LEU
1	G	149	GLN
1	G	166	GLU
1	G	170	ARG
1	G	179	LEU
1	G	181	ARG
1	G	186	LYS
1	G	195	SER
1	G	198	GLU
1	G	226	GLN
1	G	234	ARG
1	G	260	ARG
1	G	266	LEU
1	G	272	LEU
1	G	273	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	H	2	GLN
2	H	4	THR
2	H	70	PHE
2	H	75	THR
2	H	93	VAL
3	I	1	LYS
3	I	4	PHE
1	J	14	ARG
1	J	31	LYS
1	J	41	GLU
1	J	44	ARG
1	J	45	TYR
1	J	48	ARG
1	J	58	GLU
1	J	61	GLU
1	J	68	LYS
1	J	78	LEU
1	J	79	ARG
1	J	114	LEU
1	J	146	LYS
1	J	149	GLN
1	J	166	GLU
1	J	181	ARG
1	J	200	THR
1	J	219	LEU
1	J	220	ASN
1	J	225	THR
1	J	229	GLU
1	J	234	ARG
1	J	251	LEU
1	J	258	THR
1	J	266	LEU
1	J	273	ARG
1	J	275	GLU
2	K	1	ILE
2	K	2	GLN
2	K	19	LYS
2	K	29	GLN
2	K	54	MET
2	K	64	ILE
2	K	70	PHE
2	K	83	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	K	87	MET
2	K	93	VAL
3	L	1	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	97	GLN
1	A	192	HIS
1	A	226	GLN
2	B	38	GLN
3	C	5	ASN
1	D	54	GLN
1	D	97	GLN
2	E	67	HIS
3	F	5	ASN
1	G	54	GLN
1	G	97	GLN
1	G	220	ASN
2	H	67	HIS
3	I	5	ASN
1	J	30	ASN
1	J	72	GLN
1	J	97	GLN
1	J	192	HIS
1	J	220	ASN
2	K	31	HIS
2	K	67	HIS
3	L	5	ASN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	276/338 (81%)	0.87	34 (12%) 5 4	13, 30, 53, 61	0
1	D	276/338 (81%)	0.66	31 (11%) 6 5	10, 25, 51, 60	0
1	G	276/338 (81%)	0.92	51 (18%) 2 1	8, 26, 53, 61	0
1	J	276/338 (81%)	1.22	68 (24%) 1 1	10, 29, 62, 65	0
2	B	99/99 (100%)	0.18	1 (1%) 79 79	13, 21, 29, 32	0
2	E	99/99 (100%)	0.18	2 (2%) 62 59	11, 21, 28, 32	0
2	H	99/99 (100%)	0.12	2 (2%) 62 59	11, 21, 29, 34	0
2	K	99/99 (100%)	0.74	11 (11%) 6 5	14, 32, 41, 44	0
3	C	9/9 (100%)	0.86	0 100 100	23, 26, 32, 34	0
3	F	9/9 (100%)	0.90	1 (11%) 6 5	18, 21, 25, 29	0
3	I	9/9 (100%)	1.24	2 (22%) 1 1	13, 20, 28, 31	0
3	L	9/9 (100%)	2.74	8 (88%) 0 0	34, 37, 45, 51	0
All	All	1536/1784 (86%)	0.77	211 (13%) 4 3	8, 26, 56, 65	0

All (211) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	J	177	ALA	10.0
1	D	177	ALA	10.0
1	A	177	ALA	9.5
1	J	179	LEU	7.0
1	J	249	VAL	6.9
1	A	178	THR	6.7
1	J	219	LEU	6.5
1	G	252	GLY	6.3
1	J	251	LEU	6.3
1	J	197	GLY	6.2
1	D	178	THR	6.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	J	199	VAL	6.2
1	A	17	LEU	6.0
1	G	251	LEU	5.9
1	G	222	GLU	5.8
1	J	253	LYS	5.8
1	G	177	ALA	5.6
1	J	226	GLN	5.5
1	J	195	SER	5.5
1	G	179	LEU	5.5
1	J	250	PRO	5.4
1	A	196	LYS	5.4
1	J	256	ASN	5.3
1	G	199	VAL	5.2
1	G	178	THR	5.2
1	J	252	GLY	5.2
1	G	221	GLY	5.1
1	J	257	TYR	5.1
1	J	196	LYS	5.0
1	G	220	ASN	5.0
1	A	197	GLY	4.8
1	J	178	THR	4.8
1	J	192	HIS	4.8
1	J	201	LEU	4.8
1	A	179	LEU	4.7
1	G	226	GLN	4.6
1	J	198	GLU	4.6
1	J	276	PRO	4.6
1	D	220	ASN	4.5
1	J	227	ASP	4.5
1	G	180	LEU	4.5
1	J	191	HIS	4.5
1	J	217	TRP	4.4
1	J	200	THR	4.4
1	D	17	LEU	4.4
1	D	179	LEU	4.4
1	A	225	THR	4.4
1	J	224	LEU	4.3
1	J	220	ASN	4.3
1	A	41	GLU	4.3
1	G	248	VAL	4.2
1	A	227	ASP	4.2
1	G	191	HIS	4.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	223	GLU	4.2
1	G	256	ASN	4.1
1	G	195	SER	4.1
1	J	222	GLU	4.1
1	D	252	GLY	4.0
1	G	250	PRO	4.0
1	G	249	VAL	4.0
1	G	227	ASP	4.0
1	G	53	GLU	4.0
1	D	226	GLN	4.0
1	G	194	ARG	4.0
1	G	274	TRP	3.9
1	G	255	GLN	3.9
1	A	42	ASN	3.9
3	L	5	ASN	3.9
1	G	197	GLY	3.9
1	G	224	LEU	3.8
1	D	227	ASP	3.8
1	J	17	LEU	3.8
1	J	225	THR	3.8
1	G	196	LYS	3.7
1	A	176	ASN	3.7
1	D	16	GLY	3.7
1	G	253	LYS	3.7
1	J	223	GLU	3.7
1	J	194	ARG	3.6
1	J	193	PRO	3.6
1	J	247	VAL	3.6
1	A	224	LEU	3.5
1	G	201	LEU	3.5
1	G	200	THR	3.5
1	A	220	ASN	3.5
1	J	229	GLU	3.5
3	L	8	THR	3.5
1	A	226	GLN	3.5
1	J	259	CYS	3.5
2	E	47	PRO	3.5
1	D	225	THR	3.5
1	A	252	GLY	3.5
1	A	180	LEU	3.5
1	J	248	VAL	3.5
3	L	3	VAL	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	225	THR	3.5
1	D	196	LYS	3.4
1	D	175	GLY	3.3
1	G	198	GLU	3.3
1	J	274	TRP	3.3
1	J	180	LEU	3.3
1	A	276	PRO	3.2
1	J	189	VAL	3.2
1	G	42	ASN	3.2
1	J	57	PRO	3.2
1	G	228	MET	3.2
2	K	47	PRO	3.2
1	D	195	SER	3.2
1	G	54	GLN	3.2
3	L	9	MET	3.2
1	G	257	TYR	3.1
2	H	48	LYS	3.1
1	A	18	GLU	3.1
1	J	42	ASN	3.1
2	K	48	LYS	3.1
2	K	99	MET	3.0
1	D	176	ASN	3.0
1	J	254	GLU	3.0
1	A	249	VAL	3.0
1	D	276	PRO	2.9
1	G	176	ASN	2.9
1	A	16	GLY	2.9
3	L	7	ALA	2.9
1	G	16	GLY	2.9
2	K	81	ARG	2.9
1	D	50	PRO	2.8
1	G	254	GLU	2.8
1	G	41	GLU	2.8
1	J	272	LEU	2.8
1	D	257	TYR	2.8
1	A	198	GLU	2.7
1	J	62	ARG	2.7
1	D	180	LEU	2.7
1	A	255	GLN	2.7
1	G	276	PRO	2.7
1	G	59	TYR	2.7
1	G	50	PRO	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	181	ARG	2.7
1	J	50	PRO	2.7
1	J	95	LEU	2.7
1	J	273	ARG	2.7
1	J	176	ASN	2.6
1	J	255	GLN	2.6
1	G	193	PRO	2.6
1	J	218	GLN	2.6
1	J	1	GLY	2.6
1	J	258	THR	2.6
1	D	181	ARG	2.6
1	A	219	LEU	2.6
1	G	219	LEU	2.6
3	I	4	PHE	2.6
1	J	16	GLY	2.5
2	K	45	LYS	2.5
1	J	190	THR	2.5
2	E	48	LYS	2.5
1	D	256	ASN	2.5
1	D	248	VAL	2.4
1	G	58	GLU	2.4
3	L	2	ALA	2.4
2	K	88	ALA	2.4
2	H	47	PRO	2.4
1	D	74	PHE	2.4
1	J	181	ARG	2.4
2	K	18	GLY	2.4
1	A	199	VAL	2.4
1	J	41	GLU	2.4
3	L	6	PHE	2.4
1	D	18	GLU	2.3
1	J	271	THR	2.3
1	J	228	MET	2.3
1	J	186	LYS	2.3
1	A	257	TYR	2.3
1	D	42	ASN	2.3
1	D	95	LEU	2.3
2	B	48	LYS	2.3
1	D	249	VAL	2.3
3	L	4	PHE	2.3
1	J	74	PHE	2.3
2	K	83	LYS	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	181	ARG	2.3
1	J	11	ALA	2.3
1	J	90	GLY	2.3
2	K	34	HIS	2.2
1	A	95	LEU	2.2
1	A	116	PHE	2.2
3	F	5	ASN	2.2
1	D	197	GLY	2.2
1	G	247	VAL	2.2
1	J	54	GLN	2.2
1	A	74	PHE	2.2
1	G	95	LEU	2.1
1	G	57	PRO	2.1
1	J	246	SER	2.1
1	D	273	ARG	2.1
3	I	6	PHE	2.1
1	D	259	CYS	2.1
1	A	58	GLU	2.1
1	D	41	GLU	2.1
1	G	62	ARG	2.1
1	J	61	GLU	2.1
1	J	230	LEU	2.0
1	A	99	SER	2.0
1	A	50	PRO	2.0
1	A	40	ALA	2.0
1	J	14	ARG	2.0
1	A	222	GLU	2.0
1	G	99	SER	2.0
2	K	85	ASP	2.0
2	K	89	GLU	2.0
1	D	255	GLN	2.0
1	J	221	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands

There are no ligands in this entry.

6.5 Other polymers

There are no such residues in this entry.