



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 27, 2014 – 04:42 PM GMT

PDB ID : 1SCB  
Title : ENZYME CRYSTAL STRUCTURE IN A NEAT ORGANIC SOLVENT  
Authors : Fitzpatrick, P.A.; Steinmetz, A.C.U.; Ringe, D.; Klibanov, A.M.  
Deposited on : 1993-07-13  
Resolution : 2.30 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.15 2013  
Xtriage (Phenix) : NOT EXECUTED  
EDS : NOT EXECUTED  
Percentile statistics : 21963  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable22683

# 1 Overall quality at a glance

The reported resolution of this entry is 2.30 Å.


Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	79885	3679 (2.30-2.30)
Ramachandran outliers	78287	3642 (2.30-2.30)
Sidechain outliers	78261	3641 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	274	

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 2056 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SUBTILISIN CARLSBERG.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	274	Total	C	N	O	S	0	0	0
			1920	1190	332	393	5			

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	103	SER	THR	CONFLICT	UNP P00780
A	129	ALA	PRO	CONFLICT	UNP P00780
A	158	ASN	SER	CONFLICT	UNP P00780
A	161	SER	ASN	CONFLICT	UNP P00780
A	212	ASN	SER	CONFLICT	UNP P00780

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Ca	0	0
			1	1		

- Molecule 3 is ACETONITRILE (three-letter code: CCN) (formula: C<sub>2</sub>H<sub>3</sub>N).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	N	0	0
			3	2	1		
3	A	1	Total	C	N	0	0
			3	2	1		
3	A	1	Total	C	N	0	0
			3	2	1		
3	A	1	Total	C	N	0	0
			3	2	1		
3	A	1	Total	C	N	0	0
			3	2	1		
3	A	1	Total	C	N	0	0
			3	2	1		
3	A	1	Total	C	N	0	0
			3	2	1		
3	A	1	Total	C	N	0	0
			3	2	1		
3	A	1	Total	C	N	0	0
			3	2	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	99	Total 99	O 99	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

#### • Molecule 1: SUBTILISIN CARLSBERG

Chain A: 



## 4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	77.10Å 55.40Å 53.60Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	10.00 – 2.30	Depositor
% Data completeness (in resolution range)	(Not available) (10.00-2.30)	Depositor
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	TNT	Depositor
R, $R_{free}$	0.184 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	2056	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	11.0	wwPDB-VP

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA, CCN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	1.07	6/1952 (0.3%)	1.70	30/2662 (1.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	55	ALA	C-N	17.28	1.73	1.34
1	A	112	GLU	CD-OE2	7.21	1.33	1.25
1	A	54	GLU	CD-OE1	6.95	1.33	1.25
1	A	190	SER	CB-OG	-6.29	1.34	1.42
1	A	271	GLU	CD-OE2	6.07	1.32	1.25
1	A	211	THR	N-CA	-5.02	1.36	1.46

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	210	PRO	C-N-CA	17.28	164.91	121.70
1	A	249	ARG	NE-CZ-NH1	13.40	127.00	120.30
1	A	55	ALA	O-C-N	-13.18	101.61	122.70
1	A	125	SER	O-C-N	-12.48	102.73	122.70
1	A	126	LEU	N-CA-CB	9.14	128.67	110.40
1	A	62	ASN	CA-C-N	8.71	133.63	116.20
1	A	247	ARG	NE-CZ-NH1	-8.46	116.07	120.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	145	ARG	NE-CZ-NH1	8.34	124.47	120.30
1	A	249	ARG	NE-CZ-NH2	-7.92	116.34	120.30
1	A	55	ALA	C-N-CA	-7.86	102.06	121.70
1	A	172	ASP	CB-CG-OD2	-7.58	111.48	118.30
1	A	91	TYR	CB-CG-CD2	7.17	125.30	121.00
1	A	145	ARG	CD-NE-CZ	7.12	133.56	123.60
1	A	190	SER	N-CA-CB	7.06	121.09	110.50
1	A	247	ARG	NE-CZ-NH2	7.02	123.81	120.30
1	A	101	SER	CB-CA-C	6.76	122.94	110.10
1	A	91	TYR	CB-CG-CD1	-6.61	117.03	121.00
1	A	55	ALA	CA-C-N	-6.19	103.57	117.20
1	A	181	ASP	CB-CG-OD1	6.16	123.84	118.30
1	A	244	SER	N-CA-CB	6.14	119.71	110.50
1	A	222	MET	CA-CB-CG	5.56	122.75	113.30
1	A	211	THR	N-CA-CB	5.56	120.86	110.30
1	A	24	ALA	CB-CA-C	5.43	118.25	110.10
1	A	220	THR	N-CA-CB	-5.35	100.13	110.30
1	A	59	THR	O-C-N	5.28	131.14	122.70
1	A	270	VAL	CA-CB-CG2	5.25	118.77	110.90
1	A	60	ASP	CB-CG-OD1	5.18	122.96	118.30
1	A	235	LEU	CA-CB-CG	5.11	127.05	115.30
1	A	210	PRO	O-C-N	-5.11	114.53	122.70
1	A	262	TYR	CB-CG-CD2	5.02	124.01	121.00

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	125	SER	Mainchain,Peptide
1	A	249	ARG	Sidechain

## 5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1920	0	1879	135	0
2	A	1	0	0	0	0
3	A	36	0	36	14	0
4	A	99	0	0	8	0
All	All	2056	0	1915	136	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 35.

All (136) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:55:ALA:C	1:A:57:TYR:N	1.73	1.41
1:A:152:ALA:HB1	1:A:220:THR:HG23	1.33	1.08
1:A:8:ILE:HG13	1:A:9:PRO:HD3	1.35	1.07
1:A:111:ILE:HG23	4:A:362:HOH:O	1.56	1.02
1:A:27:LYS:HZ2	1:A:27:LYS:HB2	1.21	1.01
1:A:62:ASN:O	1:A:62:ASN:ND2	1.94	1.00
1:A:196:LEU:HD21	1:A:199:MET:HE1	1.44	0.98
1:A:143:TYR:O	3:A:409:CCN:H23	1.66	0.95
1:A:116:THR:HG22	1:A:117:ASN:ND2	1.84	0.93
1:A:136:LYS:HE3	1:A:140:ASP:OD2	1.71	0.89
1:A:15:LYS:HD3	1:A:271:GLU:OE1	1.73	0.89
1:A:249:ARG:NH1	4:A:400:HOH:O	1.93	0.88
1:A:154:GLY:HA2	3:A:405:CCN:H21	1.55	0.88
1:A:154:GLY:H	1:A:220:THR:HG21	1.40	0.87
1:A:27:LYS:NZ	1:A:27:LYS:HB2	1.92	0.84
1:A:255:THR:O	1:A:257:LEU:HD12	1.77	0.84
1:A:133:THR:O	1:A:137:GLN:HG3	1.79	0.83
1:A:152:ALA:HB1	1:A:220:THR:CG2	2.08	0.82
1:A:63:GLY:HA2	1:A:210:PRO:HG3	1.61	0.82
1:A:249:ARG:HH21	1:A:275:GLN:HB2	1.44	0.82
1:A:63:GLY:HA2	1:A:210:PRO:CG	2.10	0.81
1:A:62:ASN:O	1:A:64:HIS:N	2.12	0.80
1:A:55:ALA:C	1:A:57:TYR:CA	2.50	0.80
1:A:116:THR:HG22	1:A:117:ASN:HD22	1.50	0.77
1:A:63:GLY:HA2	1:A:210:PRO:CD	2.17	0.75
1:A:122:ILE:HD13	4:A:362:HOH:O	1.85	0.75
1:A:209:TYR:CE2	3:A:408:CCN:H23	2.23	0.74
1:A:221:SER:HB2	3:A:406:CCN:N	2.04	0.73
1:A:36:GLN:HE22	1:A:212:ASN:H	1.38	0.72
1:A:8:ILE:HG13	1:A:9:PRO:CD	2.17	0.72
1:A:27:LYS:HZ1	1:A:118:GLY:C	1.94	0.70
1:A:145:ARG:HG3	1:A:145:ARG:O	1.92	0.70

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:137:GLN:O	1:A:141:ASN:HB2	1.91	0.69
1:A:27:LYS:NZ	1:A:27:LYS:CB	2.56	0.68
1:A:196:LEU:CD2	1:A:199:MET:HE1	2.20	0.68
1:A:78:THR:HG22	4:A:293:HOH:O	1.93	0.68
1:A:51:VAL:HA	3:A:413:CCN:C1	2.24	0.68
1:A:55:ALA:CA	1:A:57:TYR:N	2.57	0.68
1:A:63:GLY:CA	1:A:210:PRO:HG3	2.23	0.68
1:A:143:TYR:O	3:A:409:CCN:C2	2.43	0.65
1:A:238:HIS:HE1	1:A:274:ALA:O	1.79	0.64
1:A:103:SER:O	1:A:107:ILE:HG13	1.98	0.64
1:A:190:SER:HB2	4:A:355:HOH:O	1.97	0.63
1:A:155:ASN:OD1	1:A:220:THR:HB	1.99	0.63
1:A:248:ASN:O	1:A:252:SER:HB2	2.01	0.61
1:A:27:LYS:NZ	1:A:118:GLY:O	2.20	0.60
1:A:55:ALA:O	1:A:57:TYR:N	2.32	0.60
1:A:10:LEU:HD23	1:A:201:PRO:HG3	1.85	0.59
1:A:131:GLY:HA3	1:A:171:TYR:OH	2.03	0.58
1:A:63:GLY:H	1:A:210:PRO:HG3	1.68	0.58
1:A:108:VAL:HG12	1:A:135:MET:HG2	1.86	0.57
1:A:124:MET:HE3	1:A:168:PRO:HG2	1.86	0.56
1:A:55:ALA:O	1:A:57:TYR:CA	2.54	0.56
1:A:275:GLN:HG2	1:A:275:GLN:O	2.05	0.56
1:A:136:LYS:HG3	1:A:171:TYR:CD1	2.41	0.56
1:A:197:GLU:OE2	1:A:247:ARG:NH2	2.26	0.56
1:A:122:ILE:HD12	1:A:147:VAL:HG11	1.88	0.55
1:A:63:GLY:CA	1:A:210:PRO:CG	2.83	0.55
1:A:248:ASN:C	1:A:248:ASN:HD22	2.10	0.55
1:A:63:GLY:N	1:A:210:PRO:HG3	2.21	0.54
1:A:154:GLY:N	1:A:220:THR:HG21	2.16	0.54
1:A:249:ARG:NH2	1:A:275:GLN:HB2	2.19	0.54
1:A:165:ILE:O	1:A:170:LYS:NZ	2.41	0.54
1:A:238:HIS:CE1	1:A:274:ALA:O	2.60	0.53
1:A:197:GLU:HG3	4:A:356:HOH:O	2.08	0.53
1:A:167:TYR:CZ	1:A:170:LYS:HD2	2.42	0.53
1:A:209:TYR:HE2	3:A:408:CCN:H23	1.70	0.53
1:A:63:GLY:HA3	1:A:209:TYR:CE1	2.43	0.52
1:A:141:ASN:O	1:A:145:ARG:HB3	2.09	0.52
1:A:47:GLY:HA3	1:A:92:ALA:O	2.09	0.52
1:A:111:ILE:HG21	1:A:138:ALA:HB1	1.91	0.52
1:A:12:LYS:HG2	3:A:411:CCN:N	2.25	0.52
1:A:21:PHE:C	1:A:22:LYS:HG3	2.30	0.52
1:A:22:LYS:NZ	1:A:86:PRO:HG2	2.25	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:158:ASN:C	1:A:158:ASN:HD22	2.14	0.51
1:A:8:ILE:HD12	1:A:14:ASP:HB3	1.92	0.51
1:A:100:GLY:O	3:A:404:CCN:H23	2.10	0.51
1:A:136:LYS:HG3	1:A:171:TYR:CE1	2.45	0.51
1:A:27:LYS:NZ	1:A:119:MET:HA	2.25	0.51
1:A:251:SER:HB2	1:A:265:LYS:HG3	1.92	0.50
1:A:104:TYR:O	1:A:108:VAL:HG13	2.12	0.50
1:A:36:GLN:HE21	1:A:210:PRO:HA	1.75	0.50
1:A:55:ALA:CB	1:A:57:TYR:N	2.75	0.49
1:A:207:SER:O	1:A:214:TYR:HA	2.13	0.49
1:A:237:LYS:HZ3	1:A:274:ALA:C	2.14	0.49
1:A:158:ASN:CB	1:A:192:VAL:HG21	2.43	0.49
3:A:404:CCN:H22	4:A:383:HOH:O	2.13	0.48
1:A:62:ASN:HD22	1:A:64:HIS:H	1.61	0.48
1:A:111:ILE:CG2	1:A:138:ALA:HB1	2.44	0.48
1:A:124:MET:HE3	1:A:168:PRO:CG	2.43	0.48
1:A:152:ALA:CB	1:A:220:THR:HG23	2.23	0.48
1:A:221:SER:HB2	3:A:406:CCN:C1	2.43	0.47
1:A:6:TYR:CE1	1:A:182:SER:HA	2.49	0.47
1:A:11:ILE:O	1:A:270:VAL:HG23	2.15	0.46
1:A:205:VAL:HG11	1:A:222:MET:HB3	1.97	0.46
1:A:235:LEU:CD1	1:A:246:VAL:HG21	2.46	0.46
1:A:223:ALA:O	1:A:226:HIS:HB2	2.15	0.46
1:A:116:THR:HA	3:A:410:CCN:H22	1.98	0.46
1:A:183:ASN:ND2	1:A:183:ASN:N	2.63	0.46
1:A:58:ASN:ND2	1:A:58:ASN:H	2.14	0.45
1:A:237:LYS:NZ	1:A:274:ALA:O	2.36	0.45
1:A:257:LEU:HD11	1:A:267:LEU:HB3	1.98	0.45
1:A:33:THR:O	1:A:94:LYS:HE2	2.17	0.45
1:A:124:MET:CE	1:A:168:PRO:HG3	2.47	0.45
1:A:159:SER:O	1:A:162:THR:OG1	2.26	0.45
1:A:55:ALA:HB1	1:A:57:TYR:N	2.32	0.44
1:A:21:PHE:CD2	1:A:237:LYS:HD2	2.52	0.44
1:A:158:ASN:C	1:A:158:ASN:ND2	2.70	0.44
1:A:124:MET:CE	1:A:168:PRO:CG	2.95	0.44
1:A:205:VAL:CG1	1:A:222:MET:HB3	2.47	0.44
1:A:255:THR:O	1:A:257:LEU:CD1	2.60	0.44
1:A:158:ASN:O	1:A:158:ASN:ND2	2.50	0.44
1:A:27:LYS:NZ	1:A:118:GLY:C	2.67	0.44
1:A:67:HIS:HA	1:A:208:THR:O	2.18	0.43
1:A:209:TYR:CD1	1:A:210:PRO:HD2	2.54	0.43
1:A:116:THR:CG2	1:A:117:ASN:ND2	2.70	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:126:LEU:HA	3:A:404:CCN:N	2.33	0.43
1:A:58:ASN:HD22	1:A:58:ASN:H	1.67	0.43
1:A:241:LEU:HA	1:A:245:GLN:HE22	1.83	0.43
1:A:183:ASN:HD22	1:A:183:ASN:N	2.17	0.42
1:A:224:SER:N	1:A:225:PRO:HD2	2.33	0.42
1:A:235:LEU:HD13	1:A:246:VAL:HG21	2.02	0.42
1:A:58:ASN:HD22	1:A:58:ASN:N	2.17	0.42
1:A:237:LYS:HG2	1:A:238:HIS:CE1	2.54	0.42
1:A:249:ARG:HG2	1:A:273:ALA:O	2.20	0.42
1:A:55:ALA:C	1:A:57:TYR:HA	2.37	0.41
1:A:241:LEU:HA	1:A:245:GLN:NE2	2.34	0.41
1:A:240:ASN:HD22	1:A:240:ASN:H	1.68	0.41
1:A:62:ASN:HB2	1:A:98:SER:O	2.20	0.41
1:A:122:ILE:CD1	4:A:362:HOH:O	2.58	0.41
1:A:8:ILE:N	1:A:9:PRO:CD	2.83	0.41
1:A:52:ALA:N	3:A:413:CCN:N	2.49	0.41
1:A:169:ALA:HB1	1:A:176:ALA:CB	2.51	0.41
1:A:183:ASN:H	1:A:183:ASN:HD22	1.68	0.40
1:A:248:ASN:O	1:A:248:ASN:ND2	2.53	0.40
1:A:209:TYR:CG	1:A:210:PRO:HD2	2.56	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	272/274 (99%)	258 (95%)	10 (4%)	4 (2%)	15 13

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	63	GLY
1	A	126	LEU
1	A	55	ALA

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	36	GLN

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	198/198 (100%)	163 (82%)	35 (18%)	<b>3</b> <b>2</b>

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	ILE
1	A	22	LYS
1	A	32	ASP
1	A	36	GLN
1	A	58	ASN
1	A	62	ASN
1	A	78	THR
1	A	88	VAL
1	A	98	SER
1	A	101	SER
1	A	105	SER
1	A	108	VAL
1	A	116	THR
1	A	135	MET
1	A	136	LYS
1	A	141	ASN
1	A	145	ARG
1	A	158	ASN
1	A	161	SER
1	A	183	ASN
1	A	190	SER
1	A	205	VAL
1	A	211	THR
1	A	212	ASN
1	A	217	LEU
1	A	220	THR
1	A	222	MET

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	233	LEU
1	A	235	LEU
1	A	240	ASN
1	A	248	ASN
1	A	249	ARG
1	A	250	LEU
1	A	260	SER
1	A	270	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	19	GLN
1	A	36	GLN
1	A	58	ASN
1	A	117	ASN
1	A	137	GLN
1	A	141	ASN
1	A	158	ASN
1	A	183	ASN
1	A	185	ASN
1	A	238	HIS
1	A	240	ASN
1	A	245	GLN
1	A	248	ASN

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry

Of 13 ligands modelled in this entry, 1 is monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
3	CCN	A	404	-	2,2,2	0.31	0	1,1,1	0.32	0
3	CCN	A	405	-	2,2,2	0.53	0	1,1,1	0.29	0
3	CCN	A	406	-	2,2,2	0.27	0	1,1,1	0.51	0
3	CCN	A	407	-	2,2,2	0.37	0	1,1,1	0.32	0
3	CCN	A	408	-	2,2,2	0.28	0	1,1,1	0.12	0
3	CCN	A	409	-	2,2,2	0.54	0	1,1,1	0.09	0
3	CCN	A	410	-	2,2,2	0.34	0	1,1,1	0.46	0
3	CCN	A	411	-	2,2,2	0.28	0	1,1,1	0.21	0
3	CCN	A	413	-	2,2,2	0.23	0	1,1,1	0.28	0
3	CCN	A	414	-	2,2,2	0.18	0	1,1,1	0.51	0
3	CCN	A	415	-	2,2,2	0.05	0	1,1,1	0.17	0
3	CCN	A	416	-	2,2,2	0.18	0	1,1,1	0.34	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	CCN	A	404	-	-	0/0/0/0	0/0/0/0
3	CCN	A	405	-	-	0/0/0/0	0/0/0/0
3	CCN	A	406	-	-	0/0/0/0	0/0/0/0
3	CCN	A	407	-	-	0/0/0/0	0/0/0/0
3	CCN	A	408	-	-	0/0/0/0	0/0/0/0
3	CCN	A	409	-	-	0/0/0/0	0/0/0/0
3	CCN	A	410	-	-	0/0/0/0	0/0/0/0
3	CCN	A	411	-	-	0/0/0/0	0/0/0/0
3	CCN	A	413	-	-	0/0/0/0	0/0/0/0
3	CCN	A	414	-	-	0/0/0/0	0/0/0/0
3	CCN	A	415	-	-	0/0/0/0	0/0/0/0
3	CCN	A	416	-	-	0/0/0/0	0/0/0/0



There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

### 6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

### 6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

### 6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.