



Full wwPDB X-ray Structure Validation Report

Feb 27, 2014 – 01:37 AM GMT

PDB ID : 1SDX
Title : Crystal structure of the zinc saturated C-terminal half of bovine lactoferrin at 2.0 Å resolution reveals two additional zinc binding sites
Authors : Jabeen, T.; Sharma, S.; Singhal, G.; Singh, N.; Singh, T.P.
Deposited on : 2004-02-15
Resolution : 2.06 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 21963
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.06 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	79885	1390 (2.08-2.04)
Ramachandran outliers	78287	1381 (2.08-2.04)
Sidechain outliers	78261	1381 (2.08-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	335	
2	E	5	

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 2973 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lactotransferrin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	335	Total	C	N	O	S	0	0	0
			2560	1593	448	499	20			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	565	LYS	ASN	SEE REMARK 999	UNP P24627
A	608	GLU	LYS	SEE REMARK 999	UNP P24627

- Molecule 2 is a protein called Lactotransferrin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	E	5	Total	C	N	O	S	0	0	0
			34	20	5	8	1			

- Molecule 3 is a polymer of unknown type called SUGAR (2-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	2	Total	C	N	O	0	0
			28	16	2	10		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	565	LYS	ASN	SEE REMARK 999	UNP P24627
A	608	GLU	LYS	SEE REMARK 999	UNP P24627

- Molecule 4 is a polymer of unknown type called SUGAR (6-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	6	Total	C	N	O	0	0
			72	40	2	30		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	565	LYS	ASN	SEE REMARK 999	UNP P24627
A	608	GLU	LYS	SEE REMARK 999	UNP P24627

- Molecule 5 is a polymer of unknown type called SUGAR (3-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	3	Total	C	N	O	0	0
			39	22	2	15		


There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	565	LYS	ASN	SEE REMARK 999	UNP P24627
A	608	GLU	LYS	SEE REMARK 999	UNP P24627

- Molecule 6 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	3	Total	Zn	0	0
			3	3		

- Molecule 7 is CARBONATE ION (three-letter code: CO3) (formula: CO₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			4	1	3		

- Molecule 8 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	223	Total	O	0	0
			223	223		
9	E	5	Total	O	0	0
			5	5		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: Lactotransferrin

Chain A:



• Molecule 2: Lactotransferrin

Chain E:



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	63.21Å 50.57Å 66.17Å 90.00° 107.64° 90.00°	Depositor
Resolution (Å)	19.90 – 2.06	Depositor
% Data completeness (in resolution range)	89.9 (19.90-2.06)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
Refinement program	CNS 0.9	Depositor
R, R_{free}	0.192 , 0.210	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	2973	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, BMA, NAG, CO3, NDG, SO4, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.40	0/2608	0.72	0/3533
2	E	0.76	0/33	1.96	2/42 (4.8%)
All	All	0.41	0/2641	0.75	2/3575 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
4	A	1	0
5	A	2	0
All	All	3	0

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	682	GLU	N-CA-C	-6.45	93.60	111.00
2	E	683	ALA	N-CA-C	-6.24	94.14	111.00

All (3) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	A	10	MAN	C1
5	A	6	NAG	C1
5	A	11	MAN	C1

There are no planarity outliers.

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2560	0	2480	75	0
2	E	34	0	30	5	0
3	A	28	0	25	0	0
4	A	72	0	61	14	0
5	A	39	0	34	0	0
6	A	3	0	0	0	0
7	A	4	0	0	0	0
8	A	5	0	0	0	0
9	A	223	0	0	7	0
9	E	5	0	0	0	0
All	All	2973	0	2630	92	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 17.

All (92) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
4:A:8:MAN:H61	4:A:10:MAN:C2	1.50	1.42
4:A:8:MAN:C6	4:A:10:MAN:H2	1.68	1.20
1:A:625:CYS:SG	1:A:626:PRO:HD3	1.96	1.05
4:A:8:MAN:H61	4:A:10:MAN:C3	1.88	1.04
1:A:485:GLU:HG2	1:A:500:ARG:HH21	1.32	0.95
1:A:485:GLU:HG2	1:A:500:ARG:NH2	1.87	0.90
1:A:638:ASN:HD22	1:A:643:ASP:H	1.20	0.84
4:A:10:MAN:H61	9:A:3089:HOH:O	1.75	0.84
1:A:565:LYS:CD	1:A:567:GLU:H	1.93	0.81
1:A:416:LYS:HB3	1:A:416:LYS:NZ	1.94	0.81
4:A:8:MAN:H61	4:A:10:MAN:H2	0.81	0.81
1:A:416:LYS:HD3	4:A:7:BMA:O6	1.82	0.78
1:A:565:LYS:HD3	1:A:567:GLU:H	1.48	0.78
4:A:8:MAN:C6	4:A:10:MAN:C3	2.61	0.76
1:A:430:THR:HB	1:A:594:ASN:ND2	2.02	0.75
4:A:8:MAN:C6	4:A:10:MAN:H3	2.17	0.75
1:A:625:CYS:SG	1:A:626:PRO:CD	2.74	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
4:A:8:MAN:C6	4:A:10:MAN:C2	2.46	0.73
1:A:638:ASN:ND2	1:A:643:ASP:H	1.86	0.73
4:A:8:MAN:O6	4:A:10:MAN:H3	1.89	0.72
1:A:478:THR:CG2	1:A:480:SER:HB3	2.19	0.72
1:A:485:GLU:CG	1:A:500:ARG:HH21	2.03	0.72
1:A:565:LYS:HD3	1:A:566:ARG:N	2.06	0.70
1:A:416:LYS:HB3	1:A:416:LYS:HZ3	1.55	0.68
1:A:676:SER:HB2	9:A:3215:HOH:O	1.94	0.68
4:A:8:MAN:H5	4:A:9:MAN:H2	1.77	0.66
1:A:342:TYR:N	1:A:342:TYR:CD1	2.63	0.66
1:A:575:ASP:OD1	1:A:577:THR:HG22	1.96	0.66
1:A:565:LYS:HD2	1:A:567:GLU:HB2	1.79	0.65
1:A:635:GLU:HG3	1:A:637:LYS:HE2	1.78	0.65
1:A:625:CYS:HB3	1:A:626:PRO:HD2	1.78	0.64
1:A:342:TYR:N	1:A:342:TYR:HD1	1.96	0.64
1:A:625:CYS:CB	1:A:626:PRO:CD	2.76	0.63
1:A:469:ILE:HB	1:A:470:PRO:CD	2.29	0.63
1:A:474:ILE:O	1:A:478:THR:HB	2.00	0.62
1:A:430:THR:HB	1:A:594:ASN:HD22	1.61	0.62
1:A:625:CYS:HB3	1:A:626:PRO:CD	2.30	0.60
1:A:382:VAL:HG22	2:E:682:GLU:HG2	1.84	0.59
1:A:469:ILE:HG22	1:A:470:PRO:HD3	1.86	0.58
1:A:634:SER:O	1:A:637:LYS:HD3	2.03	0.58
4:A:10:MAN:C6	9:A:3089:HOH:O	2.43	0.57
1:A:460:ALA:HB3	1:A:463:ARG:HD3	1.86	0.56
2:E:684:CYS:O	2:E:685:ALA:HB3	2.06	0.56
1:A:469:ILE:CB	1:A:470:PRO:CD	2.83	0.56
1:A:469:ILE:HB	1:A:470:PRO:HD2	1.87	0.56
4:A:8:MAN:C5	4:A:10:MAN:H2	2.35	0.55
2:E:682:GLU:CD	2:E:682:GLU:O	2.47	0.54
1:A:625:CYS:O	1:A:626:PRO:C	2.46	0.53
1:A:449:ASN:HB3	9:A:3191:HOH:O	2.09	0.53
4:A:8:MAN:H61	4:A:10:MAN:H3	1.75	0.52
1:A:635:GLU:O	1:A:636:THR:HG22	2.08	0.52
1:A:364:GLN:OE1	1:A:628:LYS:HE2	2.10	0.52
2:E:684:CYS:O	2:E:685:ALA:CB	2.59	0.51
1:A:461:VAL:O	1:A:462:ASP:HB2	2.10	0.51
1:A:452:LYS:HB2	9:A:3064:HOH:O	2.11	0.51
1:A:635:GLU:HG3	1:A:637:LYS:CE	2.40	0.51
1:A:565:LYS:HD2	1:A:567:GLU:H	1.74	0.51
1:A:478:THR:HG23	1:A:480:SER:HB3	1.92	0.51
1:A:565:LYS:C	1:A:565:LYS:HD3	2.31	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:562:LYS:NZ	1:A:562:LYS:HB2	2.26	0.51
1:A:636:THR:HG23	1:A:636:THR:O	2.11	0.50
1:A:471:MET:HE3	1:A:487:PHE:HE2	1.76	0.50
1:A:381:ILE:HD11	1:A:394:LEU:HD11	1.94	0.49
1:A:478:THR:HG22	1:A:480:SER:H	1.78	0.49
1:A:395:ASP:HA	1:A:595:HIS:CD2	2.48	0.49
1:A:352:PRO:HG2	1:A:520:LYS:HD2	1.97	0.47
1:A:653:GLY:O	1:A:654:ARG:C	2.53	0.47
1:A:573:CYS:HB2	1:A:577:THR:HG22	1.97	0.47
1:A:416:LYS:HB3	1:A:416:LYS:HZ2	1.78	0.46
1:A:469:ILE:CG2	1:A:470:PRO:HD3	2.45	0.46
1:A:452:LYS:HG2	1:A:486:PHE:CE1	2.50	0.46
1:A:636:THR:HG21	9:A:3107:HOH:O	2.15	0.46
2:E:682:GLU:OE1	2:E:682:GLU:O	2.34	0.46
1:A:565:LYS:HD2	1:A:567:GLU:CB	2.47	0.45
1:A:478:THR:HG22	1:A:480:SER:N	2.32	0.45
1:A:600:ARG:HB3	1:A:602:ASP:OD1	2.17	0.45
1:A:565:LYS:HZ2	1:A:567:GLU:HB2	1.82	0.45
1:A:504:LEU:HG	1:A:537:VAL:HG12	1.99	0.45
1:A:520:LYS:HE2	1:A:520:LYS:HB3	1.85	0.44
1:A:556:SER:C	1:A:557:THR:HG23	2.37	0.44
1:A:603:ARG:HD2	9:A:3111:HOH:O	2.17	0.44
1:A:663:THR:O	1:A:667:THR:HG23	2.17	0.44
1:A:565:LYS:NZ	1:A:567:GLU:HB2	2.34	0.43
1:A:464:THR:HG21	1:A:592:ALA:HB1	1.99	0.43
1:A:414:ASN:HD22	1:A:414:ASN:HA	1.58	0.43
1:A:522:LYS:HE3	1:A:531:ARG:CZ	2.49	0.43
1:A:625:CYS:C	1:A:630:CYS:SG	2.98	0.42
1:A:556:SER:C	1:A:558:ALA:H	2.23	0.42
1:A:562:LYS:HB2	1:A:562:LYS:HZ3	1.85	0.41
1:A:526:TYR:CZ	1:A:544:LYS:HD3	2.55	0.41
1:A:651:LEU:HD23	1:A:651:LEU:HA	1.85	0.41
1:A:573:CYS:SG	1:A:577:THR:HG23	2.62	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	333/335 (99%)	313 (94%)	14 (4%)	6 (2%)	13	3
2	E	3/5 (60%)	0	0	3 (100%)	0	0
All	All	336/340 (99%)	313 (93%)	14 (4%)	9 (3%)	8	1

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	625	CYS
2	E	682	GLU
2	E	683	ALA
2	E	684	CYS
1	A	634	SER
1	A	627	ASP
1	A	557	THR
1	A	652	GLY
1	A	543	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	278/278 (100%)	254 (91%)	24 (9%)	15	7
2	E	3/3 (100%)	0	3 (100%)	0	0
All	All	281/281 (100%)	254 (90%)	27 (10%)	12	5

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	342	TYR
1	A	370	THR
1	A	414	ASN
1	A	416	LYS
1	A	418	SER
1	A	422	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	444	GLU
1	A	452	LYS
1	A	470	PRO
1	A	478	THR
1	A	504	LEU
1	A	515	CYS
1	A	546	ASP
1	A	557	THR
1	A	559	ASP
1	A	566	ARG
1	A	567	GLU
1	A	583	GLU
1	A	591	VAL
1	A	631	LEU
1	A	633	LYS
1	A	636	THR
1	A	637	LYS
1	A	676	SER
2	E	681	LEU
2	E	682	GLU
2	E	684	CYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	414	ASN
1	A	594	ASN
1	A	621	ASN
1	A	638	ASN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

11 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	A	1	1,3	12,14,15	0.76	0	15,19,21	1.27	2 (13%)
4	MAN	A	10	4	10,11,12	0.60	0	11,15,17	1.25	1 (9%)
5	MAN	A	11	5	10,11,12	0.63	0	11,15,17	0.91	0
3	NDG	A	2	3	12,14,15	0.58	0	15,19,21	1.36	2 (13%)
4	NAG	A	3	1,4	12,14,15	0.95	1 (8%)	15,19,21	1.59	4 (26%)
4	NDG	A	4	4	12,14,15	0.60	0	15,19,21	1.68	4 (26%)
5	NAG	A	5	1,5	12,14,15	0.49	0	15,19,21	1.49	3 (20%)
5	NAG	A	6	5	12,14,15	0.59	0	15,19,21	1.89	6 (40%)
4	BMA	A	7	4	10,11,12	1.05	0	11,15,17	2.63	4 (36%)
4	MAN	A	8	4	10,11,12	0.88	0	11,15,17	2.54	4 (36%)
4	MAN	A	9	4	10,11,12	0.69	0	11,15,17	1.17	1 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	A	1	1,3	-	0/6/23/26	0/1/1/1
4	MAN	A	10	4	1/1/4/5	0/2/19/22	0/1/1/1
5	MAN	A	11	5	1/1/4/5	0/2/19/22	0/1/1/1
3	NDG	A	2	3	-	0/6/23/26	0/1/1/1
4	NAG	A	3	1,4	-	0/6/23/26	0/1/1/1
4	NDG	A	4	4	-	0/6/23/26	0/1/1/1
5	NAG	A	5	1,5	-	0/6/23/26	0/1/1/1
5	NAG	A	6	5	1/1/5/7	0/6/23/26	0/1/1/1
4	BMA	A	7	4	-	0/2/19/22	0/1/1/1
4	MAN	A	8	4	-	0/2/19/22	0/1/1/1
4	MAN	A	9	4	-	0/2/19/22	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	3	NAG	O5-C5	-2.24	1.41	1.45

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	7	BMA	C4-C3-C2	6.00	118.56	110.50
4	A	8	MAN	C6-C5-C4	5.38	126.00	113.00
4	A	7	BMA	C6-C5-C4	4.37	123.57	113.00
4	A	8	MAN	C3-C4-C5	4.00	117.34	110.20
3	A	2	NDG	O-C5-C4	3.99	115.72	110.65
5	A	6	NAG	O5-C5-C6	3.73	110.90	106.98
4	A	7	BMA	O4-C4-C3	-3.56	102.37	110.35
4	A	4	NDG	C4-C3-C2	-3.48	102.79	111.32
5	A	5	NAG	O5-C5-C6	3.48	110.63	106.98
4	A	4	NDG	O4-C4-C5	3.26	117.86	109.28
4	A	3	NAG	O5-C5-C6	-2.98	103.85	106.98
4	A	9	MAN	C4-C3-C2	2.95	114.46	110.50
4	A	3	NAG	O4-C4-C3	-2.87	103.92	110.35
4	A	8	MAN	O4-C4-C5	-2.83	101.83	109.28
4	A	8	MAN	O3-C3-C4	2.80	116.63	110.35
5	A	5	NAG	C3-C4-C5	2.73	115.07	110.20
5	A	6	NAG	C2-N2-C7	-2.65	118.65	123.09
4	A	4	NDG	O-C5-C4	-2.60	107.35	110.65
5	A	6	NAG	C3-C2-N2	-2.55	107.88	111.76
5	A	6	NAG	O4-C4-C5	-2.45	102.83	109.28
4	A	3	NAG	C3-C4-C5	2.43	114.55	110.20
5	A	6	NAG	O5-C5-C4	2.39	113.69	110.65
5	A	6	NAG	C3-C4-C5	2.28	114.28	110.20
3	A	2	NDG	C3-C2-N2	-2.25	108.33	111.76
3	A	1	NAG	O4-C4-C3	2.23	115.36	110.35
3	A	1	NAG	O5-C5-C4	2.23	113.48	110.65
5	A	5	NAG	C3-C2-N2	-2.20	108.40	111.76
4	A	7	BMA	O5-C5-C6	-2.18	104.70	106.98
4	A	3	NAG	O4-C4-C5	-2.17	103.57	109.28
4	A	10	MAN	O3-C3-C2	-2.09	106.11	109.94
4	A	4	NDG	C2-N2-C7	-2.03	119.69	123.09

All (3) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	A	10	MAN	C1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom
5	A	6	NAG	C1
5	A	11	MAN	C1

There are no torsion outliers.

There are no ring outliers.

5.6 Ligand geometry

Of 5 ligands modelled in this entry, 3 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	CO3	A	2001	6	0,3,3	0.00	-	0,3,3	0.00	-
8	SO4	A	3001	-	4,4,4	0.08	0	6,6,6	0.12	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	CO3	A	2001	6	-	0/0/0/0	0/0/0/0
8	SO4	A	3001	-	-	0/0/0/0	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.