



wwPDB X-ray Structure Validation Summary Report

Feb 27, 2014 – 02:02 AM GMT

PDB ID : 3SDM
Title : Structure of oligomeric kinase/RNase Ire1 in complex with an oligonucleotide
Authors : Korennykh, A.; Korostelev, A.; Egea, P.; Finer-Moore, J.; Zhang, C.; Stroud, R.; Shokat, K.; Walter, P.
Deposited on : 2011-06-09
Resolution : 6.60 Å(reported)

This is a wwPDB validation summary report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.15 2013
Xtriage (Phenix)	:	dev-1323
EDS	:	stable22639
Percentile statistics	:	21963
Refmac	:	5.8.0049
CCP4	:	6.3.0 (Settle)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP)	:	stable22683

1 Overall quality at a glance

The reported resolution of this entry is 6.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	1097 (9.50-3.50)
Clashscore	79885	1036 (9.50-3.52)
Ramachandran outliers	78287	1291 (9.50-3.50)
Sidechain outliers	78261	1265 (9.50-3.50)
RSRZ outliers	66119	1096 (9.50-3.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	448	
1	B	448	
1	C	448	
1	D	448	
1	E	448	
1	F	448	
1	G	448	

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 23793 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Serine/threonine-proteinkinase/endoribonucleaseIRE1.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	418	Total	C	N	O	P	S	0	0	0
			3399	2162	580	636	3	18			
1	B	418	Total	C	N	O	P	S	0	0	0
			3399	2162	580	636	3	18			
1	C	418	Total	C	N	O	P	S	0	0	0
			3399	2162	580	636	3	18			
1	D	418	Total	C	N	O	P	S	0	0	0
			3399	2162	580	636	3	18			
1	E	418	Total	C	N	O	P	S	0	0	0
			3399	2162	580	636	3	18			
1	F	418	Total	C	N	O	P	S	0	0	0
			3399	2162	580	636	3	18			
1	G	418	Total	C	N	O	P	S	0	0	0
			3399	2162	580	636	3	18			

There are 203 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	640	PRO	-	EXPRESSION TAG	UNP P32361
A	?	-	ASN	DELETION	UNP P32361
A	?	-	ASN	DELETION	UNP P32361
A	?	-	LEU	DELETION	UNP P32361
A	?	-	GLN	DELETION	UNP P32361
A	?	-	CYS	DELETION	UNP P32361
A	?	-	GLN	DELETION	UNP P32361
A	?	-	VAL	DELETION	UNP P32361
A	?	-	GLU	DELETION	UNP P32361
A	?	-	THR	DELETION	UNP P32361
A	?	-	GLU	DELETION	UNP P32361
A	?	-	HIS	DELETION	UNP P32361
A	?	-	SER	DELETION	UNP P32361
A	?	-	SER	DELETION	UNP P32361
A	?	-	SER	DELETION	UNP P32361

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	ARG	DELETION	UNP P32361
A	?	-	HIS	DELETION	UNP P32361
A	?	-	THR	DELETION	UNP P32361
A	?	-	VAL	DELETION	UNP P32361
A	?	-	VAL	DELETION	UNP P32361
A	?	-	SER	DELETION	UNP P32361
A	?	-	SER	DELETION	UNP P32361
A	?	-	ASP	DELETION	UNP P32361
A	?	-	SER	DELETION	UNP P32361
A	?	-	PHE	DELETION	UNP P32361
A	?	-	TYR	DELETION	UNP P32361
A	?	-	ASP	DELETION	UNP P32361
A	?	-	PRO	DELETION	UNP P32361
A	?	-	PHE	DELETION	UNP P32361
B	640	PRO	-	EXPRESSION TAG	UNP P32361
B	?	-	ASN	DELETION	UNP P32361
B	?	-	ASN	DELETION	UNP P32361
B	?	-	LEU	DELETION	UNP P32361
B	?	-	GLN	DELETION	UNP P32361
B	?	-	CYS	DELETION	UNP P32361
B	?	-	GLN	DELETION	UNP P32361
B	?	-	VAL	DELETION	UNP P32361
B	?	-	GLU	DELETION	UNP P32361
B	?	-	THR	DELETION	UNP P32361
B	?	-	GLU	DELETION	UNP P32361
B	?	-	HIS	DELETION	UNP P32361
B	?	-	SER	DELETION	UNP P32361
B	?	-	SER	DELETION	UNP P32361
B	?	-	SER	DELETION	UNP P32361
B	?	-	ARG	DELETION	UNP P32361
B	?	-	HIS	DELETION	UNP P32361
B	?	-	THR	DELETION	UNP P32361
B	?	-	VAL	DELETION	UNP P32361
B	?	-	VAL	DELETION	UNP P32361
B	?	-	SER	DELETION	UNP P32361
B	?	-	SER	DELETION	UNP P32361
B	?	-	ASP	DELETION	UNP P32361
B	?	-	SER	DELETION	UNP P32361
B	?	-	PHE	DELETION	UNP P32361
B	?	-	TYR	DELETION	UNP P32361
B	?	-	ASP	DELETION	UNP P32361
B	?	-	PRO	DELETION	UNP P32361

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	?	-	PHE	DELETION	UNP P32361
C	640	PRO	-	EXPRESSION TAG	UNP P32361
C	?	-	ASN	DELETION	UNP P32361
C	?	-	ASN	DELETION	UNP P32361
C	?	-	LEU	DELETION	UNP P32361
C	?	-	GLN	DELETION	UNP P32361
C	?	-	CYS	DELETION	UNP P32361
C	?	-	GLN	DELETION	UNP P32361
C	?	-	VAL	DELETION	UNP P32361
C	?	-	GLU	DELETION	UNP P32361
C	?	-	THR	DELETION	UNP P32361
C	?	-	GLU	DELETION	UNP P32361
C	?	-	HIS	DELETION	UNP P32361
C	?	-	SER	DELETION	UNP P32361
C	?	-	SER	DELETION	UNP P32361
C	?	-	SER	DELETION	UNP P32361
C	?	-	SER	DELETION	UNP P32361
C	?	-	ARG	DELETION	UNP P32361
C	?	-	HIS	DELETION	UNP P32361
C	?	-	THR	DELETION	UNP P32361
C	?	-	VAL	DELETION	UNP P32361
C	?	-	VAL	DELETION	UNP P32361
C	?	-	SER	DELETION	UNP P32361
C	?	-	SER	DELETION	UNP P32361
C	?	-	ASP	DELETION	UNP P32361
C	?	-	SER	DELETION	UNP P32361
C	?	-	PHE	DELETION	UNP P32361
C	?	-	TYR	DELETION	UNP P32361
C	?	-	ASP	DELETION	UNP P32361
C	?	-	PRO	DELETION	UNP P32361
C	?	-	PHE	DELETION	UNP P32361
D	640	PRO	-	EXPRESSION TAG	UNP P32361
D	?	-	ASN	DELETION	UNP P32361
D	?	-	ASN	DELETION	UNP P32361
D	?	-	LEU	DELETION	UNP P32361
D	?	-	GLN	DELETION	UNP P32361
D	?	-	CYS	DELETION	UNP P32361
D	?	-	GLN	DELETION	UNP P32361
D	?	-	VAL	DELETION	UNP P32361
D	?	-	GLU	DELETION	UNP P32361
D	?	-	THR	DELETION	UNP P32361
D	?	-	GLU	DELETION	UNP P32361
D	?	-	HIS	DELETION	UNP P32361

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	?	-	SER	DELETION	UNP P32361
D	?	-	SER	DELETION	UNP P32361
D	?	-	SER	DELETION	UNP P32361
D	?	-	ARG	DELETION	UNP P32361
D	?	-	HIS	DELETION	UNP P32361
D	?	-	THR	DELETION	UNP P32361
D	?	-	VAL	DELETION	UNP P32361
D	?	-	VAL	DELETION	UNP P32361
D	?	-	SER	DELETION	UNP P32361
D	?	-	SER	DELETION	UNP P32361
D	?	-	ASP	DELETION	UNP P32361
D	?	-	SER	DELETION	UNP P32361
D	?	-	PHE	DELETION	UNP P32361
D	?	-	TYR	DELETION	UNP P32361
D	?	-	ASP	DELETION	UNP P32361
D	?	-	PRO	DELETION	UNP P32361
D	?	-	PHE	DELETION	UNP P32361
E	640	PRO	-	EXPRESSION TAG	UNP P32361
E	?	-	ASN	DELETION	UNP P32361
E	?	-	ASN	DELETION	UNP P32361
E	?	-	LEU	DELETION	UNP P32361
E	?	-	GLN	DELETION	UNP P32361
E	?	-	CYS	DELETION	UNP P32361
E	?	-	GLN	DELETION	UNP P32361
E	?	-	VAL	DELETION	UNP P32361
E	?	-	GLU	DELETION	UNP P32361
E	?	-	THR	DELETION	UNP P32361
E	?	-	GLU	DELETION	UNP P32361
E	?	-	HIS	DELETION	UNP P32361
E	?	-	SER	DELETION	UNP P32361
E	?	-	SER	DELETION	UNP P32361
E	?	-	SER	DELETION	UNP P32361
E	?	-	ARG	DELETION	UNP P32361
E	?	-	HIS	DELETION	UNP P32361
E	?	-	THR	DELETION	UNP P32361
E	?	-	VAL	DELETION	UNP P32361
E	?	-	VAL	DELETION	UNP P32361
E	?	-	SER	DELETION	UNP P32361
E	?	-	SER	DELETION	UNP P32361
E	?	-	ASP	DELETION	UNP P32361
E	?	-	SER	DELETION	UNP P32361
E	?	-	PHE	DELETION	UNP P32361

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	?	-	TYR	DELETION	UNP P32361
E	?	-	ASP	DELETION	UNP P32361
E	?	-	PRO	DELETION	UNP P32361
E	?	-	PHE	DELETION	UNP P32361
F	640	PRO	-	EXPRESSION TAG	UNP P32361
F	?	-	ASN	DELETION	UNP P32361
F	?	-	ASN	DELETION	UNP P32361
F	?	-	LEU	DELETION	UNP P32361
F	?	-	GLN	DELETION	UNP P32361
F	?	-	CYS	DELETION	UNP P32361
F	?	-	GLN	DELETION	UNP P32361
F	?	-	VAL	DELETION	UNP P32361
F	?	-	GLU	DELETION	UNP P32361
F	?	-	THR	DELETION	UNP P32361
F	?	-	GLU	DELETION	UNP P32361
F	?	-	HIS	DELETION	UNP P32361
F	?	-	SER	DELETION	UNP P32361
F	?	-	SER	DELETION	UNP P32361
F	?	-	SER	DELETION	UNP P32361
F	?	-	ARG	DELETION	UNP P32361
F	?	-	HIS	DELETION	UNP P32361
F	?	-	THR	DELETION	UNP P32361
F	?	-	VAL	DELETION	UNP P32361
F	?	-	VAL	DELETION	UNP P32361
F	?	-	SER	DELETION	UNP P32361
F	?	-	SER	DELETION	UNP P32361
F	?	-	ASP	DELETION	UNP P32361
F	?	-	SER	DELETION	UNP P32361
F	?	-	PHE	DELETION	UNP P32361
F	?	-	TYR	DELETION	UNP P32361
F	?	-	ASP	DELETION	UNP P32361
F	?	-	PRO	DELETION	UNP P32361
F	?	-	PHE	DELETION	UNP P32361
G	640	PRO	-	EXPRESSION TAG	UNP P32361
G	?	-	ASN	DELETION	UNP P32361
G	?	-	ASN	DELETION	UNP P32361
G	?	-	LEU	DELETION	UNP P32361
G	?	-	GLN	DELETION	UNP P32361
G	?	-	CYS	DELETION	UNP P32361
G	?	-	GLN	DELETION	UNP P32361
G	?	-	VAL	DELETION	UNP P32361
G	?	-	GLU	DELETION	UNP P32361

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	?	-	THR	DELETION	UNP P32361
G	?	-	GLU	DELETION	UNP P32361
G	?	-	HIS	DELETION	UNP P32361
G	?	-	SER	DELETION	UNP P32361
G	?	-	SER	DELETION	UNP P32361
G	?	-	SER	DELETION	UNP P32361
G	?	-	ARG	DELETION	UNP P32361
G	?	-	HIS	DELETION	UNP P32361
G	?	-	THR	DELETION	UNP P32361
G	?	-	VAL	DELETION	UNP P32361
G	?	-	VAL	DELETION	UNP P32361
G	?	-	SER	DELETION	UNP P32361
G	?	-	SER	DELETION	UNP P32361
G	?	-	ASP	DELETION	UNP P32361
G	?	-	SER	DELETION	UNP P32361
G	?	-	PHE	DELETION	UNP P32361
G	?	-	TYR	DELETION	UNP P32361
G	?	-	ASP	DELETION	UNP P32361
G	?	-	PRO	DELETION	UNP P32361
G	?	-	PHE	DELETION	UNP P32361




• Molecule 1: Serine/threonine-proteinkinase/endoribonucleaseIRE1

Chain C:




• Molecule 1: Serine/threonine-proteinkinase/endoribonucleaseIRE1

Chain D:



• Molecule 1: Serine/threonine-proteinkinase/endoribonucleaseIRE1

Chain E:



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	91.65Å 580.67Å 177.95Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	96.78 – 6.60 96.78 – 6.60	Depositor EDS
% Data completeness (in resolution range)	99.8 (96.78-6.60) 99.9 (96.78-6.60)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.05 (at 6.73Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.5.2)	Depositor
R, R_{free}	0.286 , 0.317 0.291 , 0.321	Depositor DCC
R_{free} test set	470 reflections (5.01%)	DCC
Wilson B-factor (Å ²)	344.3	Xtriage
Anisotropy	0.407	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.26 , 109.1	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.26$	Xtriage
Outliers	0 of 9402 reflections	Xtriage
F_o, F_c correlation	0.78	EDS
Total number of atoms	23793	wwPDB-VP
Average B, all atoms (Å ²)	117.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.66% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: TPO, SEP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.35	0/3437	0.49	0/4629
1	B	0.35	0/3437	0.49	0/4629
1	C	0.35	0/3437	0.49	0/4629
1	D	0.35	0/3437	0.49	0/4629
1	E	0.35	0/3437	0.49	0/4629
1	F	0.35	0/3437	0.49	0/4629
1	G	0.35	0/3437	0.49	0/4629
All	All	0.35	0/24059	0.49	0/32403

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	C	0	1
1	D	0	1
1	E	0	1
1	F	0	1
1	G	0	1
All	All	0	7

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 7 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	671	LYS	Peptide
1	B	671	LYS	Peptide
1	C	671	LYS	Peptide
1	D	671	LYS	Peptide
1	E	671	LYS	Peptide

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3399	0	3409	121	0
1	B	3399	0	3409	117	0
1	C	3399	0	3409	120	1
1	D	3399	0	3409	129	0
1	E	3399	0	3409	122	7
1	F	3399	0	3409	122	0
1	G	3399	0	3409	121	0
All	All	23793	0	23863	828	7

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 17.

The worst 5 of 828 close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:D:840:SEP:O2P	1:E:761:VAL:HG11	1.35	1.23
1:A:848:ASN:HB3	1:A:849:PRO:HA	1.42	1.02
1:E:848:ASN:HB3	1:E:849:PRO:HA	1.42	1.01
1:D:848:ASN:HB3	1:D:849:PRO:HA	1.42	1.01
1:B:848:ASN:HB3	1:B:849:PRO:HA	1.42	1.00

The worst 5 of 7 symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:E:1003:ASP:O	1:E:1042:LYS:NZ[4_555]	1.44	0.76
1:E:1003:ASP:O	1:E:1042:LYS:CE[4_555]	1.50	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:E:1003:ASP:C	1:E:1042:LYS:NZ[4_555]	1.70	0.50
1:E:1003:ASP:OD2	1:E:1044:HIS:NE2[4_555]	1.73	0.47
1:C:761:VAL:CG1	1:E:840:SEP:O2P[2_555]	1.96	0.24

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	413/448 (92%)	352 (85%)	52 (13%)	9 (2%)	10	64
1	B	413/448 (92%)	352 (85%)	52 (13%)	9 (2%)	10	64
1	C	413/448 (92%)	352 (85%)	52 (13%)	9 (2%)	10	64
1	D	413/448 (92%)	352 (85%)	52 (13%)	9 (2%)	10	64
1	E	413/448 (92%)	352 (85%)	52 (13%)	9 (2%)	10	64
1	F	413/448 (92%)	352 (85%)	52 (13%)	9 (2%)	10	64
1	G	413/448 (92%)	352 (85%)	52 (13%)	9 (2%)	10	64
All	All	2891/3136 (92%)	2464 (85%)	364 (13%)	63 (2%)	10	64

5 of 63 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	759	LYS
1	A	770	LYS
1	A	771	GLU
1	A	862	GLU
1	B	759	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	380/405 (94%)	352 (93%)	28 (7%)	20	65
1	B	380/405 (94%)	352 (93%)	28 (7%)	20	65
1	C	380/405 (94%)	352 (93%)	28 (7%)	20	65
1	D	380/405 (94%)	352 (93%)	28 (7%)	20	65
1	E	380/405 (94%)	352 (93%)	28 (7%)	20	65
1	F	380/405 (94%)	352 (93%)	28 (7%)	20	65
1	G	380/405 (94%)	352 (93%)	28 (7%)	20	65
All	All	2660/2835 (94%)	2464 (93%)	196 (7%)	20	65

5 of 196 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	711	ILE
1	D	1053	ARG
1	G	804	LEU
1	D	750	LEU
1	D	823	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 62 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	725	HIS
1	E	672	ASN
1	G	802	ASN
1	D	845	ASN
1	E	725	HIS

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

21 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length

(or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
1	SEP	A	840	1	9,9,10	6.01	2 (22%)	10,12,14	2.19	2 (20%)
1	SEP	A	841	1	9,9,10	6.04	3 (33%)	10,12,14	1.25	1 (10%)
1	TPO	A	844	1	10,10,11	13.64	6 (60%)	12,14,16	1.16	2 (16%)
1	SEP	B	840	1	9,9,10	6.01	2 (22%)	10,12,14	2.19	2 (20%)
1	SEP	B	841	1	9,9,10	6.03	3 (33%)	10,12,14	1.25	1 (10%)
1	TPO	B	844	1	10,10,11	13.66	6 (60%)	12,14,16	1.16	2 (16%)
1	SEP	C	840	1	9,9,10	6.02	2 (22%)	10,12,14	2.18	2 (20%)
1	SEP	C	841	1	9,9,10	6.08	3 (33%)	10,12,14	1.25	1 (10%)
1	TPO	C	844	1	10,10,11	13.65	6 (60%)	12,14,16	1.16	2 (16%)
1	SEP	D	840	1	9,9,10	6.01	2 (22%)	10,12,14	2.19	2 (20%)
1	SEP	D	841	1	9,9,10	6.05	3 (33%)	10,12,14	1.25	1 (10%)
1	TPO	D	844	1	10,10,11	13.66	6 (60%)	12,14,16	1.16	1 (8%)
1	SEP	E	840	1	9,9,10	5.99	2 (22%)	10,12,14	2.18	2 (20%)
1	SEP	E	841	1	9,9,10	6.05	3 (33%)	10,12,14	1.25	1 (10%)
1	TPO	E	844	1	10,10,11	13.64	6 (60%)	12,14,16	1.16	2 (16%)
1	SEP	F	840	1	9,9,10	6.00	2 (22%)	10,12,14	2.19	2 (20%)
1	SEP	F	841	1	9,9,10	6.05	3 (33%)	10,12,14	1.25	1 (10%)
1	TPO	F	844	1	10,10,11	13.65	6 (60%)	12,14,16	1.17	2 (16%)
1	SEP	G	840	1	9,9,10	6.02	2 (22%)	10,12,14	2.19	2 (20%)
1	SEP	G	841	1	9,9,10	6.10	3 (33%)	10,12,14	1.25	1 (10%)
1	TPO	G	844	1	10,10,11	13.66	6 (60%)	12,14,16	1.16	1 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	SEP	A	840	1	-	0/6/8/10	0/0/0/0
1	SEP	A	841	1	-	0/6/8/10	0/0/0/0
1	TPO	A	844	1	-	0/9/11/13	0/0/0/0
1	SEP	B	840	1	-	0/6/8/10	0/0/0/0
1	SEP	B	841	1	-	0/6/8/10	0/0/0/0
1	TPO	B	844	1	-	0/9/11/13	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	SEP	C	840	1	-	0/6/8/10	0/0/0/0
1	SEP	C	841	1	-	0/6/8/10	0/0/0/0
1	TPO	C	844	1	-	0/9/11/13	0/0/0/0
1	SEP	D	840	1	-	0/6/8/10	0/0/0/0
1	SEP	D	841	1	-	0/6/8/10	0/0/0/0
1	TPO	D	844	1	-	0/9/11/13	0/0/0/0
1	SEP	E	840	1	-	0/6/8/10	0/0/0/0
1	SEP	E	841	1	-	0/6/8/10	0/0/0/0
1	TPO	E	844	1	-	0/9/11/13	0/0/0/0
1	SEP	F	840	1	-	0/6/8/10	0/0/0/0
1	SEP	F	841	1	-	0/6/8/10	0/0/0/0
1	TPO	F	844	1	-	0/9/11/13	0/0/0/0
1	SEP	G	840	1	-	0/6/8/10	0/0/0/0
1	SEP	G	841	1	-	0/6/8/10	0/0/0/0
1	TPO	G	844	1	-	0/9/11/13	0/0/0/0

The worst 5 of 77 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	844	TPO	O-C	42.65	1.41	1.11
1	D	844	TPO	O-C	42.64	1.41	1.11
1	G	844	TPO	O-C	42.64	1.41	1.11
1	C	844	TPO	O-C	42.63	1.41	1.11
1	F	844	TPO	O-C	42.61	1.41	1.11

The worst 5 of 33 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	840	SEP	C-CA-N	-5.56	108.28	113.83
1	F	840	SEP	C-CA-N	-5.55	108.28	113.83
1	G	840	SEP	C-CA-N	-5.55	108.29	113.83
1	B	840	SEP	C-CA-N	-5.55	108.29	113.83
1	A	840	SEP	C-CA-N	-5.54	108.29	113.83

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	418/448 (93%)	1.00	75 (17%) 2 7	53, 110, 202, 287	0
1	B	418/448 (93%)	0.56	31 (7%) 14 21	53, 110, 202, 287	0
1	C	418/448 (93%)	0.49	33 (7%) 13 20	53, 110, 202, 287	0
1	D	418/448 (93%)	0.75	50 (11%) 5 13	53, 110, 202, 287	0
1	E	418/448 (93%)	0.63	46 (11%) 6 14	53, 110, 202, 287	0
1	F	418/448 (93%)	0.54	17 (4%) 35 35	53, 110, 202, 287	0
1	G	418/448 (93%)	0.45	15 (3%) 41 38	53, 110, 202, 287	0
All	All	2926/3136 (93%)	0.63	267 (9%) 9 18	53, 110, 202, 287	0

The worst 5 of 267 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	1113	LEU	7.9
1	D	1092	LEU	7.0
1	D	1096	TYR	6.8
1	B	670	LEU	6.6
1	B	733	CYS	5.8

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
1	TPO	C	844	11/12	0.31	0.16	166,194,212,216	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
1	TPO	B	844	11/12	0.31	0.11	166,194,212,216	0
1	TPO	A	844	11/12	0.28	-0.15	166,194,212,216	0
1	SEP	C	840	10/11	0.23	-0.47	147,153,162,164	0
1	SEP	A	840	10/11	0.25	-0.51	147,153,162,164	0
1	TPO	F	844	11/12	0.29	-0.64	166,194,212,216	0
1	SEP	E	840	10/11	0.17	-0.91	147,153,162,164	0
1	TPO	E	844	11/12	0.18	-1.00	166,194,212,216	0
1	SEP	G	840	10/11	0.20	-1.01	147,153,162,164	0
1	SEP	F	840	10/11	0.28	-1.11	147,153,162,164	0
1	TPO	D	844	11/12	0.31	-1.25	166,194,212,216	0
1	TPO	G	844	11/12	0.20	-1.25	166,194,212,216	0
1	SEP	E	841	10/11	0.13	-1.31	111,133,156,162	0
1	SEP	G	841	10/11	0.15	-1.35	111,133,156,162	0
1	SEP	B	840	10/11	0.21	-1.45	147,153,162,164	0
1	SEP	C	841	10/11	0.17	-1.50	111,133,156,162	0
1	SEP	D	840	10/11	0.17	-1.65	147,153,162,164	0
1	SEP	A	841	10/11	0.14	-1.70	111,133,156,162	0
1	SEP	F	841	10/11	0.23	-1.82	111,133,156,162	0
1	SEP	D	841	10/11	0.16	-1.96	111,133,156,162	0
1	SEP	B	841	10/11	0.11	-2.32	111,133,156,162	0

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

There are no ligands in this entry.

6.5 Other polymers ⓘ

There are no such residues in this entry.