



Full wwPDB X-ray Structure Validation Report

Feb 27, 2014 – 07:51 PM GMT

PDB ID : 1SFY
Title : Crystal structure of recombinant Erythrina corallodendron Lectin
Authors : Kulkarni, K.A.; Srivastava, A.; Mitra, N.; Surolia, A.; Vijayan, M.; Suguna, K.
Deposited on : 2004-02-21
Resolution : 2.55 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.55 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	3413 (2.58-2.50)
Clashscore	79885	4284 (2.58-2.50)
Ramachandran outliers	78287	4193 (2.58-2.50)
Sidechain outliers	78261	4195 (2.58-2.50)
RSRZ outliers	66119	3414 (2.58-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	239	
1	B	239	
1	C	239	
1	D	239	
1	E	239	
1	F	239	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
2	LAT	A	1402	-	X
2	LAT	B	2402	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Geometry	Electron density
2	LAT	C	3402	-	X
2	LAT	D	4402	-	X
2	LAT	E	5402	-	X
2	LAT	F	6402	-	X
4	CA	A	1290	-	X
4	CA	E	5290	-	X

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 12073 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lectin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	239	Total	C	N	O	S	0	0	0
			1843	1178	298	364	3			
1	B	239	Total	C	N	O	S	0	0	0
			1839	1175	297	364	3			
1	C	239	Total	C	N	O	S	0	0	0
			1837	1175	295	364	3			
1	D	239	Total	C	N	O	S	0	0	0
			1840	1176	297	364	3			
1	E	239	Total	C	N	O	S	0	0	0
			1836	1174	296	363	3			
1	F	239	Total	C	N	O	S	0	0	0
			1835	1174	296	362	3			

There are 18 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	24	SER	ALA	SEE REMARK 999	UNP P16404
A	134	GLN	PRO	SEE REMARK 999	UNP P16404
A	178	LEU	ILE	SEE REMARK 999	UNP P16404
B	24	SER	ALA	SEE REMARK 999	UNP P16404
B	134	GLN	PRO	SEE REMARK 999	UNP P16404
B	178	LEU	ILE	SEE REMARK 999	UNP P16404
C	24	SER	ALA	SEE REMARK 999	UNP P16404
C	134	GLN	PRO	SEE REMARK 999	UNP P16404
C	178	LEU	ILE	SEE REMARK 999	UNP P16404
D	24	SER	ALA	SEE REMARK 999	UNP P16404
D	134	GLN	PRO	SEE REMARK 999	UNP P16404
D	178	LEU	ILE	SEE REMARK 999	UNP P16404
E	24	SER	ALA	SEE REMARK 999	UNP P16404
E	134	GLN	PRO	SEE REMARK 999	UNP P16404
E	178	LEU	ILE	SEE REMARK 999	UNP P16404
F	24	SER	ALA	SEE REMARK 999	UNP P16404
F	134	GLN	PRO	SEE REMARK 999	UNP P16404

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	178	LEU	ILE	SEE REMARK 999	UNP P16404

- Molecule 2 is SUGAR (LACTOSE) (three-letter code: LAT) (formula: C₁₂H₂₂O₁₁).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			23	12	11		
2	B	1	Total	C	O	0	0
			23	12	11		
2	C	1	Total	C	O	0	0
			23	12	11		
2	D	1	Total	C	O	0	0
			23	12	11		
2	E	1	Total	C	O	0	0
			23	12	11		
2	F	1	Total	C	O	0	0
			23	12	11		

- Molecule 3 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	D	1	Total	Mn	0	0
			1	1		
3	E	1	Total	Mn	0	0
			1	1		
3	B	1	Total	Mn	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	C	1	Total 1	Mn 1	0	0
3	A	1	Total 1	Mn 1	0	0
3	F	1	Total 1	Mn 1	0	0

- Molecule 4 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	D	1	Total 1	Ca 1	0	0
4	E	1	Total 1	Ca 1	0	0
4	B	1	Total 1	Ca 1	0	0
4	C	1	Total 1	Ca 1	0	0
4	A	1	Total 1	Ca 1	0	0
4	F	1	Total 1	Ca 1	0	0

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	168	Total 168	O 168	0	0
5	B	139	Total 139	O 139	0	0
5	C	166	Total 166	O 166	0	0
5	D	152	Total 152	O 152	0	0
5	E	142	Total 142	O 142	0	0
5	F	126	Total 126	O 126	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Lectin

Chain A:




• Molecule 1: Lectin

Chain B:




• Molecule 1: Lectin

Chain C:




• Molecule 1: Lectin

Chain D:




- Molecule 1: Lectin

Chain E:



- Molecule 1: Lectin

Chain F:



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	87.24Å 144.89Å 127.66Å 90.00° 93.29° 90.00°	Depositor
Resolution (Å)	17.66 – 2.55 17.66 – 2.55	Depositor EDS
% Data completeness (in resolution range)	92.4 (17.66-2.55) 92.5 (17.66-2.55)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.12 (at 2.55Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.180 , 0.208 0.187 , 0.214	Depositor DCC
R_{free} test set	1189 reflections (2.50%)	DCC
Wilson B-factor (Å ²)	31.7	Xtriage
Anisotropy	0.344	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 32.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 49199 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	12073	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.77% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: LAT, CA, MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.39	0/1893	0.99	20/2587 (0.8%)
1	B	0.37	0/1889	0.79	5/2583 (0.2%)
1	C	0.37	0/1887	1.22	22/2580 (0.9%)
1	D	0.37	0/1890	0.91	13/2585 (0.5%)
1	E	0.38	0/1886	1.07	23/2580 (0.9%)
1	F	0.37	0/1885	0.91	15/2577 (0.6%)
All	All	0.38	0/11330	0.99	98/15492 (0.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	C	0	1
1	E	0	4
All	All	0	7

There are no bond length outliers.

All (98) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	151	ARG	NE-CZ-NH1	-24.49	108.05	120.30
1	C	151	ARG	NE-CZ-NH2	22.56	131.58	120.30
1	C	82	TYR	O-C-N	-14.15	100.06	122.70
1	C	83	THR	O-C-N	13.74	144.69	122.70
1	E	67	VAL	CA-CB-CG1	-13.01	91.38	110.90
1	E	83	THR	N-CA-CB	-11.58	88.30	110.30
1	C	133	ASN	O-C-N	-10.54	105.84	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	83	THR	CA-C-N	-10.52	94.06	117.20
1	E	220	ARG	CA-CB-CG	10.10	135.62	113.40
1	E	151	ARG	CD-NE-CZ	10.02	137.63	123.60
1	A	151	ARG	CG-CD-NE	9.67	132.10	111.80
1	D	42	MET	CG-SD-CE	9.32	115.12	100.20
1	A	238	PRO	O-C-N	-9.24	107.91	122.70
1	C	83	THR	C-N-CA	-9.09	98.97	121.70
1	E	223	ALA	N-CA-CB	-9.00	97.50	110.10
1	E	159	GLN	N-CA-CB	8.99	126.78	110.60
1	E	238	PRO	CA-C-N	8.95	136.90	117.20
1	F	201	LYS	CA-CB-CG	8.94	133.06	113.40
1	F	12	GLU	CA-CB-CG	8.88	132.94	113.40
1	D	108	TYR	CA-CB-CG	8.84	130.19	113.40
1	A	193	THR	N-CA-CB	-8.83	93.53	110.30
1	E	238	PRO	O-C-N	-8.78	108.66	122.70
1	A	24	SER	N-CA-CB	8.71	123.57	110.50
1	E	239	GLU	CB-CG-CD	8.51	137.17	114.20
1	F	86	LEU	N-CA-CB	-8.38	93.64	110.40
1	F	3	THR	CA-CB-CG2	-8.25	100.86	112.40
1	A	119	ASN	CB-CA-C	8.18	126.76	110.40
1	D	108	TYR	CB-CA-C	8.04	126.49	110.40
1	C	134	GLN	CA-C-N	-8.04	99.51	117.20
1	D	39	GLN	CA-CB-CG	7.92	130.82	113.40
1	C	133	ASN	CA-C-N	7.78	134.32	117.20
1	E	83	THR	CA-CB-CG2	-7.73	101.58	112.40
1	D	159	GLN	CB-CG-CD	7.66	131.52	111.60
1	B	31	VAL	CA-CB-CG1	-7.62	99.47	110.90
1	A	200	VAL	CB-CA-C	7.48	125.61	111.40
1	D	121	TYR	N-CA-CB	7.34	123.82	110.60
1	E	3	THR	CA-CB-CG2	-7.33	102.14	112.40
1	A	222	ALA	CB-CA-C	7.31	121.06	110.10
1	A	238	PRO	C-N-CA	7.29	139.92	121.70
1	F	16	ASP	CB-CA-C	-7.24	95.93	110.40
1	E	71	GLU	CA-CB-CG	7.16	129.14	113.40
1	C	134	GLN	C-N-CA	-7.06	104.04	121.70
1	A	222	ALA	N-CA-CB	6.93	119.81	110.10
1	E	67	VAL	N-CA-CB	6.92	126.72	111.50
1	C	83	THR	CA-CB-OG1	-6.79	94.73	109.00
1	C	134	GLN	O-C-N	6.73	133.47	122.70
1	B	67	VAL	CA-CB-CG1	-6.69	100.86	110.90
1	B	103	ALA	CB-CA-C	6.65	120.08	110.10
1	A	1	VAL	O-C-N	-6.49	112.31	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	92	VAL	CB-CA-C	-6.49	99.07	111.40
1	C	31	VAL	CA-CB-CG1	-6.47	101.20	110.90
1	C	83	THR	N-CA-CB	-6.43	98.08	110.30
1	A	202	GLN	CB-CG-CD	6.43	128.32	111.60
1	A	28	GLN	CB-CG-CD	6.40	128.24	111.60
1	C	133	ASN	C-N-CA	6.35	137.56	121.70
1	C	82	TYR	CA-C-N	6.33	131.13	117.20
1	C	64	THR	CA-CB-CG2	-6.30	103.58	112.40
1	A	200	VAL	N-CA-CB	-6.23	97.80	111.50
1	C	193	THR	N-CA-CB	-6.18	98.55	110.30
1	A	67	VAL	CA-CB-CG1	-6.16	101.66	110.90
1	E	154	LYS	CA-CB-CG	6.08	126.78	113.40
1	A	238	PRO	CA-C-N	6.06	130.54	117.20
1	E	59	ILE	CB-CA-C	6.05	123.70	111.60
1	B	173	ASP	N-CA-CB	6.04	121.48	110.60
1	E	33	GLN	CB-CG-CD	6.03	127.27	111.60
1	F	25	LEU	CA-CB-CG	6.00	129.10	115.30
1	E	238	PRO	C-N-CA	5.96	136.60	121.70
1	E	71	GLU	CB-CG-CD	5.89	130.11	114.20
1	D	117	GLN	CA-CB-CG	5.88	126.33	113.40
1	D	103	ALA	CB-CA-C	5.86	118.89	110.10
1	E	95	MET	CG-SD-CE	5.83	109.53	100.20
1	A	52	LEU	CB-CA-C	-5.83	99.13	110.20
1	C	12	GLU	CB-CA-C	5.82	122.05	110.40
1	C	101	LYS	CG-CD-CE	5.82	129.36	111.90
1	C	82	TYR	C-N-CA	5.78	136.14	121.70
1	E	28	GLN	CB-CG-CD	5.69	126.39	111.60
1	F	98	THR	O-C-N	5.65	131.74	122.70
1	F	210	VAL	CB-CA-C	5.60	122.03	111.40
1	D	10	GLU	CA-CB-CG	5.54	125.58	113.40
1	C	151	ARG	CD-NE-CZ	-5.51	115.88	123.60
1	F	199	ASP	N-CA-CB	5.43	120.38	110.60
1	A	202	GLN	CB-CA-C	-5.43	99.54	110.40
1	A	67	VAL	N-CA-CB	5.37	123.32	111.50
1	F	64	THR	CA-CB-CG2	-5.37	104.89	112.40
1	F	52	LEU	CB-CA-C	-5.32	100.09	110.20
1	A	119	ASN	N-CA-CB	-5.31	101.05	110.60
1	A	151	ARG	NE-CZ-NH2	-5.25	117.68	120.30
1	D	86	LEU	CA-CB-CG	5.22	127.31	115.30
1	E	25	LEU	CA-CB-CG	5.22	127.30	115.30
1	D	67	VAL	N-CA-CB	5.21	122.97	111.50
1	D	151	ARG	NE-CZ-NH2	-5.18	117.71	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	66	THR	CA-CB-CG2	-5.17	105.17	112.40
1	E	151	ARG	NE-CZ-NH2	-5.15	117.72	120.30
1	F	208	VAL	CB-CA-C	-5.12	101.67	111.40
1	D	31	VAL	CB-CA-C	-5.11	101.69	111.40
1	E	25	LEU	CB-CA-C	-5.09	100.52	110.20
1	F	12	GLU	N-CA-CB	5.01	119.62	110.60
1	F	151	ARG	NE-CZ-NH2	-5.01	117.80	120.30

There are no chirality outliers.

All (7) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	1	VAL	Mainchain
1	A	151	ARG	Sidechain
1	C	82	TYR	Mainchain
1	E	151	ARG	Sidechain
1	E	220	ARG	Sidechain
1	E	238	PRO	Mainchain,Peptide

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1843	0	1760	31	0
1	B	1839	0	1749	34	0
1	C	1837	0	1749	44	0
1	D	1840	0	1750	31	0
1	E	1836	0	1744	35	0
1	F	1835	0	1748	36	0
2	A	23	0	22	0	0
2	B	23	0	22	0	0
2	C	23	0	22	0	0
2	D	23	0	22	0	0
2	E	23	0	22	0	0
2	F	23	0	22	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
4	E	1	0	0	0	0
4	F	1	0	0	0	0
5	A	168	0	0	5	0
5	B	139	0	0	2	0
5	C	166	0	0	1	0
5	D	152	0	0	1	0
5	E	142	0	0	3	0
5	F	126	0	0	0	0
All	All	12073	0	10632	203	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 9.

All (203) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:154:LYS:HG3	1:A:194:ILE:HD11	1.35	1.07
1:B:61:ASP:OD2	1:B:64:THR:HG23	1.75	0.87
1:C:181:ALA:HB3	1:C:194:ILE:HD13	1.58	0.86
1:F:181:ALA:HB3	1:F:194:ILE:HD13	1.59	0.85
1:B:181:ALA:HB3	1:B:194:ILE:HD13	1.58	0.84
1:E:181:ALA:HB3	1:E:194:ILE:HD13	1.59	0.83
1:F:61:ASP:OD2	1:F:64:THR:HG23	1.79	0.82
1:D:181:ALA:HB3	1:D:194:ILE:HD13	1.60	0.82
1:C:66:THR:HG21	1:C:239:GLU:HB2	1.58	0.82
1:F:118:ASP:OD1	1:F:120:SER:HB2	1.82	0.80
1:F:118:ASP:OD1	1:F:120:SER:CB	2.30	0.79
1:C:4:ILE:HG22	1:C:235:ALA:HB3	1.65	0.79
1:C:181:ALA:HB3	1:C:194:ILE:CD1	2.13	0.77
1:F:181:ALA:HB3	1:F:194:ILE:CD1	2.15	0.76
1:E:181:ALA:HB3	1:E:194:ILE:CD1	2.16	0.76
1:D:181:ALA:HB3	1:D:194:ILE:CD1	2.15	0.76
1:B:181:ALA:HB3	1:B:194:ILE:CD1	2.15	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:118:ASP:OD2	1:C:120:SER:HB3	1.87	0.75
1:D:39:GLN:H	1:D:39:GLN:NE2	1.86	0.73
1:D:173:ASP:HB3	5:D:4594:HOH:O	1.89	0.72
1:C:25:LEU:HD23	1:C:25:LEU:C	2.10	0.71
1:C:17:ASN:HD22	1:C:17:ASN:N	1.88	0.70
1:A:118:ASP:OD1	1:A:120:SER:HB3	1.93	0.69
1:B:118:ASP:OD2	1:B:120:SER:HB3	1.94	0.67
1:C:25:LEU:HD23	1:C:26:ILE:N	2.09	0.67
1:F:137:PRO:HG3	1:F:155:THR:HG21	1.78	0.66
1:D:39:GLN:H	1:D:39:GLN:CD	2.00	0.65
1:D:137:PRO:HG3	1:D:155:THR:HG21	1.78	0.65
1:B:137:PRO:HG3	1:B:155:THR:HG21	1.79	0.65
1:B:31:VAL:HG23	1:B:32:LEU:N	2.12	0.64
1:A:137:PRO:HG3	1:A:155:THR:HG21	1.80	0.64
1:C:66:THR:HG21	1:C:239:GLU:CB	2.28	0.62
1:C:137:PRO:HG3	1:C:155:THR:HG21	1.80	0.62
1:E:178:LEU:HD21	1:F:178:LEU:HD21	1.82	0.60
1:A:118:ASP:OD1	1:A:120:SER:CB	2.50	0.60
1:B:237:LEU:HD23	1:B:238:PRO:HD2	1.83	0.60
1:E:183:LEU:HD23	1:E:184:VAL:N	2.19	0.57
1:C:25:LEU:CD2	1:C:25:LEU:C	2.73	0.57
1:C:178:LEU:HD21	1:D:178:LEU:HD21	1.87	0.56
1:E:166:ALA:HB1	1:E:183:LEU:HD21	1.87	0.56
1:E:95:MET:HG2	1:E:210:VAL:HG12	1.86	0.56
1:C:183:LEU:HD23	1:C:184:VAL:N	2.20	0.56
1:D:183:LEU:HD23	1:D:184:VAL:N	2.21	0.56
1:E:122:GLN:HB3	1:E:205:PRO:HD3	1.88	0.55
1:C:122:GLN:HB3	1:C:205:PRO:HD3	1.88	0.55
1:B:4:ILE:HG22	1:B:235:ALA:HB3	1.88	0.55
1:F:183:LEU:HD23	1:F:184:VAL:N	2.22	0.55
1:B:183:LEU:HD23	1:B:184:VAL:N	2.21	0.54
1:A:128:PHE:CE1	1:A:183:LEU:HD12	2.43	0.54
1:E:197:ILE:HD11	1:F:197:ILE:HD11	1.90	0.54
1:C:4:ILE:CG2	1:C:235:ALA:HB3	2.37	0.53
1:A:25:LEU:C	1:A:25:LEU:HD23	2.29	0.53
1:A:36:LYS:HE2	5:A:1519:HOH:O	2.08	0.53
1:A:238:PRO:O	1:A:239:GLU:HB2	2.07	0.53
1:E:71:GLU:OE1	1:E:73:ARG:NH2	2.39	0.53
1:E:67:VAL:HG23	1:E:68:ALA:N	2.24	0.53
1:F:118:ASP:OD1	1:F:120:SER:N	2.40	0.53
1:B:151:ARG:NH1	5:B:2614:HOH:O	2.41	0.52
1:F:238:PRO:O	1:F:239:GLU:OXT	2.28	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:25:LEU:HD23	1:B:25:LEU:C	2.31	0.51
1:D:25:LEU:HD23	1:D:25:LEU:C	2.30	0.51
1:A:119:ASN:HD22	1:A:119:ASN:N	2.09	0.51
1:E:155:THR:HG22	5:E:5592:HOH:O	2.09	0.51
1:E:16:ASP:HA	5:E:5531:HOH:O	2.10	0.50
1:E:51:THR:C	1:E:52:LEU:HD12	2.32	0.50
1:E:161:ASP:HB3	1:E:164:GLN:HB2	1.94	0.50
1:C:161:ASP:HB3	1:C:164:GLN:HB2	1.93	0.49
1:C:16:ASP:OD1	1:E:101:LYS:NZ	2.43	0.49
1:B:4:ILE:HG21	1:B:57:VAL:HB	1.93	0.49
1:F:25:LEU:C	1:F:25:LEU:HD23	2.33	0.49
1:F:73:ARG:HG2	1:F:169:VAL:HG22	1.94	0.49
1:D:122:GLN:HB3	1:D:205:PRO:HD3	1.94	0.49
1:F:25:LEU:HD23	1:F:26:ILE:N	2.27	0.49
1:F:161:ASP:HB3	1:F:164:GLN:HB2	1.94	0.49
1:D:72:THR:HG22	1:D:170:ILE:HB	1.94	0.49
1:B:51:THR:C	1:B:52:LEU:HD12	2.34	0.48
1:F:122:GLN:HB3	1:F:205:PRO:HD3	1.95	0.48
1:D:51:THR:C	1:D:52:LEU:HD12	2.34	0.48
1:E:72:THR:HG22	1:E:170:ILE:HB	1.93	0.48
1:B:160:LEU:HD12	1:B:185:TYR:OH	2.13	0.48
1:B:72:THR:HG22	1:B:170:ILE:HB	1.94	0.48
1:B:122:GLN:HB3	1:B:205:PRO:HD3	1.96	0.48
1:C:66:THR:HG21	1:C:239:GLU:HG3	1.95	0.48
1:E:73:ARG:HG2	1:E:169:VAL:HG22	1.95	0.48
1:F:72:THR:HG22	1:F:170:ILE:HB	1.96	0.48
1:F:160:LEU:HD12	1:F:185:TYR:OH	2.12	0.48
1:D:161:ASP:HB3	1:D:164:GLN:HB2	1.94	0.48
1:F:238:PRO:O	1:F:239:GLU:HB2	2.14	0.47
1:C:92:VAL:HG13	1:C:127:GLU:HB3	1.96	0.47
1:D:73:ARG:HG2	1:D:169:VAL:HG22	1.95	0.47
1:C:160:LEU:HD12	1:C:185:TYR:OH	2.15	0.47
1:F:92:VAL:HG13	1:F:127:GLU:HB3	1.95	0.47
1:C:154:LYS:NZ	5:C:3609:HOH:O	2.46	0.47
1:C:66:THR:CG2	1:C:239:GLU:HG3	2.45	0.47
1:F:11:PHE:O	1:F:30:GLY:HA2	2.14	0.47
1:E:28:GLN:H	1:E:28:GLN:HG2	1.53	0.47
1:C:2:GLU:OE2	1:C:58:HIS:ND1	2.36	0.46
1:B:73:ARG:HG2	1:B:169:VAL:HG22	1.97	0.46
1:C:72:THR:HG22	1:C:170:ILE:HB	1.96	0.46
1:D:200:VAL:HG13	1:D:204:LEU:HD12	1.97	0.46
1:A:154:LYS:CG	1:A:194:ILE:HD11	2.25	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:51:THR:C	1:C:52:LEU:HD12	2.36	0.46
1:A:11:PHE:O	1:A:30:GLY:HA2	2.15	0.46
1:E:181:ALA:O	1:E:194:ILE:HD12	2.16	0.46
1:D:11:PHE:O	1:D:30:GLY:HA2	2.16	0.46
1:F:194:ILE:HD12	1:F:194:ILE:H	1.81	0.45
1:B:11:PHE:O	1:B:30:GLY:HA2	2.16	0.45
1:B:200:VAL:HG13	1:B:204:LEU:HD12	1.97	0.45
1:E:184:VAL:O	1:E:186:PRO:HD3	2.16	0.45
1:D:118:ASP:OD2	1:D:120:SER:HB3	2.17	0.45
1:C:180:HIS:CD2	1:C:180:HIS:H	2.35	0.45
1:E:11:PHE:O	1:E:30:GLY:HA2	2.15	0.45
1:C:99:LYS:HE3	1:E:22:GLY:O	2.17	0.45
1:C:11:PHE:O	1:C:30:GLY:HA2	2.16	0.45
1:D:118:ASP:OD2	1:D:120:SER:CB	2.65	0.45
1:B:118:ASP:CG	1:B:120:SER:HB3	2.36	0.45
1:B:161:ASP:HB3	1:B:164:GLN:HB2	1.98	0.45
1:D:180:HIS:H	1:D:180:HIS:CD2	2.35	0.45
1:C:73:ARG:HG2	1:C:169:VAL:HG22	1.97	0.45
1:F:119:ASN:HD22	1:F:119:ASN:N	2.14	0.45
1:F:92:VAL:HG22	1:F:109:LEU:HD13	1.99	0.45
1:F:180:HIS:CD2	1:F:180:HIS:H	2.34	0.45
1:A:180:HIS:CD2	1:A:180:HIS:H	2.36	0.44
1:E:88:ALA:HB1	1:E:89:ASP:CG	2.38	0.44
1:D:91:LEU:HG	1:D:128:PHE:HB2	1.99	0.44
1:B:194:ILE:HD12	1:B:194:ILE:H	1.82	0.44
1:E:75:SER:HA	1:E:166:ALA:O	2.18	0.44
1:A:122:GLN:HB3	1:A:205:PRO:HD3	1.99	0.44
1:B:181:ALA:O	1:B:194:ILE:HD12	2.18	0.44
1:C:200:VAL:HG13	1:C:204:LEU:HD12	2.00	0.44
1:D:194:ILE:H	1:D:194:ILE:HD12	1.83	0.44
1:D:181:ALA:O	1:D:194:ILE:HD12	2.18	0.44
1:C:183:LEU:HD23	1:C:183:LEU:C	2.38	0.44
1:E:180:HIS:CD2	1:E:180:HIS:H	2.36	0.44
1:A:129:ASP:O	1:A:141:PRO:HA	2.18	0.44
1:E:194:ILE:HD12	1:E:194:ILE:H	1.82	0.43
1:B:153:ILE:HG22	1:E:64:THR:HG22	1.99	0.43
1:C:12:GLU:HA	1:C:13:PRO:HD3	1.93	0.43
1:C:181:ALA:O	1:C:194:ILE:HD12	2.18	0.43
1:C:194:ILE:H	1:C:194:ILE:HD12	1.83	0.43
1:B:180:HIS:H	1:B:180:HIS:CD2	2.36	0.43
1:B:88:ALA:HB1	1:B:89:ASP:CG	2.38	0.43
1:C:88:ALA:HB1	1:C:89:ASP:CG	2.39	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:E:200:VAL:HG13	1:E:204:LEU:HD12	2.01	0.43
1:F:64:THR:OG1	1:F:66:THR:OG1	2.32	0.43
1:D:92:VAL:HG13	1:D:127:GLU:HB3	2.01	0.43
1:D:180:HIS:N	1:D:180:HIS:CD2	2.86	0.43
1:B:89:ASP:OD1	5:B:2503:HOH:O	2.21	0.43
1:F:180:HIS:CD2	1:F:180:HIS:N	2.86	0.43
1:F:129:ASP:O	1:F:141:PRO:HA	2.19	0.43
1:B:129:ASP:O	1:B:141:PRO:HA	2.19	0.43
1:D:184:VAL:O	1:D:186:PRO:HD3	2.18	0.42
1:C:66:THR:HG21	1:C:239:GLU:CG	2.49	0.42
1:C:180:HIS:CD2	1:C:180:HIS:N	2.86	0.42
1:E:92:VAL:HG13	1:E:127:GLU:HB3	2.00	0.42
1:A:155:THR:HB	5:A:1561:HOH:O	2.20	0.42
1:E:193:THR:HG23	1:F:180:HIS:CE1	2.54	0.42
1:A:73:ARG:HG2	1:A:169:VAL:HG22	2.02	0.42
1:A:93:PHE:HA	1:A:212:LEU:HD23	2.02	0.42
1:A:72:THR:HG22	1:A:170:ILE:HB	2.00	0.42
1:C:197:ILE:HD11	1:D:197:ILE:HD11	2.01	0.42
1:A:118:ASP:CG	1:A:120:SER:HB3	2.40	0.42
1:E:28:GLN:HG2	5:E:5541:HOH:O	2.19	0.42
1:A:88:ALA:HB1	1:A:89:ASP:CG	2.40	0.42
1:D:88:ALA:HB1	1:D:89:ASP:CG	2.39	0.42
1:F:59:ILE:CG2	1:F:60:TRP:HD1	2.33	0.42
1:C:184:VAL:O	1:C:186:PRO:HD3	2.19	0.42
1:A:180:HIS:CD2	1:A:180:HIS:N	2.87	0.42
1:E:129:ASP:O	1:E:141:PRO:HA	2.19	0.42
1:A:45:TRP:CE3	1:A:46:ASP:HB2	2.55	0.42
1:F:181:ALA:O	1:F:194:ILE:HD12	2.20	0.42
1:B:180:HIS:N	1:B:180:HIS:CD2	2.87	0.42
1:A:18:LEU:HA	1:A:18:LEU:HD12	1.95	0.42
1:B:45:TRP:CE3	1:B:46:ASP:HB2	2.55	0.42
1:D:129:ASP:O	1:D:141:PRO:HA	2.19	0.42
1:C:45:TRP:CE3	1:C:46:ASP:HB2	2.55	0.42
1:A:180:HIS:HB2	5:A:1639:HOH:O	2.20	0.41
1:D:45:TRP:CE3	1:D:46:ASP:HB2	2.56	0.41
1:D:183:LEU:HD23	1:D:183:LEU:C	2.41	0.41
1:F:184:VAL:O	1:F:186:PRO:HD3	2.20	0.41
1:E:180:HIS:N	1:E:180:HIS:CD2	2.87	0.41
1:A:3:THR:HG21	5:A:1664:HOH:O	2.20	0.41
1:F:45:TRP:CE3	1:F:46:ASP:HB2	2.56	0.41
1:C:118:ASP:CG	1:C:120:SER:HB3	2.40	0.41
1:B:59:ILE:CG2	1:B:60:TRP:HD1	2.34	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:E:17:ASN:HD22	1:E:17:ASN:N	2.19	0.41
1:C:59:ILE:CG2	1:C:60:TRP:HD1	2.33	0.41
1:B:183:LEU:C	1:B:183:LEU:HD23	2.41	0.41
1:D:75:SER:HA	1:D:166:ALA:O	2.20	0.41
1:F:183:LEU:HD23	1:F:183:LEU:C	2.42	0.41
1:F:88:ALA:HB1	1:F:89:ASP:CG	2.41	0.41
1:A:59:ILE:CG2	1:A:60:TRP:HD1	2.34	0.41
1:C:129:ASP:O	1:C:141:PRO:HA	2.20	0.41
1:A:184:VAL:O	1:A:186:PRO:HD3	2.20	0.41
1:A:67:VAL:HG23	1:A:68:ALA:N	2.36	0.41
1:C:17:ASN:N	1:C:17:ASN:ND2	2.58	0.40
1:E:71:GLU:OE1	1:E:73:ARG:NE	2.52	0.40
1:A:67:VAL:HG11	5:A:1649:HOH:O	2.22	0.40
1:B:17:ASN:HD22	1:B:17:ASN:N	2.20	0.40
1:A:24:SER:OG	1:A:34:LEU:HD23	2.21	0.40
1:F:194:ILE:N	1:F:194:ILE:HD12	2.36	0.40
1:B:4:ILE:CG2	1:B:235:ALA:HB3	2.52	0.40
1:A:106:TYR:CE1	1:A:218:ALA:HA	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	237/239 (99%)	229 (97%)	8 (3%)	0	100	100
1	B	237/239 (99%)	229 (97%)	8 (3%)	0	100	100
1	C	237/239 (99%)	228 (96%)	9 (4%)	0	100	100
1	D	237/239 (99%)	226 (95%)	11 (5%)	0	100	100
1	E	237/239 (99%)	228 (96%)	9 (4%)	0	100	100
1	F	237/239 (99%)	226 (95%)	11 (5%)	0	100	100
All	All	1422/1434 (99%)	1366 (96%)	56 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	202/205 (98%)	184 (91%)	18 (9%)	14	25
1	B	201/205 (98%)	185 (92%)	16 (8%)	17	30
1	C	201/205 (98%)	187 (93%)	14 (7%)	21	37
1	D	201/205 (98%)	181 (90%)	20 (10%)	11	19
1	E	200/205 (98%)	184 (92%)	16 (8%)	17	30
1	F	200/205 (98%)	185 (92%)	15 (8%)	19	33
All	All	1205/1230 (98%)	1106 (92%)	99 (8%)	17	29

All (99) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	9	SER
1	A	18	LEU
1	A	24	SER
1	A	25	LEU
1	A	31	VAL
1	A	52	LEU
1	A	67	VAL
1	A	86	LEU
1	A	92	VAL
1	A	151	ARG
1	A	155	THR
1	A	161	ASP
1	A	178	LEU
1	A	180	HIS
1	A	194	ILE
1	A	202	GLN
1	A	237	LEU
1	A	239	GLU
1	B	17	ASN
1	B	18	LEU
1	B	25	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	31	VAL
1	B	64	THR
1	B	67	VAL
1	B	86	LEU
1	B	92	VAL
1	B	155	THR
1	B	159	GLN
1	B	161	ASP
1	B	175	SER
1	B	178	LEU
1	B	180	HIS
1	B	194	ILE
1	B	237	LEU
1	C	17	ASN
1	C	18	LEU
1	C	25	LEU
1	C	31	VAL
1	C	67	VAL
1	C	83	THR
1	C	86	LEU
1	C	92	VAL
1	C	155	THR
1	C	161	ASP
1	C	178	LEU
1	C	180	HIS
1	C	194	ILE
1	C	237	LEU
1	D	16	ASP
1	D	17	ASN
1	D	18	LEU
1	D	25	LEU
1	D	31	VAL
1	D	39	GLN
1	D	67	VAL
1	D	83	THR
1	D	86	LEU
1	D	92	VAL
1	D	117	GLN
1	D	120	SER
1	D	155	THR
1	D	159	GLN
1	D	160	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	161	ASP
1	D	178	LEU
1	D	180	HIS
1	D	194	ILE
1	D	237	LEU
1	E	17	ASN
1	E	18	LEU
1	E	28	GLN
1	E	31	VAL
1	E	67	VAL
1	E	83	THR
1	E	86	LEU
1	E	92	VAL
1	E	117	GLN
1	E	155	THR
1	E	161	ASP
1	E	178	LEU
1	E	180	HIS
1	E	194	ILE
1	E	237	LEU
1	E	239	GLU
1	F	18	LEU
1	F	25	LEU
1	F	52	LEU
1	F	66	THR
1	F	67	VAL
1	F	92	VAL
1	F	119	ASN
1	F	120	SER
1	F	155	THR
1	F	161	ASP
1	F	178	LEU
1	F	180	HIS
1	F	194	ILE
1	F	237	LEU
1	F	239	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (38) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	17	ASN
1	A	39	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	80	GLN
1	A	117	GLN
1	A	119	ASN
1	A	156	GLN
1	A	180	HIS
1	B	17	ASN
1	B	28	GLN
1	B	33	GLN
1	B	80	GLN
1	B	117	GLN
1	B	119	ASN
1	B	180	HIS
1	C	17	ASN
1	C	33	GLN
1	C	80	GLN
1	C	117	GLN
1	C	119	ASN
1	C	156	GLN
1	C	234	GLN
1	D	17	ASN
1	D	33	GLN
1	D	39	GLN
1	D	80	GLN
1	D	117	GLN
1	D	119	ASN
1	D	156	GLN
1	E	80	GLN
1	E	117	GLN
1	E	119	ASN
1	E	156	GLN
1	F	17	ASN
1	F	28	GLN
1	F	33	GLN
1	F	80	GLN
1	F	119	ASN
1	F	156	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 18 ligands modelled in this entry, 12 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	LAT	A	1402	-	24,24,24	1.10	1 (4%)	35,35,35	0.85	1 (2%)
2	LAT	B	2402	-	24,24,24	1.05	1 (4%)	35,35,35	0.91	1 (2%)
2	LAT	C	3402	-	24,24,24	1.00	1 (4%)	35,35,35	0.92	1 (2%)
2	LAT	D	4402	-	24,24,24	1.06	1 (4%)	35,35,35	0.89	1 (2%)
2	LAT	E	5402	-	24,24,24	1.06	1 (4%)	35,35,35	0.99	2 (5%)
2	LAT	F	6402	-	24,24,24	1.03	1 (4%)	35,35,35	0.89	1 (2%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LAT	A	1402	-	-	0/8/48/48	0/2/2/2
2	LAT	B	2402	-	-	0/8/48/48	0/2/2/2
2	LAT	C	3402	-	-	0/8/48/48	0/2/2/2
2	LAT	D	4402	-	-	0/8/48/48	0/2/2/2
2	LAT	E	5402	-	-	0/8/48/48	0/2/2/2
2	LAT	F	6402	-	-	0/8/48/48	0/2/2/2

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	4402	LAT	C3'-C4'	2.32	1.59	1.52
2	E	5402	LAT	C3'-C4'	2.30	1.59	1.52
2	B	2402	LAT	C3'-C4'	2.27	1.58	1.52
2	A	1402	LAT	C3'-C4'	2.14	1.58	1.52
2	C	3402	LAT	C3'-C4'	2.11	1.58	1.52
2	F	6402	LAT	C3'-C4'	2.08	1.58	1.52

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	5402	LAT	O6'-C6'-C5'	2.69	120.61	111.36
2	E	5402	LAT	C1'-O5'-C5'	2.33	117.58	113.40
2	D	4402	LAT	C1'-O5'-C5'	2.33	117.57	113.40
2	B	2402	LAT	C1'-O5'-C5'	2.32	117.55	113.40
2	A	1402	LAT	C1'-O5'-C5'	2.31	117.54	113.40
2	F	6402	LAT	C1'-O5'-C5'	2.31	117.54	113.40
2	C	3402	LAT	C1'-O5'-C5'	2.25	117.42	113.40

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	239/239 (100%)	-0.29	1 (0%)	90	92	15, 29, 46, 59	0
1	B	239/239 (100%)	-0.30	3 (1%)	74	77	16, 30, 47, 59	0
1	C	239/239 (100%)	-0.31	3 (1%)	74	77	15, 29, 46, 59	1 (0%)
1	D	239/239 (100%)	-0.26	4 (1%)	67	70	16, 30, 48, 60	0
1	E	239/239 (100%)	-0.19	5 (2%)	60	64	17, 31, 50, 67	0
1	F	239/239 (100%)	-0.26	3 (1%)	74	77	17, 31, 49, 63	0
All	All	1434/1434 (100%)	-0.27	19 (1%)	74	77	15, 30, 48, 67	1 (0%)

All (19) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	1	VAL	3.7
1	D	83	THR	3.0
1	D	120	SER	2.9
1	E	120	SER	2.9
1	A	83	THR	2.9
1	B	83	THR	2.6
1	E	101	LYS	2.4
1	C	1	VAL	2.3
1	C	239	GLU	2.3
1	F	62	MET	2.3
1	E	83	THR	2.3
1	F	99	LYS	2.2
1	F	239	GLU	2.2
1	C	83	THR	2.2
1	E	115	SER	2.1
1	D	16	ASP	2.1
1	D	138	PRO	2.1
1	B	120	SER	2.0
1	B	16	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	LAT	B	2402	23/23	0.21	4.79	47,51,61,62	0
2	LAT	D	4402	23/23	0.22	3.91	46,52,62,64	0
2	LAT	C	3402	23/23	0.20	3.83	46,51,61,63	0
2	LAT	A	1402	23/23	0.21	3.44	44,51,61,62	0
2	LAT	E	5402	23/23	0.23	3.38	48,52,61,63	0
2	LAT	F	6402	23/23	0.22	2.80	48,52,62,64	0
4	CA	E	5290	1/1	0.20	2.64	37,37,37,37	0
4	CA	A	1290	1/1	0.18	2.54	36,36,36,36	0
4	CA	C	3290	1/1	0.14	1.00	27,27,27,27	0
4	CA	F	6290	1/1	0.17	0.64	33,33,33,33	0
4	CA	B	2290	1/1	0.13	-0.71	29,29,29,29	0
4	CA	D	4290	1/1	0.12	-0.78	31,31,31,31	0
3	MN	E	5289	1/1	0.07	-2.38	27,27,27,27	0
3	MN	C	3289	1/1	0.08	-2.58	19,19,19,19	0
3	MN	A	1289	1/1	0.05	-2.79	22,22,22,22	0
3	MN	F	6289	1/1	0.07	-2.85	25,25,25,25	0
3	MN	B	2289	1/1	0.06	-3.57	25,25,25,25	0
3	MN	D	4289	1/1	0.06	-3.59	22,22,22,22	0

6.5 Other polymers ⓘ

There are no such residues in this entry.