



wwPDB X-ray Structure Validation Summary Report

Aug 29, 2014 – 09:00 PM EDT

PDB ID : 4TNW
Title : C. elegans glutamate-gated chloride channel (GluCl) in complex with Fab and POPC in a lipid-modulated conformation
Authors : Althoff, T.; Hibbs, R.E.; Banerjee, S.; Gouaux, E.
Deposited on : 2014-06-05
Resolution : 3.20 Å(reported)

This is a wwPDB validation summary report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.16 November 2013
Xtriage (Phenix) : dev-1439
EDS : stable23489
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable23489

1 Overall quality at a glance

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	1824 (3.30-3.10)
Clashscore	79885	1078 (3.26-3.14)
Ramachandran outliers	78287	1059 (3.26-3.14)
Sidechain outliers	78261	1058 (3.26-3.14)
RSRZ outliers	66119	1825 (3.30-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	347	<div><div></div><div><div></div><div></div><div></div><div></div></div></div>
1	B	347	<div><div></div><div><div></div><div></div><div></div><div></div></div></div>
1	C	347	<div><div></div><div><div></div><div></div><div></div><div></div></div></div>
1	D	347	<div><div></div><div><div></div><div></div><div></div><div></div></div></div>
1	E	347	<div><div></div><div><div></div><div></div><div></div><div></div></div></div>
1	P	347	<div><div></div><div><div></div><div></div><div></div><div></div></div></div>
1	Q	347	<div><div></div><div><div></div><div></div><div></div><div></div></div></div>
1	R	347	<div><div></div><div><div></div><div></div><div></div><div></div></div></div>
1	S	347	<div><div></div><div><div></div><div></div><div></div><div></div></div></div>
1	T	347	<div><div></div><div><div></div><div></div><div></div><div></div></div></div>
2	F	224	<div><div></div><div><div></div><div></div><div></div><div></div></div></div>
2	G	224	<div><div></div><div><div></div><div></div><div></div><div></div></div></div>
2	H	224	<div><div></div><div><div></div><div></div><div></div><div></div></div></div>
2	I	224	<div><div></div><div><div></div><div></div><div></div><div></div></div></div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	J	224	
2	U	224	
2	V	224	
2	W	224	
2	X	224	
2	Y	224	
3	K	215	
3	L	215	
3	M	215	
3	N	215	
3	O	215	
3	Z	215	
3	f	215	
3	g	215	
3	h	215	
3	i	215	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
4	NAG	E	401	-	X
4	NAG	S	401	-	X
4	NAG	T	402	-	X
5	POV	A	402	-	X
5	POV	D	401	-	X
5	POV	P	403	-	X
5	POV	Q	401	-	X
5	POV	R	401	-	X
5	POV	R	402	-	X
5	POV	T	401	-	X
8	LMT	D	403	-	X
8	LMT	E	402	-	X
8	LMT	S	402	-	X
8	LMT	T	403	-	X

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 60818 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Avermectin-sensitive glutamate-gated chloride channel GluCl alpha.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	342	Total	C	N	O	S	0	0	0
			2744	1786	449	494	15			
1	B	341	Total	C	N	O	S	0	0	0
			2734	1780	446	493	15			
1	C	340	Total	C	N	O	S	0	0	0
			2724	1774	443	492	15			
1	D	340	Total	C	N	O	S	0	0	0
			2724	1774	443	492	15			
1	E	340	Total	C	N	O	S	0	0	0
			2724	1774	443	492	15			
1	P	340	Total	C	N	O	S	0	0	0
			2724	1774	443	492	15			
1	Q	340	Total	C	N	O	S	0	0	0
			2724	1774	443	492	15			
1	R	340	Total	C	N	O	S	0	0	0
			2724	1774	443	492	15			
1	S	340	Total	C	N	O	S	0	0	0
			2724	1774	443	492	15			
1	T	340	Total	C	N	O	S	0	0	0
			2724	1774	443	492	15			

There are 110 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	303	ALA	-	linker	UNP G5EBR3
A	304	GLY	-	linker	UNP G5EBR3
A	305	THR	-	linker	UNP G5EBR3
A	340	HIS	-	expression tag	UNP G5EBR3
A	341	HIS	-	expression tag	UNP G5EBR3
A	342	HIS	-	expression tag	UNP G5EBR3
A	343	HIS	-	expression tag	UNP G5EBR3
A	344	HIS	-	expression tag	UNP G5EBR3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	345	HIS	-	expression tag	UNP G5EBR3
A	346	HIS	-	expression tag	UNP G5EBR3
A	347	HIS	-	expression tag	UNP G5EBR3
B	303	ALA	-	linker	UNP G5EBR3
B	304	GLY	-	linker	UNP G5EBR3
B	305	THR	-	linker	UNP G5EBR3
B	340	HIS	-	expression tag	UNP G5EBR3
B	341	HIS	-	expression tag	UNP G5EBR3
B	342	HIS	-	expression tag	UNP G5EBR3
B	343	HIS	-	expression tag	UNP G5EBR3
B	344	HIS	-	expression tag	UNP G5EBR3
B	345	HIS	-	expression tag	UNP G5EBR3
B	346	HIS	-	expression tag	UNP G5EBR3
B	347	HIS	-	expression tag	UNP G5EBR3
C	303	ALA	-	linker	UNP G5EBR3
C	304	GLY	-	linker	UNP G5EBR3
C	305	THR	-	linker	UNP G5EBR3
C	340	HIS	-	expression tag	UNP G5EBR3
C	341	HIS	-	expression tag	UNP G5EBR3
C	342	HIS	-	expression tag	UNP G5EBR3
C	343	HIS	-	expression tag	UNP G5EBR3
C	344	HIS	-	expression tag	UNP G5EBR3
C	345	HIS	-	expression tag	UNP G5EBR3
C	346	HIS	-	expression tag	UNP G5EBR3
C	347	HIS	-	expression tag	UNP G5EBR3
D	303	ALA	-	linker	UNP G5EBR3
D	304	GLY	-	linker	UNP G5EBR3
D	305	THR	-	linker	UNP G5EBR3
D	340	HIS	-	expression tag	UNP G5EBR3
D	341	HIS	-	expression tag	UNP G5EBR3
D	342	HIS	-	expression tag	UNP G5EBR3
D	343	HIS	-	expression tag	UNP G5EBR3
D	344	HIS	-	expression tag	UNP G5EBR3
D	345	HIS	-	expression tag	UNP G5EBR3
D	346	HIS	-	expression tag	UNP G5EBR3
D	347	HIS	-	expression tag	UNP G5EBR3
E	303	ALA	-	linker	UNP G5EBR3
E	304	GLY	-	linker	UNP G5EBR3
E	305	THR	-	linker	UNP G5EBR3
E	340	HIS	-	expression tag	UNP G5EBR3
E	341	HIS	-	expression tag	UNP G5EBR3
E	342	HIS	-	expression tag	UNP G5EBR3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	343	HIS	-	expression tag	UNP G5EBR3
E	344	HIS	-	expression tag	UNP G5EBR3
E	345	HIS	-	expression tag	UNP G5EBR3
E	346	HIS	-	expression tag	UNP G5EBR3
E	347	HIS	-	expression tag	UNP G5EBR3
P	303	ALA	-	linker	UNP G5EBR3
P	304	GLY	-	linker	UNP G5EBR3
P	305	THR	-	linker	UNP G5EBR3
P	340	HIS	-	expression tag	UNP G5EBR3
P	341	HIS	-	expression tag	UNP G5EBR3
P	342	HIS	-	expression tag	UNP G5EBR3
P	343	HIS	-	expression tag	UNP G5EBR3
P	344	HIS	-	expression tag	UNP G5EBR3
P	345	HIS	-	expression tag	UNP G5EBR3
P	346	HIS	-	expression tag	UNP G5EBR3
P	347	HIS	-	expression tag	UNP G5EBR3
Q	303	ALA	-	linker	UNP G5EBR3
Q	304	GLY	-	linker	UNP G5EBR3
Q	305	THR	-	linker	UNP G5EBR3
Q	340	HIS	-	expression tag	UNP G5EBR3
Q	341	HIS	-	expression tag	UNP G5EBR3
Q	342	HIS	-	expression tag	UNP G5EBR3
Q	343	HIS	-	expression tag	UNP G5EBR3
Q	344	HIS	-	expression tag	UNP G5EBR3
Q	345	HIS	-	expression tag	UNP G5EBR3
Q	346	HIS	-	expression tag	UNP G5EBR3
Q	347	HIS	-	expression tag	UNP G5EBR3
R	303	ALA	-	linker	UNP G5EBR3
R	304	GLY	-	linker	UNP G5EBR3
R	305	THR	-	linker	UNP G5EBR3
R	340	HIS	-	expression tag	UNP G5EBR3
R	341	HIS	-	expression tag	UNP G5EBR3
R	342	HIS	-	expression tag	UNP G5EBR3
R	343	HIS	-	expression tag	UNP G5EBR3
R	344	HIS	-	expression tag	UNP G5EBR3
R	345	HIS	-	expression tag	UNP G5EBR3
R	346	HIS	-	expression tag	UNP G5EBR3
R	347	HIS	-	expression tag	UNP G5EBR3
S	303	ALA	-	linker	UNP G5EBR3
S	304	GLY	-	linker	UNP G5EBR3
S	305	THR	-	linker	UNP G5EBR3
S	340	HIS	-	expression tag	UNP G5EBR3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
S	341	HIS	-	expression tag	UNP G5EBR3
S	342	HIS	-	expression tag	UNP G5EBR3
S	343	HIS	-	expression tag	UNP G5EBR3
S	344	HIS	-	expression tag	UNP G5EBR3
S	345	HIS	-	expression tag	UNP G5EBR3
S	346	HIS	-	expression tag	UNP G5EBR3
S	347	HIS	-	expression tag	UNP G5EBR3
T	303	ALA	-	linker	UNP G5EBR3
T	304	GLY	-	linker	UNP G5EBR3
T	305	THR	-	linker	UNP G5EBR3
T	340	HIS	-	expression tag	UNP G5EBR3
T	341	HIS	-	expression tag	UNP G5EBR3
T	342	HIS	-	expression tag	UNP G5EBR3
T	343	HIS	-	expression tag	UNP G5EBR3
T	344	HIS	-	expression tag	UNP G5EBR3
T	345	HIS	-	expression tag	UNP G5EBR3
T	346	HIS	-	expression tag	UNP G5EBR3
T	347	HIS	-	expression tag	UNP G5EBR3


- Molecule 2 is a protein called Mouse monoclonal Fab fragment, heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	F	221	Total	C	N	O	S	0	0	0
			1682	1067	273	334	8			
2	G	222	Total	C	N	O	S	0	0	0
			1693	1073	277	335	8			
2	H	223	Total	C	N	O	S	0	0	0
			1701	1077	278	338	8			
2	I	222	Total	C	N	O	S	0	0	0
			1693	1073	277	335	8			
2	U	221	Total	C	N	O	S	0	0	0
			1682	1067	273	334	8			
2	V	224	Total	C	N	O	S	0	0	0
			1707	1080	279	339	9			
2	W	224	Total	C	N	O	S	0	0	0
			1707	1080	279	339	9			
2	X	224	Total	C	N	O	S	0	0	0
			1707	1080	279	339	9			
2	Y	221	Total	C	N	O	S	0	0	0
			1682	1067	273	334	8			
2	J	222	Total	C	N	O	S	0	0	0
			1693	1073	277	335	8			

- Molecule 3 is a protein called Mouse monoclonal Fab fragment, light chain.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	K	210	Total	C	N	O	S	0	0	0
			1590	999	266	319	6			
3	L	211	Total	C	N	O	S	0	0	0
			1601	1005	270	320	6			
3	N	211	Total	C	N	O	S	0	0	0
			1601	1005	270	320	6			
3	O	211	Total	C	N	O	S	0	0	0
			1601	1005	270	320	6			
3	Z	215	Total	C	N	O	S	0	0	0
			1626	1018	274	327	7			
3	f	215	Total	C	N	O	S	0	0	0
			1626	1018	274	327	7			
3	g	211	Total	C	N	O	S	0	0	0
			1601	1005	270	320	6			
3	h	211	Total	C	N	O	S	0	0	0
			1601	1005	270	320	6			
3	i	214	Total	C	N	O	S	0	0	0
			1620	1015	273	325	7			
3	M	210	Total	C	N	O	S	0	0	0
			1590	999	266	319	6			

- Molecule 4 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	C	1	Total	C	N	O	0	0
			14	8	1	5		
4	D	1	Total	C	N	O	0	0
			14	8	1	5		
4	E	1	Total	C	N	O	0	0
			14	8	1	5		
4	P	1	Total	C	N	O	0	0
			14	8	1	5		
4	Q	1	Total	C	N	O	0	0
			14	8	1	5		
4	S	1	Total	C	N	O	0	0
			14	8	1	5		
4	T	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 5 is (2S)-3-(hexadecanoyloxy)-2-[(9Z)-octadec-9-enoyloxy]propyl2-(trimethylamm onio)ethylphosphate (three-letter code: POV) (formula: C₄₂H₈₂NO₈P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0	0
			23	14	1	7	1		
5	D	1	Total	C	N	O	P	0	0
			26	16	1	8	1		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	P	1	Total	C	N	O	P	0	0
			42	32	1	8	1		
5	Q	1	Total	C	N	O	P	0	0
			46	36	1	8	1		
5	R	1	Total	C	N	O	P	0	0
			34	24	1	8	1		
5	R	1	Total	C	O	P		0	0
			35	26	8	1			
5	T	1	Total	C	N	O	P	0	0
			43	33	1	8	1		

- Molecule 6 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	P	1	Total	Cl	0	0
			1	1		
6	A	1	Total	Cl	0	0
			1	1		


- Molecule 7 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 8 is DODECYL-BETA-D-MALTOSE (three-letter code: LMT) (formula:

C₂₄H₄₆O₁₁).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	B	1	Total	C	O	0	0
			23	12	11		
8	C	1	Total	C	O	0	0
			23	12	11		
8	D	1	Total	C	O	0	0
			23	12	11		
8	E	1	Total	C	O	0	0
			23	12	11		
8	P	1	Total	C	O	0	0
			23	12	11		
8	S	1	Total	C	O	0	0
			23	12	11		
8	T	1	Total	C	O	0	0
			23	12	11		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Avermectin-sensitive glutamate-gated chloride channel GluCl alpha

Chain A:






- Molecule 1: Avermectin-sensitive glutamate-gated chloride channel GluCl alpha

Chain E:



- Molecule 1: Avermectin-sensitive glutamate-gated chloride channel GluCl alpha

Chain P:



- Molecule 1: Avermectin-sensitive glutamate-gated chloride channel GluCl alpha

Chain Q:



- Molecule 1: Avermectin-sensitive glutamate-gated chloride channel GluCl alpha

Chain R:



- Molecule 1: Avermectin-sensitive glutamate-gated chloride channel GluCl alpha


Chain S:



HIS
HIS

- Molecule 1: Avermectin-sensitive glutamate-gated chloride channel GluCl alpha

Chain T:

HIS
HIS
HIS
HIS
HIS


- Molecule 2: Mouse monoclonal Fab fragment, heavy chain

Chain F:



- Molecule 2: Mouse monoclonal Fab fragment, heavy chain

Chain G:



CYS

- Molecule 2: Mouse monoclonal Fab fragment, heavy chain

Chain H:




- Molecule 2: Mouse monoclonal Fab fragment, heavy chain

Chain I:




- Molecule 2: Mouse monoclonal Fab fragment, heavy chain

Chain U:




- Molecule 2: Mouse monoclonal Fab fragment, heavy chain

Chain V:



- Molecule 2: Mouse monoclonal Fab fragment, heavy chain

Chain W:



- Molecule 2: Mouse monoclonal Fab fragment, heavy chain

Chain X:




- Molecule 2: Mouse monoclonal Fab fragment, heavy chain

Chain Y:




- Molecule 2: Mouse monoclonal Fab fragment, heavy chain

Chain J:



- Molecule 3: Mouse monoclonal Fab fragment, light chain

Chain K:




- Molecule 3: Mouse monoclonal Fab fragment, light chain

Chain L:




- Molecule 3: Mouse monoclonal Fab fragment, light chain

Chain N:



- Molecule 3: Mouse monoclonal Fab fragment, light chain

Chain O:




- Molecule 3: Mouse monoclonal Fab fragment, light chain

Chain Z:



- Molecule 3: Mouse monoclonal Fab fragment, light chain

Chain f:



- Molecule 3: Mouse monoclonal Fab fragment, light chain

Chain g:




- Molecule 3: Mouse monoclonal Fab fragment, light chain

Chain h:



- Molecule 3: Mouse monoclonal Fab fragment, light chain

Chain i:



- Molecule 3: Mouse monoclonal Fab fragment, light chain

Chain M:



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	453.75Å 192.87Å 196.14Å 90.00° 92.27° 90.00°	Depositor
Resolution (Å)	58.70 – 3.20 59.51 – 3.00	Depositor EDS
% Data completeness (in resolution range)	77.6 (58.70-3.20) 88.8 (59.51-3.00)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.25 (at 3.01Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.4_1496)	Depositor
R, R_{free}	0.227 , 0.251 0.230 , 0.251	Depositor DCC
R_{free} test set	12804 reflections (5.00%)	DCC
Wilson B-factor (Å ²)	84.0	Xtriage
Anisotropy	0.036	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.26 , 48.2	EDS
Estimated twinning fraction	0.021 for -h,-k,l	Xtriage
L-test for twinning	$\langle L \rangle = 0.43$, $\langle L^2 \rangle = 0.26$	Xtriage
Outliers	0 of 297382 reflections	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	60818	wwPDB-VP
Average B, all atoms (Å ²)	115.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.31% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: POV, GOL, LMT, NAG, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.24	0/2819	0.44	0/3847
1	B	0.23	0/2808	0.43	0/3832
1	C	0.23	0/2797	0.43	0/3817
1	D	0.25	0/2797	0.48	0/3817
1	E	0.24	0/2797	0.44	0/3817
1	P	0.24	0/2797	0.45	0/3817
1	Q	0.24	0/2797	0.45	0/3817
1	R	0.24	0/2797	0.43	0/3817
1	S	0.23	0/2797	0.43	0/3817
1	T	0.24	0/2797	0.45	0/3817
2	F	0.21	0/1728	0.40	0/2360
2	G	0.22	0/1739	0.41	0/2374
2	H	0.22	0/1747	0.41	0/2385
2	I	0.21	0/1739	0.40	0/2374
2	J	0.23	0/1739	0.42	0/2374
2	U	0.21	0/1728	0.40	0/2360
2	V	0.21	0/1753	0.40	0/2393
2	W	0.21	0/1753	0.40	0/2393
2	X	0.22	0/1753	0.42	0/2393
2	Y	0.21	0/1728	0.41	0/2360
3	K	0.22	0/1628	0.42	0/2226
3	L	0.22	0/1639	0.43	0/2240
3	M	0.22	0/1628	0.43	0/2226
3	N	0.23	0/1639	0.43	0/2240
3	O	0.22	0/1639	0.42	0/2240
3	Z	0.23	0/1664	0.43	0/2274
3	f	0.22	0/1664	0.42	0/2274
3	g	0.22	0/1639	0.42	0/2240
3	h	0.22	0/1639	0.41	0/2240
3	i	0.22	0/1658	0.43	0/2266
All	All	0.23	0/61847	0.43	0/84447

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2744	0	2744	45	0
1	B	2734	0	2737	48	0
1	C	2724	0	2729	51	0
1	D	2724	0	2729	45	0
1	E	2724	0	2730	46	0
1	P	2724	0	2730	41	0
1	Q	2724	0	2730	41	0
1	R	2724	0	2731	43	0
1	S	2724	0	2730	50	0
1	T	2724	0	2730	49	0
2	F	1682	0	1632	24	0
2	G	1693	0	1645	20	0
2	H	1701	0	1649	26	0
2	I	1693	0	1645	23	0
2	J	1693	0	1645	23	0
2	U	1682	0	1632	22	0
2	V	1707	0	1653	20	0
2	W	1707	0	1653	14	0
2	X	1707	0	1653	13	0
2	Y	1682	0	1632	21	0
3	K	1590	0	1542	23	0
3	L	1601	0	1555	19	0
3	M	1590	0	1542	11	0
3	N	1601	0	1555	21	0
3	O	1601	0	1555	16	0
3	Z	1626	0	1573	13	0
3	f	1626	0	1573	0	0
3	g	1601	0	1555	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	h	1601	0	1555	0	0
3	i	1620	0	1568	0	0
4	A	14	0	13	0	0
4	B	14	0	13	0	0
4	C	14	0	13	0	0
4	D	14	0	13	0	0
4	E	14	0	13	0	0
4	P	14	0	13	0	0
4	Q	14	0	13	0	0
4	S	14	0	13	1	0
4	T	14	0	13	0	0
5	A	23	0	26	1	0
5	D	26	0	26	5	0
5	P	42	0	61	3	0
5	Q	46	0	67	5	0
5	R	69	0	83	5	0
5	T	43	0	63	3	0
6	A	1	0	0	0	0
6	P	1	0	0	0	0
7	B	6	0	8	0	0
8	B	23	0	21	0	0
8	C	23	0	21	0	0
8	D	23	0	21	1	0
8	E	23	0	21	0	0
8	P	23	0	21	0	0
8	S	23	0	21	1	0
8	T	23	0	21	1	0
All	All	60818	0	59930	703	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 6.

The worst 5 of 703 close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:D:306:THR:HA	1:D:309:ASN:HB2	1.53	0.90
1:Q:302:ASN:HD22	1:R:241:ALA:HB2	1.36	0.89
1:T:37:ARG:NH2	1:T:54:THR:OG1	2.10	0.84
1:C:305:THR:HG22	1:C:308:TRP:HD1	1.43	0.83
1:R:156:LYS:HA	3:Z:95:SER:HB2	1.61	0.83

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	340/347 (98%)	327 (96%)	13 (4%)	0	100	100
1	B	339/347 (98%)	325 (96%)	14 (4%)	0	100	100
1	C	338/347 (97%)	324 (96%)	14 (4%)	0	100	100
1	D	338/347 (97%)	328 (97%)	10 (3%)	0	100	100
1	E	338/347 (97%)	325 (96%)	13 (4%)	0	100	100
1	P	338/347 (97%)	326 (96%)	12 (4%)	0	100	100
1	Q	338/347 (97%)	326 (96%)	12 (4%)	0	100	100
1	R	338/347 (97%)	326 (96%)	12 (4%)	0	100	100
1	S	338/347 (97%)	325 (96%)	12 (4%)	1 (0%)	50	91
1	T	338/347 (97%)	326 (96%)	12 (4%)	0	100	100
2	F	219/224 (98%)	206 (94%)	13 (6%)	0	100	100
2	G	220/224 (98%)	203 (92%)	17 (8%)	0	100	100
2	H	221/224 (99%)	206 (93%)	15 (7%)	0	100	100
2	I	220/224 (98%)	206 (94%)	14 (6%)	0	100	100
2	J	220/224 (98%)	203 (92%)	16 (7%)	1 (0%)	38	85
2	U	219/224 (98%)	205 (94%)	14 (6%)	0	100	100
2	V	222/224 (99%)	203 (91%)	19 (9%)	0	100	100
2	W	222/224 (99%)	209 (94%)	13 (6%)	0	100	100
2	X	222/224 (99%)	206 (93%)	16 (7%)	0	100	100
2	Y	219/224 (98%)	202 (92%)	17 (8%)	0	100	100
3	K	208/215 (97%)	193 (93%)	14 (7%)	1 (0%)	38	85
3	L	209/215 (97%)	198 (95%)	11 (5%)	0	100	100
3	M	208/215 (97%)	193 (93%)	15 (7%)	0	100	100
3	N	209/215 (97%)	194 (93%)	14 (7%)	1 (0%)	38	85
3	O	209/215 (97%)	194 (93%)	15 (7%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	Z	213/215 (99%)	193 (91%)	19 (9%)	1 (0%)	38	85
3	f	213/215 (99%)	195 (92%)	16 (8%)	2 (1%)	25	76
3	g	209/215 (97%)	196 (94%)	11 (5%)	2 (1%)	22	74
3	h	209/215 (97%)	194 (93%)	15 (7%)	0	100	100
3	i	212/215 (99%)	199 (94%)	12 (6%)	1 (0%)	38	85
All	All	7686/7860 (98%)	7256 (94%)	420 (6%)	10 (0%)	59	95

5 of 10 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	K	95	SER
3	N	95	SER
3	i	95	SER
3	f	95	SER
1	S	309	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	311/316 (98%)	310 (100%)	1 (0%)	96	99
1	B	310/316 (98%)	310 (100%)	0	100	100
1	C	309/316 (98%)	309 (100%)	0	100	100
1	D	309/316 (98%)	307 (99%)	2 (1%)	92	98
1	E	309/316 (98%)	309 (100%)	0	100	100
1	P	309/316 (98%)	308 (100%)	1 (0%)	96	99
1	Q	309/316 (98%)	308 (100%)	1 (0%)	96	99
1	R	309/316 (98%)	309 (100%)	0	100	100
1	S	309/316 (98%)	309 (100%)	0	100	100
1	T	309/316 (98%)	309 (100%)	0	100	100
2	F	190/193 (98%)	189 (100%)	1 (0%)	94	98
2	G	191/193 (99%)	190 (100%)	1 (0%)	94	98

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	H	192/193 (100%)	191 (100%)	1 (0%)	94	98
2	I	191/193 (99%)	190 (100%)	1 (0%)	94	98
2	J	191/193 (99%)	190 (100%)	1 (0%)	94	98
2	U	190/193 (98%)	188 (99%)	2 (1%)	84	96
2	V	193/193 (100%)	192 (100%)	1 (0%)	94	98
2	W	193/193 (100%)	193 (100%)	0	100	100
2	X	193/193 (100%)	192 (100%)	1 (0%)	94	98
2	Y	190/193 (98%)	188 (99%)	2 (1%)	84	96
3	K	178/182 (98%)	178 (100%)	0	100	100
3	L	179/182 (98%)	179 (100%)	0	100	100
3	M	178/182 (98%)	177 (99%)	1 (1%)	92	98
3	N	179/182 (98%)	179 (100%)	0	100	100
3	O	179/182 (98%)	177 (99%)	2 (1%)	84	96
3	Z	182/182 (100%)	181 (100%)	1 (0%)	94	98
3	f	182/182 (100%)	181 (100%)	1 (0%)	94	98
3	g	179/182 (98%)	179 (100%)	0	100	100
3	h	179/182 (98%)	179 (100%)	0	100	100
3	i	181/182 (100%)	179 (99%)	2 (1%)	84	96
All	All	6803/6910 (98%)	6780 (100%)	23 (0%)	96	99

5 of 23 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	Q	264	ASN
2	U	196	THR
2	J	27	TYR
2	U	27	TYR
2	V	149	CYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 15 such sidechains are listed below:

Mol	Chain	Res	Type
3	N	170	GLN
3	O	97	HIS
3	f	39	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	L	200	HIS
3	Z	97	HIS

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 26 ligands modelled in this entry, 2 are monoatomic - leaving 24 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	A	401	1	12,14,15	0.53	0	15,19,21	0.94	1 (6%)
5	POV	A	402	-	22,22,51	1.63	2 (9%)	29,29,59	1.25	3 (10%)
7	GOL	B	401	-	5,5,5	0.34	0	5,5,5	0.24	0
4	NAG	B	402	1	12,14,15	0.51	0	15,19,21	0.82	1 (6%)
8	LMT	B	403	-	24,24,36	1.30	3 (12%)	34,35,47	1.56	6 (17%)
4	NAG	C	401	1	12,14,15	0.72	1 (8%)	15,19,21	0.74	0
8	LMT	C	402	-	24,24,36	1.37	3 (12%)	34,35,47	1.16	2 (5%)
5	POV	D	401	-	25,25,51	2.16	4 (16%)	33,33,59	1.28	3 (9%)
4	NAG	D	402	1	12,14,15	0.51	0	15,19,21	1.34	1 (6%)
8	LMT	D	403	-	24,24,36	1.35	3 (12%)	34,35,47	1.23	3 (8%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	E	401	1	12,14,15	0.49	0	15,19,21	0.78	1 (6%)
8	LMT	E	402	-	24,24,36	1.32	3 (12%)	34,35,47	1.17	3 (8%)
4	NAG	P	401	1	12,14,15	0.49	0	15,19,21	1.04	1 (6%)
8	LMT	P	402	-	24,24,36	1.32	3 (12%)	34,35,47	1.25	3 (8%)
5	POV	P	403	-	41,41,51	1.37	3 (7%)	49,49,59	1.06	4 (8%)
5	POV	Q	401	-	45,45,51	1.33	3 (6%)	53,53,59	1.01	3 (5%)
4	NAG	Q	402	1	12,14,15	0.46	0	15,19,21	0.79	0
5	POV	R	401	-	33,33,51	1.85	4 (12%)	41,41,59	1.08	3 (7%)
5	POV	R	402	-	34,34,51	2.02	5 (14%)	39,39,59	1.44	6 (15%)
4	NAG	S	401	1	12,14,15	0.45	0	15,19,21	1.20	3 (20%)
8	LMT	S	402	-	24,24,36	1.33	3 (12%)	34,35,47	1.26	3 (8%)
5	POV	T	401	-	41,42,51	1.03	2 (4%)	49,50,59	1.10	4 (8%)
4	NAG	T	402	1	12,14,15	0.53	0	15,19,21	0.96	1 (6%)
8	LMT	T	403	-	24,24,36	1.33	3 (12%)	34,35,47	1.29	5 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	A	401	1	-	0/6/23/26	0/1/1/1
5	POV	A	402	-	-	0/25/25/55	0/0/0/0
7	GOL	B	401	-	-	0/4/4/4	0/0/0/0
4	NAG	B	402	1	-	0/6/23/26	0/1/1/1
8	LMT	B	403	-	-	0/8/48/61	0/2/2/2
4	NAG	C	401	1	-	0/6/23/26	0/1/1/1
8	LMT	C	402	-	-	0/8/48/61	0/2/2/2
5	POV	D	401	-	-	0/29/29/55	0/0/0/0
4	NAG	D	402	1	-	0/6/23/26	0/1/1/1
8	LMT	D	403	-	-	0/8/48/61	0/2/2/2
4	NAG	E	401	1	-	0/6/23/26	0/1/1/1
8	LMT	E	402	-	-	0/8/48/61	0/2/2/2
4	NAG	P	401	1	-	0/6/23/26	0/1/1/1
8	LMT	P	402	-	-	0/8/48/61	0/2/2/2
5	POV	P	403	-	-	0/45/45/55	0/0/0/0
5	POV	Q	401	-	-	0/49/49/55	0/0/0/0
4	NAG	Q	402	1	-	0/6/23/26	0/1/1/1
5	POV	R	401	-	-	1/37/37/55	0/0/0/0
5	POV	R	402	-	-	0/36/36/55	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	S	401	1	-	0/6/23/26	0/1/1/1
8	LMT	S	402	-	-	0/8/48/61	0/2/2/2
5	POV	T	401	-	-	0/46/46/55	0/0/0/0
4	NAG	T	402	1	-	1/6/23/26	0/1/1/1
8	LMT	T	403	-	-	0/8/48/61	0/2/2/2

The worst 5 of 45 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	D	401	POV	C24-C23	-6.15	1.52	1.55
5	R	402	POV	C37-C36	-6.12	1.52	1.55
5	R	401	POV	C310-C39	-6.07	1.52	1.55
5	Q	401	POV	C310-C39	-5.95	1.52	1.55
5	D	401	POV	C34-C33	-5.93	1.52	1.55

The worst 5 of 60 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	R	402	POV	O21-C21-C22	4.34	120.79	111.54
5	T	401	POV	O21-C21-C22	4.22	120.53	111.54
8	B	403	LMT	C1'-C2'-C3'	4.13	115.93	109.11
4	D	402	NAG	O5-C5-C6	4.12	111.30	106.98
5	A	402	POV	O21-C21-C22	4.10	120.28	111.54

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	R	401	POV	C2-O21-C21-C22
4	T	402	NAG	O7-C7-N2-C2

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	342/347 (98%)	-0.03	1 (0%) 91 58	56, 102, 165, 226	0
1	B	341/347 (98%)	-0.07	0 100 100	58, 109, 175, 270	0
1	C	340/347 (97%)	-0.07	0 100 100	58, 106, 185, 251	0
1	D	340/347 (97%)	-0.10	0 100 100	54, 106, 170, 263	0
1	E	340/347 (97%)	-0.07	0 100 100	57, 105, 170, 230	0
1	P	340/347 (97%)	-0.09	0 100 100	51, 93, 156, 239	0
1	Q	340/347 (97%)	-0.10	0 100 100	58, 99, 167, 242	0
1	R	340/347 (97%)	-0.12	0 100 100	58, 97, 158, 274	0
1	S	340/347 (97%)	-0.07	0 100 100	53, 89, 144, 247	0
1	T	340/347 (97%)	-0.09	0 100 100	49, 88, 151, 210	0
2	F	221/224 (98%)	-0.10	0 100 100	68, 113, 202, 265	0
2	G	222/224 (99%)	0.04	1 (0%) 88 46	75, 142, 230, 309	0
2	H	223/224 (99%)	-0.11	2 (0%) 81 32	52, 100, 158, 275	0
2	I	222/224 (99%)	-0.16	0 100 100	63, 105, 192, 239	0
2	J	222/224 (99%)	0.11	5 (2%) 57 13	64, 146, 281, 313	0
2	U	221/224 (98%)	0.26	5 (2%) 57 13	75, 131, 220, 317	0
2	V	224/224 (100%)	-0.10	2 (0%) 81 32	70, 117, 169, 269	0
2	W	224/224 (100%)	-0.15	1 (0%) 90 51	68, 102, 155, 257	0
2	X	224/224 (100%)	-0.07	2 (0%) 81 32	57, 98, 169, 249	0
2	Y	221/224 (98%)	0.09	2 (0%) 81 32	64, 127, 195, 277	0
3	K	210/215 (97%)	-0.04	1 (0%) 88 46	59, 114, 222, 295	0
3	L	211/215 (98%)	-0.17	0 100 100	49, 91, 170, 224	0
3	M	210/215 (97%)	0.20	9 (4%) 34 7	69, 130, 248, 270	0
3	N	211/215 (98%)	-0.13	0 100 100	66, 116, 158, 200	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
3	O	211/215 (98%)	-0.14	0 100 100	65, 108, 143, 157	0
3	Z	215/215 (100%)	0.03	1 (0%) 88 46	71, 120, 160, 199	0
3	f	215/215 (100%)	-0.18	1 (0%) 88 46	69, 104, 153, 231	0
3	g	211/215 (98%)	-0.00	0 100 100	71, 127, 173, 218	0
3	h	211/215 (98%)	-0.05	0 100 100	75, 137, 177, 249	0
3	i	214/215 (99%)	-0.13	0 100 100	60, 99, 135, 165	0
All	All	7746/7860 (98%)	-0.06	33 (0%) 90 51	49, 107, 191, 317	0

The worst 5 of 33 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	V	140	GLN	5.0
2	V	139	ALA	3.3
2	X	142	ASN	3.0
2	J	166	GLY	3.0
3	M	189	GLU	3.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
5	POV	Q	401	46/52	0.74	12.57	108,149,198,237	0
5	POV	D	401	26/52	0.74	6.99	125,176,201,334	0
5	POV	T	401	43/52	0.54	5.81	77,129,177,205	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
8	LMT	E	402	23/35	0.62	4.85	218,239,254,257	0
5	POV	A	402	23/52	0.58	4.60	137,177,208,241	0
5	POV	R	402	35/52	0.40	4.26	96,123,186,208	0
8	LMT	D	403	23/35	0.60	4.12	196,218,239,247	0
5	POV	P	403	42/52	0.37	3.71	82,125,179,206	0
8	LMT	T	403	23/35	0.35	3.68	156,202,217,222	0
5	POV	R	401	34/52	0.36	3.39	99,146,200,535	0
8	LMT	S	402	23/35	0.53	2.81	169,214,224,235	0
4	NAG	S	401	14/15	0.27	2.49	153,184,189,195	0
4	NAG	T	402	14/15	0.34	2.47	153,200,210,211	0
4	NAG	E	401	14/15	0.28	2.17	157,190,206,212	0
4	NAG	C	401	14/15	0.37	1.74	191,210,218,223	0
7	GOL	B	401	6/6	0.37	1.34	115,145,151,167	0
8	LMT	P	402	23/35	0.36	1.01	221,221,221,221	0
4	NAG	B	402	14/15	0.21	0.96	139,168,176,177	0
4	NAG	Q	402	14/15	0.31	0.87	146,184,202,207	0
8	LMT	B	403	23/35	0.46	0.85	176,217,235,242	0
4	NAG	A	401	14/15	0.27	0.33	137,181,192,196	0
8	LMT	C	402	23/35	0.36	0.33	179,179,179,179	0
4	NAG	D	402	14/15	0.20	0.25	153,197,214,221	0
6	CL	P	404	1/1	0.20	-3.10	90,90,90,90	0
6	CL	A	403	1/1	0.78	-	119,119,119,119	0
4	NAG	P	401	14/15	0.28	-	133,182,192,201	0

6.5 Other polymers ⓘ

There are no such residues in this entry.