



Full wwPDB X-ray Structure Validation Report

Feb 26, 2014 – 02:25 PM GMT

PDB ID : 1UIO
Title : ADENOSINE DEAMINASE (HIS 238 ALA MUTANT)
Authors : Wilson, D.K.; Quioco, F.A.
Deposited on : 1996-08-30
Resolution : 2.40 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 21963
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.40 Å.


Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	79885	2789 (2.40-2.40)
Ramachandran outliers	78287	2736 (2.40-2.40)
Sidechain outliers	78261	2737 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	349	

2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 2970 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ADENOSINE DEAMINASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	349	2785	1775	468	528	14	0	0	0


There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	238	ALA	HIS	ENGINEERED	UNP P03958

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		

- Molecule 3 is 6-HYDROXY-7,8-DIHYDROPURINE NUCLEOSIDE (three-letter code: HPR) (formula: C₁₀H₁₄N₄O₅).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			19	10	4	5		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	165	Total	O	0	0
			165	165		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: ADENOSINE DEAMINASE

Chain A: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	99.14Å 93.94Å 71.98Å 90.00° 126.92° 90.00°	Depositor
Resolution (Å)	10.00 – 2.40	Depositor
% Data completeness (in resolution range)	(Not available) (10.00-2.40)	Depositor
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR	Depositor
R, R_{free}	0.203 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	2970	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HPR, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.73	0/2848	0.91	8/3855 (0.2%)

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	295	ASP	CB-CG-OD1	9.01	126.41	118.30
1	A	325	LEU	CA-CB-CG	8.09	133.91	115.30
1	A	235	ARG	NE-CZ-NH1	6.75	123.68	120.30
1	A	100	VAL	CB-CA-C	-5.77	100.43	111.40
1	A	235	ARG	NE-CZ-NH2	-5.76	117.42	120.30
1	A	295	ASP	CB-CG-OD2	-5.50	113.35	118.30
1	A	154	CYS	N-CA-C	-5.18	97.01	111.00
1	A	112	VAL	CB-CA-C	-5.01	101.87	111.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2785	0	2755	101	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	1	0	0	0	0
3	A	19	0	13	0	0
4	A	165	0	0	6	0
All	All	2970	0	2768	101	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 18.

All (101) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:103:SER:HB2	1:A:155:MET:CE	2.01	0.90
1:A:103:SER:HB2	1:A:155:MET:HE3	1.65	0.76
1:A:103:SER:HB2	1:A:155:MET:HE2	1.69	0.75
1:A:213:VAL:HG23	1:A:233:THR:HG23	1.69	0.74
1:A:125:THR:HG22	1:A:128:ASP:H	1.54	0.72
1:A:42:THR:HG22	1:A:45:GLU:H	1.55	0.71
1:A:86:PHE:CZ	1:A:100:VAL:HG13	2.25	0.71
1:A:135:GLN:O	1:A:139:GLU:HG3	1.92	0.70
1:A:281:VAL:CG2	1:A:315:MET:HG2	2.22	0.70
1:A:45:GLU:O	1:A:49:ILE:HG12	1.93	0.67
1:A:337:GLU:OE1	1:A:341:LYS:HE3	1.95	0.67
1:A:98:VAL:HG13	1:A:148:VAL:HG13	1.78	0.65
1:A:322:PHE:HA	1:A:325:LEU:HD13	1.78	0.65
1:A:346:ARG:HD3	1:A:350:GLU:OE2	1.97	0.64
1:A:162:SER:OG	1:A:197:HIS:HD2	1.80	0.64
1:A:294:THR:HG23	1:A:297:PRO:HD3	1.81	0.63
1:A:86:PHE:CE2	1:A:100:VAL:HG13	2.34	0.62
1:A:191:SER:HA	1:A:194:PHE:CE2	2.34	0.62
1:A:251:ARG:O	1:A:255:GLU:HG3	1.99	0.62
1:A:281:VAL:HG23	1:A:315:MET:HG2	1.83	0.60
1:A:158:GLN:HG2	4:A:509:HOH:O	2.01	0.60
1:A:235:ARG:HD3	1:A:258:HIS:CD2	2.37	0.60
1:A:166:LEU:HA	1:A:180:MET:HE3	1.84	0.59
1:A:203:GLY:HA2	1:A:206:LYS:HG2	1.84	0.59
1:A:13:GLU:OE2	1:A:294:THR:HB	2.02	0.59
1:A:251:ARG:O	1:A:254:LYS:HD3	2.05	0.56
1:A:222:GLU:O	1:A:226:GLU:HG3	2.05	0.56
1:A:131:ASP:O	1:A:135:GLN:HG3	2.05	0.56
1:A:229:ASP:OD1	1:A:251:ARG:NH2	2.39	0.56
1:A:81:ARG:HD3	1:A:85:GLU:OE2	2.07	0.55
1:A:39:PRO:HB2	1:A:49:ILE:HG21	1.88	0.54
1:A:345:GLU:HG2	1:A:349:ARG:HH21	1.72	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:68:TYR:O	1:A:71:VAL:HG22	2.06	0.54
1:A:28:LEU:CD1	1:A:46:LEU:HD22	2.37	0.54
1:A:338:GLU:O	1:A:342:GLU:HG3	2.08	0.54
1:A:58:LEU:HB3	1:A:59:PRO:HD3	1.90	0.53
1:A:273:ASP:OD1	1:A:275:LYS:HG2	2.08	0.53
1:A:321:GLU:HA	1:A:321:GLU:OE1	2.09	0.52
1:A:235:ARG:HD3	1:A:258:HIS:HD2	1.75	0.52
1:A:7:PHE:HB2	1:A:322:PHE:CD2	2.45	0.52
1:A:237:GLY:O	1:A:238:ALA:HB3	2.11	0.51
1:A:162:SER:OG	1:A:197:HIS:CD2	2.64	0.50
1:A:264:TRP:HA	1:A:264:TRP:CE3	2.46	0.50
1:A:174:GLN:C	1:A:176:THR:H	2.14	0.50
1:A:206:LYS:HG3	1:A:207:ASN:ND2	2.27	0.50
1:A:157:HIS:HB3	4:A:510:HOH:O	2.12	0.50
1:A:42:THR:HG23	1:A:44:GLU:OE1	2.12	0.49
1:A:28:LEU:HD13	1:A:46:LEU:HD22	1.95	0.49
1:A:191:SER:HA	1:A:194:PHE:CZ	2.48	0.48
1:A:76:ARG:HD3	4:A:563:HOH:O	2.14	0.47
1:A:289:ASN:ND2	1:A:328:ASN:HB3	2.28	0.47
1:A:88:GLU:HB2	1:A:144:PHE:CE2	2.48	0.47
1:A:181:ASP:OD2	1:A:214:HIS:CE1	2.68	0.47
1:A:264:TRP:HE3	1:A:264:TRP:HA	1.78	0.47
1:A:7:PHE:HE1	1:A:319:GLU:HG3	1.80	0.47
1:A:210:HIS:CD2	1:A:334:PHE:HB3	2.49	0.46
1:A:338:GLU:H	1:A:338:GLU:CD	2.19	0.46
1:A:220:SER:HB2	1:A:221:PRO:HD2	1.98	0.45
1:A:309:GLN:O	1:A:313:LYS:NZ	2.49	0.45
1:A:156:ARG:HA	1:A:197:HIS:CE1	2.51	0.45
1:A:330:ALA:HB1	1:A:343:LEU:HD13	1.97	0.45
1:A:166:LEU:HA	1:A:180:MET:CE	2.46	0.45
1:A:134:ASN:ND2	4:A:431:HOH:O	2.50	0.45
1:A:76:ARG:HG2	1:A:132:LEU:HD21	1.99	0.44
1:A:254:LYS:HD3	1:A:255:GLU:HG3	1.98	0.44
1:A:235:ARG:HD2	1:A:260:GLU:OE2	2.17	0.43
1:A:335:LEU:HG	1:A:339:GLU:HB2	2.00	0.43
1:A:109:ASN:C	1:A:109:ASN:OD1	2.57	0.43
1:A:101:ARG:HA	1:A:151:ILE:O	2.18	0.43
1:A:23:LYS:HD3	1:A:85:GLU:OE1	2.18	0.43
1:A:42:THR:O	1:A:46:LEU:HB2	2.18	0.43
1:A:346:ARG:O	1:A:350:GLU:HG3	2.19	0.43
1:A:309:GLN:O	1:A:313:LYS:HB2	2.18	0.43
1:A:25:GLU:HG3	1:A:43:VAL:HG11	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:233:THR:HG21	1:A:235:ARG:O	2.19	0.43
1:A:39:PRO:CB	1:A:49:ILE:HG21	2.47	0.43
1:A:13:GLU:O	1:A:98:VAL:HA	2.19	0.43
1:A:325:LEU:HD22	1:A:326:ASN:N	2.34	0.43
1:A:175:LYS:O	1:A:176:THR:HG23	2.19	0.43
1:A:166:LEU:HD22	1:A:200:ALA:O	2.19	0.42
1:A:288:ALA:O	1:A:324:ARG:NH2	2.52	0.42
1:A:97:TYR:CD1	1:A:147:LYS:HG2	2.54	0.42
1:A:264:TRP:CZ3	1:A:267:TYR:CD2	3.08	0.42
1:A:166:LEU:CA	1:A:180:MET:HE3	2.47	0.42
1:A:287:LYS:HD3	1:A:287:LYS:HA	1.93	0.42
1:A:278:HIS:O	1:A:281:VAL:HB	2.20	0.41
1:A:31:GLY:O	1:A:35:GLY:N	2.53	0.41
1:A:283:PHE:HB3	1:A:290:TYR:CD2	2.55	0.41
1:A:268:LEU:HD23	1:A:300:PHE:CD1	2.56	0.41
1:A:253:LEU:HA	1:A:253:LEU:HD12	1.89	0.41
1:A:81:ARG:O	1:A:85:GLU:HG3	2.20	0.41
1:A:166:LEU:CA	1:A:180:MET:CE	2.99	0.41
1:A:249:TYR:CE1	1:A:253:LEU:HD13	2.55	0.41
1:A:323:LYS:HD2	4:A:546:HOH:O	2.20	0.41
1:A:7:PHE:O	1:A:11:LYS:HE3	2.20	0.40
1:A:56:LEU:HB3	1:A:57:SER:H	1.57	0.40
1:A:173:ASN:C	1:A:175:LYS:H	2.23	0.40
1:A:147:LYS:HE3	4:A:439:HOH:O	2.20	0.40
1:A:327:ILE:O	1:A:331:LYS:HG3	2.22	0.40
1:A:313:LYS:HB2	1:A:313:LYS:NZ	2.37	0.40
1:A:102:TYR:OH	1:A:130:VAL:HA	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	347/349 (99%)	326 (94%)	15 (4%)	6 (2%)	14 17

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	121	GLU
1	A	142	GLN
1	A	238	ALA
1	A	176	THR
1	A	295	ASP
1	A	188	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	303/303 (100%)	271 (89%)	32 (11%)	10 14

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	LEU
1	A	33	LYS
1	A	38	LEU
1	A	53	ASP
1	A	61	PHE
1	A	81	ARG
1	A	100	VAL
1	A	121	GLU
1	A	125	THR
1	A	132	LEU
1	A	147	LYS
1	A	168	LEU
1	A	176	THR
1	A	189	GLU
1	A	193	LEU
1	A	195	PRO
1	A	221	PRO
1	A	231	LEU
1	A	233	THR
1	A	252	LEU
1	A	254	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	264	TRP
1	A	268	LEU
1	A	282	ARG
1	A	289	ASN
1	A	292	LEU
1	A	294	THR
1	A	313	LYS
1	A	325	LEU
1	A	335	LEU
1	A	343	LEU
1	A	346	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	134	ASN
1	A	197	HIS
1	A	289	ASN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length

(or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	HPR	A	353	2	21,21,21	1.81	4 (19%)	31,31,31	2.44	12 (38%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HPR	A	353	2	-	0/6/31/31	0/1/3/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	353	HPR	O6-C6	4.53	1.47	1.27
3	A	353	HPR	C3'-C4'	4.03	1.64	1.53
3	A	353	HPR	O4'-C4'	-3.13	1.37	1.45
3	A	353	HPR	C8-N7	-2.78	1.34	1.44

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	353	HPR	C2'-C3'-C4'	-5.86	90.97	102.65
3	A	353	HPR	N7-C8-N9	4.25	108.48	103.19
3	A	353	HPR	C2-N3-C4	4.19	120.41	111.50
3	A	353	HPR	N3-C2-N1	-4.15	121.62	128.66
3	A	353	HPR	O6-C6-N1	-4.07	105.87	120.04
3	A	353	HPR	O6-C6-C5	-4.02	109.83	126.93
3	A	353	HPR	C3'-C2'-C1'	3.72	108.74	101.35
3	A	353	HPR	C5-C4-N3	-3.37	121.02	125.22
3	A	353	HPR	N3-C4-N9	3.15	130.81	126.88
3	A	353	HPR	O4'-C4'-C3'	2.81	110.87	105.17
3	A	353	HPR	C2'-C1'-N9	-2.29	109.32	114.59
3	A	353	HPR	C8-N7-C5	-2.23	107.72	113.20

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.