



Full wwPDB X-ray Structure Validation Report

Nov 6, 2014 – 08:29 AM EST

PDB ID : 4URQ
Title : Crystal Structure of GGDEF domain (I site mutant) from T.maritima
Authors : Deepthi, A.; Liew, C.W.; Liang, Z.X.; Swamianthan, K.; Lescar, J.
Deposited on : 2014-07-01
Resolution : 2.50 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.16 November 2013
Xtriage (Phenix) : dev-1439
EDS : stable24103
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.1.3
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable24103

1 Overall quality at a glance

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	2784 (2.50-2.50)
Clashscore	79885	3562 (2.50-2.50)
Ramachandran outliers	78287	3480 (2.50-2.50)
Sidechain outliers	78261	3482 (2.50-2.50)
RSRZ outliers	66119	2785 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	U	167	
1	V	167	
1	W	167	
1	X	167	
1	Y	167	
1	Z	167	

2 Entry composition ⓘ

There are 2 unique types of molecules in this entry. The entry contains 7658 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DIGUANYLATE CYCLASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	U	154	Total	C	N	O	S	0	0	0
			1258	809	216	229	4			
1	V	153	Total	C	N	O	S	0	0	0
			1250	803	215	228	4			
1	W	154	Total	C	N	O	S	0	1	0
			1257	810	213	229	5			
1	X	154	Total	C	N	O	S	0	0	0
			1258	809	216	229	4			
1	Y	154	Total	C	N	O	S	0	0	0
			1258	809	216	229	4			
1	Z	153	Total	C	N	O	S	0	0	0
			1250	803	215	228	4			

There are 60 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
U	90	MET	-	EXPRESSION TAG	UNP Q9X2A8
U	158	ALA	ARG	ENGINEERED MUTATION	UNP Q9X2A8
U	249	LEU	-	EXPRESSION TAG	UNP Q9X2A8
U	250	GLU	-	EXPRESSION TAG	UNP Q9X2A8
U	251	HIS	-	EXPRESSION TAG	UNP Q9X2A8
U	252	HIS	-	EXPRESSION TAG	UNP Q9X2A8
U	253	HIS	-	EXPRESSION TAG	UNP Q9X2A8
U	254	HIS	-	EXPRESSION TAG	UNP Q9X2A8
U	255	HIS	-	EXPRESSION TAG	UNP Q9X2A8
U	256	HIS	-	EXPRESSION TAG	UNP Q9X2A8
V	90	MET	-	EXPRESSION TAG	UNP Q9X2A8
V	158	ALA	ARG	ENGINEERED MUTATION	UNP Q9X2A8
V	249	LEU	-	EXPRESSION TAG	UNP Q9X2A8
V	250	GLU	-	EXPRESSION TAG	UNP Q9X2A8
V	251	HIS	-	EXPRESSION TAG	UNP Q9X2A8
V	252	HIS	-	EXPRESSION TAG	UNP Q9X2A8
V	253	HIS	-	EXPRESSION TAG	UNP Q9X2A8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
V	254	HIS	-	EXPRESSION TAG	UNP Q9X2A8
V	255	HIS	-	EXPRESSION TAG	UNP Q9X2A8
V	256	HIS	-	EXPRESSION TAG	UNP Q9X2A8
W	90	MET	-	EXPRESSION TAG	UNP Q9X2A8
W	158	ALA	ARG	ENGINEERED MUTATION	UNP Q9X2A8
W	249	LEU	-	EXPRESSION TAG	UNP Q9X2A8
W	250	GLU	-	EXPRESSION TAG	UNP Q9X2A8
W	251	HIS	-	EXPRESSION TAG	UNP Q9X2A8
W	252	HIS	-	EXPRESSION TAG	UNP Q9X2A8
W	253	HIS	-	EXPRESSION TAG	UNP Q9X2A8
W	254	HIS	-	EXPRESSION TAG	UNP Q9X2A8
W	255	HIS	-	EXPRESSION TAG	UNP Q9X2A8
W	256	HIS	-	EXPRESSION TAG	UNP Q9X2A8
X	90	MET	-	EXPRESSION TAG	UNP Q9X2A8
X	158	ALA	ARG	ENGINEERED MUTATION	UNP Q9X2A8
X	249	LEU	-	EXPRESSION TAG	UNP Q9X2A8
X	250	GLU	-	EXPRESSION TAG	UNP Q9X2A8
X	251	HIS	-	EXPRESSION TAG	UNP Q9X2A8
X	252	HIS	-	EXPRESSION TAG	UNP Q9X2A8
X	253	HIS	-	EXPRESSION TAG	UNP Q9X2A8
X	254	HIS	-	EXPRESSION TAG	UNP Q9X2A8
X	255	HIS	-	EXPRESSION TAG	UNP Q9X2A8
X	256	HIS	-	EXPRESSION TAG	UNP Q9X2A8
Y	90	MET	-	EXPRESSION TAG	UNP Q9X2A8
Y	158	ALA	ARG	ENGINEERED MUTATION	UNP Q9X2A8
Y	249	LEU	-	EXPRESSION TAG	UNP Q9X2A8
Y	250	GLU	-	EXPRESSION TAG	UNP Q9X2A8
Y	251	HIS	-	EXPRESSION TAG	UNP Q9X2A8
Y	252	HIS	-	EXPRESSION TAG	UNP Q9X2A8
Y	253	HIS	-	EXPRESSION TAG	UNP Q9X2A8
Y	254	HIS	-	EXPRESSION TAG	UNP Q9X2A8
Y	255	HIS	-	EXPRESSION TAG	UNP Q9X2A8
Y	256	HIS	-	EXPRESSION TAG	UNP Q9X2A8
Z	90	MET	-	EXPRESSION TAG	UNP Q9X2A8
Z	158	ALA	ARG	ENGINEERED MUTATION	UNP Q9X2A8
Z	249	LEU	-	EXPRESSION TAG	UNP Q9X2A8
Z	250	GLU	-	EXPRESSION TAG	UNP Q9X2A8
Z	251	HIS	-	EXPRESSION TAG	UNP Q9X2A8
Z	252	HIS	-	EXPRESSION TAG	UNP Q9X2A8
Z	253	HIS	-	EXPRESSION TAG	UNP Q9X2A8
Z	254	HIS	-	EXPRESSION TAG	UNP Q9X2A8
Z	255	HIS	-	EXPRESSION TAG	UNP Q9X2A8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
Z	256	HIS	-	EXPRESSION TAG	UNP Q9X2A8

- Molecule 2 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	U	22	Total O 22 22	0	0
2	V	26	Total O 26 26	0	0
2	W	23	Total O 23 23	0	0
2	X	19	Total O 19 19	0	0
2	Y	18	Total O 18 18	0	0
2	Z	19	Total O 19 19	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: DIGUANYLATE CYCLASE

Chain U: 




• Molecule 1: DIGUANYLATE CYCLASE

Chain V: 




• Molecule 1: DIGUANYLATE CYCLASE

Chain W: 




• Molecule 1: DIGUANYLATE CYCLASE


Chain X: 



● Molecule 1: DIGUANYLATE CYCLASE



● Molecule 1: DIGUANYLATE CYCLASE



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	159.41Å 91.98Å 87.59Å 90.00° 90.04° 90.00°	Depositor
Resolution (Å)	38.37 – 2.50 36.28 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.7 (38.37-2.50) 99.4 (36.28-2.50)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.67 (at 2.51Å)	Xtriage
Refinement program	BUSTER 2.10.0	Depositor
R, R_{free}	0.222 , 0.247 0.229 , 0.254	Depositor DCC
R_{free} test set	2196 reflections (5.29%)	DCC
Wilson B-factor (Å ²)	45.5	Xtriage
Anisotropy	0.048	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 34.8	EDS
Estimated twinning fraction	0.479 for -1/2*h-3/2*k,-1/2*h+1/2*k,-l 0.478 for -1/2*h+3/2*k,1/2*h+1/2*k,-l 0.478 for 1/2*h-3/2*k,-1/2*h-1/2*k,-l 0.479 for 1/2*h+3/2*k,1/2*h-1/2*k,-l 0.487 for -h,-k,l	Xtriage
L-test for twinning	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Outliers	0 of 43743 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7658	wwPDB-VP
Average B, all atoms (Å ²)	53.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.92% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	U	0.51	0/1281	0.72	0/1721
1	V	0.52	0/1273	0.70	0/1710
1	W	0.52	0/1283	0.71	0/1724
1	X	0.51	0/1281	0.71	0/1721
1	Y	0.51	0/1281	0.71	0/1721
1	Z	0.51	0/1273	0.70	0/1710
All	All	0.51	0/7672	0.71	0/10307

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	U	1258	0	1283	17	0
1	V	1250	0	1272	20	0
1	W	1257	0	1281	17	0
1	X	1258	0	1283	17	0
1	Y	1258	0	1283	13	0
1	Z	1250	0	1272	14	0
2	U	22	0	0	0	0
2	V	26	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	W	23	0	0	0	0
2	X	19	0	0	0	0
2	Y	18	0	0	0	0
2	Z	19	0	0	0	0
All	All	7658	0	7674	87	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 6.

All (87) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:X:215:ARG:HH22	1:X:246:SER:HB2	1.27	1.00
1:Y:215:ARG:HH22	1:Y:246:SER:HB2	1.27	1.00
1:V:215:ARG:HH22	1:V:246:SER:HB2	1.28	0.96
1:Z:215:ARG:HH22	1:Z:246:SER:HB2	1.28	0.96
1:W:215:ARG:HH22	1:W:246:SER:HB2	1.27	0.96
1:V:127:LEU:HD11	1:V:149:VAL:HG11	1.74	0.69
1:V:194:PHE:HB2	1:V:209:PRO:HG3	1.76	0.68
1:U:194:PHE:HB2	1:U:209:PRO:HG3	1.76	0.67
1:Z:194:PHE:HB2	1:Z:209:PRO:HG3	1.75	0.67
1:Y:194:PHE:HB2	1:Y:209:PRO:HG3	1.76	0.67
1:W:194:PHE:HB2	1:W:209:PRO:HG3	1.76	0.66
1:V:108:ARG:HG3	1:X:105:LEU:HD21	1.79	0.65
1:V:103:PHE:HE2	1:V:224:GLU:HG3	1.61	0.65
1:W:103:PHE:HE2	1:W:224:GLU:HG3	1.61	0.64
1:U:105:LEU:HD21	1:Y:108:ARG:HG3	1.80	0.64
1:X:215:ARG:HH22	1:X:246:SER:CB	2.09	0.64
1:Z:103:PHE:HE2	1:Z:224:GLU:HG3	1.61	0.64
1:U:103:PHE:HE2	1:U:224:GLU:HG3	1.61	0.64
1:X:103:PHE:HE2	1:X:224:GLU:HG3	1.61	0.64
1:U:108:ARG:HG3	1:Y:105:LEU:HD21	1.80	0.64
1:V:105:LEU:HD21	1:X:108:ARG:HG3	1.82	0.62
1:Y:125:VAL:HG22	1:Y:211:ILE:HG12	1.79	0.62
1:V:114:LYS:HG3	1:V:216:PHE:HZ	1.68	0.59
1:U:114:LYS:HG3	1:U:216:PHE:HZ	1.68	0.58
1:W:114:LYS:HG3	1:W:216:PHE:HZ	1.68	0.58
1:W:125:VAL:HG22	1:W:211:ILE:HG12	1.85	0.58
1:V:125:VAL:HG22	1:V:211:ILE:HG12	1.85	0.57
1:V:215:ARG:HH22	1:V:246:SER:CB	2.09	0.57
1:X:125:VAL:HG22	1:X:211:ILE:HG12	1.85	0.57
1:X:194:PHE:HB2	1:X:209:PRO:HG3	1.87	0.57
1:U:125:VAL:HG22	1:U:211:ILE:HG12	1.85	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:Z:114:LYS:HG3	1:Z:216:PHE:HZ	1.69	0.57
1:X:127:LEU:HD11	1:X:149:VAL:HG11	1.88	0.56
1:Y:114:LYS:HG3	1:Y:216:PHE:HZ	1.69	0.56
1:X:114:LYS:HG3	1:X:216:PHE:HZ	1.69	0.56
1:W:215:ARG:HH22	1:W:246:SER:CB	2.09	0.56
1:Z:125:VAL:HG22	1:Z:211:ILE:HG12	1.87	0.56
1:Z:215:ARG:HH22	1:Z:246:SER:CB	2.09	0.56
1:Y:215:ARG:HH22	1:Y:246:SER:CB	2.09	0.54
1:U:156:ARG:HH22	1:Z:196:GLU:HG2	1.74	0.53
1:V:156:ARG:HH22	1:W:196:GLU:HG2	1.75	0.51
1:W:114:LYS:HG3	1:W:216:PHE:CZ	2.47	0.48
1:Y:114:LYS:HG3	1:Y:216:PHE:CZ	2.48	0.48
1:Y:190:ILE:O	1:Y:193:THR:HG22	2.14	0.48
1:U:191:LEU:HD11	1:U:244:TYR:HD2	1.79	0.48
1:X:114:LYS:HG3	1:X:216:PHE:CZ	2.49	0.48
1:Y:111:ASP:HA	1:Y:114:LYS:HD2	1.96	0.47
1:Z:114:LYS:HG3	1:Z:216:PHE:CZ	2.49	0.47
1:V:145:VAL:HG23	1:V:200:VAL:HG21	1.97	0.47
1:Z:127:LEU:CD1	1:Z:149:VAL:HG11	2.43	0.47
1:V:114:LYS:HG3	1:V:216:PHE:CZ	2.48	0.47
1:Z:111:ASP:HA	1:Z:114:LYS:HD2	1.96	0.47
1:V:156:ARG:NH2	1:W:196:GLU:HG2	2.29	0.47
1:W:111:ASP:HA	1:W:114:LYS:HD2	1.96	0.47
1:U:114:LYS:HG3	1:U:216:PHE:CZ	2.48	0.47
1:X:111:ASP:HA	1:X:114:LYS:HD2	1.96	0.47
1:W:127:LEU:HD11	1:W:149:VAL:HG11	1.97	0.47
1:U:111:ASP:HA	1:U:114:LYS:HD2	1.96	0.46
1:V:111:ASP:HA	1:V:114:LYS:HD2	1.96	0.46
1:U:127:LEU:CD1	1:U:149:VAL:HG11	2.46	0.45
1:X:99:ARG:HE	1:X:100:ARG:NH2	2.15	0.44
1:U:190:ILE:O	1:U:193:THR:HG22	2.18	0.44
1:U:104:GLU:O	1:U:108:ARG:HG2	2.18	0.44
1:V:104:GLU:O	1:V:108:ARG:HG2	2.17	0.43
1:X:104:GLU:O	1:X:108:ARG:HG2	2.18	0.43
1:V:115:ARG:NH2	1:X:176:TYR:O	2.43	0.43
1:Z:104:GLU:O	1:Z:108:ARG:HG2	2.18	0.43
1:W:104:GLU:O	1:W:108:ARG:HG2	2.19	0.43
1:Y:104:GLU:O	1:Y:108:ARG:HG2	2.19	0.42
1:W:127:LEU:CD1	1:W:149:VAL:HG11	2.50	0.42
1:X:100:ARG:HA	1:X:100:ARG:HD3	1.92	0.42
1:X:106:GLY:HA3	1:X:223:LEU:HD22	2.02	0.42
1:Z:165:ARG:NH1	1:Z:168:GLY:O	2.53	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:W:106:GLY:HA3	1:W:223:LEU:HD22	2.02	0.41
1:U:198:VAL:N	1:U:205:LEU:O	2.52	0.41
1:Z:106:GLY:HA3	1:Z:223:LEU:HD22	2.03	0.41
1:W:198:VAL:N	1:W:205:LEU:O	2.54	0.41
1:V:106:GLY:HA3	1:V:223:LEU:HD22	2.02	0.41
1:U:156:ARG:NH2	1:Z:196:GLU:HG2	2.34	0.41
1:V:227:LEU:HB3	1:Y:140:LEU:HD11	2.02	0.40
1:U:124:PHE:O	1:U:211:ILE:HA	2.21	0.40
1:W:121:PHE:HB2	1:W:175:LEU:HB2	2.03	0.40
1:Y:121:PHE:HB2	1:Y:175:LEU:HB2	2.03	0.40
1:U:121:PHE:HB2	1:U:175:LEU:HB2	2.03	0.40
1:V:121:PHE:HB2	1:V:175:LEU:HB2	2.03	0.40
1:V:195:ARG:NH1	1:W:155:ASP:O	2.54	0.40
1:X:121:PHE:HB2	1:X:175:LEU:HB2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	U	152/167 (91%)	147 (97%)	5 (3%)	0	100	100
1	V	151/167 (90%)	146 (97%)	5 (3%)	0	100	100
1	W	153/167 (92%)	145 (95%)	7 (5%)	1 (1%)	30	50
1	X	152/167 (91%)	145 (95%)	7 (5%)	0	100	100
1	Y	152/167 (91%)	145 (95%)	7 (5%)	0	100	100
1	Z	151/167 (90%)	144 (95%)	7 (5%)	0	100	100
All	All	911/1002 (91%)	872 (96%)	38 (4%)	1 (0%)	59	81

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	W	167	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	U	136/149 (91%)	132 (97%)	4 (3%)	55	81
1	V	135/149 (91%)	132 (98%)	3 (2%)	64	88
1	W	136/149 (91%)	133 (98%)	3 (2%)	64	88
1	X	136/149 (91%)	131 (96%)	5 (4%)	45	72
1	Y	136/149 (91%)	133 (98%)	3 (2%)	64	88
1	Z	135/149 (91%)	130 (96%)	5 (4%)	45	72
All	All	814/894 (91%)	791 (97%)	23 (3%)	56	82

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	U	105	LEU
1	U	193	THR
1	U	234	MET
1	U	246	SER
1	V	105	LEU
1	V	193	THR
1	V	234	MET
1	W	105	LEU
1	W	193	THR
1	W	234	MET
1	X	105	LEU
1	X	165	ARG
1	X	193	THR
1	X	196	GLU
1	X	234	MET
1	Y	105	LEU
1	Y	193	THR
1	Y	234	MET
1	Z	105	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	Z	119	LYS
1	Z	165	ARG
1	Z	193	THR
1	Z	234	MET

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	U	222	ASN
1	V	222	ASN
1	W	222	ASN
1	X	134	ASN
1	X	222	ASN
1	Z	222	ASN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	U	154/167 (92%)	0.63	10 (6%)	18 18	30, 51, 83, 98	0
1	V	153/167 (91%)	0.60	9 (5%)	22 22	30, 51, 82, 96	0
1	W	154/167 (92%)	0.63	8 (5%)	26 27	31, 50, 84, 101	0
1	X	154/167 (92%)	0.69	8 (5%)	26 27	30, 51, 83, 105	0
1	Y	154/167 (92%)	0.63	8 (5%)	26 27	30, 50, 85, 104	0
1	Z	153/167 (91%)	0.53	10 (6%)	18 18	31, 50, 83, 96	0
All	All	922/1002 (92%)	0.62	53 (5%)	23 23	30, 51, 84, 105	0

All (53) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	V	101	TYR	4.6
1	X	131	LYS	4.0
1	V	94	THR	3.9
1	W	94	THR	3.6
1	U	96	LEU	3.5
1	W	169	ASP	3.4
1	X	96	LEU	3.3
1	Z	244	TYR	3.2
1	Y	101	TYR	3.2
1	U	131	LYS	3.2
1	Y	199	ARG	3.2
1	X	245	PHE	3.1
1	Y	245	PHE	3.1
1	Z	245	PHE	3.0
1	U	101	TYR	3.0
1	W	245	PHE	3.0
1	U	245	PHE	2.9
1	X	135	ASP	2.9
1	V	245	PHE	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	V	109	TYR	2.8
1	Y	95	GLY	2.8
1	X	95	GLY	2.7
1	V	131	LYS	2.7
1	W	100	ARG	2.6
1	Z	135	ASP	2.5
1	Z	169	ASP	2.4
1	Z	100	ARG	2.4
1	U	194	PHE	2.4
1	V	96	LEU	2.4
1	Y	109	TYR	2.4
1	V	95	GLY	2.3
1	Y	146	LEU	2.3
1	Z	101	TYR	2.3
1	W	130	PHE	2.3
1	W	199	ARG	2.2
1	W	246	SER	2.2
1	Y	121	PHE	2.2
1	V	100	ARG	2.2
1	X	100	ARG	2.2
1	X	109	TYR	2.1
1	Z	94	THR	2.1
1	U	132	ALA	2.1
1	U	135	ASP	2.1
1	U	244	TYR	2.1
1	U	242	VAL	2.1
1	Z	196	GLU	2.1
1	U	94	THR	2.1
1	Y	135	ASP	2.1
1	X	102	PHE	2.1
1	W	95	GLY	2.1
1	Z	130	PHE	2.1
1	Z	96	LEU	2.1
1	V	105	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

There are no ligands in this entry.

6.5 Other polymers ⓘ

There are no such residues in this entry.