



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 28, 2014 – 05:47 PM GMT

PDB ID : 1UXR
Title : STRUCTURAL BASIS FOR ALLOSTERIC REGULATION AND SUBSTRATE SPECIFICITY OF THE NON-PHOSPHORYLATING GLYCER ALDEHYDE-3-PHOSPHATEDEHYDROGENASE (GAPN) FROM THERMOPROTEUS TENAX
Authors : Lorentzen, E.; Hensel, R.; Pohl, E.
Deposited on : 2004-03-01
Resolution : 2.30 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.15 2013
Xtriage (Phenix)	:	dev-1323
EDS	:	stable22639
Percentile statistics	:	21963
Refmac	:	5.8.0049
CCP4	:	6.3.0 (Settle)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP)	:	stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	79885	3679 (2.30-2.30)
Ramachandran outliers	78287	3642 (2.30-2.30)
Sidechain outliers	78261	3641 (2.30-2.30)
RSRZ outliers	66119	2930 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	501	

2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 4280 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called GLYCERALDEHYDE-3-PHOSPHATEDEHYDROGENASE (NADP+).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	499	Total	C	N	O	S	0	0	0
			3777	2416	649	703	9			

There are 2 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	378	PHE	LEU	ENGINEERED MUTATION	UNP O57693
A	402	LEU	SER	CONFLICT,SEE REMARK 9	UNP O57693

- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDEPHOSPHATE (three-letter code: NAP) (formula: C₂₁H₂₈N₇O₁₇P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 3 is SUGAR (FRUCTOSE-6-PHOSPHATE) (three-letter code: F6P) (formula: $C_6H_{13}O_9P$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O	P	0	0
			16	6	9	1		

- Molecule 4 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Na	0	0
			1	1		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	438	Total	O	0	0
			438	438		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: GLYCERALDEHYDE-3-PHOSPHATEDEHYDROGENASE (NADP+)

Chain A: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 62 2 2	Depositor
Cell constants a, b, c, α , β , γ	185.35Å 185.35Å 134.56Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	30.00 – 2.30 32.10 – 2.30	Depositor EDS
% Data completeness (in resolution range)	100.0 (30.00-2.30) 99.4 (32.10-2.30)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	8.59 (at 2.29Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.210 , 0.227 0.223 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	43.8	Xtriage
Anisotropy	0.244	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 56.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Outliers	1 of 60600 reflections (0.002%)	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4280	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.82% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NA, NAP, F6P

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.47	0/3847	0.73	3/5219 (0.1%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	266	GLY	N-CA-C	-5.76	98.70	113.10
1	A	261	VAL	N-CA-C	-5.36	96.53	111.00
1	A	472	ARG	NE-CZ-NH2	-5.27	117.66	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3777	0	3857	111	0
2	A	48	0	25	5	0
3	A	16	0	11	2	0
4	A	1	0	0	0	0
5	A	438	0	0	19	0
All	All	4280	0	3893	112	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 14.

All (112) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:267:GLY:HA3	1:A:301:LYS:HG3	1.37	1.05
3:A:1503:F6P:H5	5:A:2099:HOH:O	1.67	0.95
1:A:265:GLY:H	2:A:1502:NAP:H71N	1.11	0.93
1:A:85:LYS:HE3	1:A:85:LYS:HA	1.53	0.90
1:A:331:ASP:HB3	1:A:333:THR:OG1	1.81	0.80
1:A:223:PRO:HG2	1:A:226:GLU:HG3	1.64	0.80
1:A:96:VAL:HG23	5:A:2125:HOH:O	1.86	0.75
1:A:231:VAL:O	1:A:258:LYS:HE3	1.86	0.75
1:A:261:VAL:HG22	1:A:481:ALA:HB1	1.67	0.75
1:A:133:ILE:HD11	3:A:1503:F6P:H12	1.68	0.73
1:A:287:ARG:NH1	1:A:287:ARG:HB2	2.03	0.71
1:A:265:GLY:N	2:A:1502:NAP:H71N	1.85	0.71
1:A:261:VAL:HG22	1:A:481:ALA:CB	2.21	0.70
1:A:165:THR:CG2	1:A:192:PRO:HA	2.23	0.69
1:A:287:ARG:HH11	1:A:287:ARG:HB2	1.57	0.68
1:A:165:THR:OG1	1:A:166:PRO:HD2	1.93	0.67
1:A:324:LEU:HD23	1:A:376:PRO:HG2	1.76	0.67
1:A:158:LEU:CD1	1:A:484:ALA:HB2	2.25	0.66
1:A:158:LEU:HD11	1:A:484:ALA:HB2	1.76	0.66
1:A:464:GLY:O	1:A:472:ARG:NH2	2.30	0.65
1:A:233:ASP:OD1	1:A:235:ARG:HD3	1.98	0.64
1:A:387:LYS:HZ1	1:A:415:LEU:HD23	1.64	0.63
1:A:479:VAL:O	1:A:483:THR:HB	1.98	0.63
1:A:223:PRO:CG	1:A:226:GLU:HG3	2.28	0.62
1:A:146:THR:O	1:A:149:THR:HB	2.00	0.62
1:A:454:ARG:HD3	5:A:2390:HOH:O	1.98	0.62
1:A:80:LEU:HD13	1:A:183:ILE:HD11	1.80	0.61
1:A:307:ARG:NH2	1:A:407:LYS:HG2	2.15	0.60
1:A:155:ARG:NH2	5:A:2190:HOH:O	2.35	0.60
1:A:327:GLY:O	1:A:334:VAL:HG21	2.02	0.59
1:A:331:ASP:C	1:A:333:THR:H	2.05	0.59
1:A:154:ARG:HD3	5:A:2191:HOH:O	2.03	0.57
1:A:297:CYS:SG	2:A:1502:NAP:C4N	2.93	0.56
1:A:327:GLY:O	1:A:334:VAL:HG11	2.05	0.56
1:A:223:PRO:HD2	1:A:226:GLU:HG3	1.88	0.55
1:A:143:THR:HG22	1:A:146:THR:H	1.71	0.55
1:A:223:PRO:CD	1:A:226:GLU:HG3	2.37	0.55
1:A:201:ALA:HA	1:A:219:LEU:CD2	2.37	0.55
1:A:287:ARG:CB	1:A:287:ARG:HH11	2.20	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:165:THR:HG23	1:A:192:PRO:HA	1.90	0.54
1:A:156:GLU:OE2	1:A:486:LYS:HE2	2.06	0.54
1:A:326:VAL:HG12	1:A:327:GLY:N	2.23	0.54
1:A:480:GLU:HG2	5:A:2190:HOH:O	2.09	0.53
1:A:167:PHE:O	1:A:170:PRO:HD3	2.08	0.53
1:A:232:ALA:HB2	1:A:254:VAL:CG1	2.39	0.53
1:A:229:LYS:HE2	5:A:2222:HOH:O	2.08	0.53
1:A:261:VAL:HG13	1:A:471:PHE:HB3	1.91	0.53
1:A:52:SER:OG	1:A:55:GLU:HG3	2.08	0.52
1:A:165:THR:HG22	1:A:192:PRO:HA	1.90	0.52
1:A:290:TYR:CD2	1:A:324:LEU:HD21	2.45	0.52
1:A:345:VAL:HG13	1:A:374:VAL:CG2	2.40	0.52
1:A:330:ARG:NH1	5:A:2296:HOH:O	2.43	0.51
1:A:263:GLU:HB3	2:A:1502:NAP:C7N	2.40	0.51
1:A:407:LYS:HG3	1:A:411:GLN:OE1	2.10	0.51
1:A:304:LEU:HD23	1:A:404:VAL:HB	1.93	0.51
1:A:257:VAL:O	1:A:258:LYS:HG3	2.11	0.51
1:A:328:ASP:CB	5:A:2297:HOH:O	2.59	0.50
1:A:331:ASP:HB2	5:A:2293:HOH:O	2.11	0.50
1:A:348:MET:O	1:A:352:ILE:HG13	2.11	0.50
1:A:353:GLU:O	1:A:357:GLU:HG3	2.11	0.50
1:A:331:ASP:C	1:A:333:THR:N	2.64	0.50
1:A:368:ARG:HA	1:A:374:VAL:HG13	1.94	0.49
1:A:330:ARG:HB2	5:A:2298:HOH:O	2.12	0.49
1:A:331:ASP:N	5:A:2293:HOH:O	2.46	0.49
1:A:233:ASP:OD1	1:A:235:ARG:CD	2.61	0.49
1:A:261:VAL:CG2	1:A:481:ALA:HB1	2.41	0.49
1:A:85:LYS:CE	1:A:85:LYS:HA	2.37	0.49
1:A:199:PRO:HA	1:A:202:MET:HE2	1.95	0.49
1:A:483:THR:HG22	5:A:2189:HOH:O	2.12	0.48
1:A:342:PRO:HG2	5:A:2308:HOH:O	2.12	0.48
1:A:84:ARG:HG3	5:A:2101:HOH:O	2.13	0.48
1:A:481:ALA:HB1	5:A:2417:HOH:O	2.14	0.48
1:A:63:LEU:HD13	1:A:189:VAL:HG22	1.96	0.48
1:A:268:ASP:OD2	1:A:424:ASP:HB2	2.14	0.48
1:A:358:LYS:O	1:A:385:ARG:HG2	2.13	0.47
1:A:141:ASP:HA	1:A:147:LEU:HD12	1.96	0.47
1:A:156:GLU:OE2	1:A:486:LYS:CE	2.63	0.47
1:A:127:GLU:HG2	1:A:128:LEU:N	2.30	0.47
1:A:387:LYS:NZ	1:A:414:GLU:OE1	2.45	0.46
1:A:13:LYS:HE3	1:A:18:VAL:HG21	1.97	0.46
1:A:265:GLY:HA2	1:A:423:LEU:HD22	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:232:ALA:HB2	1:A:254:VAL:HG12	1.97	0.46
1:A:267:GLY:HA3	1:A:301:LYS:CG	2.26	0.46
1:A:265:GLY:N	2:A:1502:NAP:H2N	2.31	0.46
1:A:103:MET:HG3	5:A:2047:HOH:O	2.15	0.45
1:A:345:VAL:HG13	1:A:374:VAL:HG21	1.99	0.45
1:A:40:ILE:HG21	5:A:2297:HOH:O	2.16	0.44
1:A:199:PRO:HA	1:A:202:MET:CE	2.47	0.44
1:A:314:VAL:CG1	1:A:363:LEU:HD13	2.47	0.44
1:A:470:VAL:O	1:A:471:PHE:HB2	2.17	0.44
1:A:178:ILE:HD11	1:A:190:VAL:HG21	2.00	0.44
1:A:392:TYR:OH	1:A:418:GLY:HA3	2.18	0.44
1:A:398:ALA:HB1	1:A:399:PRO:HD2	1.99	0.44
1:A:334:VAL:HB	5:A:2293:HOH:O	2.18	0.43
1:A:363:LEU:HD11	1:A:380:GLU:HB2	2.00	0.43
1:A:66:ARG:HH11	1:A:66:ARG:CG	2.31	0.43
1:A:310:TYR:OH	1:A:380:GLU:HG3	2.18	0.43
1:A:167:PHE:C	1:A:167:PHE:CD1	2.92	0.43
1:A:327:GLY:O	1:A:328:ASP:C	2.56	0.43
1:A:422:GLY:HA2	1:A:444:VAL:HG12	2.01	0.43
1:A:94:LEU:HD12	1:A:94:LEU:O	2.18	0.42
1:A:386:VAL:HG13	1:A:387:LYS:N	2.34	0.42
1:A:268:ASP:OD2	1:A:424:ASP:OD2	2.36	0.42
1:A:320:ARG:O	1:A:324:LEU:HD13	2.19	0.42
1:A:328:ASP:HA	1:A:329:PRO:HD2	1.86	0.42
1:A:201:ALA:HA	1:A:219:LEU:HD21	2.02	0.42
1:A:345:VAL:HG13	1:A:374:VAL:HG22	2.02	0.41
1:A:96:VAL:O	1:A:100:VAL:HG23	2.21	0.41
1:A:193:SER:OG	1:A:195:SER:HB3	2.21	0.41
1:A:310:TYR:CE1	1:A:314:VAL:HG21	2.56	0.40
1:A:314:VAL:CG1	1:A:363:LEU:CD1	2.99	0.40
1:A:107:LYS:HA	1:A:108:PRO:HD3	2.01	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	497/501 (99%)	475 (96%)	19 (4%)	3 (1%)	33	39

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	224	GLY
1	A	328	ASP
1	A	4	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	386/393 (98%)	365 (95%)	21 (5%)	31	40

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	LEU
1	A	26	GLU
1	A	66	ARG
1	A	80	LEU
1	A	85	LYS
1	A	104	ASN
1	A	143	THR
1	A	147	LEU
1	A	149	THR
1	A	158	LEU
1	A	166	PRO
1	A	191	LYS
1	A	235	ARG
1	A	324	LEU
1	A	331	ASP
1	A	333	THR
1	A	374	VAL
1	A	397	PHE
1	A	424	ASP
1	A	483	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	486	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAP	A	1502	-	52,52,52	1.80	10 (19%)	80,80,80	1.89	13 (16%)
3	F6P	A	1503	-	16,16,16	1.59	4 (25%)	25,25,25	1.59	5 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAP	A	1502	-	-	0/35/67/67	0/3/5/5
3	F6P	A	1503	-	-	0/9/28/28	0/1/1/1

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1502	NAP	C2N-N1N	6.44	1.43	1.35
2	A	1502	NAP	C3N-C7N	3.76	1.57	1.50
2	A	1502	NAP	C4N-C3N	3.72	1.45	1.39
2	A	1502	NAP	C5N-C4N	3.43	1.47	1.39
2	A	1502	NAP	C6N-N1N	3.39	1.45	1.35
3	A	1503	F6P	O2-C2	3.35	1.46	1.41
3	A	1503	F6P	C6-C5	-3.14	1.41	1.51
2	A	1502	NAP	O4D-C1D	3.04	1.46	1.41
2	A	1502	NAP	C4A-N9A	-2.89	1.33	1.37
3	A	1503	F6P	C1-C2	2.81	1.57	1.52
3	A	1503	F6P	C2-C3	2.52	1.60	1.53
2	A	1502	NAP	C2N-C3N	2.50	1.42	1.38
2	A	1502	NAP	O3D-C3D	2.06	1.48	1.43
2	A	1502	NAP	O4B-C1B	2.05	1.44	1.41

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1502	NAP	N3A-C2A-N1A	-9.34	120.90	128.71
2	A	1502	NAP	O4D-C1D-N1N	5.68	113.76	107.95
2	A	1502	NAP	N3A-C4A-N9A	5.28	134.97	125.43
2	A	1502	NAP	O4B-C4B-C5B	-4.27	94.13	109.36
2	A	1502	NAP	O4B-C1B-C2B	-3.95	103.26	106.95
3	A	1503	F6P	C2-C3-C4	3.50	108.55	101.97
3	A	1503	F6P	C1-C2-C3	-3.20	109.62	115.80
2	A	1502	NAP	C5A-C4A-N3A	-3.15	118.84	125.70
2	A	1502	NAP	C2D-C1D-N1N	-2.68	109.32	113.86
2	A	1502	NAP	C3N-C7N-N7N	-2.67	114.74	117.77
2	A	1502	NAP	O2N-PN-O1N	-2.61	110.85	118.72
3	A	1503	F6P	O4-C4-C5	2.50	118.45	111.08
2	A	1502	NAP	C2A-N3A-C4A	2.47	121.05	114.01
2	A	1502	NAP	C4A-C5A-N7A	2.33	111.52	109.52
3	A	1503	F6P	O5-C5-C4	2.13	111.45	105.53
2	A	1502	NAP	C1B-N9A-C4A	-2.07	123.07	126.64
3	A	1503	F6P	O6-P-O1P	2.04	112.70	106.71
2	A	1502	NAP	O2X-P2B-O1X	2.04	117.11	110.44

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	499/501 (99%)	-0.19	13 (2%) 53 63	29, 43, 68, 89	0

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	3	ALA	12.3
1	A	332	PRO	4.0
1	A	4	GLY	3.8
1	A	144	TYR	3.4
1	A	13	LYS	3.3
1	A	500	TYR	3.2
1	A	7	GLU	2.8
1	A	178	ILE	2.6
1	A	333	THR	2.6
1	A	53	ARG	2.5
1	A	190	VAL	2.5
1	A	189	VAL	2.2
1	A	312	LYS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	F6P	A	1503	16/16	0.13	1.10	41,49,51,52	0
2	NAP	A	1502	48/48	0.10	-0.38	39,49,56,58	0
4	NA	A	1504	1/1	0.05	-1.14	39,39,39,39	0

6.5 Other polymers

There are no such residues in this entry.